

CLAUSE-50 Fair Wages : If a Contractor fails to pay within '7' (Seven) days to the labourer(s)/worker(s) the minimum wages prescribed by the Government under the Minimum Wages Act, 1948 as in force from time to time, the Engineer-in-charge shall be at liberty to deduct the amount payable to the labourer/workers from his (Contractor's) bills or deposit(s) payable by the Contractor after making due inquiries and establishing the claim(s) of the labourer(s)/worker(s).

The Contractor shall not be entitled to any payment of compensation on account of any loss that the Contractor may have to incur on account of the action as aforesaid. Before the action as aforesaid, is enforced, a notice in writing to the Contractor shall be issued by the Engineer-in-charge to pay the wages as per Minimum Wages Act in force at the relevant time. If Contractor does not act as aforesaid within seven days, then the action contemplated as above shall be taken against him.

ખંડ-૫૦ વાજબી વેતન : વખતોવખત અમલમાં હોય તે મુજબ ૧૯૪૮ના લઘુત્તમ વેતન અધિનિયમ હેઠળ સરકારે નિયત કરેલા લઘુત્તમ વેતન મજૂર (મજૂરો)ને કામદાર (કામદારો)ને સાત દિવસમાં કંટ્રાક્ટ ન ચૂકવે તો હવાલાના ઈજનેરને યોગ્ય તપાસ કરી તેમજ (મજૂર) મજૂરોનો કામદાર (કામદારો)નો હક્કારો સ્થાપિત કરીને મજૂર (મજૂરો)ને કામદાર (કામદારો)ને ચૂકવવાપાત્ર રકમ કંટ્રાક્ટરના બિલો અથવા કંટ્રાક્ટરે ચૂકવવાપાત્ર અનામત - અનામતોની રકમમાંથી કાપી લેવાની જુદે રહેશે.

ઉપર જણાવ્યા મુજબ લેવામાં આવેલા પગલાને કારણે કંટ્રાક્ટરને કોઈ પણ નુકસાન જાય તો તે માટે તેને કોઈપણ ચૂકવણી અથવા વળતર મળવાપાત્ર રહેશે નહીં. ઉપર જણાવ્યા મુજબનું પગલું અમલમાં ચૂકવવામાં આવે તે પહેલાં હવાલાના ઈજનેર તે સમયે અમલમાં હોય તે લઘુત્તમ વેતન અધિનિયમ અનુસાર વેતન ચૂકવવામાં કંટ્રાક્ટરને લિખિત નોટીસ આપશે, કંટ્રાક્ટર ઉપર જણાવ્યા મુજબ સાત દિવસમાં વર્તશે નહિ તો તેની સામે ઉપર વિચાર્યા મુજબનાં પગલાં બરવામાં આવશે.

CLAUSE 51 Deleted

CLAUSE 52 List of Machinery : The contractors shall also give a list of machineries in his possession and which they propose to use on the work.

ખંડ-૫૨ ચંત્રસામગ્રીની યાદી : કંટ્રાક્ટરે પોતાના કબજામાંની અને કામ માટે ઉપયોગમાં લેવા વિચારેલ ચંત્રસામગ્રીની યાદી પણ આપવાની રહેશે.

CLAUSE 53 (i) In case, the roller deployed by Department for the use on contract work is kept idle by the contractor for want of adequate labour and materials, the contractor will have to pay rental charges as per prevailing rules even though the items of rolling and watering are to be carried out by the department.

(ii) If the contractor does not plan his programme so as to suit the requirement of the Department, the proportionate rental charges on roller shall be recovered from the contractor.

CLAUSE 54 Local labour on normal rates : The contractor shall have to engage local labour and person seeking employment where available on normal rate.

ખંડ-૫૪ સામાન્ય દરે સ્થાનિક મજૂરો : સામાન્ય દરે મળી શકે તેમ હોય ત્યાં રોજગાર વાંછુ સ્થાનિક મજૂરો અને સ્થાનિક વ્યક્તિઓને કંટ્રાક્ટરે કામે રાખવાના રહેશે.

CLAUSE 55 Rent will be recovered from the contractor for the land given to them for stacking materials as well as for construction of temporary hutments etc.

Land measuring Charges

1. One hectare or less	Rs. 5 Per month
2. More than 1 hectare & upto 2 hectares	Rs. 10 per month
3. More than 2 hectare & upto 3 hectares	Rs. 15 per month
4. More than 3 hectare & upto 4 hectares	Rs. 20 per month

CLAUSE 56 The contractor shall employ only such labour who shall produce a valid certificate of having been vaccinated against small -pox within a period of last three years.

ખંડ-૫૬ કંટ્રાક્ટર છેલ્લા ૩ વર્ષની મુદત દરમિયાન શીતળાની રસી અપાઈ હોવા બાબતનું સ્વીકાર્ય પ્રમાણપત્ર રજૂ કરનાર મજૂરોને જ કામે રાખશે.

CLAUSE 57 1 Huts : The contractor shall build sufficient number of huts on a suitable plot of land for the use of the laborers according to the following specifications :

- (1) Huts of bamboos and grass may be constructed.
- (2) A good site shall be selected. High ground removed from jungle but well provided with trees shall be chosen wherever it is available. The neighborhood of rank jungle, grass or weeds should particularly be avoided. Camps should not be established close to large cuttings of earth-work.
- (3) The lines of huts shall have open spaces of at least 10 m. between rows. When a good natural site cannot be procured, particular attention should be given to the drainage.
- (4) There should be no over-crowding. Floor spaces at the rate of 2.8 Sq.m. per head shall be provided. Care should be taken to see that the huts are kept clean and in good order.
- (5) The contractor must find out his own land. if he wants Government land, he should apply for it and pay assessment for it.

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

ગામ

2. Drinking Water : The contractor shall as far as possible, provide an adequate supply of chlorinated pure potable drinking water for the use of labourers. This provision shall be at the rate of not less than 4.5 liters per head. No provision need be made where there is a suitable nalla, river or well within 0.4 km of the camp. However arrangement should as far as possible, be made to chlorinate water by chlorinated tablets before it is allowed for drinking purpose.

3. The contractor shall construct semi permanent latrines for the use of Labourers on the following scale, namely;

(a) Where females are employed, there shall be at least one latrine for every 25 females

(b) Where males are employed, there shall be at least one latrine for every 25 males

Provided that where the number of males or female exceed 100, it shall be sufficient if there is one latrine for every 25 males or females, as the case may be upto the first 100 and one for every 50 thereafter.

4. Privacy in latrines : Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper door and fastenings.

5. Notice to be displayed outside latrines and urinals : (1) Where workers of both sexes are employed there shall be displayed outside each block of latrine and urinal a notice in the language understood by the majority of the workers For Men Only or For Women Only : as the case may be.

5 (2) The notice shall also bear the figures of a man or of a women, as the case may be.

6. Urinals : There shall be at least one urinal for male/female workers upto 50 employed at a time. Provided that where the number of male or female workmen, as the case may be, exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females upto the first 500 and one for every 100 males or females or part thereof.

7. Latrines and Urinals to be accessible : (1) The latrines and urinals shall be conveniently situated and accessible to workers at all times at the establishment. (2) (i) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times (2) (ii) Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Health Authorities.

8. Water for latrines and urinals : Water shall be provided by means of pipes or tanks or the like, so also be conveniently accessible in or near the latrines and urinals.

9. Bathing and washing places : (1) The contractor shall construct sufficient number of bathing places; every unit of 20 persons being provided with a separate bathing place. (2) Washing places should also be provided for the purposes of washing clothes. Every unit of 30 persons shall have at least one washing place. (3) such bathing and washing places should be suitably screened and separate places provided for male and female workers. (4) Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

10. Drainage : The contractor shall make sufficient arrangement for draining away the sewerage water as well as water from the bathing and washing places and shall dispose off this waste water in such a way as not to cause nuisance. The contractor should obtain a permission from the Gujarat Water Pollution Control Board, Gandhinagar if Water is to be drained in river or near the well. The contractor would put malarial oil once in a week in stagnant water round about the residence.

11. Medical facilities : The contractor shall engage a medical officer with a traveling dispensary for a camp having 500 or more persons if there is no Government or other private dispensary situated within 6 k.m. from the camp.

12. Conservancy and cleanliness : The contractor shall provide the necessary staff for effecting the satisfactory conservancy and cleanliness of the camp to the satisfaction of the Engineer-in-charge. Atleast one sweeper per 200 persons should be engaged. Conservancy staff should dump refuse in compost pit, away from the labour camp.

13. Health Provisions : The District Health Officer of the District or the Deputy Director of Health Services shall be consulted before opening a labour camp and his instructions on matters, such as the water supply, sanitary convenience, the camp-site, accommodation and food supply shall be followed by the contractor.

14. Precautions against epidemic : (a) The authorities in charge of the colonies should get the labourers inoculated against cholera and plague and vaccinated against smallpox at the time of recruitment, If they are not inoculated or vaccinated within 6 months or 3 years respectively prior to the date of recruitment.

(b) When, in any labour camp there is an epidemic disease or is threatened with such an outbreak, the authorities in charge of the labour camps should ensure that all the inmates of the labour colonies are inoculated or vaccinated as the case may be, depending on the diseases, within 72 hours after the outbreak.

(c) The authorities in charge of the labour colony should arrange to communicate by wire regarding the outbreak of the epidemic diseases on the very day of the outbreak, to the Mamlatdar of the Taluka, the District Health officer or to the Deputy Director of Public Health in charge of that area and the Director of Public Health. Thereafter they should continue to send daily reports to the above officers in the prescribed form regarding the progress of the epidemic disease.

(d) When the authorities in charge of the labour colony suspect or have reason to believe that any inmate of the labour colony is suffering from the infectious or contagious disease, they shall forthwith arrange for the segregation of such persons to isolated huts to be specifically provided for the purpose and also for their treatment.

(e) As regional malaria epidemic outbreaks are likely to occur in such project areas, the authorities in charge of the labour colonies should report promptly the occurrence of unusual incidence of cases of malaria and also inform the District Health Officers of the District, Deputy Director of Public Health (Malaria) and the Director of Public Health and also arrange to institute all necessary antimalarial measures as may be advised by the officials of the Public Health Department.

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

- (i) The authorities in charge of the colonies should also arrange to carry out any other measures that may be recommended by the officials of the Public Health Department necessary to prevent or control the spread of disease.
- 15. Rest rooms :** (1) In every place where in contract labour is required to halt at night in connection with the contract works and in which employment of contract labour is likely to continue for three months or more, the contractor shall provide and maintain rest rooms or other suitable alternative accommodation within fifteen days of the employment of contract labour.
- (2) If the amenity referred to in sub rule is not provided by the contractor within the period prescribed, the employer shall provide the same within a period of fifteen days of the expiry of the period laid down in the sub-rule (1).
- (3) Separate rooms shall be provided for women employees.
- (4) Effective and suitable provision shall be made in every room for securing and maintaining adequate ventilation for the circulation of fresh air and there shall also be provided and maintained sufficient and suitable natural or artificial lighting.
- (5) The rest room or other suitable alternative accommodation shall be of such dimensions as to provide at least a floor area of 1 sq. mt. for each person making use of rest rooms.
- (6) The rest room or other suitable alternative accommodation shall be so constructed as to afford adequate protection against heat, wind, rain and shall have smooth, hard and impervious surface.
- (7) The rest rooms or other suitable alternative accommodation shall be at a convenient distance from the establishment and shall have adequate supply of wholesome drinking water.
- 16. Canteen Facilities :** (1) In every establishment of contract work and wherein work regarding the employment of contract labour is likely to continue for six months and wherein contract labour numbering one hundred or more are ordinarily employed, the adequate canteen facilities shall be provided by the contractor for the use of such contract labour within sixty days of the commencement of the employment of contract labour.
- (2) If the contractor fails to provide the canteen facilities within the time laid down the same shall be provided by the principal employer within sixty days of the time allowed to the contractor.
- (3) The Canteen shall be maintained by the contractor or principal employees as the case may be in an efficient manner.
- 17. Accommodation in canteen :** (1) The canteen shall consist of at least dining hall, kitchen, storeroom, pantry and washing places separately for workers and for utensils.
- 2 (i) The canteen shall be sufficiently lighted at all times where any person has access to it.
- (ii) The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or colour-washed at least once in each year, provided that the inside walls of the kitchen shall be lime-washed every four months.
- 3 (i) The premises of the canteen shall be maintained in clean and sanitary condition.
- (ii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as cause nuisance.
- (iii) Suitable arrangements shall be made for the collection and disposal of garbage.
- 18. Accommodation in dining hall :** (1) The dining hall shall accommodate at a time, atleast 30% of the contract labour working at a time.
- (2) The floor area of the dining hall excluding the area occupied per dinner to be accommodated shall as prescribed in subrule (1).
- (3) (i) A portion of the dining hall and service counter shall be partitioned and reserved for women workers, in proportion to their numbers. (ii) Washing places for women shall be separate and screened to secure privacy.
- (4) Sufficient table, stools, chairs or benches shall be available for the number of diners to be accommodated as prescribed in sub rule 1.
- 19. Equipment in canteen :** (1) (i) There shall be provided and maintained sufficient utensils, crockery, cutlery, furniture and any other equipment necessary for the efficient running of the canteen.
- (ii) The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.
- (2) (i) Suitable clean clothes for the employees serving in the canteen shall also be provided and maintained.
- (ii) A service counter, if provided, shall have a top of smooth and impervious materials.
- (iii) Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipment.
- 20. Food stuff to be served :** The food stuff and other items to be served in the canteen shall be in conformity with the normal food habits of the contract labour.
- 21. Prices to be displayed :** The charges for food stuffs, beverages and any other item served in the canteen shall be based on "no profit, no loss" and shall be conspicuously displayed in the canteen.
- 22. Canteen to be run on "No profit no loss" basis :** In deriving the prices of food stuffs and other articles served in the canteen, the following items shall not be taken into consideration as expenditure, namely.
- (a) the rent for the land and building.
- (b) the depreciation and maintenance charges for the building and equipment provided for in the canteen.
- (c) the cost of purchase, repairs and replacement of equipment including furniture, crockery, cutlery and utensils.
- (d) The water charges and other charges incurred for lighting and ventilation.
- (e) The interest on the amount spent on the provisions and maintenance of furniture and equipment provided for in the canteen.

Signature of the contractor :

કોન્ટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

The local officers should check up whether, facilities as offered and which are admissible under the existing rules and orders are made available to the workers and enforce upon the contractors the necessity of adhering to the instructions for promotion of welfare of the workers according to the terms of the contract.

23. BOOKS OF ACCOUNTS AND REGISTERS OF THE CANTEEN : The books of accounts and registers and other documents used in connection with the running of the canteen shall be produced on demand to an inspector.

24. AUDIT OF THE ACCOUNTS OF THE CANTEEN : The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors, provided that the Labour Commissioner may approve of any other person to audit the accounts; if he is satisfied that it is not feasible to appoint a registered accountant and auditor in view of the site or the location of the canteen.

CLAUSE 58 Contractor shall have to arrange for the supply of gumboots. Hand gloves, mask etc. invariably to the labourers/workers engaged by the contractor on asphalt work.

CLAUSE 59 The Contractor shall not show any distinction between Harijan and other class of labourers/workers employed to carry out the Government work.

CLAUSE 60 Price variation clause : Price variation : For (A) Labour (B) Materials and (C) P.O.L. The amounts payable to the Contractor for the work done shall be adjusted for increase or decrease in the rates of labour/materials excepting those materials supplied by Government as per Schedule-A and P.O.L. as under :

(A) **Labour :** Increase or decrease in the cost due to Labour shall be calculated quarterly in accordance with the following formula.

$$VI = 0.75 \times \left\{ \frac{pl}{100} \times R \times \frac{i-i_0}{i_0} \right\}$$

VI = Increase or decrease in the cost of work during the quarter under consideration due to change in rates for labour.

R = The value of work done in rupees during the quarter under consideration, after excluding the value of extra items and after deducting the cost of.

(i) Materials supplied from the Departmental store to the Contractor at fixed rate as specified in schedule-A and.

(ii) Value of cement, steel and asphalt brought by the contractor valued at star rate plus the increase/decrease for which price adjustment is done under clause 60/A below :-

i_0 = The average consumer price index for industrial workers for the quarter in which tenders were opened (as published in *

i = The average consumer price index for industrial workers for the quarter under consideration.

pl = Percentage of labour components (specified in Schedule%) of the item.

* This refers to average consumer's price-index (wholesale) for industrial workers as applicable to Ahmedabad/Bhavnagar as published by Government of India, Ministry of Labour Bureau.

(B) **Materials other than Cement, Steel and Asphalt :** The increase or decrease in cost of materials other than cement and steel shall be calculated quarterly in accordance with the following formula :

$$Vm = 0.75 \times \left\{ \frac{Pm}{100} \times R \times \frac{i-i_0}{i_0} \right\}$$

Vm = Increase or decrease in the cost of work during the quarter under consideration due to changes in the rates of material.

R = The value of work done in rupees during the quarter under consideration, after excluding the value of extra items and after deducting the cost of.

(i) Materials supplied from the Departmental store to the Contractor at fixed rate as specified in schedule - A and.

(ii) Value of cement, asphalt and steel brought by the contractor valued at star rate plus the increase/decrease for which price adjustment is done under clause 60/A below :-

i_0 = The average wholesale price index * (all commodities) for the quarter in which tenders were opened. (as published in @

i = The average wholesale price index (all commodities) for the quarter under consideration.

Pm = Percentage of material component (specified in Schedule%) of item.

@ = For materials wholesale price index as published by Reserve Bank of India should be referred to.

(C) **P. O. L. :** The increase or decrease in the cost of petrol, diesel, oil, and lubricants shall be calculated quarterly in accordance with the following formula.

$$Vd = 0.75 \times \left\{ \frac{pd}{100} \times R \times \frac{D - D_0}{D_0} \right\}$$

Vd = Increase or decrease in cost of work during quarter of consideration due to change in rates of petrol, oil and lubricants (POL):

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

(ii) Value of cement, steel and asphalt brought by the contractor valued at star rate plus the increase/decrease for which price adjustment is done under sub-clause 60/A below :-
Do = The average price of high speed diesel (HSD) fixed by I.O.C. for the district in which the work is to be carried out for the quarter in which the tenders were opened.
D = The average price of HSD fixed by the I. O. C. for the district in which the work is to be carried out for the quarter under consideration.

Pd = Percentage of P. O. L. Component (specified in schedule) _____ % of the item.

Conditions for variation except for Cement, Steel and Asphalt ;

- (1) No adjustment shall be done for the work done in the first twelve months of the time limit. Adjustment payable/recoverable will be calculated for the remaining work done during the subsequent period.
- (2) The sum total price adjustment for A, B and C will be limited to $(5/6/7) \times \%$ of the estimated cost of work put to tender less the cost of Materials supplied from the Departmental store to the Contractor at fixed rate as specified in schedule-A and cement, steel and asphalt valued at input rates mentioned as under on which the sanctioned estimate is based. When clause 60A (B-1) is not deleted.

QUANTITY	Input rate per ton
Cement : _____	M.T. Rs. _____ per M.T.
Mild Steel : _____	M.T. Rs. _____ per M.T.
TMT/HYSD Bars : _____	M.T. Rs. _____ per M.T.
Asphalt 60/70 : _____	M.T. Rs. _____ per M.T.
Asphalt 80/100 : _____	M.T. Rs. _____ per M.T.

- (3) The quarter referred to in the above formula shall mean the quarter of the calendar year January to March, April to June, July to September and October to December. Even if the tenders are opened in the middle of a quarter, the average index for the calendar quarter will be considered. The same principle would apply for identifying the quarter when the work is completed in the middle of calendar quarter.
- (4) The value of extra items will be excluded for working out the value of 'R' in the above formula in all these cases.
- (5) Intermediate payment of escalation to be made under this clause on each occasion shall be limited in such a manner that the total up-to-date payment of escalation will not exceed the proportionate percentage of the ceiling of escalation as related to the proportionate value of the contract cost.
- (6) Price adjustment shall be applicable only for the work that is carried out within the stipulated time or extensions thereof as are not attributable to the contractor. No claims for price adjustment other than those provided herein shall be entertained.
- (7) This clause will be applicable in respect of works which of the estimated cost put to tender is above Rs. 25.00 lacs and the time limit involved is more than 12 months.

* Guideline for Ceiling : 5% in case where time limit of contract is 3 years, 6% in case where time limit of contract exceeds 3 years but is upto 4 years & 7% where time limit is more than 4 years.

Clause 60A Price Variation for Cement, Steel and Asphalt brought by Contractor : The amounts payable to the contractors for the work done involving use of cement, steel and asphalt when these materials are not supplied by the Government as for schedule A shall be adjusted for increase or decrease in the rates of these materials as under :-

(4) Price variation for cement, steel and asphalt brought by the contractor.

(4) Price variation for cement, steel and asphalt brought by the contractor.
The star rates for cement, mild steel and tor steel & asphalt to be brought by the Contractor shall be considered Ex-supply Depot/ Godown as under :-

QUANTITY	STAR RATES	Month in which DTP is approved
Tentative Qty of VG-40 - 137.00 MT	Rs. 49862.00 per M.T.	December -2025
VG-10 - 6.00 MT	Rs. 45952.00 per M.T.	

(The above star rates are linked with Reserve Bank of India price index for steel and cement & ...)

[The above star rates are linked with Reserve Bank of India price index for steel and cement & the DTPs are approved.

The month in which DTPs are approved will be specified in the tender document.

Star rates should be mentioned in the tender copy as under :-

I. For Cement, Price of cement from authorised dealer should be obtained for the month in which the D. T. P. s are approved & mentioned as star rate before issue of tender copy.

- I(a). For steel & H. Y. S. D. bars, rate of SAIL should be obtained for the month in which the DTPs. are approved and mentioned as star rate before issue of tender copy.
- II(b). For asphalt the Star Rate is based on the Koyali Refinary prevailing in the month in which D.T.P. is approved and should be mentioned before issue of tender copy.
- III. For basic index specific month in which the DTPs are approved should be mentioned before issue of tender copy.]
- The fluctuations in rates of cement and steel shall be adjusted in the bills payable to the contractors as under :

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

$$A = B \times \left\{ \frac{C_1}{C_0} - 1 \right\} \times D$$

A = Difference of Amount payable or recoverable

B = Star rate of steel / cement / asphalt.

C1 - The (quarterly) average corresponding index for steel, cement, asphalt for the quarter under consideration (as published in monthly bulletin of Reserve Bank of India).

C0 - Price index of cement/steel for the month in which the DTSPs are approved published in monthly bulletin of Reserve Bank of India.

D - Qty. of cement / steel actually brought by the contractor on site of work and consumed in the work during the quarter duly supported with bill as recorded in cement consumption register or MB (for steel).

Conditions for variation in prices of cement and steel only :-

1. No Ceiling for escalation for difference in the cost of steel and cement will be applicable.
2. This clause shall be operative from the date of issue of work order and up to the expiry of original and extended time limit, if the delay for the reasons attributable to the contractor, Star rate is not Payable, however recovery will be effected.
3. This formula shall be used individually for cement/mild steel and Tor steel for calculating adjustment.
4. The cement and steel brought by the contractor on site of work shall be used only after the same is tested by the Department.
5. If such materials are not found as per the requirement of I. S. specification, the same shall be removed by the contractor for which no claim shall be entertained.
6. This clause will be applied to the work irrespective of the cost of the work.

Conditions for variation in rates of asphalt only :-

1. The Contractor shall procure asphalt directly from refinery only.
2. The Contractor will not be furnished "P" form for purchase of quantity of asphalt required for this work.
3. The Contractor will have to produce in original all the gate passes issued by the refinery and also the bill in original to the Engineer-in-charge.
4. The number of transport tanker carrying the asphalt shall be furnished by the contractor.
5. The test certificate regarding the grade of asphalt as well as test result of asphalt from GERI Laboratory or other Laboratory approved by R & B Department shall have to be produced.
6. The difference between the actual rate of purchase as per original bill of the refinery produced and the star rate shown above in this clause shall be payable / recoverable for the quantity of asphalt actually used in this work. This difference shall be payable / recoverable for the asphalt consumed in the work executed during original & extended time limit, if time limit is extended for reasons of delay attributable to the department. This difference shall not be payable for the work executed in extended time limit, when extension is given for the reason of delay attributable to the contractor, however in case if price of asphalt is decreased during the extended time limit than difference between the actual rate of purchase and the quoted star rate shall be recovered from the contractor.
- 7(A) The difference will be payable/recoverable for the asphalt procured on and after the date of issue of work order and this price variation will not be subject to any ceiling. In case the contractor has procured the asphalt, before issue of work order either of original purchase rate or the prevailing rate of asphalt at the time of actual consumption in the work, whichever is less, will be considered for calculating the difference payable / recoverable.
- 7(B) Variation in rates of asphalt shall be payable only after cross verification of refinery gate passes of asphalt with the issuing refinery or in case of imported asphalt invoices shall be cross verified with the statutory documents of the authorised dealer and authorised importer.
8. No advance payment or secured Advance will be payable against asphalt.
9. This part of clause for price variation of asphalt will be applicable for works estimated to cost above Rs. 5 Lacs and involving use of asphalt.
10. It is permissible to use asphalt produced by Private Companies like ESSAR etc. and imported asphalt also. If the Contractor opt to use asphalt produced by Private Companies or imported asphalt.
 - a. The contractor can procure asphalt produced by Private company of India or imported asphalt and use in the work.
 - b. The contractor will have to produce in original, the purchase invoice of asphalt.
 - c. All the conditions for variation in rates of asphalt shall be applicable for the imported asphalt (GR. No. STR/102006/1577/8/H dated 8-12-2008)
 - d. For calculation of variation in the rate of asphalt, the rate prevalent at Indian port at the time of purchase in case of imported asphalt or the rate as per purchase invoice in case of asphalt purchased from Private Indian Company or Ex. refinery Rate of Indian Public Sector undertaking refinery (IOC, HPCL, BPCL) on the date of purchase, whichever is less, shall be considered for working out the difference and for comparison of the Star rate shown above in this Clause. This difference shall be payable / recoverable for the asphalt consumed in the work executed during original & extended time limit if time limit is extended for reasons of delay attributable to the department. This difference shall not be payable for the work executed in extended time limit, when extension is given for the reason of delay attributable to the contractor, however in case if price of asphalt is decreased than difference between the actual rate of purchase and the quoted star rate shall be recovered from the contractor.
11. If the contractor use imported Asphalt, it will be verified that the imported Asphalt to be used is of specified viscosity Grade before permitting to use imported Asphalt. Grade Certificate of Refinery from which Asphalt is imported only must be obtained. Grade Certificate of any other Laboratory / Institution should not be accepted. For testing of imported asphalt, six conditions stipulated in R & B circular No. STR/102006/1577/8/H Dated 22-11-2017 should also be complied with.
(Authority R & B D GR No. TNC-1089 (4)-C, dated 31-08-1991 modified vide G.R.s of even numbers, dated 5-10-1991, 7-4-1992, 21-10-2005 and G.C. No STR-1097-162/H dated 27-11-97, 21-11-98 Misc-1093-UO-53-40-C dated 16-6-2001 & 26-7-2012 S.T.R.-10-2001-M-34/29/H dated 4-10-05 & 2-2-07 and STR/102006-1577-8-H dated 2-9-08 and dated 8-12-08 of R & B D No. STR/102006/1577/8/H dated 22-11-2017 v: I TEP/q11qZ_15, STR/10-2016/1/H/ dtd 3-10-16 and R & B circular No. PRC-10-2015-55 (PT-1) C Dated 8-2-2016. R & B circular No. STR/102006/1577/8/H dated 22-11-2017)

CLAUSE 61 FENCING AND LIGHTING : (a) The contractor shall, unless otherwise specified, be responsible for the proper fencing, lighting grading and taking of the necessary safety measures for all works comprised in the contract and for the proper provision of temporary road, way, foot-way, guards, fences, caution notices etc., as far as the same may be rendered necessary by reasons of the work for the accommodation of workmen, foot passengers or other traffic and of owners and occupiers of adjacent property and the public and shall remain responsible for any accidents that may occur on account of his failure to take proper & timely precautions.

(b) All the arrangements made for fencing and lighting shall be maintained by the contractor through the currency of the contract till the physical

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

taking over of the work by department.

CLAUSE 62 LIABILITY OF ACCIDENTS TO PERSONS : Responsibilities and liabilities of the contractor under Workmen's Compensation Act are given in clause No. 37. In addition following shall also apply : (a) On the occurrence of an accident, which result in death of workmen employed by the contractor or which is so serious as is likely to result in death of any such workmen, the contractor, shall within 24 hours of happening of such accident(s) intimate, in writing to the Engineer-in-charge the fact of such accident(s). The contractor shall indemnify Government against all loss or damage sustained by the Government resulting directly or indirectly from his failure to give intimation in the manner aforesaid including the penalties or fines, if any, payable by the Government as a consequence of Government's failure to give notice under the Workmen's Compensation Act or otherwise to conform to the provisions of the said act in regard to such accident(s).

(b) In the case of an accident, in respect of which compensation may become payable under Workmen's Compensation Act, whether by the contractor or by the Government as principal Employer, it shall be lawful for the Engineer-in-charge to retain out of money due and payable to the Contractor, such sum or sum of money as may, in the opinion of the Engineer-in-charge, be sufficient to meet such a liability. The opinion of the Engineer-in-charge shall be final in regard to all matters arising under this clause.

CLAUSE-63 ACCESS TO SITE AND WORK ON SITE : The Engineer may, if he considers fit from time to time, enter upon any land(s) which may be in possession of the contractor this contract for the purpose of executing any work not included in this contract and may execute such works not included in this contract by agents or by other contractors, at his opinion and the contractor shall, in accordance with the requirements of the Engineer-in-charge, afford all reasonable facilities for execution of the work including occupation of lands by structure or otherwise for any other contractor employed by the Government and his workmen or for the workmen of the Government who may be employed in the execution on or near the site of the work not included in the contract or of any contract in connection with or ancillary to the work and in default, the contractor shall be liable to the Government for any delay or expense incurred by reason of such default. Provided always that if damage arising, make a statement of the same to the Engineer-in-charge who shall from time to time, assess the value in his judgement of such damage and the Government shall from time to time pay to the contractor the amounts (if any) accepted as justified by the Engineer-in-charge :

CLAUSE 64 REPORTS REGARDING LABOUR : The Contractor shall submit the following reports to the Engineer-in-charge :
(a) (i) A daily report in the suitable form of the strength of labour, both skilled and unskilled employed by him on the work(s). The contractor shall increase or decrease the strength both skilled or unskilled. If directed by the Engineer-in-charge. The submission of such reports shall not, however, relieve the contractor of his responsibilities and duties regarding progress or any other obligations under the contract.
(ii) A classified weekly return in the suitable form of the number of person employed on the works during the preceeding week.
(iii) A weekly medical report in the suitable form showing the health of the contractor's camp, the number of persons ill or incapacitated and the nature of their illness.

(iv) A report of any accident, which may have occurred, to be sent within 24 hours of the occurrence.
(v) Such other report as may be prescribed.

CLAUSE-65 Treasure Trove : In the event of discovery by the contractor or his employees, during the progress of work of any gold, silver, oil or other minerals of any description and precious stones, treasures, coins, antiques, relic, fossils or other articles of value of interest whether geological, archaeological or any other such treasure & other things shall be deemed to be the absolute property of the Government and the contractor shall duly preserve the same to the satisfaction of the Engineer-in-charge, from time to time, and relieve the same to such persons as the Engineer-in-charge may appoint.

The contract shall take all reasonable precautions to prevent his workmen or any other person from removing or damaging any such articles or things, immediately after the discovery thereof and before removal acquaint the Engineer-in-charge with such discovery and carry out his orders for the disposal of the same.

CLAUSE- 66 Indemnity : The contractor shall indemnify the Government against all actions, suits, claims & demands through or made against the Department in respect of work of this contractor against any loss damage to Department in consequence of any action or suit being brought against the contractor for anything done or omitted to be done in execution of the work of this contract.

CLAUSE 67 Insurance of Labours : The contractor shall be responsible to arrange for insurance of all labourers, skilled and unskilled, workers, supervisors etc., employed by him as per labour regulation of the State.

CLAUSE-68 Setting Out : The contractor shall be responsible for the true and proper setting out of the works and the correctness of positions, levels, dimensions and alignments of all parts of the work and for the provisions of all necessary instruments, appliance and labour in connection therewith. If, at any time, during the progress of the work, any errors, appear or arise in the position, levels, dimensions or alignments of any part of the work, the contractor, on being required to rectify such errors by the Engineer-in-charge shall at his own expense do so to the satisfaction of the Engineer-in-charge. If however, such error is based on incorrect data supplied in writing by the Engineer-in-charge, the expenses of rectifying the same shall be borne by the Department. The checking of and setting out of any line or level by the Engineer-in-charge or his representative shall not in any way, relieve the contractor of his responsibilities for the correctness of the error. The contractor shall carefully protect and observe all bench-marks, site-nails, page and other things used in setting out of the work(s).

CLAUSE 69 Cement Register : A register in the prescribed form showing day-to-day receipt, consumption and balance of cement on site of work will be maintained by the Department, which shall invariably be signed daily by the contractor or his authorised representative in token of its correctness.

CLAUSE-70 (1) Materials, Works Test Register and Core cutting Machine : A register in the prescribed form showing day-to-day receipt, consumption and balance of cement on site of work by the Department and every entry thereof shall invariably be signed by the Contractor or his authorised representative in token of its correctness.

(2) Contractors registered in special category-1 (Roads) will have to procure and keep available on site two core cutting machines, similarly those registered in special category-2 (Roads) will have to procure and keep available on site one core cutting machine on ownership basis. The thickness of sub base and base layers of road will be tested by taking cores and recording results of layer thickness in paver site register. (R.&B.D. Circular No. RGN-60-2006-35-C dated 26-5-06)

(3) In case of asphalt items (other than BSG & BBM) having total thickness of more than 50mm., the contractor will take two to four core samples by his core cutting machine at the interval of 250 m. distance at each cross section in the presence of Dy Executive Engineer. These samples will be sealed and will be sent for testing of thickness density & bituminous content in the approved laboratory. Five percent of the amount payable for asphalt items will be withheld till the test results are received. If the results are not satisfactory, the action as per Conditions of contract will be taken (R & B D. Circular No. RGN 602006 (35)-C dated 31-5-07)

CLAUSE 71 Progress Schedule : (a) The contractor shall furnish within one month (unless extended by the Engineer-in-charge) of the order to start the work, the progress schedule in quadruplicate indicating the date of starting, the monthly

Signature of the contractor :

કર્તાકરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

expected to be achieved and the anticipated completion date of each major item of work to be done by him, also indicating dates of procurement and setting up the materials, plants and machinery. The schedule should include a statement of proposed general and detailed arrangements for carrying out works, and of item, order and manner in which it is proposed that these shall be executed. The schedule should be framed keeping requirement of the clause 2 of tender form in view and be such as in practice to the achievement towards completion of the work in the time limit and of the particular items on the dates specified in the contract and shall have the approval of the Engineer-in-charge. Further, the dates for the progress, as in this schedule shall be adhered to.

(a) in case it is found necessary, at any stage to alter the schedule, the contractor shall submit in good time a revised schedule incorporating necessary modification proposed and get the same approved from the Engineer-in-charge. No revised schedule shall be operative without such acceptance in writing. The Engineer-in-charge is further empowered to ask for more detailed schedule or schedules, any week by week, for any item or items and the contractor shall supply the same as and when asked for.

(b) The Engineer-in-charge shall have, at all times, the right, without in any way vitiating this contract forming grounds for any claim, to alter the order of the work of any part thereof and the contractor shall after receiving such direction, proceed in the order directed. The contractor shall also revise the progress, schedules accordingly and submit four copies of the revised schedule to the Engineer-in-charge within seven days of the said Engineer's direction to alter the order of works.

(c) The contractor shall furnish sufficient plant, equipment and labour and shall work such hours and shifts as may be necessary to maintain the progress of the work as per approved progress-schedule. The working and shift hours shall comply with all the Government regulations in force and shall be such, as may be approved by the Engineer-in-charge and the same not be varied without the prior approval of Engineer-in-charge.

(d) The contractor shall from time to time, as may be required by the Engineer-in-charge, furnish the Engineer-in-charge with a statement in writing of the arrangements he proposes to adopt for the execution of this contract and the Engineer-in-charge may, if he considers necessary at any time advise alternation in the same, which the contractor shall adopt on notice thereof.

(e) The progress-schedule(s) shall be in the form of progress chart, forms, statements and/or reports as may be approved by the Engineer-in-charge.

The contractor shall submit four copies showing the progress of the work in the form of a chart etc., at periodical intervals as may be specified by Engineer-in-charge.

(f) The approval of the progress schedules by the Engineer-in-charge shall not relieve the contractor of schedule required by the Engineer-in-charge shall not entitle the contractor to any extra payment.

CLAUSE-72 Secured Advance To Contractor :

(1) Before any secured advance for metal is paid to the contractor, the metal shall have to be tested for its quality in the laboratory. Contractor's request for such secured advance will be considered only after test results of metals are received and results are satisfactory. (As per Government circular No. SSR 1070-1B-191-22-S of 5-3-92)

(2) Advance on security of materials brought to site will not exceed 75% of the value (as assessed by the Executive Engineer) of such material provided that they are of imperishable nature.

(3) Recovery of advances will not be postponed until the whole of the work entrusted is completed. Secured advance will be recovered within 3 months from the month in which secured advance is given even if material is not utilised in the work.

(4) Secured advance is permissible on materials which are all actually brought on site and are required by the contractor for use on items of works for which rates for finished work have been agreed upon.

(5) Secured advance will be given only on materials for which the full value is paid by the contractor to the seller.

(૬) જ્યારે સીક્યોર્ડ એડવાન્સ આપેલ સરકારી માલ-સામાનમાં કામની સાઈટ ઉપર થત માલુમ પડે ત્યારે તેનો અહેવાલ કરવાની જવાબદારી ઈજારદારની રહેશે. આવી ઘટની જાણ ઈજારદાર દ્વારા હવાલાના ઈજનેરને તાત્કાલીક કરવાની રહેશે અને જો આવી જાણ ઈજારદાર દ્વારા હવાલાના ઈજનેરને તાત્કાલીક નહીં કરવામાં આવે તો કામની સાઈટ ઉપર માલુમ પડેલ ઘટ કે ચોરીના બનાવમાં ઈજારદાર પોતે પણ પશ્ચાત્ત છે તેમ ગણી તેની સામે પગલાં લેવામાં આવશે. ઉપરાંત કામ ઉપરના તાંત્રિક કર્મચારીઓ જેવા કે કારકુન, વર્ક આસીસ્ટન્ટ જેઓની પણ રીપોર્ટ કરવાની જવાબદારી છે તેઓએ માલ-સામાન કામની સાઈટ ઉપરથી ઉપડી ન જાય તે જોવાનું રહેશે તેમની જાણ બહાર જો આ માલસામાન ઉપડી જાય તો તેવા બનાવ બન્યે ત્રણ દિવસમાં રીપોર્ટ કરવામાં નિષ્ફળ જશે તો તેઓ સામે પણ જવાબદારી નક્કી કરવા પગલા લેવામાં આવશે (મા. મ. વિભાગ ઠરાવ ક્રમાંક પી. ડબલ્યુ. એમ ૧૦૮૦-યુ.ઓ. ૧૩(૫), તા. ૨૪-૧૦-૮૦.

(૭) જ્યારે કોન્ટ્રાક્ટર તારણવાળી પેશગી લેવા ઈચ્છતો હોય ત્યારે તેને અરજી કરી નમૂના- ૩૧માં ગીરોબત કરવાનો રહેશે. આ અરજી જોડે માલસામાનની ખરીદીનું બિલ અથવા ઈન્વોઈસ/ડીલીવરી ચલણ અરજી સાથે રજૂ કરવાનું રહેશે. આવા ગીરોબતથી સરકારને તારણવાળા માલસામાન ઉપર 'લીઅન' પ્રાપ્ત થશે અને કોન્ટ્રાક્ટર કામ ખોરબે પાડે, માલસામાનમાં ઘટ, દુરુપયોગ કે ચોરીદારી તથા સલામતીની વ્યવસ્થાના અભાવે ખોટ કે ખર્ચ થાય તે સામે સરકારને રક્ષણ મળશે.

(૮) રૂપિયા ૫૦,૦૦૦ થી વધુ રકમનું સિક્યોર્ડ એડવાન્સ આપવાનું હોય ત્યારે આવા માલસામાનની પૂરેપૂરી ચકાસણી કાર્યપાલક ઈજનેરશ્રીએ કરવાની રહેશે. (R. & B. D. G. R. No. P. W. M. -1090-40-13(5)-C, dated 24-4-92.)

(૯) સિક્યોર્ડ એડવાન્સની રકમ જેટલી બેંક ગેરેન્ટી ઈજારદારે રજૂ કર્યા બાદ જ સિક્યોર્ડ એડવાન્સ ચૂકવવામાં આવશે. (મા.મ.વિ.નો તારીખ ૪-૧૦-૮૭નો ઠરાવ ક્રમાંક પી.ડબલ્યુ.એમ.-૧૦૮૦/યુ.ઓ-૧૩(૫)-સ

CLAUSE-73 Advance Payment : Advance payment for the work done, but not measured, may be made upto 80% of the approximate value of the work done as shown in the progress reports of approximate measurement Sheets with location furnished by the sub-Divisional Officer subject to the following conditions :-

(1) That in the case of advance payment on the item of earth-work payment should be made on the basis of detailed measurements except during the monsoon period (June to September).

(2) That the detailed measurements should be recorded within the month from the date of payment of the bill incorporating the advance payment. However in the case of sectional measurements of earth work, detailed measurement should be recorded within

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

three months insted of one month stipulated above.

(3) If, on recording of the detailed measurements, it is found that the advance payment was made for more amount than the value of work now measured, excess payment shall be refunded forthwith by the contractor on demand, if it cannot be adjusted from the bill in which the item/s on which advance payment was given are recorded by measurements.

CLAUSE-74 Advance Against Machineries :

1. Secured advance on plants and machineries brought to the site of work is admissible for the contracts estimated to cost more than Rs. Ten Lacs.
2. Simple interest in such advances granted to contractor against plants and machineries brought to work sites be charged at the rate of % per annum.
3. The recovery of the advance shall be effected from the second month from the month in which advance is given and full recovery will be completed by the time seventy five percent of scheduled time is completed.
4. Such advance will be limited to 5 percent of the estimated amount put to tender.
5. The advance will be granted for the plant and machinery actually brought to the site of work.
6. The machinery and equipment on which the advance is granted shall be of full undisputed ownership of the contractor, and they shall be hypothecated to Government and also comprehensively insured till the advance granted is fully recovered. The hypothecation deed shall be executed separately before the advance is actually given.
7. The advance will be granted as 75 percent of the cost of new equipment for which the contractor is able to produce purchase-vouchers and other documents. This will not be applicable in the case of second-hand equipment purchased the contractor.
8. In the case of used or second-hand equipment brought by the contractor, advance will be allowed at 50 percent of the value of the equipment arrived at in the following manner :-
(a) For used equipment, for which the records of original purchase price and past utilisation are available, depreciated value, so worked out will be subject to the confirmation by Mechanical wing of the Department.
(b) For used equipment, for which proper records of purchase price and past utilisation are not available, the value will be assessed by a committee of Executive Engineers of Civil and Mechanical Wings. The value assessed will be based on the probable age of the equipment, its present condition and its probable depreciated value. In working out depreciation age of the equipment, its present condition and its probable department of spares, repair, reconditioning of the equipments shall not be taken into account towards the capital cost. The value arrived at by the committee will be final.
9. No advance may be allowed for equipment which is more than 8 years old or which has already worked for more than 80 percent of its life.
10. No advance shall be given on transport-vehicles like jeeps, station-wagons, estate-car and such other vehicle ordinarily required for transport purposes.
11. The recovery will have to be completed within the stipulated period of completion of work i.e. months.

[Specified advance on Plant and machinery brough on site of work can be given to contractor only after prior approval of the Government [G.P.W. Vol. - I Para 344-C(i)]

CLAUSE-75 Mobilisation Advance : 1. Mobilisation advance to the extent of 5% of the estimated cost may be granted at the commencement of the work after the contractor has set up camp on site has brought machineries, equipment and centering etc., for well-sinking and has completed the work of service road, water-supply and lighting arrangements on the site of works which are estimated to cost over Rs. 40 lacs.

2. The advance will carry a simple interest at the rate of % per annum.
3. The recovery of advance shall commence from the sixth month from the month in which the advance is paid, and full recovery of advance and interest shall be completed by the end of month from the date of issue of work order, In other words, the recovery of advance and interest will spread over a spell of months or less as above in equal instalments.
4. A bank guarantee from a scheduled commercial bank shall have to be produced for the amount of advance applied for, The bank guarantee can be scaled down to the extent of recovery of advance.
5. mobilisation advance will be treated as interest bearing refundable loan for the purpose. The responsibility of the Contractor for the refund of Mobilisation Advance is absolute and not dependent upon the completion of the work. The contractor will have to refund the advance with accrued interest irrespective of the fact whether the contract is breached by either party or abandoned or finalised prematurely. (Govt R&B Dept. Reso. No. TCF-1382(8)J dated 22-4-1985)

CLAUSE 76 Before starting the work, the contractor will have to obtain the licence from the District Assistant Labour Commissioner under the Contract Labour (Regulation and Abolition) Act, 1970 and contract Labour (regulation and Abolition) Gujarat Rules 1972 after paying necessary fees and deposit on the basis of the number of labourers to be employed on the work and will have to supply two true copies of the said licence to the Deputy Executive Engineer before the work is started.

CLAUSE 77.1 The contractors registered in special categories of Roads, Bridges and Buildings are required to equip their companies by establishing test laboratories as under :

Roads :

Special Category - 1 : Three field laboratories with all road material testing and asphalt testing.

Special Category - 2 : Two field laboratories with road material testing and asphalt testing.

Special Category - 3 : One field laboratory with all road material testing and asphalt testing.

For Asphalt testing the contractor will construct pucca structure of minimum 25 square meter area duly connected with water and electric supply to house site testing laboratory and install the instruments as per following I.S. standard to carryout the test prescribed therein.

1. Penetration test as per I.S. 1203
3. Ductility test as per I.S. 1208

2. Softening point test as per I.S. 1204

4. Viscosity test as per I.S. 1206

5. Specific gravity test as per I.S. 1202

Signature of the contractor :

કર્તાકર્તાની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

The instruments provided should be as per I.S. Standard, so certified and be regular and periodically calibrated.

Frequency of tests will be as indicated in the specifications and as referred in R. & B. D. G.R. No. SSR-1099-IB/91(9)-c dated 26-7-99

Bridges : Special Category 1 and 2 : One field laboratory with testing of all materials to be used in work and concrete testing instruments.

Buildings : Special category 1 and 2 : one field (Copy as above) (R & B Circular No. RGN-40-2017-01-C dated 23-3-2017) When the contractor is awarded contracts for such works as contractor registered in special category he will have to shift one such laboratory on this site of work or will have to provide mobile laboratory.

Works other than Roads, Bridges and Buildings :

In respect of works other than Roads, Bridges and Buildings the contractor will have to establish site laboratory equipped with instruments and facilities for testing of all materials and workmanship of items to be executed under this contract. This will include facilities of testing of (A) Aggregates (B) Murrum - Soil (C) Sand (D) Bricks (E) Concrete including non destructive tests like ultrasonic test (F) Bituminous mix if these are relevant items to be executed (Para-1 of R & B Circular ૫૨૫-૧૦-૨૦૦૭-૨૮-૨ તારીખ ૧૬-૨-૨૦૦૮)

77.2 The schedule showing number and type of lists to be carried out under this contract is attached with this tender. Out of total number of such tests, 80% tests will be carried out in site laboratory, 10% in Government approved laboratories and 10% in GERI laboratories. However minimum one test of all types of tests shall have to be carried out in GERI laboratories only.

77.3 Site laboratory tests will be carried out by qualified Engineer of the contractor to whom I Card is given by the Executive Engineer and in the presence of Section Officer / Dy. Executive Engineer or Executive Engineer in charge of the work.

77.4 80% of site tests will not be carried out at one time but will be related to the progress of work and consumption of materials.

77.5 Prescribed Registers for recording details and results of tests will be maintained on site of work.

77.6 The tests which are not done in GERI laboratories e.g. electrometric bearing etc. will be carried out in the laboratory consented by the Executive Engineer. (R & B Circular No. PARCH-102007-28-C, dated 31-12-2009)

77.7 One percentage of estimated cost of work put to tender for this work after deducting the cost of materials as per schedule A valued at basic rates in the sanctioned estimate will be deducted from the Running Account Bills of contractors for testing of materials and workmanship. (G.R. B&C No. TNC-1085(4)-C dated 10-5-85 read with R & BD Circular No. ગુનિજનાપરિપત્ર ૨૦૧૫/ગુનિ તારીખ ૪-૧૨-૨૦૧૫)

CLAUSE-78 Deduction of GST from bills : The following Tax deductions shall be made from each bill payable to the contractor (1) 1% of the value of amount payable towards SGST. (2) 1% of the value of amount payable towards CGST. TDS Certificate for taxes deducted will be issued to the contractor. (F.D.G.R. No. GST/1017/1097/GST Cell dated 15-9-18)

ખંડ ૭૮ ચુકવણીનાં બીલમાંથી થયેલ કામની કિંમતમાં એક ટકા લેખે "બીલ્ડીંગ એન્ડ અપર કન્સ્ટ્રક્શન વર્કસ વેલ્ફેર સેસ એક્ટ" અને તે હેઠળ ધરાયેલ ગુજરાતનાં ૧૯૮૮નાં નિયમોનાં નિયમ પની જોગવાઈ મુજબ ઉક્ત સેસ નો ફાળો વસુલ કરવામાં આવશે. (શ્રમ અને રોજગાર વિભાગની તારીખ ૩૧-૧-૦૫ની અધિસૂચના ક્રમાંક જી.એ.આર./૨૦૦૫/૦૪/દી.બલ્યુ.એ./૨૦૦૪/૮૪૧/મ-૩ અને તે વિભાગનો તારીખ ૯-૧૨-૦૫નો ઠરાવ ક્રમાંક સી.બલ્યુ.એ./૨૦૦૪/૧૮૩૧/મ-૩) તથા મા.મ. વિભાગનો તા. ૨-૧૨-૦૬નાં પરિપત્ર ક્રમાંક એસ.એસ.આર.-૧૦૨૦૦૪-આઈ.બી.-૪૧(૨૪)સ.

ખંડ ૮૦ "કોટ્ટાકટરના માર્ગદર્શન માટેની સૂચના ૧૮" મુજબ ઈજારદારશ્રી નિયત સ્થળે બોર્ડ લગવીને ફોટોગ્રાફ સહિતનો અહેવાલ આ કામ સંબંધિત નામ્ય કાર્યપાલક ઈજનેરશ્રીને કાર્યપાલક ઈજનેરશ્રીની જાણ હેઠળ વર્કઓર્ડ ઈસ્યુ કર્યાની તારીખથી એક મહિનામાં કરશે. જો તેમ કરવામાં વિલંબ થાય તો વિલંબિત સમયમાં ચુકવણી રતીગ બીલમાંથી ટેન્ડરની રકમના ૦.૨૫%થી ૧% જેટલી રકમ રોકવામાં આવશે. (મા.મ.વિ.ના તા. ૨૬-૪-૭૮નાં પરિપત્ર તથા તા. ૨૭-૧૧-૮૦, ૧૮-૧૧-૮૧, ૨૨-૭-૮૮ તથા ૫-૩-૨૦૧૧નાં ઠરાવ ક્રમાંક ડીએનસી-૧૦૮૦-૨૪-સ, આધારીત)

Annexures : The information in the following annexures specimens should be furnished on separate letter pad if necessary.

ANNEXURE - 1

(Referred to in Condition No. 2 General Rules and Direction for the guidance of Contractors.)

To

The Executive Engineer

Division :

PLACE :

DATE :

Details regarding my our partners our Company (in the case of limited Company) Names, address(es), telephone numbers(s) Income tax etc. are as under :

Sr. No.	Name(s) of Person/ Partner Director of the company	Full address of the place of business (with pin code)	Telephone No.(s) (office)	Residential address(es) (Resi.)	Telephone No.(s)	Full address of Income tax Office ward where Income Tax return is filed
1	2	3	4	5	6	7

I/We hereby agree to intimate to you about change if any, in the above-mentioned address(es) and telephone No. (s) within Fifteen days of its occurrence till my/our deposit, for the said work paid by me/us is not returned to me/us.

Dated Signature of Tenderer

Signature of the contractor :

કોટ્ટાકટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

ANNEXURE-2

ટેન્ડર આઈટમોના ભાવો ભરતી વખતે ગણતરીમાં લીધેલ મજૂરી તથા સ્પેશીકીકેશનમાં જણાવ્યા મુજબ માલસામાન અંગેના કામના સ્થળના પડતર ભાવો (દર) અંગેની વિગત. (આ વિગત ૩૦ લાખ કરતા ઉપરનાં કામમાં ભરી રજૂ કરવી ફરજિયાત છે.)

(અ) મજૂરીના દૈનિક દર

- (૧) કડીયા, સુધાર-પ્લમ્બર સ્કીલ કારીગરોના દર રૂા.
 (૨) ભીસ્તી, હેલ્પર વગેરે સેમી સ્કીલ કારીગરોના દર રૂા.
 (૩) મજૂરો (સ્ત્રી- પુરુષ) અનસ્કીલ મજૂરોનો દર રૂા.

(ક) મકાનો

અ.નં.	ટેન્ડર આઈટમ નંબર	માલસામાનની વિગત	યુનિટ	દર
૧.		ઈંટો	૧,૦૦૦ નંગ	રૂા.
૨.		પથ્થર ચરણતરનો	ધ.મી.	રૂા.
		ખાણ લીડ	૧૨મી.મી.થી	
		કપચી	૨૦ મી.મી.	
૪.		ખાણ	ધ. મી.	રૂા.
		લીડ	કી.મી.	રૂા.
૫.		રેતી પ્રાપ્તિ સ્થાન	લીડ કી.મી.	
		લાકડું સાગીન્કટ સાઈઝ		
		(સરેરાશ યાદી માટે)		
		(અ) બારી	ચો.મી.	રૂા.
		(બ) બારણાં	ચો.મી.	રૂા.
૬.		ફ્લોરિંગ ટાઈલ્સ	ચો.મી.	રૂા.
૭.		પોલીસ કોટા સ્ટોન જાડાઈ મી.મી.	ચો.મી.	રૂા.
૮.		ગેલ્વેનાઈઝ પાઈપ		
		(અ) ૨૫ મી.મી.	દર મી.	રૂા.
		(બ) ૧૨ મી.મી.	દર મી.	રૂા.

(ર) (રેસ્તોઓ) કામના સ્થળ ઉપરના ભાવ

અ.નં.	ટેન્ડર અ.નં.	માલસામાનની વિગત	ખાણ પ્રાપ્તિ સ્થાન નામ (સરેરાશ)	લીડ કી.મી.	યુનિટ	દર રૂા.
૧.		મુરમ			ધ. મી.	
૨.		હાર્ડ મુરમ			ધ. મી.	
૩.		રેતી			ધ. મી.	
૪.		મેટલ			ધ. મી.	
૫.		કપચી			ધ. મી.	
		૧૨ મી.મી. થી ૨૦ મી.મી			ધ. મી.	
૬.		પથ્થર પીચીંગ માટે			ધ. મી.	

(૩) હોટરીકેશન કામો માટે કામના સ્થળ ઉપરના પડતરના ભાવ

અ.નં.	ટેન્ડર અ.નં.	વિગત	યુનિટ	દર	રીમાર્ક્સ
૧.		કપચી	ધ. મી.		ખાણ
૨.		ગ્રીટ	ધ. મી.		ખાણ
૩.		બલ્ક આસ્ફાલ્ટ	મે. ટન		
૪.		ડામર કામની મજૂરી	મે. ટન		

(૪) ખુલ્લીના કામો : કામના સ્થળ ઉપરના ભાવ

અ.નં.	ટેન્ડર અ.નં.	માલસામાનની વિગત	ખાણ પ્રાપ્તિ સ્થાન	લીડ કી.મી. (સરેરાશ) યુનિટ	યુનિટ	દર રૂા.
		મશીન કસ્ટ મેટલ			ધ. મી.	
		કપચી			ધ. મી.	
		ગ્રીટ			ધ. મી.	
		રેતી			ધ. મી.	
		હાઈ ટેન્સાઈલવાયર			મે. ટન	

એક્ટરાર પગા

ઉપરોક્ત પરિશિષ્ટોમાં આપેલ દર ટેન્ડરમાં ભરેલ ભાવોની ચકાસણી અંગે હોઈ તે ખાતાને બંધનકર્તા રહેશે નહીં તેમજ તેનાં દર્શાવેલ ખાણ મયકેથી સ્પેશીકીકેશન મુજબનો માલસામાન નહીં મળે તો તે સ્પેશીકીકેશન પ્રમાણેનો માલસામાન ખાતું માન્ય કરે તે અન્ય જગ્યાએથી લાવી આપીશું. જે માટે હોઈ વળતરનો કલેઈમ મુકવામાં આવશે નહિ.

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

ANNEXURE - 3 **PERFORMANCE BOND** (see clause No. 1)

(The date of this bond must not be prior to the date of the instrument in connection with which it is given).

Principal (Contractor)

Surety (Scheduled or Nationalised Bank)

Sum of bond (express in words and figures)

Contract No. and date of contract

KNOW ALL MEN BY THESE PRESENTS, THAT WE, THE PRINCIPALS AND SURETY above named are held and firmly bound unto the hereinafter called the Employer in the amount stated for payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors jointly and severally, firmly by these presents subject to the provisions of which the aforesaid Contractor on demand and without demand on a claim being made by the Employer.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the principals have entered in to a contract with the Employer numbered and dates as shown above and hereto attached for the execution of work

NOW THEREFORE, if the Principal shall well and truly perform and fulfill all the undertakings, covenants, terms, conditions and agreements of said contract during the original terms of the said Contract and any extensions thereof that may be granted by the Employer with or without notice to the surety and during the life or any guarantee required under the contract and shall also well and truly perform and fulfill all the Undertakings, covenants, terms, conditions and agreements of any all duty and unduly authorized modifications of said Contract that may hereafter be made, notice of which modifications to the surety being hereby waived or shall pay over, make good and reimburse to the Employer all loss and damages which the employer may sustain by reason of failure or default on the part of said Principal so to do.

We further agree that the guarantee herein Contained shall remain in full force and effect during the period that would be taken for the validity of the said Contract, and that it shall continue to be enforceable till all the dues of the employer under or by virtue of the Contract have been fully paid and its claims satisfied or discharged or till the Employer certifies that the terms and conditions of the Contract have been fully and properly carried out by the said Contractor and accordingly discharges the guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the we shall be discharged from all liability under this guarantee thereafter.

IN WITNESS WHERE OF, the above bounded parties have executed this instrument under their several seals on the date indicated above the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representatives, pursuant to authority of its governing body.

In the presence of witness

Principal

individual

1. as to (seal)
2. as to (seal)
3. as to (seal)
4. as to (seal)

by affix Corporate Seal

Attested

Corporate surety

Business address

Affix by corporate Seal

Title

For and on behalf of the Employer

Signature of the contractor :

કર્તાલક્ષ્મી સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

ANNEXURE-4 LIST OF WORKS ALREADY COMPLETED BY THE TENDERER

ઇજારદારે પૂરાં કરેલ કામોની યાદી

Sr. No.	Name of work	Place	Cost on completion	Time taken in months To complete the work	Remarks
ક્રમાંક	કામનું નામ	સ્થળ	પૂરાં થયેલ કામની કિંમત	કામ પૂરું કરવા માટે લીધેલ સમય માસમાં	વિશેષ નોંધ
1	2(a)	2(b)	3	4	5

Note : Necessary certificate from officer concerned shall be attached with the tender.

નોંધ : સંબંધિત અધિકારીનું જરૂરી પ્રમાણપત્ર ટેન્ડર સાથે રાખવું

Signature of Tenderer with Date/. ઇજારદારની તારીખ સાથેની સહી

ANNEXURE-5 LIST OF PLANT AND MACHINERY IN GOOD WORKING ORDER AVAILABLE WITH THE TENDERER

ઇજારદાર પાસે સારી અને ચાલુ હાલતમાં હોય તેવાં યંત્રો અને ઓજારોની યાદી

Sr. No.	Plant or Machinery	Location	Age of Machinery	Make	Capacity	Approximate Value	Remark
ક્રમાંક	ઓજારો અથવા યંત્રો	સ્થળ	મશીનરી કેટલા વર્ષ જૂની છે	બતાવટ	કામતી	અંદાજી કિંમત	વિશેષ નોંધ
1	2(a)	2(b)	3	4	5	6	7

Signature of Tenderer with Date/. ઇજારદારની તારીખ સાથેની સહી

ANNEXURE-6 DECLARATION REGARDING WORKS ON HAND WITH TENDERER

ઇજારદારના હાથ પર હોય તેવા કામોની વિગત

Sr. No.	Name of work	Place	Estimated Cost	Date of Issue of work order	Stipulated period of completion	Amount of work done on date of filling tender	Brief details of delay If any	Remarks
ક્રમાંક	કામનું નામ	સ્થળ	અંદાજી કિંમત	કામ શરૂ કરવાના હુકમની તારીખ	કરવાની નિયત મુદત	ટેન્ડર ભર્યા તારીખે હોય તો તેના દરમિયાન કરેલ કામ	દીલ જો થયેલ હોય તો તેના કારણ	વિશેષ નોંધ
1	2(a)	2(b)	3	4	5	6	7	8

Signature of Tenderer with Date / ઇજારદારની તારીખ સાથેની સહી

Note 1 : Amount of work in column 6 should be given up to the month previous to the month in which tenders are invited.

નોંધ :- આસન ૬ માં જે માસમાં ટેન્ડર માંગવામાં આવ્યું હોય તે પહેલાના માસના અંત સુધી કરેલ કામોની રકમ દર્શાવવી.

Note 2 : Necessary certificate from the officer concerned shall be attached with the tender.

ANNEXURE 7: Special Conditions of Contract

Special Condition No-1 : If bids are invited by District Panchayat the words " By order of " or " On behalf of the Governor of Gujarat " shall be read as " On behalf of the President of District Panchayat " In place of designations of State Engineers other than Executive Engineer, the words " P.W.D. Committee of District Panchayat/ જિલ્લા પંચાયતની બાંધકામ સમિતિ will be read and so understood.

Special Condition No-2 : If the item Specifications provide for mixing wetmix Macadam at plant site, the three Registers prescribed to be maintained for Asphalt items on the basis of Hot- Mix Plant as per P.W.D. Circular No ગુનિવાજનરજા/ ૮૮/૭ ના.૭/૮/૧૯૮૦ shall be maintained in which the detail of Gate Pass, Weight etc. shall be recorded however mixing on site will not be permitted and no payment will be made for mixing on site. The payment for such item will not be made on the basis of weight of wetmix as per Gate Pass but will be made on the basis of thickness of layer achieved after density test of volumetric quantity, as provided in the specifications of such item. (R&B circular No. ૫૨૫-૧૦૨૦૧૫-૫૫-સી.તા.૪/૧૧/૨૦૧૫)

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :

SCHEDULE 'A' અનુસૂચિ 'ક'

Schedule showing (approximately) the materials to be supplied from the Public Works Store for work Contracted to be executed and the rates at which they are to be charged for

જે કામ હાથ ધરવા માટે કંટ્રાક્ટ કરાયો હોય તે કામમાં બાંધકામ વિભાગના સ્ટોરમાંથી પૂરો પાડવાનો માલસામાન (આશરે) અને તે અંગે વસુલ લેવાના દર દર્શાવતી અનુસૂચિ

Particulars વિગત	Approximate quantity અંદાજીત જથ્થા	Rate at which the materials will be charged to the Contractor કંટ્રાક્ટર પાસેથી માલસામાન માટે લેવાનો થતો દર		Place of delivery રિલિવરીનું સ્થળ
1	2	3	4	5
		Unit એકમ	Rate in Rupees ભંવ રૂપિયમાં	

નોંધ ૧ : અં કામમાં વાપરવા સીમેન્ટ અથવા સ્ટીલ તથા કોઈપણ કામમાં મંલદમન કામમાં વિભાગ તરફથી પુર પાડવામાં આવશે નહીં. (મા.મ.વિ. ઠરાવ ક્રમાંક ટીએનટી-૧૦૮૮-IB-૨૨૦-૧૮-૬, સં. ૩૧-૩-૦૫) પરંતુ નર્મદા, જળસંપત્તિ અને પાણી પુરવઠા વિભાગ દ્વારા કામમાં વાપરવા જરૂરી સ્ટીલ વિભાગ દ્વારા પુર પાડવાની જોગવાઈ તા. ૨૩-૬-૮૭નાં વિભાગના ઠરાવ ક્રમાંક એસ.ટી.એલ/૧૦૮/કે/૫૮/ભાગ (હ) દ્વારા ચાલુ રાખવામાં આવે છે. આ અંગે સેડ્યુલ-એમાં જે જોગવાઈ કરવામાં આવે તે આખરી ગણાશે.

નોંધ ૨ : સીમેન્ટ : જ્યારે સીમેન્ટ ઈજારદાર દ્વારા કામમાં વાપરવા લાવવામાં આવે ત્યારે આવો સીમેન્ટ ઈજારદાર આઈ.એસ. પ્રમાણપત્રવાળા તથા મુળ ઉત્પાદક કંપનીમાંથી સીધો રીતે મેળવવાનો રહે છે. અને તેની ખરાઈ માટે તેનાં ચુકવણાનાં બીલો કા.ઈ.શ્રીને રજૂ કરવાનાં રહેશે. આવો સીમેન્ટ કંપનીના અધિકૃત વિકેતા પાસેથી ખરીદી શકાશે નહીં, પરંતુ ભાવ-વધારાનાં સ્ટાર રેઈટ મુજબ ચુકવણી કરવા અંગેની ગણતરીમાં લેવાનાં દોષેન્ટનાં ભાવો અધિકૃત વિકેતા પાસેથી મેળવી શકાય, પરંતુ અધિકૃત વિકેતા પાસેથી ખરીદ કરી શકાયા નહીં. (તા. ૬-૪-૮૮નો મામલો પરિપત્રક ટીએનસી / ૧૦૮૮-આઈબી / (૧૮) સ)

નોંધ - ૩ લોખંડ : જ્યારે લોખંડ ઈજારદાર દ્વારા લાવવામાં આવે ત્યારે તે અંગેનું બીલ અસલમાં કા.ઈ.ને રજૂ કરવાનું રહેશે. અને આવા સ્ટીલનું ગેરી લેબોરેટી કે ઈજનેરી કોલેજ કે પોલીટેકનીમાં ટેસ્ટીંગ કરાવ્યા બાદ જ સ્ટીલ કામમાં વાપરવા દેવામાં આવશે.

નોંધ - ૪ ડામર : જ્યારે કામમાં વાપરવા ડામર ઈજારદાર દ્વારા લાવવાનો હોય ત્યારે તે ડામર ઈજારદારે ઓઈલ રીફાઈનરીમાંથી પૈસા ભરી ત્યાંથી જ સીધો ખરીદવાનો રહેશે. આ અંગે ઈજારદારે પુરી કરવાની શરતો નીચે મુજબ રહેશે. (૧) ઈજારદાર ડામર ક્યાંથી લાવ્યા તે અંગેનું બીલ અસલમાં કા.ઈ.ને રજૂ કરવાનું રહેશે. (૨) રીફાઈનરીનાં ગેટપાસ પણ બીલ સાથે સામેલ કરવાનાં રહેશે. (૩) ડામર જે ટેન્કરમાં લાવવામાં આવે કે ટેન્કરનો વંદન નાબર બસંવંને રહેશે. (૪) ડામર ઉપર ઈજારતંત્રીને એડવંન્ડ પેમેન્ટ અથ્વં ટ્રિકર્ચેડ એડવંન્ડ મળી શકશે નહિ. (૫) ઈજારતંત્રે રજૂ કરેલ અસલ બીલમાં ડામરનો ગ્રેડ (ક્વોલિટી અંગે) ઉલ્લેખ હોવો જોઈએ. આ અંગે ઈજારદારે ડામરનાં ગ્રેડ અંગેનું ટેસ્ટ રીજલ્ટ/ગ્રેડ અંગેનું પ્રમાણપત્ર રજૂ કરવાનું રહેશે. (૬) ઈજારદારે ડામરની આવક / વપરાશ / બચત અંગેનું રજીસ્ટર પ્લાન્ટ / સાઈટ ઉપર નિભાવવાનું રહેશે. (મા.મ.વિ. પરિપત્ર ક્રમાંક એસ.ટી.આર - ૧૦૮૭ - ૮૨ - હ, તારીખ ૨૭-૧૧-૮૭ અને ૨૧-૧૧-૮૮)

Note : 5. The person or firms submitting the tender should see that the rates in the above schedule are filled up by the Engineer-in-charge before the issue of the form prior to the submission of the tender.

નોંધ - ૫ : ટેન્ડર રજૂ કરનાર વ્યક્તિ કે પેઢીએ ટેન્ડર રજૂ કરતા પહેલાં તેને આપવામાં આવતાં ફોર્મમાં હવાલાના ઈજનેરે ઉપરની અનુસૂચિમાં દર ભરી આપ્યા હોય તેની ખાતરી લેવી.

Notes 6 : Store to be supplied to contractors for a work free of cost should be mentioned in Schedule 'A' in addition to schedule 'B' and the specification attached to the contract agreement form.

નોંધ - ૬ : કોઈ કામ માટે કંટ્રાક્ટરને વિનામૂલ્યે પૂરો પાડવાનો માલ-સામાન અનુસૂચિ 'ખ' તેમજ કંટ્રાક્ટરના કરાર સાથે જોડેલી વિગતોની યાદી ઉપરાંત અનુસૂચિ 'ક' માં જણાવેલું.

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

SCHEDULE 'B' અનુસૂચિ 'બ'

Memorandum showing items of works to be carried out : હાથ ધરવાના કામની બાબતો દર્શાવતી યાદી

Showing items of works to be carried out : હાથ ધરવાના કામની બાબતો દર્શાવતો વોદો						
Items No. બાબત નંબર	Quantities estimated but may be more or less અંદાજેલ જથ્થો જે ઓછો વધારો થઈ શકે	Item of work કામની બાબત	Estimated Rates અંદાજ દર્શાવેલ દર		Unit અડમ	Total amount according to estimated quantities અંદાજ જથ્થા અનુસાર કુલ રકમ
			In figures અંકડામાં Rs. Ps. રૂ. પૈ.	In words શબ્દોમાં		
1	2	3	4	5	6	7
As per separte sheet attached						

I/We am/are willing to carry out the work at % above/below percent (should be written in figures and words) of the estimated rates mentioned above. Amount of my/our tender works out as under.

* Estimated amount

Put to tender Rs.

Deduct :% below Rs.

Net Rs.

In words

* Estimated amount

Put to tender Rs.

Add% above Rs.

Total Rs.

In words

* (Please strike out whichever is not applicable).

Note 1 - All work shall be carried out as per Public Works Department Handbook and other specifications of Division or as directed.

નોંધ : ૧ બધું જ કામ બાંધકામ વિભાગની પુસ્તિકા અને ડિવિઝનની બીજી ખાસ વિગત મુજબ અથવા સૂચના પ્રમાણે કરી આપવાનું રહેશે.

Note 2 - All the columns in Schedule should be filled in ink and the total of the entries in the last column should be struck by the contractor under his signature.

નોંધ : ૨ - અનુસૂચિમાં બધા ખાનાની વિગતો સહીથી ભરવી અને છેલ્લા ખાનાની નોંધોનો સરવાળો કરી કંટ્રાક્ટરે પોતાની સહી કરવી.

Note 3 - Rates quoted include clearance of site (prior commencement of work and at its close) in all respects and hold good for work under all conditions, site, moisture, weather etc.

નોંધ : ૩ - ટાંકેલા દરમાં, સ્થળની (કામના આરંભે અને પુરું થાય તે વખતે) દરેક રીતે સાફસૂકી કરવાનો સમાવેશ થાય છે, અને તે દર તમામ પરિસ્થિતિ, સ્થળ, ભેજ, હવામાન વગેરે હેઠળ કામ માટે અમલમાં રહેશે.

Note 4 - To be continued on additional sheets, if found necessary.

નોંધ : ૪ - જરૂર જણાય વધારાના કાગળો જોડી ચાલું રાખવું.

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઈજનેરની સહી :

Also Available at : ગુજરાત બુક સ્ટોર્સ (પ્રા.) લિમીટેડ, બી - ૨૦, ડિસ્ટ્રીક્ટ શોપિંગ સેન્ટર, સેક્ટર - ૨૧, ગાંધીનગર
(૧૫-૦૮-૨૦૨૩ સુધીના સુધારા સાથે)

SCHEDULE - C

(See clause No. 2)

Time Schedule, for completion of different designated parts of the work and rate of liquidated damages to be paid by the Contractor, if he fails to complete the part of work within stipulated time limit is as detailed below :

Time Schedule of Completion

Percentage of time of the total time limit	Percentage of work	Rate of liquidated damages per day.
1	2	3
Earth work		
25 %	16 %	0.1 %
50%	50%	0.1%
75%	75%	0.1%
100%	100%	0.1%
Buildings work		
25%	10%	0.1%
50%	40%	0.1%
75%	80%	0.1%
100%	100%	0.1%
Road work		
25%	25%	0.1%
50%	50%	0.1%
75%	75%	0.1%
100%	100%	0.1%
Bridge work		
25%	10%	0.1%
50%	40%	0.1%
75%	80%	0.1%
100%	100%	0.1%

(As corrected vied B & CD GR. No. TNC - 1091 - IB - 10/(11) - C, dated 29-6-92).

Signature of the contractor :

કંટ્રાક્ટરની સહી :

Signature of the Executive Engineer :

કાર્યપાલક ઇજનેરની સહી :