



RAJPIPLA NAGARPALIKA

**Name of work : Abstract Sheet for Box Culvert at Post Office, Rajpipla
(0 mt to 110.58 mt)**

[illegible]

Consultant
Deesha civil engineering design

Municipal Engineer
Rajpipla Nagarpalika

C.O.
Rajpipla Nagaraplika



RAJPIPLA NAGARPALIKA

**Name of work : Measurement Sheet for Box Culvert at Post Office, Rajpipla
(0 mt to 110.58 mt)**

Sr.No.	Item Description	Nos.	Length (mtr.)	Width (mtr.)	Height (mtr.)	Total Qty	Unit
1	Providing and laying cement concrete 1:4:8 (1- Cement : 4- coarse sand : 8- hand broken stone aggregates 40 mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth						
	Below Raft	1.00	110.58	2.70	0.15	44.78	Cum
						44.78	Cum
2	Providing formwork of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. Height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (A) Foundations Footings Bases of Columns etc. and Mass concrete .						
	Long Side	2.00	110.580		0.250	55.29	Sqm
	Short side	2.00	2.500		0.250	1.25	Sqm
						56.54	Sqm
3	Providing and laying controlled cement concrete M.250 and curing complete excluding the cost of formwork and reinforcement for reinforced concrete work in (A) Foundations, footings, Base of columns and Mass concrete .						
	Raft	1.00	110.580	2.500	0.250	69.11	cum
						69.11	Cum
4	Providing formwork of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (C) Vertical surface such as walls (any thickness) partitions and the like including attached buttresses & string course & the like.						
	RCC WALL	4.00	110.580		1.500	663.48	Sqm
						663.48	Sqm
5	Providing and laying controlled cement concrete M.250 and curing complete excluding the cost of formwork and reinforcement for reinforced concrete work in (B) Walls , from top of foundation level upto floor two level						
	RCC WALL	2.00	110.580	0.230	1.500	76.30	cum
	DED OF TOP	-2.00	110.580	0.120	0.110	-2.92	cum
						73.38	Cum
6	Providing TMT Bar FE 500D reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level						
	Raft	69.11	cum	35	kg/cum	2418.94	kg
	Wall	73.38	cum	125	kg/cum	9172.61	kg
						11591.55	Kg
7	Providing and Laying controlled cement concrete M.30 Precast RCC Slab 1830 mm X 1220 mm X 200 mm include trasporation, labour charge.						
	Precast RCC Slab	1.00	90.000			90.00	No.
						90.00	No.

