

**Name of work : Abstract Sheet for Box Culvert at Post Office, Rajpipla  
(110.58 mt to 220.29 mt)**

C.O.  
Rajpipla Nagaraplika



# RAJPIPLA NAGARPALIKA

**Name of work : Measurement Sheet for Box Culvert at Post Office, Rajpipla  
(110.58 mt to 220.29 mt)**

Sr.No.	Item Description	Nos.	Length (mtr.)	Width (mtr.)	Height (mtr.)	Total Qty	Unit
1	Providing and laying cement concrete <b>1:4:8</b> (1- Cement : 4- coarse sand : 8- hand broken stone aggregates 40 mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth						
	Below Raft	1.00	109.71	2.70	0.15	44.43	Cum
						<b>44.43</b>	<b>Cum</b>
2	Providing <b>formwork</b> of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. Height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (A) Foundations Footings Bases of Columns etc. and <b>Mass concrete</b> .						
	Long Side	2.00	109.710		0.250	54.86	Sqm
	Short side	2.00	2.500		0.250	1.25	Sqm
						<b>56.11</b>	<b>Sqm</b>
3	Providing and laying controlled <b>cement concrete M.250</b> and curing complete excluding the cost of formwork and reinforcement for reinforced concrete work in (A) Foundations, footings, Base of columns and <b>Mass concrete</b> .						
	Raft	1.00	109.710	2.500	0.250	68.57	cum
						<b>68.57</b>	<b>Cum</b>
4	Providing <b>formwork</b> of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (C) <b>Vertical surface such as walls</b> (any thickness) partitions and the like including attached buttresses & string course & the like.						
	RCC WALL	4.00	109.710		1.500	658.26	Sqm
						<b>658.26</b>	<b>Sqm</b>
5	Providing and laying controlled <b>cement concrete M.250</b> and curing complete excluding the cost of formwork and reinforcement for reinforced concrete work in (B) <b>Walls</b> , from top of foundation level upto floor two level						
	RCC WALL	2.00	109.710	0.230	1.500	75.70	cum
	DED OF TOP	-2.00	109.710	0.120	0.110	-2.90	cum
						<b>72.80</b>	<b>Cum</b>
6	Providing TMT Bar FE 500D reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level						
	Raft	68.57	cum	35	kg/cum	2399.91	kg
	Wall	72.80	cum	125	kg/cum	9100.44	kg
						<b>11500.35</b>	<b>Kg</b>
7	Providing and Laying controlled cement concrete M.30 Precast RCC Slab 1830 mm X 1220 mm X 200 mm include trasporation, labour charge.						
	Precast RCC Slab	1.00	90.000			90.00	No.
						<b>90.00</b>	<b>No.</b>

