

**AHMEDABAD MUNICIPAL CORPORATION**  
**SOUTH WEST ZONE**



Tender Notice No : 05/2026-27

Tender No : 36

**Providing and laying Hotmix material for patchwork in T.P. Roads and  
Required Material Supply For filling potholes in Jodhpur Ward , South  
West Zone.(ARC)**

Download Tender Document	:	From website on <a href="http://nprocure.com">http://nprocure.com</a> and <a href="http://amc.nprocure.com.in">http://amc.nprocure.com.in</a>
Last Date of online Tender Submission	:	<b>Dt. 29.06.2026 up to 18:00 Hrs.</b>
Last Date of submission of blank tender Document, EMD & Tender Fee and Other Documents	:	<b>Dt. 30.06.2026 up to 16:00 Hrs.</b> by Speed post AD, courier or Hand delivery.
Date of Tender Opening	:	<b>Dt. 30.06.2026 at 17:00 Hrs.</b>

**Dy. Municipal Commissioner**  
Ahmedabad Municipal Corporation.  
South Zone West Zonal Office, Late Shri Tushar bhavan, Near Shelby Hospital, Jodhpur,  
AHMEDABAD

## AHMEDABAD MUNICIPAL CORPORATION

### Invitation for Bid (IFB)

1. The AHMEDABAD MUNICIPAL CORPORATION, (Hereinafter called "the Employer") invites sealed Tender document from reputed and qualified bidders for the construction of Works detailed in the Table below:-

Sr. No.	Name of Works	Approximate value of works (Rs.)	Bid Security (Rs.)	Completion Period
1	Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For filling potholes in Jodhpur Ward , South West Zone.(ARC)	Rs. 9,50,000.00 Class E2 or Above	Rs.9500.00	12 months(Excluding Monsoon)

2. Tender (a complete set of bidding document) fee shall be **Rs. 900/-** in the form of Demand Draft / Pay Order from any Nationalized Bank in favor of MUNICIPAL COMMISSIONER, Ahmedabad, payable at Ahmedabad, which shall be non refundable. The fees shall be paid at the time of submitting the tender.
3. Interested bidders shall download the tender documents from website up to **Dt.29.06.2026 at 18:00** Hrs tender fee as mentioned in clause 2 above shall be paid by the bidder at the time of bid submission.
4. All bids must be accompanied by Bid Security of the amount specified for the Works in the above Table payable at Ahmedabad and drawn in favor of AHMEDABAD MUNICIPAL CORPORATION, Ahmedabad. Bid Security will have to be in any one of the forms as specified in Clause of ITB (Instructions to Bidders).
5. All Bids must be delivered to Assistant Manager "South West Zone, Zonal Office", Late Shri Tushar bhavan, Near Shelby Hospital, Jodhpur, Ahmedabad-380015 **Not later than 16:00 hrs on Dt.30.06.2026**

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

Department name	Engineering Department
<b>Circle/Division</b>	South west Zone
IFB No/Tender Notice No.	05/2026-27
Name of Work	<b>Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For filling potholes in Jodhpur Ward , South</b>
Estimate contract value(INR)	<b>Rs. 9,50,000.00</b>
Period of Completion	<b>12 months(Excluding Monsoon)</b>
Bidding Type	pen/Limited
Bid Call(Nos)	1
Tender Currency Type	-----
Tender Currency Settings	-----
Joint venture	Applicable/Not Applicable
Rebate	Applicable/Not Applicable

Amount Details:	
Bid Document Fee:	<b>Rs.900.00</b>
Bid Document Fee Payable to:	Municipal Commissioner, Ahmedabad
Bid Security/ EMD (INR)	<b>Rs.9500.00</b>
Bid Security/ EMD In Favor of	Municipal Commissioner, Ahmedabad

**Tender Dates**

Bid Document Downloading Start Dates	<b>Dt. 29.06.2026 upto 18:00 Hrs.</b>
Pre Bid Meeting	N/A
Last Date & Time for Receipt of Bids	<b>Dt. 30.06.2026 upto 16:00 hrs</b> (including addendum if any)
Bid Validity Period	<b>120 Days</b>
Remaks	Submission of EMD Tender fee and Other Documents during office hours : <b>On date 30.06.2026 &amp; 16:00 hrs in</b> the Office of Assistant Manager (South West Zone Office, Late Shri Tushar bhavan, Near Shelby Hospital, Jodhpur, Ahmedabad-380015
Bid Opening Date	<b>Dt.30.06.2026 at 17:00 hrs</b>
Other Details	
Officer Inviting Bids:	Assistant Manager(South West Zone)
Bid Opening Authority:	Assistant Manager(South West Zone)
Address:	Late Shri Tushar bhavan, Near Shelby Hospital, Jodhpur, Ahmedabad-380015
Contact details:	<b>079-32981396</b>

# MEMORANDUM OF WORKS IN BRIEF

**Tender Notice No : 05/2026-27**

**Tender No : 36**

Municipal Commissioner invites Percentage Rate sealed tenders from interested contractors.

1	Name of work	<b>Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For filling potholes in Jodhpur Ward , South West Zone.(ARC)</b>
2	Time Limit	<b>12 months(Excluding Monsoon)</b>
3	Eligibility Criteria	Register “E2”or Above class in PWD in Govt. R&B/CPWD/AMC or equivalent registration with any other state Govt. or institutions.
4	Estimated Cost put to tender	<b>Rs. 9,50,000.00</b>
5	Earnest Money Deposit	<b>Rs.9500.00Demand</b> Draft, Pay order, or Cheque ,Bank Guarantee (As per finance circular no. 12 Dt.14/06/2021 in favour of Municipal Commissioner, Ahmedabad) To be submitted as prescribed below. Demand Draft or Bank Guarantee shall be from Nationalized Bank and valid for 120 days.
6	(A) Security Deposit:	<b>5% of Tender Amount</b>
	(B) Retention	2% of the value of work done will be deducted from each RA bill. It will be released along with release of payment of Final Bill.
7	Tender fees (Non refundable)	<b>Rs.900/-</b> Demand Draft / Pay order in favour of Municipal Commissioner, Ahmedabad)
8	Submission of EMD and Tender Fees	In separate sealed cover each for EMD and Tender Fees along with Tender as described in the invitation of tender and submitted to Office of Assistant Manager (South West Zone) Office, <b>Late Shri Tushar Bhavan, Near Shelby Hospital, Jodhpur, Ahmedabad-380015.</b>
9	Tenders issue date	Tenders from the website <a href="http://amc.nprocure.com">http://amc.nprocure.com</a> & <a href="http://nprocure.com">http://nprocure.com</a> shall be down loaded.
10	Last date of receiving Tenders.	<b>Dt. 29.06.2026 up to 18;00 hrs</b> The tenders received after this date and time will not be entertained under any circumstances.
11	Date of Opening	<b>Dt.30.06.2026 at 17;00 hrs</b> to Assistant Manager "South West Zone Office", Late Shri Tushar bhavan, Near Shelby Hospital, Jodhpur, Ahmedabad-380015
12	Mode of sending the Tender Documents	Document shall be submitted in sealed envelope systems By RPAD/ Speed post/ Hand Delivery/ Courier in sealed covers as described in submission of the tender.
13	Terms, Condition, & Specification	All general condition of contract of Form B1 condition of contract shall be applicable.

Conditional tenders will not be accepted. Municipal Commissioner reserves the rights to reject any or all the tenders without assigning any reasons thereof.

Contractor's Signature  
& Stamp  
Mobile

Addl. City Engineer  
(South West Zone)



## અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન મહાનગર સેવાસદન - દક્ષિણ પશ્ચિમ ઝોન

દક્ષિણ પશ્ચિમ ઝોન ઝોનલ ઓફીસ,  
સ્વ. શ્રી તુષાર દેશમુખ ભવન, શેલ્બી હોસ્પિટલ પાસે, જોધપુર, અમદાવાદ-૩૮૦૦૧૫

### દક્ષિણ પશ્ચિમ ઝોન ટેન્ડર નોટીસ નં-૦૫/૨૦૨૬-૨૭ માં આવરી લેવાયેલ કામોની વિગતો / શરતો:-

૧. ઉપરોક્ત ટેન્ડરો જે તે વર્ગમાં માન્ય રજીસ્ટ્રેશન ધરાવતા કોન્ટ્રાક્ટરશ્રીઓએ ભરવા.
૨. ટેન્ડરની નિયત ટેન્ડર ફી તથા ઇ.એમ.ડી. બંધ કવરમાં ઉપર ના સરનામે રૂબરૂ / રજીસ્ટર એ.ડી./ સ્પીડપોસ્ટ/ કુરીયરથી નિયત સમયમાં મોકલવાના રહેશે.
૩. કોન્ટ્રાક્ટરશ્રીઓએ ટેન્ડરની સાથે મ્યુનિસિપલ માન્ય રજીસ્ટ્રેશનની/ ગવર્નમેન્ટ રજીસ્ટ્રેશનની કોપી, (ટેન્ડર કોપી તથા અન્ય પુરાવા સાથે) અચૂક સામેલ કરવાની રહેશે અને કવર ઉપર ટેન્ડર નંબર તથા કોન્ટેક્ટ નંબર જરૂર સ્પષ્ટ દર્શાવવાનો રહેશે. બંધ કરવર ઉપર ટેન્ડર નોટીસ નંબર, ટેન્ડર નંબર, કામનું નામ તથા, કોન્ટ્રાક્ટરની સંસ્થાનું નામ તથા કોન્ટેક્ટ નંબર અવશ્ય દર્શાવવાના રહેશે. જે કોન્ટ્રાક્ટરશ્રીઓએ રજીસ્ટ્રેશન રીન્યુ કરાવેલ ન હોય તે કોન્ટ્રાક્ટરશ્રીએ ટેન્ડર ભરવા નહીં.
૪. કોન્ટ્રાક્ટરોએ ટેન્ડરમાં બેંકનું નામ, ખાતા નંબર, માર્ઈકર નંબર અને સરનામું સ્પષ્ટ અક્ષરોમાં લખવું.
૫. ટેન્ડર ફી પે ઓર્ડર / ડિમાન્ડ ડ્રાફ્ટથી ચૂકવવાની રહેશે. દરેક ટેન્ડર દીઠ અલગ ટેન્ડર ફી ભરવાની રહેશે.
૬. ઓછી રકમની ટેન્ડર ફી, ઇ.એમ.ડી. કે ટેન્ડર ફી, ઇ.એમ.ડી. વિનાના ટેન્ડરો રદબાતલ (કેન્સલ) ગણાશે.
૭. ટેન્ડર સાથે મુકવામાં આવતી અર્નેસ્ટમની, ટેન્ડરની રકમના ૧% પ્રમાણે બેંક ગેરંટી / ડિમાન્ડ ડ્રાફ્ટ / પે ઓર્ડર / લોકલ માર્ઈકર ચેકથી જ સ્વીકારવામાં આવશે. દરેક ટેન્ડર દીઠ અલગ ઇ.એમ.ડી. ભરવાની રહેશે. ઇ.એમ.ડી. રકમ રૂ. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે રોકડા, લોકલ માર્ઈકર ચેક, ડિમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં તથા રૂ. એક કરોડથી ઉપરની અંદાજિત રકમના કામ માટે ઇ.એમ.ડી.ની રકમ માત્ર ડિમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં આપવાની રહેશે.
૮. બેંક ગેરંટી માત્ર અમદાવાદ શહેરની જ સ્વીકારવામાં આવશે.
૯. ટેન્ડર ફી તથા ઇ.એમ.ડી.ની રકમના ડી.ડી./ ચેકની પાછળ કોન્ટ્રાક્ટરશ્રીએ પોતાની સંસ્થાનું નામ તથા મોબાઈલ નંબર અવશ્ય લખવાનો રહેશે.
૧૦. શરતી ટેન્ડરો રદ બાતલ ગણાશે.
૧૧. જો ટેન્ડરમાં સ્પષ્ટ ઉલ્લેખ કરાયેલ હોય તો ચોમાસાને કારણે ખાતાકીય સૂચના અન્વયે જ્યારે જ્યારે કામ બંધ રાખવાનું થાય તે સમયને કામની મુદતમાં મજરે આપવામાં આવશે. પરંતુ આ અન્વયે કોઈ ભાવ વધારો આપવામાં આવશે નહીં. જેની નોંધ ટેન્ડરે લેવી.
૧૨. ટેન્ડરો કોઈપણ કારણ આપ્યા સિવાય સ્વીકારવા કે નહિ સ્વીકારવા તેની સંપૂર્ણ સત્તા મ્યુનિસિપલ કમિશનરશ્રીની રહેશે.
૧૩. ટેન્ડરમાં જો કોઈ સુધારા વધારા હોય તો તે અંગે ટેન્ડર ભરતા પહેલા છોલ્લે દિવસે નિયત વેબસાઈટ અથવા કચેરીએ જરૂરી તપાસ કરીને જ ટેન્ડર મોકલવું.
૧૪. સીક્યોરીટી ડીપોઝીટ/ પરફોર્મન્સ ગેરંટીની રકમ રૂ. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે રોકડા, લોકલ માર્ઈકર ચેક, ડિમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં તથા રૂ. એક કરોડથી ઉપરની અંદાજિત રકમના કામ માટે સીક્યોરીટી ડીપોઝીટ/ પરફોર્મન્સ ગેરંટીની રકમ માત્ર ડિમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં આપવાની રહેશે.
૧૫. ઓનલાઈન એન-પ્રોક્યુર વેબસાઈટ પરથી ભરવાના થતા ટેન્ડરમાં કોન્ટ્રાક્ટર/ એજન્સીએ ટેન્ડરની હાર્ડ કોપીમાં ભાવ ભર્યા વગરની સહી સીકકા કરી સબમીટ કરવાની રહેશે. જો તેમાં ભાવ ભરેલ હશે તો તેવા ટેન્ડર રદ કરવામાં આવશે.
૧૬. સદર ટેન્ડરની આઈટમોના ભાવો નાણા ખાતા ના સરકયુલર નં.૩૮, તા.૨૧/૧૧/૨૨ તથા સક્ષમ સત્તાની મળેલ મંજૂરી મુજબ GST સિવાય ગણતરીમાં લેવામા આવેલ તથા પ્રવર્તમાન નિયમ મુજબ GST ચૂકવવા પાત્ર થશે જેથી તમામ બીડસે તે મુજબ ગણતરી કરી ટેન્ડરો ભરવાના રહેશે.
૧૭. સદર ટેન્ડર અંતર્ગતના કામ સંલગ્ન અ.મ્યુ.કો.માં પ્રવર્તમાન તમામ નિયમો/સરકયુલરો લાગુ પડશે તેમજ વખતો વખત થનાર સુધારાઓ પણ લાગુ પડશે. જેની નોંધ લઈ ટેન્ડરો ભરવાના રહેશે.

ડિમાન્ડ ડ્રાફ્ટ / ચેક “મ્યુનિસિપલ કમિશ્નર, અમદાવાદ” ના નામનો કઢાવવો.

૧૮. દક્ષિણ પશ્ચિમ ઝોનનાં વાર્ષિક રેઈટ ટેન્ડરમાં મરામત-નિભાવનાં ડ્રેનેજ, પાણી, રોડ, બિલ્ડીંગના જુદા જુદા કામો તથા સ્ટે.ક.ઠ.નં. ૯૩૯ તા.૨૭.૦૭.૨૦૧૨ થી વાલ્મીકી સમાજની મંડળીઓને આપવામાં આવતા ડ્રેનેજ ડીસીલ્ટીંગના કામો માટે નાગરિક અધિકાર પત્રકમાં જણાવેલ સમય મર્યાદામાં ફરિયાદનો નિકાલ કરવા તેમજ સેવાકીય કામગીરી સમય મર્યાદામાં પુર્ણ થાય તે માટે ઇ-ગર્વનન્સ સી.સી.આર.એસ. પ્રોજેક્ટ અંતર્ગતતા.૨૧.૦૮.૨૦૨૧ના સરકયુલર તથા સીટી ઇજનેર ખાતુ પરિપત્ર નં.૨ તા. ૦૭.૧૦.૨૦૨૩ ના પરિપત્ર,મ્યુ.કમિ.શ્રીની તારીખ ૨૩.૦૪.૨૦૨૬ ની મીનીટસ ઓફ મીટીંગ નાં મુદ્દા નં.૨૧ અનુસંધાને ડ્રાફ્ટ માં સામેલ પેનલ્ટી શરતો ટેન્ડરમાં રાખવાની અને તે મુજબ ની પેનલ્ટી વસુલવાની ટેન્ડર શરતો નીચે મુજબ છે.

૧. સી.સી.આર.એસ.માં નોંધાતી ફરિયાદ વોર્ડનાં ઇજનેર સ્ટાફ દ્વારા કોન્ટ્રાક્ટર/એજન્સીને વોટસએપ/ટેલીફોનિક માધ્યમથી અથવા રૂબરૂ લેખીતમાં ફરિયાદ આપવામાં આવશે.સદર ફરિયાદની કામગીરી એસ.એલ.એ. ની સમય મર્યાદામાં કરવાની રહેશે.
૨. કામગીરી પુર્ણ થયા બાદ તેના ફોટોગ્રાફ,સર્ટીફિકેટ અને કામગીરી પુર્ણ થયા ની જાણ એસ.એલ.એ. સમય મર્યાદામાં વોર્ડના સ્ટાફને કરવાની રહેશે.
૩. જો આપને આપેલ ફરિયાદ એસ.એલ.એ. સમય મર્યાદામાં પુર્ણ નહી થાય તો આ સામેલ કોષ્ટક મુજબની પેનલ્ટી ની રકમ આપનાં બીલ માંથી વસુલ કરવામાં આવશે.
૪. આપને સોંપવામાં આવેલ સી.સી.આર.એસ. ફરિયાદો નો રીપોર્ટ અઠવાડીક ધોરણે નિયત ફોર્મટમાં પ્રમાણીત કરી વોર્ડ ઓફિસે રજુ કરવાનો રહેશે.
૫. કોન્ટ્રાક્ટર દ્વારા અરજદાર ને ફોન કર્યા બાદ સદર ફરિયાદ અન્ય વોર્ડ કે અન્ય ડિપાર્ટમેન્ટ કે અ.મ્યુ.કોર્પોરેશન ના કાર્યક્ષેત્ર માં ન આવતી હોઈ તેની જાણ વોર્ડ સ્ટાફ ને તાત્કાલિક કરવાની રહેશે.

➤ સી.સી.આર.એસ ફરિયાદ સમય મર્યાદા માં નિકાલ ન થવાના સંજોગો માં કરવાની થતી પેનેલ્ટી ની વિગત નીચે મુજબ છે.

Sr. No.	Department	Category	Problem	SLA	Penalty per one Problem per day in Rs.
1	Engineering	Water>>Engineering	Inadequate water or low inflow pressure - Eng	240 Hours	500
2	Engineering	Water>>Engineering	Leakage In Pipe Line - Eng	48 Hours	500
3	Engineering	Water>>Engineering	Water quality-Polluted water - Eng	24 Hours	500
4	Engineering	Water>>Engineering	No Water - Eng	240 Hours	500
5	Engineering	Drainage>>Engineering	Drain Blockage or Choking on TP road - Eng	48 Hours	500
6	Engineering	Drainage>>Engineering	Overflowing of main line and distribution line on road - Eng	48 Hours	1000
7	Engineering	Drainage>>Engineering	No Drainage Manhole cover - Eng	24 Hours	1000
8	Engineering	Drainage>>Engineering	Frequent Breakdown & Blockage of Drain - Eng	96 Hours	500
9	Engineering	Road	Pot holes on the Road	24 Hours	500
10	Engineering	Road	Patch work Relaying of a portion of road	72 Hours	500

11	Engineering	Road	Deep Pit - Large settlement of road	48 Hours	1000
12	Engineering	Road	Removal of waste-Dust Lying on both side of the road after re surfacing	72 Hours	500
13	Engineering	Footpath	Footpath Repairing Required	168 Hours	500
14	Engineering	Public Building	No Water Supply In A Public Building	24 Hours	500
15	Engineering	Public Building	Public Toilets and Urinals - Repairing of Doors, Windows, Tiles or Sheets	360 Hours	1000
16	Engineering	Public Building	Other Maintenance	168 Hours	500
17	Engineering	Drainage>>Engineering	Contractor Had not disposed off the Manhole Silt Properly - Eng	48 Hours	500
18	Engineering	Drainage>>Engineering	Raising the Manhole Cover & Catch Pit Up To the Road Level - Eng	168 Hours	500
19	Engineering	Drainage>>Engineering	Lowering the Manhole cover & Catch pit - Eng	168 Hours	500
20	Engineering	Drainage>>Engineering	Public Toilets and Urinals - Drainage Line Blockage or Choking	72 Hours	500
21	Engineering	Drainage>>Engineering	Public Toilets and Urinals - Drainage Line Breakage	168 Hours	500
22	Engineering	Water>>Engineering	Public Toilets and Urinals - Non-Availability of Water/Cleaning of Water Tank/Broken Tank Cover	168 Hours	500

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

**AHMEDABAD MUNICIPAL CORPORATION  
ENGINEERING DEPARTMENT  
GENERAL CONDITION**

1. Contractor shall produce the relevant registration certificate of AMC / State Govt /Central Govt.
2. Contractor shall register the work to labour commissioner as per labour act.
3. Contractor shall not sub-let the work without permission of the authority
4. Contractor should have sufficient skilled and unskilled laborers so that he shall start work at different sites simultaneously. Contractor's having labour force available during festivals shall only apply. Contractor cannot stop the work due to non availability of labour force.  
**In case progress is delayed, contractor shall be penalized 0.10% of Tender amount per day for work done after time limit, maximum up to 10% for remaining value of work.**
6. Advance payment / machinery advance will not be paid.
7. Payment of running bill will be made as per recent A.M.C. policy in force.
8. No extra payment will be made due to increase of central / state Govt. Taxes.
9. If the work is not completed within time limit the penalty will be recovered from immediate bills of Contractors.
10. If the material i.e. MH cover C.C block etc. supplied from Municipal Corporation store then contractor shall not claim for any extra rate for non execution of such item, partly/fully.
11. In the specifications, "as directed"/"Approved" shall be taken to mean, "as directed"/approved" by the Engineer-in-charge.
12. Wherever a reference to any Indian Standard appears in the specifications, it shall be taken to mean as a reference to the latest edition of the same in force on the date of agreement.
13. In "Mode of Measurement" in the specifications wherever a dispute arises in the absence of specific mention of a particular point or aspect, the provisions on these particular points, or aspects in the relevant Indian Standards shall be referred to.
14. All measurements and computations, unless otherwise specified, shall be carried out nearest to the following limits:
  - (i) Length, width and depth (height)----- 0.01 Meter. (RMT)
  - (ii) Areas -----0.01 Sq. Mt. (SMT)
  - (iii) Cubic Contents -----0.01 Cu.Mt. (CMT)
19. The distance, which constitutes lead, shall be determined along the shortest practical route and not necessarily the route actually taken. The decision of the Engineer-in-charge in this regard shall be taken as final.
16. Where no lead is specified, it shall mean "all leads"
17. Lift shall be measured from plinth level.
18. Definite particulars covered in the items of work, though not mentioned or elucidated in it, specifications shall be deemed to be included there in.
19. Reference to specifications of materials as made in the detailed specification of the items of work is in the form of a designation containing the number of the specification of the material and prefix 'M' e.g. 'M-5'.
20. Approval to the samples of various materials given by the Engineer-in-charge shall not absolve the contractor from the responsibility of replacing defective material brought on site or materials used in the work found defective at a later date.



21. The contract rate of the item of work shall be for the work completed in all respects.
22. No collection of materials shall be made before it is got approved from the Engineer-in-charge.
23. Collection of approved materials shall be done at site of work in a systematic manner. Materials shall be stored at site of work in a systematic manner. Materials shall be stored in such a manner as to prevent damage, deterioration or intrusion of foreign matter and to ensure the preservation of their quality and fitness for the work.
24. Materials, if and when rejected by the Engineer-in-charge, shall be immediately removed from the site of work within 24 hours.
25. No materials shall be stored prior to, during and after execution shall be kept in sufficient numbers and in good working condition on the site of the work.
26. All works shall be carried out in workmanlike manners per the best techniques for the particular item.
27. All tools, templates, machinery and equipment for correct execution of the work as well as for checking lines, levels, alignment of the works during execution shall be kept in sufficient numbers and in good working condition on the site of the work.
28. The mode, procedure and manner of execution shall be such that it does not cause damage or over loading of the various components of the structure during execution or after completion of the structure.
29. All necessary safety measures and precaution (including those laid down in the various relevant Indian Standards) shall be taken to ensure the safety of men, materials and machinery on the works as also of the work itself.
30. The testing charges of all materials shall be borne by the Contractor unless recovery at one percent towards testing charges is separately made.
31. The tenderer is required to check the web site for Addendum if any, before 48 hours of tender submission date and time. The tenderer who quotes the tender without attaching the addendum will be rejected.
32. As per City Engineer's circular no.-6/2011-12 Dt.24.6.2011 all terms & conditions will be applied.
33. Contractor has to follow Planning Department Circular No 10 Dt. 07/09/2018 strictly.
34. As per AMC's Finance department circular no.38/ Dt.21/11/022 and approval of competent authority, rate of all the items are taken without GST and prevailing GST will be payable.
35. All the relevant prevailing AMC circulars/ its time to time revisions are applicable for this work and all the bidders are bound to follow the same, so the bidder must check before applying for the tender.

#### INSTRUCTION TO TENDERERS

##### TENDER VALIDITY PERIOD:

The tender shall be kept valid for acceptance for a period of One Hundred Twenty Calendar days (90) from opening of price bids.

##### SECURITY DEPOSIT

Within 10 days of receipt of Acceptance from the Corporation, the successful tender shall furnish to the Corporation Security Deposit of 5% (Five percent) of the contract price Cheque or Bank Guarantee, pay order, or demand draft of Nationalized Banks and Schedule Banks only.

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

**AHMEDABAD MUNICIPAL CORPORATION**  
**ENGINEERING DEPARTMENT**  
**GENERAL SPECIFICATION**

Time limit for the work shall be **12 Month (Excluding Monsoon)** after the order to start the works. Progress of work should be in proportion to time limit.

The contractor shall remain responsible for Workmen's compensation if any accident. The contractor shall arrange for barricading at night and arrangement of Pagi at night to direct the traffic. He shall be responsible for any damage to public, If any incident happen, during the execution of work. In case of dispute for unseen or overlooked items the decision of the Dy.City Engineer shall be final. The contractor shall have to give site clean of all rubbish during the work and at the time of completion of work and hand over the site with final finishing of the work as directed. All the rejected materials shall be removed from site within 24 hours by contractor at this risk and cost. Debris shall have to cart daily from site.

If any extra item crops up during the progress of work the same shall be carried out by the contractor and he shall be paid at the rate fixed by Add.C.E. as per the rate analysis based on latest SOR or if item is not available in SOR than based on current market rates. In case of extra item decision of Add. City Engg. shall remain final regarding rate.

If in the interest of the Corporation it is necessary to change either any site or the design of the propose work the contractor shall carry out the same at his quoted rates without charges any extra and the contractor will have to carry out the works and he will be paid at the rate quoted by him. No claim for extra rate for subsequent changes in site and design is entertained.

Octroi exemption passes shall not be given for any materials required for the work. Contractor will be fully responsible for compliance of the various provisions under contract Act. 1970 and the Rules framed the to under.

The tender for the work shall remain open for a period (120) days from the date of opening of the tenders for this work and that the tenderer shall not be allowed to withdraw or modify the offer on his own during the period. If any tenderer withdraw or makes any modifications or addition in the terms and conditions of his tender not acceptable to the Municipal Corporation the Municipal Corporation shall without prejudice to any right or remedy be at liberty to forfeit in full the said earnest money and black list the contractor.

If the work is not carried out within the specified time limit. from the date of order to start the work the penalty of Rs.- ( As per Form - B1) per day of delay shall be recovered from the immediate bills payable to the contractor. Contractor has to make his own arrangement for procurement of steel and cement.

**Contractors should note the following conditions carefully:-**

- i) Conditional tender shall not be accepted.
- ii) All tenders are to be submitted in duplicate without which the tenders are liable to be rejected.
- iii) In case of tender downloaded from website, tender fee & EMD should be submitted in form of demand draft or in cash.
- iv) Condition of Form - B1 Standard Specification of material & code of practice will be applicable. Form B1 can be is available in website. Specification shall be as per ' R & B Dept. - Govt. of Gujarat booklets of Building Works & and Road Works Specifications published by Gujarat Book Depot, Sector-21. Gandhinagar.

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન  
નાણાંખાતું,  
બી-બ્લોક, પહેલો માળ, સરદાર પટેલ ભવન, દાણાપીઠ, અમદાવાદ.



નાણાં ખાતું  
સરકારી નં.: ૦૬  
તા.: ૧૨/૦૫/૨૦૨૫

### બેંક ગેરંટી સરકારી

સંદર્ભ:- નાણાં ખાતાના સરકારી નં. ૪૮ તા.૨૮/૦૧/૨૦૧૨,૫૮ તા.૧૬/૦૩/૨૦૧૨,૧૪ તા.૦૪/૦૬/૨૦૧૩, ૦૩ તા.૧૩/૦૫/૨૦૧૪, ૨૧ તા.૨૮/૦૫/૨૦૧૫, ૫૬ તા.૧૮/૦૮/૨૦૧૬, ૧૮ તા.૨૩/૦૫/૨૦૧૭, ૧૮ તા.૨૮/૦૫/૨૦૧૮, ૧૨તા.૨૨/૦૭/૨૦૧૯,૨૬ તા.૨૫/૧૧/૨૦૧૯ ,૨૧તા.૧૮/૦૬/૨૦૨૦,૪૦ તા.૦૫/૧૧/૨૦૨૦,૧૨ તા.૧૪/૦૮/૨૦૨૧,૨૩ તા. ૨૦/૦૮/૨૦૨૧ , ૪૧ તા.૦૮/૦૨/૨૦૨૨, ૦૩ તા.૨૮/૦૪/૨૦૨૪, તથા ૧૦ તા. ૦૫/૦૮/૨૦૨૪

આથી તમામ ખાતાના વડા અધિકારીશ્રીઓ/એકાઉન્ટશ્રી તથા બિલકલાર્કશ્રીને જણાવવામાં આવે છે કે, સિક્યુરિટી ડીપોઝિટ તેમજ અર્નેસ્ટમની ડીપોઝિટ સ્વીકારવા બાબતે રાજ્ય સરકારશ્રી દ્વારા મંજૂર થયેલ બેંકોની યાદીમાં નાણાં વિભાગના જી.આર. નં. **FD/MSM/e-file/4/2024/4020/2859 D.M.O. Date: 01/05/2025** મુજબ સુધારો કરી નવી યાદી બહાર પાડવામાં આવેલ છે.

રાજ્ય સરકારશ્રીના નાણા વિભાગનાં જી.આર. નં . **FD/MSM/e-file/4/2023/4020 / 2859 D.M.O. Date: 01/05/2025** દ્વારા સિક્યુરિટી ડિપોઝિટ તેમજ અર્નેસ્ટમની ડીપોઝિટ માટે મંજૂર થયેલ બેંકોની યાદી અંગે ડે.મ્યુનિ.કમિશનરશ્રી(નાણાં)ની મળેલ મંજૂરી ઠ.નં ૩૯ તા ૧૨/૦૫/૨૦૨૫ મુજબના સદરહુ પરિપત્ર પ્રસિધ્ધ થયા તારીખ બાદથી તા.૩૧/૦૩/૨૦૨૬ સુધી અથવા રાજ્ય સરકારશ્રી દ્વારા આ બાબતે અન્ય જી.આર પ્રસિદ્ધ કરવામાં આવે ત્યાં સુધી એનેક્ષર-૧ માં જણાવેલ બેંકોની બેંકગેરંટી સીક્યુરિટી ડીપોઝિટ તથા ઈ.એમ.ડી. સ્વરૂપમાં સ્વીકારવામાં આવશે.

અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનના તમામ ખાતાઓ દ્વારા મેળવવામાં / સ્વીકારવામાં આવતી બેંક ગેરંટીની ઓથેન્ટીસીટીની અધિકૃત ચકાસણી કરીને / કરાવીને જરૂરિયાત મુજબના કન્ટ્રોલ પ્રોસીજર સેટઅપ કરવાના રહેશે. તેમજ સરકારશ્રીના જી.આર અન્વયે ડે. મ્યુનિસિપલ કમિશનરશ્રી (ફાયનાન્સ) ની મળેલ મંજૂરી મુજબ માત્ર અમદાવાદ શહેરની તથા અમદાવાદ સિવાયના અન્ય શહેરની હોય અને તે બેંક ગેરંટી અમદાવાદ સ્થિત સંબંધિત બેંકની શાખા દ્વારા અધિકૃત કરાયેલ હોય તો નીચે જણાવેલ બેંકોની શાખાઓની બેંક ગેરંટી સ્વીકારવામાં આવશે. નાણાંખાતા દ્વારા ઉપરોક્ત સંદર્ભમાં જણાવેલ પરિપત્રોની અન્ય તમામ શરતો યથાવત રહેશે.

### **ANNEXURE – I**

**A. Guarantees issued by following banks will be accepted as SD/EMD on permanent basis.**

❖ **All nationalized Banks**

**B. Guarantees issued by following banks will be accepted as SD/EMD for the period up to March- 31, 2026. The validity cut-off date in the GR is with respect to the date of issue of Bank Guarantee irrespective of the date of termination of Bank Guarantee.**

#### **1. Commercial Banks :-**

1. Axis Bank
2. A U Small Finance Bank
3. Bandhan Bank
4. Barclays Bank
5. City Union Bank
6. CSB Bank
7. DBS Bank India Limited
8. DCB Bank
9. Equitas Small Finance Bank
10. ESAF Small Finance Bank
11. Federal Bank

- 12.HDFC Bank
- 13.HSBC Bank
- 14.ICICI Bank
- 15.IDBI Bank
- 16.IDFC First Bank
- 17.Jammu and Kashmir Bank
- 18.Jana Small Finance Bank
- 19.Karnataka Bank
- 20.Karur Vysya Bank
- 21.Kotak Mahindra Bank
22. South Indian Bank
23. Standard Chartered Bank
- 24.Tamilnadu Mercantile Bank
- 25.Utkarsh Small Finance Bank
- 26. YES Bank**

## **2. Co-operative and Rural Banks Of Gujarat :-**

1. The Ahmedabad Mercantile Co-operative Bank Limited
2. Nutan nagrik Sahakari Bank Limited
3. Rajkot Nagarik Sahakari Bank Limited
4. Saraswat Co-operative Bank
5. SBPP Co-operative Bank
6. SVC Co-operative Bank
7. The Cosmos co-opretive Bank
8. The Gujarat State Co-Operative Bank
9. The Mehsana Urban Co-operative Bank Limited
10. The Surat District Co-operative Bank
11. The Surat Peoples Co-operative Bank
12. The Kalupur Commerical Co-operative Bank Limited
13. The Panchmahal District Co-operative Bank
14. The Baroda District Co-operative Bank
- 15.Baroda Gujarat Gramin Bank
- 16.Saurashtra Gramin Bank**

ચીફ એકાઉન્ટન્ટ

સરકયુલર નં.-૮૧

મે.મ્યુનિ. કમિશ્નરશ્રી, અમદાવાદ મ્યુનિ. કોર્પોરેશનના સરકયુલર નં.-૮૧, તા.૨૬.૦૨.૨૦૧૫ મુજબ તમામ પ્રકારની કન્સ્ટ્રક્શનની એક્ટીવીટીમાં મુખ્ય કોન્ટ્રાક્ટર, સબ કોન્ટ્રાક્ટરના જે મજુરો કામગીરી કરતા હોય તે તમામ મજુરોનું ગુજરાત બિલ્ડીંગ એન્ડ અધર કન્સ્ટ્રક્શન વર્ક્સમાં રજીસ્ટ્રેશન કરાવવું ફરજિયાત છે.

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

**DETAILS OF BANK ACCOUNT**

1	Contractor's name	
2	Address	
3	Telephone/ mobile no.	
4	Permanent account no. (PAN no.)	
5	Name of the bank	
6	Branch name and address	
7	Account type	
8	Account no.	
9	MICR no.	
10	IFS CODE	
11	Contractor/ supplier's  signature and stamp	

**AHMEDABAD MUNICIPAL CORPORATION  
ENGINEERING DEPARTMENT**

**PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS ADDITIONAL INSTRUCTIONS TO PERSONS  
TENDERING**

1. Competency of Tendered: No contract will be awarded except to responsible bidder capable for performing the class of work completed. Before the award of the contract, any bidder may be required to show that he has the necessary facilities, experience, ability and financial resources to perform the work in satisfactory manner within the time stipulated. Contractor may be required to furnish the department with the statement as to their experience and their financial status.
2. Tenderer will be deemed to have inspected the site and to have satisfied himself as to the nature of all works, all existing roads water - way and other means of communication and access to and from the site of work and the building that may be required for temporary purpose in connection with the construction, completion and maintenance of the works and must make his own enquiries as to work yard, sites, depot and dumps and as to the acquisition of such additional sites and areas as may be necessary for temporary purpose for constructing, completing and maintaining the works.
3. Payment: - The tenderer must understand clearly the rates quoted are for completed works and include all cost due to labour, scaffolding plant, supervision, service work, power, royalties and octroi etc. and include all extras to cover the cost of night work if and when required. No claim for additional payment beyond the prices or rates quoted will be entertained and the tender will not be entitled subsequently to make any claim on the ground of misrepresentation or on the ground that he was supplied with information given by any person (whether the member is the employee of Engineering Department of Corporation or not). Any failure on his part to obtain all necessary information for the purpose of making his tender and filling the several prices and rates therein shall not relieve him from any risks or liabilities arising out of, or consequent upon the submission of the tender.
4. Tender Forms: - the tenderer must fill up every blank in the form of tender and in the schedule and he must return the documents sent here with.
5. Erasures: - Persons tendering are informed that no erasures or alternations by them in the text of the documents sent herewith will be allowed and any such erasures or alternations will be disregarded. If there is any error in writing no over-writing should be done, the wrong words or a figure should be struck out and the correct one written above or near it in unambiguous way, each correction should be initialed.



### CONTRACTORS TO PLEASE READ THIS CAREFULLY

1. The rate for items must be given in words and figures. Amount of each item must also be entered in columns and the tenderer must strike out grand total of the amount.
2. If the tender is taken in favor of the company, a power of attorney in favour of the person who may have signed the tender for the company must accompany the tender.
3. Solvency Certificate of a Bank or a Revenue Officer of an amount upto 20% of the tendered cost plus the amount of works on hand still to be executed will have to be reduced by the Contractor.
4. Challan for earnest money must accompany the tender. Tenderer may pay earnest money in the form of CROSSED Demand Draft in favour of the Municipal Commissioner of Municipal Corporation, Ahmedabad. Earnest money in cash or by cheque shall not be accepted.
5. The Contractor shall have to furnish Income Tax Clearance Certificate before tender is accepted and intimate assessment number and ward under which is assessed.
6. Copies of certificate as regards previous experience if any must accompany the tender.
7. Declaration showing all works on hand with the Contractor and the value of works that remain to be executed in each case must accompany tender.
8. All pages should be initial
9. The Contractor should initial all corrections, erasures and over writing.
10. Discrepancies and Adjustment of Errors: Any error in quantity or amount in schedule 'B' showing items of works to be carried out shall be adjusted in accordance with the following rules :
  - (a) In the event of a discrepancy between description in words and figures quoted by a tenderer in the 'rates' column, the description in words shall prevail.
  - (b) In the event of an error occurring in the 'amount' column of the schedule 'B' showing items of work, as a result of wrong multiplication of the unit- rate and quantity, the units - rate shall be regarded as firm and multiplication shall be amended on the basis of the rates.
  - (c) All errors in totaling in amount column and in carry forward totals shall be corrected.
  - (d) Any rounding off of amounts against 'items' or 'totals' shall be ignored.
11. (i) It may please be noted that tender will be considered as invalid especially, if the requirements as per instruction. No. 1 to 10 above is not complied with before submitting the tender. Also please read carefully the face-sheet and General Rules and Directions for the guidance of Contractors of this form.  
(ii) Right is reserved to reject any or all tender (s) without assigning any reason(s) thereof.  
10A. The tender will be liable to be rejected outright if the tenderer has filled in tender documents by ball pen instead in ink.  
11. In addition to the above the tender will also be liable to be rejected outright if:
  - (i) The tenderer proposes any alternation in the works specified or in the time allowed for carrying the work or any condition or correction made in any code or mode of schedule 'B' or specifications.
  - (ii) Any of the page / pages of the tender is / are removed or replaced.
  - (iii) The tenderer does not initial all corrections, additions or pasted slips.
  - (iv) He makes any erasure in the tender. And
  - (v) The tenderer or in the case of a firm, each partner or the person holding the power of attorney there of does not sign or the signatures is / are not attested by a witness the tender in the space provided for the purpose.
12. A certificate of registration as approved Contractor should be attached with the tender.  
12A. In respect of the tenders from the Co-operative Society, a solvency, certificate of an amount equal to 20% of the amount of the work put to tender will have to be produced along with the tender or a certificate regarding the borrowing capacity of the society issued by the Legal Assistant, Directorate Cottage industries will have to be produced along with the tender.
13. (1) The several documents forming the contract are the essential parts of the contract a requirement occurring in one is as binding as though occurring in all they are intended to be mutually explanatory and complementary and to described and provide for a complete work.

(2) In the event of any discrepancy, the several documents forming the contract or in any one document the following order or precedence should apply:

(a) Dimension and quantities: -

(i) Schedule 'B' of the tender form.

(ii) Specification.

On drawing, figured, dimensions, unless obviously, incorrect will be followed in preference to scaled dimension.

(b) Description:

(i) Schedule 'B' of the tender form.

(ii) Specifications.

In case of defective description or ambiguity, the Engineer-in-Charge should issue further instructions directing in what manner the work is to be carried out, it being understood that the best modern practice is to be followed. The Contractor should forthwith comply with such instructions.

14. The Contractor should take no advantage of any apparent error or omission in drawings or specifications and the Engineer-in-Charge shall make such corrections and interpretations as necessary to fulfill the intent of the plants and specification.

15. All the materials to be used in the work may be from time to time subject to tests as per relevant I.S. as decided by the Engineer .

16. The board stating the detailed specifications and details of work as per Current circular of AMC/Government Circular No.TNC-1090-24-S, Dated 17-08-2002, should be erected as directed on the site of work by the contractor without claiming extra for the same.

17. Action in case of disproportionate progress:

In case of extremely poor progress of the work or any item at any stage of work which in the opinion of the Engineer, cannot be made good by the contractor considering his available resources, the Engineer will get it accelerated to make up the lost time through any other agency and recover the additional cost incurred, if any, in getting the work done from the contractor after informing him in writing about the action envisaged by him. The action may include blacklisting of the contractor based on the works and severity and decision of Municipal Commissioner shall be binding in this condition.

**18. Footpath Paver Block, Footpath curb, Central verge curb - Successful bidder of this tenders shall have to purchase 50% of total quantity of Paver Blocks/ footpath curbs/Central verge curbs from Amdavad Enviro Projects Pvt. Ltd. directly. If quantity of 50% of Paverblock/Footpath curbs/Central verge curbs are not available Amdavad Enviro Projects Pvt. Ltd within stipulated period of time, contractor has to take prior permission for use of other than from Amdavad Enviro Projects Pvt. Ltd. Paver blocks/Footpath curbs/Central verge curbs.**

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

**Name of work: Providing and laying Hotmix material for patchwork in T.P. Roads  
and Required Material Supply For filling potholes in Jodhpur Ward ,  
South West Zone.(ARC)**

**DECLARATION FORM**

1. I/We hereby declare that I/We have visited the and fully acquainted myself / ourselves with the local regarding materials, labour and other factors pertaining to the work before submitting this tender.
2. I/We hereby declare that I/We have carefully studied the conditions of contract, specification and other tender documents of this work and agree to execute the same accordingly.

.....  
**Signature of the Contractor**

**GENERAL RULES AND DIRECTION FOR THE GUIDANCE OF CONTRACTORS :**

1. All works proposed to be executed by contract shall be notified in a form of invitation to tender pasted on a board hung up in the Addl. City Engineer and signed by the Addl. City Engineer. This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited with the tender and the amount of the security deposit to be paid by the successful tenderer and the percentage, if any, to be deducted from bills, it will also state whether a refund of quarry fees, royalties, octroi dues and ground-rent will be granted, copies of the specifications designs and drawings and estimated rates, scheduled rates and any other documents required in connection with also be open for inspection by Contractors at the office of the Addl. City Engineer during office hours. Where the works are proposed to be executed according to the specifications recommended by a Contractor and approved by a competent authority on behalf of the Municipal Corporation such specification with designs and drawings shall form part of the accepted tender.
2. In the event of the tender being submitted by a firm, it must be signed on his behalf by a person holding a power-of-attorney authorizing him to do so.
3. Receipts for payments made on account of any work, when executed by firm, shall also be signed by all the partners, except where the Contractors are described in their tender as a firm, in which case the receipt shall be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipt for the firm.
4. Any person who submits a tender, shall fill up the usual printed form including the 'column' total according to estimated quantities, stating at what rate he is willing to undertake each item of the work, Tenders which propose any alteration in the works specified in the said form of invitation to tender or in the time allowed for carrying out the work or which contain any other conditions of any sort, will be liable to rejection. No single tender include more than one work, but Contractors who wish to tender for two or more works, shall submit a separate tender for each. Tenders shall have the name and the number of the work (to which they refer) written outside the envelope.
5. The Addl. City Engineer or his duly authorized Assistant shall open tenders in the presence of any intending Contractors who have submitted tenders or their representatives who may be present at the time and he will enter the amounts of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, the Contractor, shall thereupon for the

purpose of identification, sign copies of the specifications and other documents mentioned in this tender in the event of a tender being accepted the contractor, shall thereupon for the purpose of identification, sign copies of the specifications and other documents mentioned in this tender in the event of a tender being rejected, the Municipal Commissioner shall authorize the officer concerned to refund the amount of the earnest money deposited to the Contractor making the tender on his giving a receipt for the return of the money.

6. The officer competent to dispose of the tenders shall have the right of rejecting all or any of the tenders.
7. No receipt for any payment alleged to have been made by a Contractor in regard to any matter relating to this tender or the contract shall be valid and binding on Municipal Corporation unless it is signed by the Addl. City Engineer.
8. The memorandum of work to be tendered for any schedule of materials to be supplied by the Municipal Corporation and their rates shall be filled in and completed by the office of the Addl. City Engineer before the tender form is issued. If a form issued to an intending tenderer has not been so filled in and completed, he shall request the said office to have this done before he completes and delivers his tender.
9. All works shall be measured not by standard measure and according to the rules and customs of the Municipal Corporation without reference to any local custom.
10. Under no circumstances shall any Contractor be entitled to claim enhanced rates for any item in this contract.
11. Every Contractor shall, unless exempted in writing by the Addl. City Engineer concerned, produce along with this tender, a solvency certificate of his financial stability from the collector of the District within which he resides or a Bank's certificate. If he fails to produce such a certificate his tender will not be considered.
12. All corrections and additions or pasted slips should be initialed.
13. All measurement of work will be taken according to the usual method in use in the Municipal Corporation and as per I.S. code for general practice and no proposals to adopt alternative methods will be accepted. The Addl. City Engineer's decision as to what is 'the usual method in use in the Municipal Corporation' will be final.
14. The Contractor shall have to attach to his tender, Income-Tax Clearance certificate to be obtained from the Income-Tax Officer.
15. The Contractor will have to construct a shed for storing controlled and valuable materials issued to him under schedule A' of the agreement at work-site having double locking arrangement. The materials will then be taken for use in the presence of the Departmental person. No material will be allowed to be removed from the site of work.
16. No foreign exchange will be released by the Department for the purpose of plant and machinery required for the execution of the work contracted for.
17. Controlled materials (Essentially Certificate)
  - (i) As regards controlled materials, the Municipal Corporation will help to arrange for the permit as far as possible and help the Contractor in securing the same. All incidental charges met with in procuring these materials shall be borne by the Contractor himself. Though the Municipal Corporation will help to arrange for the permit as far as possible and

- help the Contractor in obtaining materials, it shall not accept any responsibility for any delay or loss on account of delay caused to the contractor while obtaining the same.
- (ii) The contractor shall submit to. Addl. City Engineer on close of every calendar month, the monthly returns in the prescribed forms as to the receipts and actual use of the controlled materials during the month.
  - (iii) The Contractor shall permit the Addl. City Engineer or his representatives to inspect the stock of the controlled materials stored by him at any time whenever the Addl. City Engineer or his representative(s) so desire (s).
18. The tender for the work shall remain open for a period of (120 days) from the date of opening of the tenders for this work and the tenderer shall not be allowed to withdraw or modify the offer on his own during this period. If any tenderer withdraws or marks any modifications or additions in the terms and conditions of his tender, not acceptable to the Municipal Corporation, then Municipal Corporation shall, without prejudice to any right or remedy, be at liberty to forfeit in full the said earnest money.
19. The Contractor shall employ only such labour that shall produce a valid certificate of having been vaccinated against small - pox within a period of last three years.
20. Footpath Paver Block, Footpath curb, Central verge curb - Successful bidder of this tendershall have to purchase 50% of total quantity of Paver Blocks/ footpath curbs/Central verge curbs from Amdavad Enviro Projects Pvt. Ltd. directly. If quantity of 50% ofPaverblock/Footpath curbs/Central verge curbs are not availableAmdavad Enviro Projects Pvt. Ltd within stipulated period of time, contractor has to take priorpermission for use of other than from Amdavad EnviroProjects Pvt. Ltd.Paver blocks/Footpath curbs/Central verge curbs.

## TENDER FOR WORKS.

<p>I/We hereby tender for the execution for the Municipal Corporation of Ahmedabad (herein before and herein after referred to as 'Corporation') of the work specified in the under written memorandum within the time specified in such memorandum at *</p> <p>..... Percent below /</p> <p>above the estimated rates specified schedule 'B' (memorandum showing item of works to be carried out) and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in this tender and in Clause 13 of the annexed conditions of contract and agree that when materials for the work are provided by Corporation, such materials and the rates to be paid for them shall be as provided in schedule 'A' hereto.</p>	<p>* In Figures as well in words.</p>
<p><b>MEMORANDUM</b></p>	
<p>(a)General Description. <b>Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For</b></p>	<p>(a) If several sub works are included the should be detailed in a separate list. The amount of earnest money to be deposited shall be in accordance with instruction no. 4</p>

<p><b>filling potholes in Jodhpur Ward , South West Zone.(ARC)</b></p> <p>(b) Estimate Cost: <b>Rs. 9,50,000/-</b></p> <p>(c) Earnest Money: 1% of the estimated amount of tendered work. <b>Rs.9500.00</b></p>	
---	--

**(D) SECURITY DEPOSIT**

- (i) 5% of the contract value cost paid in cash if the contract value is less than Rs. 5000/-
- (ii) (a) 1% of the estimated cost paid as earnest money along with the tender.  
(b) Security Deposit is equal to 5% of the sectioned tender cost in form DD or Bank Guarantee.
- (iii) Bank Guarantee from a Nationalized Bank or Bank approved by the Municipal Corporation for an amount equal to 5% of sectioned tender cost

Note – 1. All work shall be carried out as per Public Works Department Handbook and other specifications of Ahmedabad Municipal Corporation or as directed.

Note – 2. Rates quoted include clearance of site (prior of commencement of work and at its close) in all respects and hold good for work under all condition, site moisture weather etc

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

## **SPECIFICATIONS OF MATERIALS**

**This section gives detail specifications for mainly used materials, for other materials refer Building Specifications. For materials relevant specification of Building Specification shall apply.**

## **TECHNICAL SPECIFICATIONS**

**Name of Work : Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For filling potholes in Jodhpur Ward South West Zone.(ARC)**

**Item No.1 : Box cutting the road surface to proper slope and camber for making a base for road work including removing the excavated stuff and depositing on the road side slope as directed upto 200 Mt.lead.**

Any soil which generally yields to the application of pickaxes and shovels, spades, rakes or any such ordinary excavating implement or organic soil, gravel, silt, sand turf loam, clay, peat etc. falls under this category. For materials and workmanship for earthwork and excavation, relevant specification IS: 3764 & IS 1200 (Part I) shall be followed.

The depth of the excavation shall be as per the item description.

Clearing the Site:

The site where the Development has to be carried out shall be cleared and all obstructions, loose stones, materials and rubbish of all kind, bush; wood and all type trees shall be removed, as directed.

The materials so obtained shall be the property of the Client and shall be conveyed and stacked as directed, within 50-m. lead. The roots of the trees coming in the sides of the trenches shall be cut and coated with hot Bitumen.

All types of trees, woods etc. which requires prior permission of Govt./ Forest Authority / Municipal Commissioner, before cutting shall be cut after obtaining such permission from them. It shall be the Client's responsibility to obtain such permission from the respective authorities.

The rate of site clearance is deemed to be included in the rate of earthwork, for which no extra will be paid.

Setting out:

After cleaning the site, the centerline of the central verge & other constructions will be given by the Engineer-in-charge. The Contractor shall assume full responsibility for alignment, elevation and dimension of each and all parts of the work. Contractor shall supply labours, materials, etc. required for



setting out the reference marks and bench marks made of MS angle iron and embedded in 1:2:4 CC.

They shall maintain the same as long as required and directed.

#### **Excavation:**

The excavation shall be carried out in true line and level and shall have the width and depth, as shown

in the drawings or as directed. The Contractor shall do the necessary shoring and strutting or shall provide necessary slopes to a safe angle or steps, as required or directed, at his own cost. No extra payment shall be made for such precautionary measures, taken. The bottom of the excavated area shall be leveled both longitudinally and transversely, as directed, by removing excess soil and watering, as required. No earth filling will be allowed for bringing it to level, if by mistake or any other reason,

excavation is made deeper or wider than shown on the drawings or as directed. The extra depth or width shall be made up with sand filling, as specified for the bottom level of the subsequent finishing at the cost of the Contractor or as directed by Engineer-In-Charge.

The Contractor shall at his own expense and without extra charge make provision of supporting all utility services, lighting the excavated areas, separating and stacking serviceable materials neatly, shoring, timbering, strutting, bailing out water either sub-soil or rainwater, including pumping at any stage of the work. Excavated areas shall be kept free of water while masonry or concrete or relevant base works are in progress and till the Engineer-in-charge considers it necessary.

#### **Disposal of the Excavated Stuff:**

The excavated stuff of the selected type shall be used in filling the excavated areas wherever required in layers, including ramming and watering, ensuring proper compaction etc. complete.

The Contractor shall remove the balance of the excavated quantity from the site of work, to a place, as directed and for all lift.

The lead is the shortest practical route and not necessarily the route actually taken. The decision of Engineer-In-charge shall be final in this regard.

#### **Mode of Measurement and Payment:**

The measurement of excavation of excavated area shall be made according to the sections shown on the drawing or as per sections given by the Engineer-in-charge. No payment shall be made for surplus excavation made in excess of above requirements or due to stepping and sloping back as found necessary, on account of conditions of soil and requirements of safety.

The rate shall include for clearing the site, surface dressing, making layout for road, fixing permanent grid points with MS iron posts, embedded in C.C. 1:2:4, placed sufficiently away from the existing traffic lines and establishing bench marks etc.

The rates shall include for necessary shoring, timbering and strutting for protection of sides of the

excavated area, pumping out rain or surface water at any stage of construction so as to keep the excavated area dry, to the satisfaction of the /Engineer-in-charge.

The rate shall include leveling and ramming the bottoms of excavations to receive concrete, etc. including trimming to slope wherever necessary etc. complete.

In filling clods bigger than 50 mm. shall not be allowed. Only consolidated measurements of filling shall be paid. Consolidation to be done by mechanical compactor as per relevant item.

**Item No.2 Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind Including spreading & levelling etc. complete Lead up to 3 km**

Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind Including spreading & levelling etc. complete Lead up to 3 km

**Mode of Measurement and Payment**

The M/s shall be on Cmt. Basis

**Item No.3 To provide Tractor with Hydraulic Trolley, driver with fuel, to carryout different works during day/night for 12 Hrs. Shift. Work shall be carried out as per the instructions of Engineer In-Charge. No extra charged shall be paid for night shift.**

To provide Tractor with Hydraulic Trolley, driver with fuel, to carryout different works during day/night for 12 Hrs. Shift. Work shall be carried out as per the instructions of Engineer In-Charge. No extra charged shall be paid for night shift.

**Mode of Measurement and Payment**

The M/s shall be on Shift. Basis

**Item No.4 Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)**

Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)

**Mode of Measurement and Payment**

The M/s shall be on Hr. Basis

**Item No.5 Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in subbase / base course**

**on well prepared surface and compacting with vibratory roller to achieve the desired density as per MoRTH clause 406. (A) Supply of WMM (B) Laying of WMM**

**Scope :-**

This work shall consist of laying and compacting clean, crushed, graded aggregate and granular material, premixed with water, to a dense mass on a prepared sub-grade/sub- base/ base or existing pavement as the case may be in accordance with the requirements of these Specifications. The material shall be laid in one or more layers as necessary to lines, grades and cross-sections shown on the approved drawings or as directed by the Engineer.

The thickness of a single compacted Wet Mix Macadam layer shall not be less than 75 mm. When vibrating or other approved types of compacting equipment are used, the compacted depth of a single layer of the sub-base course may be upto 200 mm with the approval of the Engineer.

**Materials**

**Physical Requirements**

Coarse aggregates shall be crushed stone. The aggregates shall conform to the physical requirements set forth in Table 19-1. **Sevaliya/Timba/Ankodiya special aggregate is only acceptable.**

If the water absorption value of the coarse aggregate is greater than 2 percent, the soundness test shall be carried out on the material delivered to site as per IS:2386 (Part-5).

**Table 19-1 : Physical Requirements of Coarse Aggregates for Wet Mix Macadam for Sub-base/Base Courses**

S. No.	Test	Test Method	Requirements
1.	Los Angeles Abrasion value or Aggregate Impact value	IS:2386 (Part-4)	40 percent (Max.)
		IS:2386 (Part-4) or IS:5640	30 percent (Max.)
2.	Combined Flakiness and Elongation indices (To	IS:2386(Part-1)	35 percent (Max.)*

\* To determine this combined proportion, the flaky stone from a representative sample should first be separated out. Flakiness index is weight of flaky stone metal divided by weight of stone sample. Only the elongated particles be separated out from the remaining (non-flaky) stone metal. Elongation index is weight of elongated particles divided by total non-flaky particles. The values of flakiness index and elongation index so found are added up

**Grading Requirements**

The aggregates shall conform to the grading given in Table 19-2.

**Table 19-2 : Grading Requirements of Aggregates for Wet Mix Macadam**

IS Sieve Designation	Percent by weight passing the IS Sieve
53.0 mm	100
45.0 mm	95-100
26.5 mm	-
22.40 mm	60-80
11.20 mm	40-60
4.45 mm	25-40
2.36 mm	15-30
600 micron	8-22
75 micron	0-5

Material finer than 425 micron shall have Plasticity Index (PI) not exceeding 6.

The final gradation approved within these limits shall be graded from coarse to fine and shall not vary from the low limit on one sieve to the high limit on the adjacent sieve or vice versa.

#### **Construction Operations:-**

##### **Preparation of Base**

The surface of the sub-grade/sub-base/base to receive the Wet mix macadam course shall be prepared to the specified grade and camber and cleaned of dust, dirt and other extraneous material. Any ruts or soft yielding places shall be corrected in an approved manner and rolled until firm surface is obtained.

Where the Wet mix macadam is to be laid on an existing metalled road, damaged area including depressions and potholes shall be repaired and made good with the suitable material. The existing surface shall be scarified and re-shaped to the required grade and camber before spreading the coarse aggregate for Wet mix macadam.

##### **Preparation of Mix**

Wet Mix Macadam should be prepared in an approved mixing plant of suitable capacity having provision for controlled addition of water and forced/positive mixing arrangement like pugmill or pan type mixer of concrete batching plant. For small quantity of wet mix work, the Engineer may permit the mixing to be done in concrete mixers.

Quantity of water should not vary from OMC determined as per IS : 2720 (part VIII) by more than agreed limit. The mixed material should be uniformly wet and no segregation should be permitted.

##### **Spreading of mix**

Immediately after mixing, the aggregates shall be spread uniformly and evenly upon the prepared subgrade/sub-base/base in required quantities. In no case should these be dumped in heaps directly on the area where these are to be laid nor shall their hauling over a partly completed stretch be permitted.

The mix may be spread either by a paver finisher or motor grader or as per instruction of Engineer-in-Charge and/or his authorized representative. For portions where mechanical means cannot be used, manual means as approved by the Engineer shall be used. The motor grader shall be capable of spreading the material uniformly all over the surface. Its blade shall have hydraulic control suitable for initial adjustments and maintaining the same so as to achieve the specified slope and grade.

The paver finisher shall be self-propelled, having the following features:

- (i) Loading hoppers and suitable distribution mechanism
- (ii) The screed shall have tamping and vibrating arrangement for initial compaction to the layer as it is spread without rutting or otherwise marring the surface profile.
- (iii) The paver shall be equipped with necessary control mechanism so as to ensure that the finished surface is free from surface blemishes.

The surface of the aggregate shall be carefully checked with templates and all high or low spots remedied by removing or adding aggregate as may be required. The layer may be tested by depth blocks during construction. No segregation of layer and fine particles should be allowed. The aggregates as spread should be of uniform gradation with no pockets of fine materials.

#### **Compaction:**

After the mix has been laid to the required thickness, grade and crossfall/camber the same shall be uniformly compacted, to the full depth with suitable roller. If the thickness of single compacted layer does not exceed 100 mm, smooth wheel roller of 80 to 100 kN weight may be used. For a compacted single layer upto 200 mm, the compaction shall be done with the help of vibratory roller of minimum static weight of 80 to 100 kN or equivalent capacity roller. The speed of the roller shall not exceed 5 km/h.

In portions having unidirectional cross fall/superelevation, rolling shall commence from the lower edge and progress gradually towards the upper edge. Thereafter, roller should progress parallel to the centre line of the road, uniformly overlapping each preceding track by at least one third width until the entire surface has been rolled. Alternate trips of the roller shall be terminated in stops at least 1 m away from any preceding stop.

In portions in camber, rolling should begin at the edge with the roller running forward and backward until the edges have been firmly compacted. The roller shall then progress gradually towards the centre parallel to the centre line of the road uniformly overlapping each of the preceding track by at least one-third width until the entire surface has been rolled.

Any displacement occurring as a result of reversing of the direction of a roller or from any other cause shall be corrected at once as specified and/or removed and made good.

Along forms, kerbs, walls or other places not accessible to the roller, the mixture shall be thoroughly compacted with mechanical tampers or a plate compactor. Skin patching of an area without scarifying the surface to permit proper bonding of the added material shall not be permitted.

Rolling should not be done when the subgrade is soft or yielding or when it causes a wave-like motion in the sub-base/base course or subgrade. If irregularities develop during rolling which exceed 12 mm when tested with a 3 metre straight edge, the surface should be loosened and premixed material added or removed as required before rolling again so as to achieve a uniform surface conforming to the desired grade and crossfall. In no case should the use of unmixed material be permitted to make up the depressions. Rolling shall be continued till the density achieved is at least 98 per cent of the maximum dry density for the material as determined by the method outlined in IS : 2720 (Part-8).

After completion, the surface of any finished layer shall be well-closed, free from movement under compaction equipment or any compaction planes, ridges, cracks and loose material. All loose, segregated or otherwise defective areas shall be made good to the full thickness of the layer and recompact.

#### **Setting and drying:**

After final compaction of wet mix macadam course, the road shall be allowed to dry for 24 hours.

#### **Opening to Traffic**

Preferably no vehicular traffic of any kind should be allowed on the finished wet mix macadam surface till it has dried and the wearing course laid.

#### **Surface Finish and Quality Control of Work**

##### **Surface evenness:**

The surface finish of construction shall conform to the requirements of Clause in Item No. 16&17&18.

##### **Quality control:**

Control on the quality of materials and works shall be exercised by the Engineer as per Table 19-3.

**Table 19-3 : Test and Frequency for Materials for Wet Mix Macadam**

Type of Construction	Test	Frequency (As per Circular No. 66)	IS Code
Wet Mix Macadam	Gradation	One test per 200 Cu.m.	IS:2386, Part-I-1963
	Aggregate Impact Value	One test per 1000 Cu.m.	IS:2386, Part-IV
	Combined Flakiness and Elongation Indices	One test per 500 Cu.m.	IS:2386, Part-I
	Atterberg Limits of portion of aggregates passing 425 micron sieve	One test per 200 Cu.m.	IS:2720, Part-V
	Density of compacted layer	One set of three tests per 1000 sq.m	IS:2720, Part-VIII

#### **Rectification of Surface Irregularity**

Where the surface irregularity of the wet mix macadam course exceeds the permissible tolerances or where the course is otherwise defective due to subgrade soil getting mixed with the aggregates, the full thickness of the layer shall be scarified over the affected area, reshaped with added premixed material or removed and replaced with fresh premixed material as applicable and recompacted. The area treated in the aforesaid manner shall not be less than 5 m long and 2 m wide. In no case shall depressions be filled up with unmixed and ungraded material or fines.

#### **Arrangement for Traffic**

During the period of construction, arrangements for the traffic shall be provided. The Contractor shall take all necessary measures for the safety of traffic during construction and provide, erect and maintain such barricades, including signs, marking, flags, lights and flagmen as per instruction of the Engineer-in-charge.

#### **Measurements for Payment**

The rate shall be for a unit of **one cubic meter**.

#### **Item No.6 Providing & supplying Pavdi Tractor for loading, unloading, Levelling with all necessary fuel and operating charges It also incl. removing asphalt popada,metal,debris useful materials from dump site shown by engineer in charge of work.and stacking of usefull materials separatly and put in to tractor etc.comp.as directed**

Providing & supplying Pavdi Tractor for loading, unloading, Levelling with all necessary fuel and operating charges It also incl. removing asphalt popada,metal,debris useful materials from dump site shown by engineer in charge of work.and stacking of usefull materials separatly and put in to tractor etc.comp.as directed

#### **Measurements for Payment**

The rate shall be for a unit of **HR**.

#### **Item No.7 Labour charges for hand laying hotmix material DBM/BC on the road surface in line & level incl. cleaning the surface with wire brush and carting material by lari at place of work & rolling with 10 MT roller and sand spreading on seal coat after rolling etc. complete.**

Labour charges for hand laying hotmix material DBM/BC on the road surface in line & level incl. cleaning the surface with wire brush and carting material by lari at place of work & rolling with 10 MT roller and sand spreading on seal coat after rolling etc. complete.

#### **Measurements for Payment**

The rate shall be for a unit of **MT**.

#### **Item No.9 Re-carting of Hotmix material from place of Work / AMC store to Location of laying havind narrow width like chawls, poles, gamtal roads using JCB for loading to transorting by tractor trolly including fuel, driver etc complete as directed.**

Re-carting of Hotmix material from place of Work / AMC store to Location of laying havind narrow width like chawls, poles, gamtal roads using JCB for loading to transorting by tractor trolly including fuel, driver etc complete as directed

#### **Measurement for Payment**

measured in terms of surface area of application in **MT**

**Item No.10 Providing and spreading tack coat using Bitumen VG10/30 on road surface before laying hotmix material including heating the bitumen and labour charges for applying bitumen on road surface at the rate 2.5 kg/ 10 smt. with carting on site etc. comp as directed by engg. in charge. (Never Use Tyre / Plastic Material for heating the Bitumin)**

**Scope**

The work shall consist of the application of a single coat of low viscosity liquid bituminous material to existing bituminous or primed granular surface preparatory to the superimposition of a bituminous mix as instructed by the Engineer.

**Materials**

The binder used for tack coat shall be low viscosity paving bitumen of VG 30 grade conforming to as per late.

**Weather and Seasonal Limitations**

Bituminous material shall not be applied during a dust storm or when the weather is foggy, rainy or windy or when the temperature in the shade is less than 10°C.

**Construction**

**Equipment**

The tack coat shall be applied by a self-propelled or towed bitumen pressure sprayer, equipped for spraying the material uniformly at a specified rate. Hand spraying shall not be permitted except in small areas, inaccessible to the distributor, or narrow trips, shall be sprayed with a pressure hand sprayer, or as directed by the Engineer.

**Preparation of Base**

The surface on which the tack coat is to be applied shall be cleaned of dust and any extraneous material before the application of the binder, by using a mechanical broom or any other approved equipment/method as specified by the Engineer. The granular or stabilized surfaces shall be primed with primer coat.

**Application of Tack Coat**

The application of tack coat shall be at the rate specified in Table 21-1, and it shall be applied uniformly. Paving bitumen if used for tack coat shall be heated to appropriate temperature in bitumen boilers to achieve viscosity less than 2 poise. The method of application of tack coat will depend on the type of equipment to be used, size of nozzles, pressure at the spray bar, and speed or forward movement. The Contractor shall demonstrate at a spraying trial, that the equipment and method to be used is capable of producing a uniform spray, within the tolerances specified.

**Table 21-1 : Rate of Application of Tack Coat**

Type of Surface	Rate of Spray of Binder in Kg per sq. m
Bituminous surfaces (DBM/BC)	0.20-0.30
Granular surfaces treated with primer	0.25-0.30

**Curing of Tack Coat**

The tack coat shall be left to cure until all the volatiles have evaporated before any subsequent construction is started. No plant or vehicles shall be allowed on the tack coat other than those essential for the construction.

**Quality Control of Work**

Control on the quality of materials and works shall be exercised by the Engineer as per Table 21-2.



**Table 21-2 : Test and Frequency for Tack Coat**

Type of Construction	Test	Frequency
Tack Coat	Quality of Binder	MTC Should be provided.
	Binder Temperature for application	Three test per day
	Rate of spread of binder	Three test per day

**Arrangements for Traffic**

During the period of construction, arrangements for the traffic shall be provided. The Contractor shall take all necessary measures for the safety of traffic during construction and provide, erect and maintain such barricades, including signs, marking, flags, lights and flagmen as per instruction of the Engineer-in-charge.

**Measurement for Payment**

Tack coat shall be measured in terms of surface area of application in **MT**

**Item No.10 Bitumencutting Labour charge of cutting bituminous pavement. Cutting to be done with heavy duty tandom cutting machine consisit of diamond blade.minimum cutting depth shall be 75mm from the finishing level.cutting shall be perfectly in line. The width and depth of the removal of ashphalt towards kerb stone shall be as per drawing. bitumien shall be carefully removed so that the cutting edge towards the road should not be disturbed. the work of removal of asphalt will be considered in this item as running meter of the cutting done by machine. one cutting line will be considered per length of the kerb stone. bitumen and other debris shall be disposed within 10.0 kam as per instruction of the engineer in charge. sorrounding shall be cleaned to the satisfaction of the engineer in charge.**

Bitumencutting Labour charge of cutting bituminous pavement. Cutting to be done with heavy duty tandom cutting machine consisit of diamond blade.minimum cutting depth shall be 75mm from the finishing level.cutting shall be perfectly in line. The width and depth of the removal of ashphalt towards kerb stone shall be as per drawing. bitumien shall be carefully removed so that the cutting edge towards the road should not be disturbed. the work of removal of asphalt will be considered in this item as running meter of the cutting done by machine. one cutting line will be considered per length of the kerb stone. bitumen and other debris shall be disposed within 10.0 kam as per instruction of the engineer in charge. sorrounding shall be cleaned to the satisfaction of the engineer in charge.

**Measurement for Payment**

Tack coat shall be measured in terms of surface area of application in **RMT**

I HAVE ALSO GONE THROUGH TECHNICAL SPECIFICATIONS FOR THE ITEMS (AS PER STANDARD

P.W.D. TECHNICAL SPECIFICATIONS FOR THE ITEMS AND ALSO I HAVE THE BOOK OF THE SAME )

AND AGREE TO ABIDE BY THEM.

IN CASE OF WHERE IS NO TECHNICAL SPECIFICATION FOR THE ANY ITEMS AVAILABLE , SPECIFICATION GIVEN BY THE ENGINEER IN CHARGE SHALL BE FOLLOWED AND FOR THE SAME I AGREE TO ABIDE BY THEM.

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

Tender No : 36

Tender Notice No : 05/2026-27

## PRICE QUOTATION SHEET

Earnet Money Rs. : 9500.00

Date of Submission of Tender : Dt. 29.06.2026, Time : 18:00 Hrs.

Tender Fee Rs. 900.00

Date of Opening of Tender : Dt. 30.06.2026, Time : 17:00 Hrs.

Tender Class E2 or Above

**Name of Work : Road Grouting work in different TP Roads and Breakdown site in jodhpur ward, South west zone AMC.(Reinvite)**

**Estimated Tender Amount Rs. 9,50,000.00**

I / We am / are willing to carry out work at \_\_\_\_\_ % above / below\* percent (should be written in figures and words) of the estimated cost, as mentioned above. Amount of my / our tender works out for Rs. \_\_\_\_\_ (in figures)  
Rupees \_\_\_\_\_ (in words)

Note : \* Please strike out above or below, whichever is not applicable.

Contractor's Signature  
& Stamp

Addl. City Engineer  
(South West Zone)

Mobile No

AHMEDABAD MUNICIPAL CORPORATION					
MAHANAGAR SEVA SADAN - SOUTH WEST ZONE					
Abstract Sheet					
Name of work :-Providing and laying Hotmix material for patchwork in T.P. Roads and Required Material Supply For filling potholes in Jodhpur Ward , South West Zone.(ARC)					
Sr. No.	Qty	Item	Rate	Per	Amount
1	150	Box cutting the road surface in all sorts of soil, murrum to proper slope & camber for making abase for road work including removing the excavated stuff & depositing on the road side as directed upto 50.00 mt. Lead	127.13	cmt	19069.50
2	163.47	Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind Including spreading & levelling etc. complete Lead up to 3 km	111.88	cmt	18289.43
3	80.00	To provide Tractor with Hydraulic Trolley, driver with fuel, to carryout different works during day/night for 12 Hrs. Shift. Work shall be carried out as per the instructions of Engineer In-Charge. No extra charged shall be paid for night shift.	2104.09	Shift	168327.20
4	64.00	Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)	600.00	H.R	38400.00
5		Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in subbase / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per MoRTH clause 406.			
	35.00	(A) Supply of WMM	1708.13	Cmt	59784.55
	35.00	(B) Laying of WMM	31.25	Cmt	1093.75
6	10.00	Providing & supplying Pavdi Tractor for loading, unloading, Levelling with all necessary fuel and operating charges It also incl. removing aspalt popada,metal,debris useful materials from dump site shown by engineer in charge of work.and stacking of usefull materials separatly and put in to tractor etc.comp.as directed	550.00	H.R	5500.00
7	917.00	Labour charges for hand laying hotmix material DBM/BC on the road surface in line & level incl. cleaning the surface with wire brush and carting material by lari at place of work & rolling with 10 MT roller and sand spreading on seal coat after rolling etc. complete.	449.68	MT	412356.56

8	917.00	Providing and spreading tack coat using Bitumen VG10/30 on road surface before laying hotmix material including heating the bitumen and labour charges for applying bitumen on road surface at the rate 2.5 kg/ 10 smt. with carting on site etc. comp as directed by engg. in charge. (Never Use Tyre / Plastic Material for heating the Bitumin)	140.00	MT	128380.00
9	101.00	Re-carting of Hotmix material from place of Work / AMC store to Location of laying having narrow width like chawls, poles, gamtal roads using JCB for loading to transorting by tractor trolly including fuel, driver etc complete as directed.	90.00	MT	9090.00
10	101.00	Providing and applying tack coat with VG-10 Grade bitumen using bitumen pressure distributor at the rate of 0.20 kg/sqm on the existing bituminous surface cleaned with Air Compressor.	8.01	Smt.	809.01
11	700.00	<b>Bitumencutting</b> Labour charge of cutting bituminous pavement. Cutting to be done with heavy duty tandem cutting machine consist of diamond blade. minimum cutting depth shall be 75mm from the finishing level. cutting shall be perfectly in line. The width and depth of the removal of asphalt towards kerb stone shall be as per drawing. bitumen shall be carefully removed so that the cutting edge towards the road should not be disturbed. the work of removal of asphalt will be considered in this item as running meter of the cutting done by machine. one cutting line will be considered per length of the kerb stone. bitumen and other debris shall be disposed within 10.0 km as per instruction of the engineer in charge. surrounding shall be cleaned to the satisfaction of the engineer in charge.	127.00	Rmt	88900.00
			Total Rs.		<b>950000.00</b>

**I/We am/are willing to carry out the work at \_\_\_\_% above/below \_\_\_\_% (should be written in figures and words below/above the estimated rates mentioned above. Amount of my/our tender works out as under:**

**Notes :**

- 1) % above / below is to be submitted online only.
- 2) All work shall be carried out as per the specifications or as directed.
- 3) Rates quoted include cleaning of site (prior to commencement of work and at its close) in all respects and hold formwork under all conditions, site moisture, weather, etc..
- 4) All the item rate are considering excluding cost of GST as per Government of Gujarat Road And Building Dept. Reso. No. TNC/102022/457/C Dt.05/04/2022. So, bidder shall be consider this change in BOQ

**Seal and Signature of the Bidder**

**Addl. City Engineer**

**(SOUTH WEST ZONE)**