

| | |
|--------------------------------|---|
| Department name | Engineering Department |
| Circle/Division | South west Zone |
| IFB No/Short Tender Notice No. | 05/2025-26 (43) |
| Name of Work | Breakdown work on drainage lines and storm water lines at various places in urban and rural areas in Sarkhej ward of South West Zone |
| Estimate contract value(INR) | Rs.49,48,730.00 |
| Period of Completion | 12 Months (excluding monsoon) |
| Bidding Type | Open/Limited |
| Bid Call(Nos) | 1 |
| Tender Currency Type | ----- |
| Tender Currency Settings | ----- |
| Joint venture | Applicable/Not Applicable |
| Rebate | Applicable/Not Applicable |

| | |
|-------------------------------|-----------------------------------|
| Amount Details: | |
| Bid Document Fee: | Rs.1500.00 |
| Bid Document Fee Payable to: | Municipal Commissioner, Ahmedabad |
| Bid Security/ EMD (INR) | Rs.49,488.00 |
| Bid Security/ EMD In Favor of | Municipal Commissioner, Ahmedabad |

Tender Dates

| | |
|--------------------------------------|---|
| Bid Document Downloading Start Dates | Automatic System Generated |
| Bid Document Downloading Start Dates | - |
| Pre Bid Meeting | - |
| Last Date & Time for Receipt of Bids | .29/06/2026 upto 18:00 Hrs |
| Bid Validity Period | 120 Days |
| Remaks | Submission of EMD.Tender fee and Other Documents during office hours : On date 30.06.2026 & 16.00 hrs in the Office of Assistant Manager (South West Zone Office, Late Shree Tushar Deshmukh Bhavan, Nr. Shalby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015 |
| Bid Opening Date | 30/06/2026 ; 17:00 hrs |
| Other Details | |
| Officer Inviting Bids: | Assistant Manager(South West Zone) |
| Bid Opening Authority: | Assistant Manager(South West Zone) |
| Address: | Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, |
| Contact details: | |



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન

મહાનગર સેવા સદન - દક્ષિણ પશ્ચિમ ઝોન ઝોનલ ઓફીસ,

સ્વ. શ્રી તુષારદેશમુખભવન, શેલ્બી હોસ્પિટલ પાસે, કણાવતી કલબ સામે,
એસ.જી. હાઈવે, જોધપુર, અમદાવાદ- ૩૮૦૦૧૫

દક્ષિણ પશ્ચિમ ઝોન ટેન્ડર નોટીસ નં- 05/2025-26 (43) માં આવરી લેવાયેલ કામોની વિગતો

શરતો :-

૧. ઉપરોક્ત ટેન્ડરો જે તે વર્ગમાં માન્ય રજીસ્ટ્રેશન ધરાવતા કોન્ટ્રાક્ટર શ્રીઓએ ભરવા.
૨. ટેન્ડરની નિયત ટેન્ડર ફી તથા ઇ.એમ.ડી. બંધ કવરમાં ઉપરના સરનામે રૂબરૂ / રજીસ્ટર એ.ડી./ સ્પીડ પોસ્ટ/ કુરીયર થી નિયત સમયમાં મોકલવાના રહેશે.
૩. કોન્ટ્રાક્ટર શ્રીઓએ ટેન્ડરની સાથે મ્યુનિસિપલ માન્ય રજીસ્ટ્રેશનની/ ગવર્નમેન્ટ રજીસ્ટ્રેશનની કોપી, (ટેન્ડર કોપી તથા અન્ય પુરાવા સાથે) અચૂક સામેલ કરવાની રહેશે અને કવર ઉપર ટેન્ડર નંબર તથા કોન્ટેક્ટ નંબર જરૂર સ્પષ્ટ દર્શાવવાનો રહેશે. બંધ કરવર ઉપર ટેન્ડર નોટીસ નંબર, ટેન્ડર નંબર, કામનું નામ તથા, કોન્ટ્રાક્ટરની સંસ્થાનું નામ તથા કોન્ટેક્ટ નંબર અવશ્ય દર્શાવવાના રહેશે. કોન્ટ્રાક્ટરોએ ટેન્ડર માં બેંક નું નામ, ખાતા નંબર, માર્કર નંબર અને સરનામું સ્પષ્ટ અક્ષરોમાં લખવું.
૪. ટેન્ડર ફી પે ઓર્ડર / ડીમાન્ડ ડ્રાફ્ટ થી ચૂકવવાની રહેશે. દરેક ટેન્ડર દીઠ અલગ ટેન્ડર ફી ભરવાની રહેશે.
૫. ઓછી રકમની ટેન્ડર ફી, ઇ.એમ.ડી. કે ટેન્ડર ફી, ઇ.એમ.ડી. વિનાના ટેન્ડર દબાતલ (કેન્સલ) ગણાશે.
૬. ટેન્ડર સાથે મુકવામાં આવતી અર્નેસ્ટ મની, ટેન્ડરની રકમના ૧% પ્રમાણે બેંક ગેરન્ટી / ડીમાન્ડ ડ્રાફ્ટ / પે ઓર્ડર / લોકલ માર્કર ચેક થી જ સ્વીકારવામાં આવશે. દરેક ટેન્ડર દીઠ અલગ ઇ.એમ.ડી. ભરવાની રહેશે. ઇ.એમ.ડી. રકમ રૂા. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે લોકલ માર્કર ચેક, ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરન્ટીના સ્વરૂપમાં તથા રૂા. એક કરોડ થી ઉપરની અંદાજિત રકમના કામ માટે ઇ.એમ.ડી.ની રકમ માત્ર ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરન્ટીના સ્વરૂપમાં આપવાની રહેશે.
૭. બેંક ગેરન્ટી માત્ર અમદાવાદ શહેરની જ સ્વીકારવામાં આવશે.
૮. ટેન્ડર ફી તથા ઇ.એમ.ડી.ની રકમના ડી.ડી./ ચેકની પાછળ કોન્ટ્રાક્ટર શ્રીએ પોતાની સંસ્થાનું નામ તથા મોબાઈલ નંબર અવશ્ય લખવાનો રહેશે. કોન્ટ્રાક્ટરે પોતાની સંસ્થાના ચેક તથા ડી.ડી. ટેન્ડર ઇશ્યુ થતા તારીખ બાદના જ આપવા.
૯. શરતી ટેન્ડરો દબાતલ ગણાશે.
૧૦. જો ટેન્ડરમાં સ્પષ્ટ ઉલ્લેખ કરાયેલ હોય તો યોમાસાને કારણે ખાતાકીય સૂચના અન્વયે જ્યારે જ્યારે કામ બંધ રાખવાનું થાય તે સમયે નેકામની મુદતમાં જરૂરે આપવામાં આવશે. પરંતુ આ અન્વયે કોઈ ભાવવધારો આપવામાં આવશે નહીં. જેની નોંધ દરેક ટેન્ડરે લેવી.
૧૧. ટેન્ડરો કોઈ પણ કારણ આપ્યા સિવાય સ્વીકારવા કે નહિં સ્વીકારવા તેની સંપૂર્ણ સિત્તા મ્યુનિસિપલ કમિશનર શ્રીની રહેશે.
૧૨. ટેન્ડરમાં જો કોઈ સુધારાવધારા હોય તો તે અંગે ટેન્ડર ભરતા પહેલાં છેલ્લે દિવસે નિયત વેબસાઈટ અથવા કચેરી એજરૂરી તપાસ કરીને જ ટેન્ડર મોકલવું.
૧૩. સીક્યોરીટી ડીપોઝીટ/ પરફોર્મન્સ ગેરન્ટીની રકમ રૂા. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે લોકલ માર્કર ચેક, ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરન્ટીના સ્વરૂપમાં તથા રૂા. એક કરોડ થી ઉપરની અંદાજિત રકમના કામ માટે સીક્યોરીટી ડીપોઝીટ/ પરફોર્મન્સ ગેરન્ટીની રકમ માત્ર ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરન્ટીના સ્વરૂપમાં આપવાની રહેશે.
૧૪. ઓનલાઈન એન-પ્રોક્યુરવેબ સાઈટ પરથી ભરવાના થતા ટેન્ડરમાં કોન્ટ્રાક્ટર/ એજન્સીએ ટેન્ડરની હાર્ડકોપીમાં ભાવભર્યા વગરની સહી સીકકા કરી સબમીટ કરવાની રહેશે. જો તેમાં ભાવ ભરેલ હોય તો તેવા ટેન્ડર દરવામાં આવશે.
૧૫. સદર ટેન્ડર અંતર્ગત નાકામ સંલગ્ન અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનમાં પ્રવર્તમાન તમામ નિયમો/ સર્ક્યુલરો લાગુ પડશે. તેમજ વખતો વખત થનાર સુધારાઓ પણ લાગુ પડશે. જેની નોંધ લઈ ટેન્ડર ભરવાના રહેશે.
૧૬. આ નિવિદામાં “GST અંગેની કાર્યવાહી અમદાવાદ મહાનગર પાલિકાના નાણાં ખાતાના પરિપત્ર ક્રમાંક ૩૮ તારીખ ૨૧.૧૧.૨૦૨૨ ” અનુસાર ગણતરી કરી ટેન્ડરો ભરવાના રહેશે.

ડીમાન્ડ ડ્રાફ્ટ / ચેક “ મ્યુનિસિપલ કમિશનર , અમદાવાદ ” નાનામનો કઢાવવો.



અમદાવાદમ્યુનિસિપલકોર્પોરેશન
મહાનગરસેવાસદન - દક્ષિણપશ્ચિમઝોનઝોનલઓફીસ,
સ્વ. શ્રી તુષારદેશમુખભવન, શેલ્બીહોસ્પીટલપાસે, કર્ણાવતી ક્લબ સામે,
એસ.જી. હાઇવે, જોધપુર, અમદાવાદ- ૩૮૦૦૧૫

એ.આર.સી. ટેન્ડર- શરતો

૧. એ.આર.સી. ટેન્ડરમાંવર્કઓર્ડરઆપ્યાબાદકામ શરૂ કરવાનીસમયમર્યાદામાંકોન્ટ્રાક્ટરદ્વારાકામ શરૂ કરવાનીજાણકર્યાબાદ ૨૪ કલાકના કામ શરૂ નહિ કરવામાં આવેતો અન્ય કોન્ટ્રાક્ટર પાસે માર્કેટરેટ થી કોન્ટ્રાક્ટર ના ખર્ચે અને જોખમે કામગીરી કરાવવામાં આવશે.
૨. કોન્ટ્રાક્ટરનેવર્કઓર્ડરઆપ્યાબાદ એ.આર.સી. પ્રકારનુંટેન્ડરહોઈકામનીજરૂરીયાતમુજબટેલીફોનીકજાણકરીજેતે કામ શરૂ કરવાકહેવામાંઆવશેઅનેજેકામનીજાણકર્યાના ૨૪ કલાકમાં શરૂ કરવામાંનહિઆવેઅનેનિયતસમયમર્યાદામાંપુર્ણકરવામાંનહિઆવેતોજેતે આઈટમનાSOR ભાવથી ૧.૫ ગણીપેનલ્ટીવસુલલેવામાંઆવશે.
૩. ત્રણ કે વધુવારઉપરમુજબનીઅન્યકોન્ટ્રાક્ટરપાસેથીકામગીરીકરાવવાનીફરજપડશેઅને/અથવા ત્રણ કે વધુવારપેનલ્ટીકરવાનીફરજપડશેતોતે સંજોગોમાંકોન્ટ્રાક્ટરનેબ્લેકલીસ્ટકરવામાંઆવશેજેનીઅંતિમ સત્તા મ્યુ.કમિશ્નરશ્રીને રહેશે.
૪. સદરટેન્ડરઅંતર્ગતનાકામસંલગ્નઅ.મ્યુ.કો.માં પ્રવર્તમાનતમામનિયમો /સરકયુલરોલાગુપડશે.તેમજ વખતોવખતથનારાસુધારઓપણલાગુપડશે.જેનીનોંધ લઈટેન્ડરભરવાનારહેશે.



**AHMEDABAD MUNICIPAL CORPORATION
MAHANAGAR SEVA SADAN
SOUTH WEST ZONE**

Clause : 1 Contractor shall not employ any child having age 5 to 15 years as it is prohibited by Child Labour Prohibition and Regulation Act 1986. Hon'ble Supreme Court has given certain guide lines and as per the guide lines. If child labour is employed on the site work, the contractor shall have to deposit Rs. 20,000.00 (Rupees Tw enty thousand only) in the child labour welfare fund. If the employer refuses to deposit then action will be taken for contempt of Supreme Court Judgement and also will be prosecuted by concerned authority. Because of the breach of any provision of child labour prohibition and regulation Act 1986 by the Contractor & Municipal Corporation becomes liable to pay any amount then the Municipal Corporation shall recover the said amount from the contractor.

Clause : 2 The Standing Committee has decided to deduct 1/2% amount from each running bill as per its Reso. No. 1783 Date 06--02-97, but the Municipal Corporation Board has recently decided that the actual testing charge is taken and the remaining amount is refundable at the time of final bill (As per Muni. Board Reso. No. 123 dated 25-02-97)

Clause : 3 Contractor has to follow prevailing Labour act and has to maintain labour register accordingly, and has to follow other govt.rules.

Clause : 4 Quantity taken in tender are tentative and may differ as per execution of work. No claim shall be entertain regarding QUANTITIES.

Clause : 5 Time Limit is to be Considered as per given LOI of Different Approved Estimates of Work. in Failure of Completion of Work in Specified Time limit liquidated Damages for Delay Clause Will be Applicable.

*** MODIFICATION OF DOCUMENTS**

Modification of specifications and correction/corrigendum in respect of the work if required will be made by A.M.C. The same shall be placed on A.M.C website which may be downloaded by the tenders enclosed along with the tender duly signed. These shall form a part of tender. The tenderer shall not add or amend the text of any of the documents except in so far as may be necessary to comply with any addendum.

*** ADDENDUM/CORRIGENDUM**

Addendum or corrigendum conveying any change or correction in respect of the work shall form the part of the contract documents. The full consideration shall be given to such addendum or corrigendum or correction before submission tender duly filled in by the contractor. Therefore, the contractor shall have to watch such addendum or corrigendum or correction published by A.M.C through its website www.egovamc.com. Tenderers shall verify the number of addendum issued and enclose the same with the tender documents, failing which the tender shall be liable for rejection and no any complaint in respect to this shall be entertained under any circumstances.

**CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:-**


**Add City Engineer
(South West Zone)**



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન

નાણાંખાતું,

બી-બ્લોક, પ્રહેલો માળ, સરદાર પટેલ ભવન, દાણાપીઠ, અમદાવાદ.



નાણાં ખાતું

સરકચુલર નં.: - ૦૬

તા.: - ૧૨/૦૫/૨૦૨૫

બેંક ગેરંટી સરકચુલર

સંદર્ભ:- નાણાં ખાતાના સરકચુલર નં. ૪૮ તા.૨૯/૦૧/૨૦૧૨, ૫૮ તા.૧૬/૦૩/૨૦૧૨, ૧૪ તા.૦૪/૦૬/૨૦૧૩, ૦૩ તા.૧૩/૦૫/૨૦૧૪, ૨૧ તા.૨૯/૦૫/૨૦૧૫, ૫૬ તા.૧૯/૦૯/૨૦૧૬, ૧૮ તા.૨૩/૦૫/૨૦૧૭, ૧૮ તા.૨૯/૦૫/૨૦૧૮, ૧૨ તા.૨૨/૦૭/૨૦૧૯, ૨૬ તા.૨૫/૧૧/૨૦૧૯, ૨૧ તા.૧૯/૦૬/૨૦૨૦, ૪૦ તા.૦૫/૧૧/૨૦૨૦, ૧૨ તા.૧૪/૦૯/૨૦૨૧, ૨૩ તા. ૨૦/૦૯/૨૦૨૧, ૪૧ તા.૦૮/૦૨/૨૦૨૨, ૦૩ તા.૨૮/૦૪/૨૦૨૪, તથા ૧૦ તા. ૦૫/૦૮/૨૦૨૪

આથી તમામ ખાતાના વડા અધિકારીશ્રીઓ/એકાઉન્ટશ્રી તથા બિલકલાર્કશ્રીને જણાવવામાં આવે છે કે, સિક્યુરિટી ડીપોઝીટ તેમજ અર્નેસ્ટમની ડીપોઝીટ સ્વીકારવા બાબતે રાજ્ય સરકારશ્રી દ્વારા મંજૂર થયેલ બેંકોની યાદીમાં નાણાં વિભાગના જી.આર. નં. FD/MSM/e-file/4/2024/4020/2859 D.M.O. Date: 01/05/2025 મુજબ સુધારો કરી નવી યાદી બહાર પાડવામાં આવેલ છે.

રાજ્ય સરકારશ્રીના નાણા વિભાગનાં જી.આર. નં. FD/MSM/e-file/4/2023/4020 / 2859 D.M.O. Date: 01/05/2025 દ્વારા સિક્યુરિટી ડિપોઝીટ તેમજ અર્નેસ્ટમની ડીપોઝીટ માટે મંજૂર થયેલ બેંકોની યાદી અંગે ડે.મ્યુનિ.કમિશનરશ્રી(નાણાં)ની મળેલ મંજૂરી ઠ.નં ૩૯ તા ૧૨/૦૫/૨૦૨૫ મુજબના સદરહુ પરિપત્ર પ્રસિધ્ધ થયા તારીખ બાદથી તા.૩૧/૦૩/૨૦૨૬ સુધી અથવા રાજ્ય સરકારશ્રી દ્વારા આ બાબતે અન્ય જી.આર પ્રસિદ્ધ કરવામાં આવે ત્યાં સુધી એનેક્સર-૧ માં જણાવેલ બેંકોની બેંકગેરંટી સીક્યુરિટી ડીપોઝીટ તથા ઈ.એમ.ડી. સ્વરૂપમાં સ્વીકારવામાં આવશે.

અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનના તમામ ખાતાઓ દ્વારા મેળવવામાં / સ્વીકારવામાં આવતી બેંક ગેરંટીની ઓથેન્ટીસીટીની અધિકૃત ચકાસણી કરીને / કરાવીને જરૂરિયાત મુજબના કન્ટ્રોલ પ્રોસીજર સેટઅપ કરવાના રહેશે. તેમજ સરકારશ્રીના જી.આર અન્વયે ડે. મ્યુનિસિપલ કમિશનરી (ફાયનાન્સ) ની મળેલ મંજૂરી મુજબ માત્ર અમદાવાદ શહેરની તથા અમદાવાદ સિવાયના અન્ય શહેરની હોય અને તે બેંક ગેરંટી અમદાવાદ સ્થિત સંબંધિત બેંકની શાખા દ્વારા અધિકૃત કરાયેલ હોય તો નીચે જણાવેલ બેંકોની શાખાઓની બેંક ગેરંટી સ્વીકારવામાં આવશે. નાણાંખાતા દ્વારા ઉપરોક્ત સંદર્ભમાં જણાવેલ પરિપત્રોની અન્ય તમામ શરતો યથાવત રહેશે.

ANNEXURE – I

A. Guarantees issued by following banks will be accepted as SD/EMD on permanent basis.

❖ **All nationalized Banks**

B. Guarantees issued by following banks will be accepted as SD/EMD for the period up to March- 31, 2026. The validity cut-off date in the GR is with respect to the date of issue of Bank Guarantee irrespective of the date of termination of Bank Guarantee.

1. Commercial Banks :-

1. Axis Bank
2. A U Small Finance Bank
3. Bandhan Bank
4. Barclays Bank
5. City Union Bank
6. CSB Bank
7. DBS Bank India Limited
8. DCB Bank
9. Equitas Small Finance Bank
10. ESAF Small Finance Bank
11. Federal Bank

- 12.HDFC Bank
- 13.HSBC Bank
- 14.ICICI Bank
- 15.IDBI Bank
- 16.IDFC First Bank
- 17.Jammu and Kashmir Bank
- 18.Jana Small Finance Bank
- 19.Karnataka Bank
- 20.Karur Vysya Bank
- 21.Kotak Mahindra Bank
22. South Indian Bank
23. Standard Chartered Bank
- 24.Tamilnadu Mercantile Bank
- 25.Utkarsh Small Finance Bank
26. YES Bank

2. Co-operative and Rural Banks Of Gujarat :-

1. The Ahmedabad Mercantile Co-operative Bank Limited
2. Nutan nagrik Sahakari Bank Limited
3. Rajkot Nagarik Sahakari Bank Limited
4. Saraswat Co-operative Bank
5. SBPP Co-operative Bank
6. SVC Co-operative Bank
7. The Cosmos co-opretive Bank
8. The Gujarat State Co-Operative Bank
9. The Mehsana Urban Co-operative Bank Limited
10. The Surat District Co-operative Bank
11. The Surat Peoples Co-operative Bank
12. The Kalupur Commerical Co-operative Bank Limited
13. The Panchmahal District Co-operative Bank
14. The Baroda District Co-operative Bank
- 15.Baroda Gujarat Gramin Bank
16. Saurashtra Gramin Bank

ચીફ એક્ઝિક્યુટિવ ઓફિસર

સરકયુલરનં.-૮૧

મે.મ્યુનિ.કમિશ્નરશ્રી, અમદાવાદમ્યુનિ. કોર્પોરેશનના સરકયુલરનં.-૮૧, તા.૨૬.૦૨.૨૦૧૫ મુજબ તમામ પ્રકારની કન્સ્ટ્રક્શન ની એક્ટીવીટીમાં મુખ્યકોન્ટ્રાક્ટર,સબકોન્ટ્રાક્ટરના જેમજુરો કામગીરી કરતા હોયતે તમામ મજુરોનું ગુજરાત બિલ્ડીંગ એન્ડ અધર કન્સ્ટ્રક્શન વર્કસ માં રજીસ્ટ્રેશન કરાવવું ફરજિયાત છે.



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન મહાનગર સેવા સદન - દક્ષિણ પશ્ચિમ ઝોન

દક્ષિણપશ્ચિમ ઝોન ઝોનલ ઓફીસ,
કણાવિતી કલબ ની સામે, જોધપુર, અમદાવાદ.

દક્ષિણ પશ્ચિમ ઝોન ટેન્ડર નોટીસ નં- ૦૫/૨૦૨૬-૨૭ માં આવરી લેવાયેલ કામોની વિગતો

શરતો :-

૧. ઉપરોક્ત ટેન્ડરો જે તે વર્ગમાં માન્ય રજીસ્ટ્રેશન ધરાવતા કોન્ટ્રાક્ટરશ્રીઓએ ભરવા.
૨. ટેન્ડરની નિયત ટેન્ડર ફી તથા ઇ.એમ.ડી. બંધ કવરમાં ઉપરના સરનામે રૂબરૂ / રજીસ્ટર એ.ડી./ સ્પીડ પોસ્ટ/ કુરીયરથી નિયત સમયમાં મોકલવાના રહેશે.
૩. કોન્ટ્રાક્ટરશ્રીઓએ ટેન્ડરની સાથે મ્યુનિસિપલ માન્ય રજીસ્ટ્રેશનની/ ગવર્નમેન્ટ રજીસ્ટ્રેશનની કોપી, (ટેન્ડર કોપી તથા અન્ય પુરાવા સાથે) અચૂક સામેલ કરવાની રહેશે અને કવર ઉપર ટેન્ડર નંબર તથા કોન્ટેક્ટ નંબર જરૂર સ્પષ્ટ દર્શાવવાનો રહેશે. બંધ કવર ઉપર ટેન્ડર નોટીસ નંબર, ટેન્ડર નંબર, કામનું નામ તથા, કોન્ટ્રાક્ટરની સંસ્થાનું નામ તથા કોન્ટેક્ટ નંબર અવશ્ય દર્શાવવાના રહેશે. જે કોન્ટ્રાક્ટરશ્રીઓએ રજીસ્ટ્રેશન રીન્યુ કરાવેલ ન હોય તે કોન્ટ્રાક્ટરશ્રીએ ટેન્ડર ભરવા નહીં.
૪. કોન્ટ્રાક્ટરોએ ટેન્ડરમાં બેંકનું નામ, ખાતા નંબર, માર્કર નંબર અને સરનામું સ્પષ્ટ અક્ષરોમાં લખવું.
૫. ટેન્ડર ફી પે ઓર્ડર / ડીમાન્ડ ડ્રાફ્ટથી ચૂકવવાની રહેશે. દરેક ટેન્ડર દીઠ અલગ ટેન્ડર ફી ભરવાની રહેશે.
૬. ઓછી રકમની ટેન્ડર ફી, ઇ.એમ.ડી. કે ટેન્ડર ફી, ઇ.એમ.ડી. વિનાના ટેન્ડરો રદબાતલ (કેન્સલ) ગણાશે.
૭. ટેન્ડર સાથે મુકવામાં આવતી અર્નેસ્ટ મની, ટેન્ડરની રકમના ૧% પ્રમાણે બેંક ગેરંટી / ડીમાન્ડ ડ્રાફ્ટ / પે ઓર્ડર / લોકલ માર્કર ચેકથી જ સ્વીકારવામાં આવશે. દરેક ટેન્ડર દીઠ અલગ ઇ.એમ.ડી. ભરવાની રહેશે. ઇ.એમ.ડી. રકમ રૂ. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે રોકડા, લોકલ માર્કર ચેક, ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં તથા રૂ. એક કરોડથી ઉપરની અંદાજિત રકમના કામ માટે ઇ.એમ.ડી.ની રકમ માત્ર ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં આપવાની રહેશે.
૮. બેંક ગેરંટી માત્ર અમદાવાદ શહેરની જ સ્વીકારવામાં આવશે.
૯. ટેન્ડર ફી તથા ઇ.એમ.ડી.ની રકમના ડી.ડી./ ચેકની પાછળ કોન્ટ્રાક્ટરશ્રીએ પોતાની સંસ્થાનું નામ તથા મોબાઇલ નંબર અવશ્ય લખવાનો રહેશે.
૧૦. શરતી ટેન્ડરો રદબાતલ ગણાશે.
૧૧. જો ટેન્ડરમાં સ્પષ્ટ ઉલ્લેખ કરાયેલ હોય તો ચોમાસાને કારણે ખાતાકીય સૂચના અન્વયે જ્યારે જ્યારે કામ બંધ રાખવાનું થાય તે સમયને કામની મુદતમાં મજરે આપવામાં આવશે. પરંતુ આ અન્વયે કોઈ ભાવવધારો આપવામાં આવશે નહીં. જેની નોંધ દરેક ટેન્ડરે લેવી.
૧૨. ટેન્ડરો કોઈ પણ કારણ આપ્યા સિવાય સ્વીકારવા કે નહિં સ્વીકારવા તેની સંપૂર્ણ સત્તા મ્યુનિસિપલ કમિશનરશ્રીની રહેશે.
૧૩. ટેન્ડરમાં જો કોઈ સુધારા વધારા હોય તો તે અંગે ટેન્ડર ભરતા પહેલા છલ્લે દિવસે નિયત વેબસાઈટ અથવા કચેરીએ જરૂરી તપાસ કરીને જ ટેન્ડર મોકલવું.
૧૪. સીક્યોરીટી ડીપોઝીટ/ પર્ફોર્મન્સ ગેરંટીની રકમ રૂ. એક કરોડ સુધીની અંદાજિત રકમના કામ માટે રોકડા, લોકલ માર્કર ચેક, ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં તથા રૂ. એક કરોડથી ઉપરની અંદાજિત રકમના કામ માટે સીક્યોરીટી ડીપોઝીટ/ પર્ફોર્મન્સ ગેરંટીની રકમ માત્ર ડીમાન્ડ ડ્રાફ્ટ, પે ઓર્ડર કે બેંક ગેરંટીના સ્વરૂપમાં આપવાની રહેશે.
૧૫. ઓનલાઈન એન-પ્રોક્યુર વેબસાઈટ પરથી ભરવાના થતા ટેન્ડરમાં કોન્ટ્રાક્ટર/ એજન્સીએ ટેન્ડરની હાર્ડ કોપીમાં ભાવ ભર્યા વગરની સહી સીકકા કરી સબમીટ કરવાની રહેશે. જો તેમાં ભાવ ભરેલ હશે તો તેવા ટેન્ડર રદ કરવામાં આવશે.
૧૬. સદર ટેન્ડરની આઈટમોના ભાવો નાણા ખાતા ના સરકયુલર નં.૩૮, તા.૨૧/૧૧/૨૨ તથા સક્ષમ સત્તાની મળેલ મંજૂરી મુજબ GST સિવાય ગણતરીમાં લેવામા આવેલ તથા પ્રવર્તમાન નિયમ મુજબ GST ચૂકવવા પાત્ર થશે જેથી તમામ બીડસે તે મુજબ ગણતરી કરી ટેન્ડરો ભરવાના રહેશે.
૧૭. સદર ટેન્ડર અંતર્ગતના કામ સંલગ્ન અ.મ્યુ.કો.માં પ્રવર્તમાન તમામ નિયમો/સરકયુલરો લાગુ પડશે તેમજ વખતો વખત થનાર સુધારાઓ પણ લાગુ પડશે. જેની નોંધ લઈ ટેન્ડરો ભરવાના રહેશે.

ડીમાન્ડ ડ્રાફ્ટ / ચેક “મ્યુનિસિપલ કમિશ્નર, અમદાવાદ” ના નામનો કઢાવવો.

૧૮. દક્ષિણ પશ્ચિમ ઝોનનાં વાર્ષિક રેઈટ ટેન્ડરમાં મરામત-નિભાવનાં ડ્રેનેજ, પાણી, રોડ, બિલ્ડીંગના જુદા જુદા કામો તથા સ્ટે.ક.ઠ.નં. ૯૩૯ તા. ૨૭.૦૭.૨૦૧૨ થી વાલ્મીકી સમાજની મંડળીઓને આપવામાં આવતા ડ્રેનેજ ડીસીલ્ટીંગના કામો માટે નાગરિક અધિકાર પત્રકમાં જણાવેલ સમય મર્યાદામાં ફરિયાદનો નિકાલ કરવા તેમજ સેવાકીય કામગીરી સમય મર્યાદામાં પુર્ણ થાય તે માટે ઇ-ગવર્નન્સ સી.સી.આર.એસ. પ્રોજેક્ટ અંતર્ગત તા. ૨૧.૦૮.૨૦૨૧ના સરકયુલર તથા સીટી ઇજનેર ખાતુ પરિપત્ર નં. ૨ તા. ૦૭.૧૦.૨૦૨૩ ના પરિપત્ર, મ્યુ.કમિ.શ્રીની તારીખ ૨૩.૦૪.૨૦૨૬ ની મીનીટસ ઓફ મીટીંગ નાં મુદ્દા નં. ૨૧ અનુસંધાને ડ્રાફ્ટ માં સામેલ પેનલ્ટી શરતો ટેન્ડરમાં રાખવાની અને તે મુજબ ની પેનલ્ટી વસુલવાની ટેન્ડર શરતો નીચે મુજબ છે.

૧. સી.સી.આર.એસ.માં નોંધાતી ફરિયાદ વોર્ડનાં ઇજનેર સ્ટાફ દ્વારા કોન્ટ્રાક્ટર/એજન્સીને વોટસએપ/ટેલીફોનિક માધ્યમથી અથવા રૂબરૂ લેખીતમાં ફરિયાદ આપવામાં આવશે. સદર ફરિયાદની કામગીરી એસ.એલ.એ. ની સમય મર્યાદામાં કરવાની રહેશે.
૨. કામગીરી પુર્ણ થયા બાદ તેના ફોટોગ્રાફ, સર્ટીફિકેટ અને કામગીરી પુર્ણ થયા ની જાણ એસ.એલ.એ. સમય મર્યાદામાં વોર્ડના સ્ટાફને કરવાની રહેશે.
૩. જો આપને આપેલ ફરિયાદ એસ.એલ.એ. સમય મર્યાદામાં પુર્ણ નહી થાય તો આ સામેલ કોષ્ટક મુજબની પેનલ્ટી ની રકમ આપનાં બીલ માંથી વસુલ કરવામાં આવશે.
૪. આપને સોંપવામાં આવેલ સી.સી.આર.એસ. ફરિયાદો નો રીપોર્ટ અઠવાડીક ધોરણે નિયત ફોર્મેટમાં પ્રમાણિત કરી વોર્ડ ઓફિસે રજુ કરવાનો રહેશે.
૫. કોન્ટ્રાક્ટર દ્વારા અરજદાર ને ફોન કર્યા બાદ સદર ફરિયાદ અન્ય વોર્ડ કે અન્ય ડિપાર્ટમેન્ટ કે અ.મ્યુ.કોર્પોરેશન ના કાર્યક્ષેત્ર માં ન આવતી હોઈ તેની જાણ વોર્ડ સ્ટાફ ને તાત્કાલિક કરવાની રહેશે.

➤ સી.સી.આર.એસ ફરિયાદ સમય મર્યાદા માં નિકાલ ન થવાના સંજોગો માં કરવાની થતી પેનેલ્ટી ની વિગત નીચે મુજબ છે.

| Sr. No. | Department | Category | Problem | SLA | Penalty per one Problem per day in Rs. |
|---------|-------------|-----------------------|--|-----------|--|
| 1 | Engineering | Water>>Engineering | Inadequate water or low inflow pressure - Eng | 240 Hours | 500 |
| 2 | Engineering | Water>>Engineering | Leakage In Pipe Line - Eng | 48 Hours | 500 |
| 3 | Engineering | Water>>Engineering | Water quality-Polluted water - Eng | 24 Hours | 500 |
| 4 | Engineering | Water>>Engineering | No Water - Eng | 240 Hours | 500 |
| 5 | Engineering | Drainage>>Engineering | Drain Blockage or Choking on TP road - Eng | 48 Hours | 500 |
| 6 | Engineering | Drainage>>Engineering | Overflowing of main line and distribution line on road - Eng | 48 Hours | 1000 |
| 7 | Engineering | Drainage>>Engineering | No Drainage Manhole cover - Eng | 24 Hours | 1000 |
| 8 | Engineering | Drainage>>Engineering | Frequent Breakdown & Blockage of Drain - Eng | 96 Hours | 500 |

| | | | | | |
|----|-------------|-----------------------|---|-----------|------|
| 9 | Engineering | Road | Pot holes on the Road | 24 Hours | 500 |
| 10 | Engineering | Road | Patch work Relaying of a portion of road | 72 Hours | 500 |
| 11 | Engineering | Road | Deep Pit - Large settlement of road | 48 Hours | 1000 |
| 12 | Engineering | Road | Removal of waste-Dust Lying on both side of the road after re surfacing | 72 Hours | 500 |
| 13 | Engineering | Footpath | Footpath Repairing Required | 168 Hours | 500 |
| 14 | Engineering | Public Building | No Water Supply In A Public Building | 24 Hours | 500 |
| 15 | Engineering | Public Building | Public Toilets and Urinals - Repairing of Doors, Windows, Tiles or Sheets | 360 Hours | 1000 |
| 16 | Engineering | Public Building | Other Maintenance | 168 Hours | 500 |
| 17 | Engineering | Drainage>>Engineering | Contractor Had not disposed off the Manhole Silt Properly - Eng | 48 Hours | 500 |
| 18 | Engineering | Drainage>>Engineering | Raising the Manhole Cover & Catch Pit Up To the Road Level - Eng | 168 Hours | 500 |
| 19 | Engineering | Drainage>>Engineering | Lowering the Manhole cover & Catch pit - Eng | 168 Hours | 500 |
| 20 | Engineering | Drainage>>Engineering | Public Toilets and Urinals - Drainage Line Blockage or Choking | 72 Hours | 500 |
| 21 | Engineering | Drainage>>Engineering | Public Toilets and Urinals - Drainage Line Breakage | 168 Hours | 500 |
| 22 | Engineering | Water>>Engineering | Public Toilets and Urinals - Non-Availability of Water/Cleaning of Water Tank/Broken Tank Cover | 168 Hours | 500 |

Contractor's Signature
& Stamp

Mobile No

Addl. City Engineer
(South West Zone)

AHMEDABADMUNICIPALCORPORATIONAMENDMENT

Name of Work: - As per name of the work mentioned in Tender.

★ Special condition of contract for Item_ (Providing and laying of interlocking grey paver blocks sun shape of high density 60mm thick...) mentioned in Technical volume.

● Successful bidder of this tender shall have to purchase 50% of total quantity of paver block from Amdavad Enviro Projects Pvt.

Ltd. The paver blocks shall be as per tender BOQ & tender specifications. Payment of such 50% Quantity shall be made to Amdabad Enviro Projects Pvt. Ltd. directly by the successful bidder on mutual agreement of rate between successful bidder & Amdabad Enviro Projects Pvt.

Ltd. AMC shall not be responsible for any kind of dispute between Amdabad Enviro Projects Pvt.

Ltd. & successful bidder or this tender.

The successful bidder will be paid by AMC as per tender BOQ item rate + premium.

● The quality,

size, shape, compressive strength & other technical parameter of paver Block shall be as per IS standards & tender specification and shall be completely successful bidder's responsibility.

● If in case of failure of paver Block or if Paver Block are not as per the standards, the same shall be rejected. Successful bidders shall remove such failed paver blocks immediately from site and fix new paver blocks as per standards.

● The successful bidders shall produce a certificate / bill from Amdabad Enviro Projects Pvt. Ltd. showing quantity of Paver Block which should be minimum 50% of total quantity.

NOTE:-

1. All the relevant causes mentioned in the Tender which are related to above clauses shall be read as mentioned in above AMENDMENT.

2. The above Amendments shall be Part of Tender document & shall be bound to Contractor and shall be submitted along with other tender documents with duly signed and stamped.

Seal and signature of the bidder
Date :-

Add City Engineer
AHMEDABADMUNICIPALCORPORATION

Tender No.:-43

Tender Fee : Rs.1500.00

Earnest Money : Rs.49,488.00

Contractor's Name &Address :

Date of submission : 29.06.2026 up to 18:00 hrs

Date of Opening : 30.06.2026; 17:00 hrs

TENDER FORM

| AHMEDABAD MUNICIPAL CORPORATION | | | | | |
|---|-------------|---|--------------------|------------|---------------|
| ENGINEERING DEPARTMENT | | | | | |
| ABSTRACT SHEET | | | | | |
| Name of Work :Breakdown work on drainage lines and storm water lines at various places in urban and rural areas in Sarkhej ward of South West Zone | | | | | |
| Sr. No. | QTY | Item Description | Rate in Rs. | Per | Amount |
| 1 | | Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and struting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum. (SOR GWSSB-2022-23 section 1&2 B labour item no 1.A.1) | | | |
| a | 300.00 | (a) up to 1.50 meter depth. (item no 1.A.1) | 89.00 | Cu.M | 26700.00 |
| b | 200.00 | (a)1.50 to 3.00 meter depth. (item no 1.A.2) | 98.00 | Cu.M | 19600.00 |
| c | 150.00 | (a)3.00 to 4.50 meter depth. (item no 1.A.3) | 103.00 | Cu.M | 15450.00 |
| d | 10.00 | (a)4.50 to 6.00 meter depth. (item no 1.A.4) | 109.00 | Cu.M | 1090.00 |
| 2 | 0.00 | Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, soiling/cutting Reinforcement etc.comp. with stacking the material as directed. | | | 0.00 |
| a | 20.00 | up to 0.20 meter thickness (By Manual) | 71.10 | Smt | 1422.00 |
| b | 50.00 | Up to 0.30 meter (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete. | 177.76 | Smt | 8888.00 |
| c | 30.00 | 0.30 meter & above (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete. | 311.08 | Smt | 9332.40 |

| | | | | | |
|-----|--------|---|--------|------|----------|
| 3 | 300.00 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm.in depth consolidation each deposited layer by ramming and watering. | 22.00 | Cu.M | 6600.00 |
| 4 | | Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind executed outside the road site. Rate also includes spreading & levelling etc complete. Internal conveyance above 50 mt done within the work site is not payable. | | | 0.00 |
| | 5.00 | a) Lead up to 1 Km. | 23.38 | Cu.M | 116.90 |
| | 10.00 | b) Lead From 1Km to 2 Km. | 30.94 | Cu.M | 309.40 |
| | 27.36 | c) Lead From 2 Km to 3 Km. | 38.37 | Cu.M | 1049.78 |
| | 5.00 | d) Lead From 3 Km to 4 Km. | 45.52 | Cu.M | 227.60 |
| | 200.00 | e) Lead From 4 Km to 5 Km. | 52.42 | Cu.M | 10484.00 |
| | 150.00 | f) Lead From 5 Km to 10 Km. | 78.54 | Cu.M | 11781.00 |
| | 20.00 | g) Lead From 10 Km to 15 Km. | 104.65 | Cu.M | 2093.00 |
| | 0.00 | Stoneware Pipe | | | 0.00 |
| 5 | 0.00 | Providing and supplying ISI marked only standard length stoneware pipes in standard length of following class and diameter including all taxes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to depart mental stores, stacking etc. compl. (IS 651/1989 or its latest revision) (SOR GWSSB-2022-23 section 1&2 A material item no 11) | | | 0.00 |
| | 0.00 | Class AA (item no 11.2) | | | 0.00 |
| a | 10.00 | 100 mm dia (item no 11.2.1) | 124.00 | Rmt | 1240.00 |
| b | 20.00 | 150 mm dia (item no 11.2.2) | 179.00 | Rmt | 3580.00 |
| c | 50.00 | 230 mm dia (item no 11.2.4) | 329.00 | Rmt | 16450.00 |
| d | 10.00 | 300 mm dia (item no 11.2.6) | 581.00 | Rmt | 5810.00 |
| | 0.00 | L,L & J of Stone Ware Pipes | | | 0.00 |
| 5.1 | 0.00 | lowering, laying and jointing, Stone Ware Pipes of following diameters with cement mortar (1:1) proportion, proper postion, grade and alignment and all level as directed by engineer in charge Including conveyance from stores to site of work jointing material etc. comp. (SOR GWSSB-2022-23 section 1&2 B labour item no 12) | | | 0.00 |
| | 0.00 | Pipe dia in mm | | | 0.00 |
| a | 10.00 | 100 mm dia (item no 12.2) | 58.00 | Rmt | 580.00 |
| b | 20.00 | 150 mm dia (item no 12.3) | 88.00 | Rmt | 1760.00 |
| c | 50.00 | 230 mm dia (item no 12.5) | 128.00 | Rmt | 6400.00 |
| d | 10.00 | 300 mm dia (item no 12.7) | 159.00 | Rmt | 1590.00 |

| | | | | | |
|------------|--------|---|----------|-----|-----------|
| | 0.00 | R.C.C. PIPE (Horizontal Cast) | | | 0.00 |
| 6 | 0.00 | Providing and supplying ISI Standard R.C.C. pipes(of Sulphate Resisting Cement) in standard lengths of following class and diameter suitable for either collar joints or rubber ring joints including all taxes, insurance, transportation. freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc. | | | 0.00 |
| | 0.00 | Note: One collar should be supplied with each full length plain ended RCC pipe, cost included in rates below. One rubber ring should be supplied with each full length socketed pipe, cost included in rates below. | | | 0.00 |
| | 0.00 | Class NP-3, test pressure 0.7/kg/sqcm (item no 10.1.D) | | | 0.00 |
| a | 350.00 | 300 mm internal diameter | 755.00 | Rmt | 264250.00 |
| b | 80.00 | 450 mm internal diameter | 1361.00 | Rmt | 108880.00 |
| c | 50.00 | 600 mm dia | 1946.00 | Rmt | 97300.00 |
| d | 15.00 | 900 mm dia | 3601.00 | Rmt | 54015.00 |
| e | 2.50 | 1200 mm dia | 5899.00 | Rmt | 14747.50 |
| f | 2.50 | 1600 mm dia | 11167.00 | Rmt | 27917.50 |
| | 0.00 | L,L & J of R.C.C. Pipes | | | 0.00 |
| 6.1 | 0.00 | lowering, laying and jointing, RCC pipes in CM 1:1 1/2 of following diameters in proper position, grade and alignment at all as directed by engineer in charge. Including conveyance from stores to site of work , labour, giving hudraulic testing as per ISI codes. (SOR GWSSB-2022-23 section 1&2 B labour item no 11) | | | 0.00 |
| | 0.00 | Class NP2,NP-3,NP4 | | | 0.00 |
| a | 350.00 | 300 mm internal diameter | 119.00 | Rmt | 41650.00 |
| b | 80.00 | 450 mm internal diameter | 171.00 | Rmt | 13680.00 |
| c | 50.00 | 600 mm dia | 228.00 | Rmt | 11400.00 |
| d | 15.00 | 900 mm dia | 340.00 | Rmt | 5100.00 |
| e | 2.50 | 1200 mm dia | 440.00 | Rmt | 1100.00 |
| f | 2.50 | 1600 mm dia | 577.00 | Rmt | 1442.50 |
| 7 | 0.00 | Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc.completed. | | | 0.00 |

| | | | | | |
|----|-------|--|----------|-----|-----------|
| a | 3.00 | 0.60 X 0.45 mt. size Inside Clear, Depth from 0.0 to 0.90 meter | 2261.61 | No. | 6784.83 |
| b | 3.00 | 0.60 X 0.75 mt. size Inside Clear, Depth from 0.0 to 0.90 meter. | 2874.11 | No. | 8622.33 |
| c | 3.00 | 0.75 X 0.75 mt. size (Inside Clear) Depth from 0.0 to 1.20 meter. | 3905.36 | No. | 11716.08 |
| 8 | | Constructing Slab Type M.H. Chamber Of The Following Size Including Excavation, Refilling, Brick Bats Cement Concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) In Cm 1:3, Finishing With Cement Slurry, P/F 4 Mm Dia M.S.Steel Hdpe Coated Steps 35 Cm C/C At 35 Cm Staggered Masonary In Cm 1:5, Rcc Slab In Cc1:1.5:3 of thickness 15 C.M.,Including Cantering & Reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.)But Excluding The Cost Of Manhole Seat Cover Etc..Completed Of Size 0.75 X 1.00 Meter (Inside Clear, M.H. length should be parallel to the flow) | | | 0.00 |
| a | 18.00 | 1.00 to 2.00 meter depth, (Slab at Ground level) | 5651.79 | No. | 101732.22 |
| b | 35.00 | 2.00 to 3.00 meter depth, (Slab at below 0.60 mt. From G.L.) | 11395.54 | No. | 398843.90 |
| 9 | 8.00 | Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item) | 460.71 | DM | 3685.68 |
| 10 | 0.00 | Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonary CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Cantering & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size 1.00 X 1.40 meter (Inside Clear, M.H. length should be parallel to the flow. | | | 0.00 |
| a | 30.00 | 1.00 to 2.00 meter depth, (Slab at Ground level) | 10177.68 | No. | 305330.40 |
| b | 10.00 | 2.00 to 3.00 meter depth, (Slab at below 0.6 mt. From G.L.) | 19258.04 | No. | 192580.40 |

| | | | | | |
|----|--------|--|----------|-----|-----------|
| c | 5.00 | 3.00 to 4.00 meter depth, (Slab at below 1.00 mt. From G.L.) | 26867.86 | No. | 134339.30 |
| 11 | 25.00 | Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 1.40 mt for constructing slab @ depth more than 0.60 mt for (MH 2 to 3 mt depth) and 1.0 mt for (MH above 3.0 mt depth) below Ground Level (Max. 5 unit of DM should be reduced in this item) | 586.61 | DM | 14665.25 |
| 12 | 6.00 | Providing and fixing S.W. Gully Trap with C.I. Grating brick masonry chamber and water tight C.I. cover with frame of 300mm x 300mm size (inside) with standard weight. (i) Square mouth traps. (A) 100mm x 100mm size P type. (SOR 2021-22 Item no-24.19 page no-218) | 1127.81 | No. | 6766.86 |
| 13 | 0.00 | Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete. | | | 0.00 |
| | 20.00 | a. 150 mm to 300 mm dia. | 1339.29 | No. | 26785.80 |
| 14 | 0.00 | Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No payment for M.H. work will be made until pipe is not cut completely in all respect. | | | 0.00 |
| a | 20.00 | 150 mm to 300 mm dia. | 1133.93 | No. | 22678.60 |
| b | 10.00 | 400 mm to 600 mm dia. | 1687.50 | No. | 16875.00 |
| 15 | 0.00 | Repairing damaged M.H. and raising M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed. | | | 0.00 |
| a | 150.00 | (A) up to 0.15 mt. (@ Two Coarse) | 728.82 | No. | 109323.00 |
| b | 100.00 | (B) up to 0.35mt. (@ Four Coarse) | 1155.44 | No. | 115544.00 |
| c | 50.00 | (C) up to 0.65 mt. (@ Seven Coarse) | 1786.49 | No. | 89324.50 |
| d | 20.00 | (D) up to 0.90 mt. (@ Ten Coarse) | 2150.90 | No. | 43018.00 |
| 16 | 25.00 | Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed. | 399.96 | No. | 9999.00 |
| 17 | 0.00 | Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed. | | | 0.00 |

| | | | | | |
|----|-------|---|---------|-----|-----------|
| a | 25.00 | (SET cover and frame) F.R.C. Extra Heavy Duty [EHD-35] Machinehole Covers & Frame- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (As Per Central stores circular No. 01 /2025-26 Dt.21.04.2025) (inclusive all Taxe) | 7275.00 | SET | 181875.00 |
| b | 25.00 | (SET cover and frame) F.R.C. Heavy Duty [HD-20] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1(As Per Central stores circular No. 01 /2025-26 Dt.21.04.2025) (inclusive all Taxe) | 6950.00 | SET | 173750.00 |
| C | 10.00 | (SET cover and frame) F.R.C. Medium Duty [MD-10] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (SET cover and frame) (As Per Central stores circular No. 01 /2025-26 Dt.21.04.2025) (inclusive all Taxe) | 4750.00 | SET | 47500.00 |
| d | 10.00 | (SET cover and frame) F.R.C. Medium Duty [MD-10] Chamber Covers & Frame- 600 x 450 mm clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1(As Per Central stores circular No. 01 /2025-26 Dt.21.04.2025) (inclusive all Taxe) | 4750.00 | SET | 47500.00 |
| e | 5.00 | (SET cover and frame) F.R.C. Light Duty [LD-2.5] Machinehole Covers & Frames560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (As Per Central stores circular No. 01 /2025-26 Dt.21.04.2025) (inclusive all Taxe) | 3600.00 | SET | 18000.00 |
| 18 | 21.00 | Carting and Fixing M.H., Chamber or Catchpate Seat and Cover in line and level to match exisisting road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied byA.M.C.(from any store) | 750.00 | No. | 15750.00 |
| 19 | 0.00 | Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed. | | | 0.00 |
| a | 20.00 | (A) 100 mm to 300 mm dia. | 199.11 | No. | 3982.20 |

| | | | | | |
|----|---------|---|---------|-------|-----------|
| b | 15.00 | (B) 350 mm to 600 mm dia | 302.68 | No. | 4540.20 |
| 20 | 0.00 | Supplying, labour for break down repairing work for activities like excavation, disliting, removing debris from trench back filling etc. comp. as directed by Eng.in charge. | | | 0.00 |
| a | 600.00 | Mazdoor at day /Night | 363.30 | No | 217980.00 |
| b | 30.00 | Fitter at day / Night | 380.30 | No | 11409.00 |
| c | 100.00 | Makadam/ supervision at day / Night | 379.46 | No | 37946.00 |
| 21 | 1250.00 | Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S.angles at max. 2.00 meter centre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. The same shall be removed after completion of work. (Only for break down work from start to complete) | 79.99 | Rmt. | 99987.50 |
| | | Machinery | | | 0.00 |
| 22 | 55.00 | Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery) | 2800.00 | Shift | 154000.00 |
| 23 | 240.00 | Hiring Charges For J.C.B.Machine Including Cost Of Fuel, Operator, Dirver Etc.. | 535.71 | Hour | 128570.40 |
| 24 | 49.00 | Providing & Supplying Hitachi Machine-110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery) | 2000.00 | hr | 98000.00 |

| | | | | | |
|----|--------|--|---------|----------------|-----------|
| 25 | 40.00 | Providing & Supplying Hitachi Machine-200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery) | 2700.00 | hr | 108000.00 |
| 26 | 50.00 | Providing & Supplying hydra carne Machine of 12 tone capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery) | 5500.00 | Per 8 hr Shift | 275000.00 |
| 27 | 30.00 | Hiring of Tractor with trolley considering 8 Hrs. As working Day hours inclu. Driver (GWSSB SOR-2022-23 Section-2E-Miscellaneous Item No.7) | 2104.09 | Shift | 63122.70 |
| 28 | 30.00 | Supplying Electric Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work) | 1200.00 | Shift | 36000.00 |
| 29 | 55.00 | Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery) | 528.00 | Shift | 29040.00 |
| 30 | 200.00 | Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery) | 16.00 | H.P/Hr | 3200.00 |

| | | | | | |
|----|--------|--|---------|-----|-----------|
| 31 | 120.00 | Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work) | 528.00 | HR. | 63360.00 |
| | 0.00 | | | | 0.00 |
| | 0.00 | SWD Work | | | 0.00 |
| 32 | 30.00 | Constructing Bombay Pattern Type Catch Pit of size 0.60 x 0.60 depth up to 1 mt including excavation, B.B.C.C. (1:5:10), 23 cms thick brick maso. wall in the prop. of CM (1:6) with 40 mm thick IPS flooring in the prop M15 at bottom and 15 mm thick cement plaster inside the catch pit in the proportion of CM (1:3) with out jali etc. comp. as directed. | 3110.80 | No | 93324.00 |
| 33 | 30.00 | F.R.C. Stom Water Grating Set : Grating(Jali): 620 x 620 x 75 mm square jali, 20:00 MT load design, 75x1.2mm MS flat allround,Frame: 500 x 500mm clear opening, outer size- 770 x 770 x 135 mm. On the upper periphery of frame 25x1.5mm wide MS fl7at should be well embed in concrete to protect the edges of frame. (As Per Central stores circular No. 42 /2023-24 Dt.12.9.2024) | 5587.00 | Set | 167610.00 |
| | 0.00 | Demolition Work | | | 0.00 |
| 34 | 60.00 | Dismantling tiled or stone floors laid in mortar including stacking of serviceable material and disposal of userviceable material with all lead and lifts.(AMC SOR) | 27.44 | Smt | 1646.40 |
| 35 | 100.00 | Demolition & disposal of unservisable material with all lead and lift for unreinforeced concrete. (AMC sor) | 348.10 | Cmt | 34810.00 |
| 36 | 25.00 | Demolition of brick work & stone masonry including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift (1) In cement mortar. (AMC SOR) | 314.50 | Cmt | 7862.50 |
| 37 | 25.00 | Demolition including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift. (I) R.C.C work. | 604.74 | Cmt | 15118.50 |
| | 0.00 | Reinstatement Work | | | 0.00 |

| | | | | | |
|----|-------|--|---------|------|----------|
| 38 | 10.00 | Providing and Laying of Rubber Moulded Paver Block Grey/Coloured 60 mm thick, M-35 Grade of any size ; shape (Usually Uni-Paver Blocks) using black trap good quality aggregate of 20 mm nominal size for footpath, parking areas, service lanes and other areas as mentioned in the drawing / instruction of engineer in charge. Cost includes formworks using rubber mould, Rate providing and laying paver blocks as per required grading and specification. The paver block shall be mechanically compacted. The work of paving blocks shall be executed in line and level by skill mason of flooring work only. It should be laid in such a way that the no cutting of the paver block to be necessary. if cutting of paver block necessary then it should be cut by machine only and carting. The finished surface of the paver block shall have resonably good, plain finished. Paver blocks shall be compacted and shall be relaid if necessary. Gravel or such type of materials shall not be allowed for production. Laying on 5cms thick sand beddding.(AMC approved Rate) | 501.60 | Smt | 5016.00 |
| 39 | 15.00 | Providing and laying Cement Concrete 1:3:6 (1-Cement : 3-Coarse sand :6-Hand broken stone aggregates 40mm nominal size) and curing complete. (As Per Road Tender) | 2339.59 | CMT | 35093.85 |
| 40 | 20.00 | Providing TMT Bar FE500 D reinforcement for R.C.C. Work including bending, binding and placing in position complete upto floor two level. (As Per Road Tender) | 63.10 | Kg | 1262.00 |
| 41 | 25.00 | Providing and laying cement concrete 1:5:10 (1- Cement : 5- fine sand : 10-graded brick bat aggregates 40mm nominal size) and curing complete. (As Per Road Tender) | 1901.59 | Cmt. | 47539.75 |
| 42 | 10.00 | Labour work for fixing Interlocking Blocks / any kind of pavement on up to 50 mm thick sand bedding, levelling, watering and fixing in line & level as well cleaning the site etc.comp. as directed. | 68.64 | Smt. | 686.40 |

| | | | | | |
|----|-------|---|--------------|------------|---------------------|
| 43 | 74.50 | Providing and laying in position Ready Mixed M-200 grade concrete for reinforced cement concrete work, using cement content as per approved Design Mix manufactured in fully automatic batching plant and transported to site of work in transit mixer for a lead up to 10 kms having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering shuttering finishing and reinforcement including cost of admixtures in recommended proportions as per IS: 9103 to accelerate/retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer - in - charge. Without Fly Ash (Min cement level as per latest IS 456 shall be maintained) | 3980.17 | CMT | 296522.67 |
| 44 | 80.00 | Providing Formwork of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. Height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (A)Foundations Footings Bases of Columnsetc. and Mass concrete. (Item Code : 09001AA, SOR 2021-22, R & B Ahmedabad City | 99.79 | SMT | 7983.20 |
| 45 | 35.00 | P/A Tremix with dewartering machine and floater machine on constructed CC work for finishing the surface as per requirement. The rate including all machinaries, labor, loading, unloading, transportaion etc complete as per direction given by engineer in charge. | 54.00 | SMT | 1890.00 |
| 46 | 40.00 | Making 15 mm. Groove in RCC work on road & filling it with polysulfied selant & finished ot good incl. all labour charges etc. comp.as directed. | 30.00 | Rmt | 1200.00 |
| | | | Total | Rs. | 49,48,730.00 |

% ABOVE

or

% BELOW

(in words also)

**CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:-**

**ADD CITY ENGINEER
(South West Zone)**

AHMEDABAD MUNICIPAL CORPORATION
"South West Zone, Zonal Office", Opp.karnavati club, Jodhpur Ahmedabad.

Municipal Commissioner invites Percentage Rate sealed tenders from interested contractors .

| | | |
|----|---|---|
| 1 | Name of work | Breakdown work on drainage lines and storm water lines at various places in urban and rural areas in Sarkhej ward of South West Zone |
| 2 | Time Limit | 12 Months (excluding monsoon) |
| 3 | Eligibility Criteria | Register “D” class in PWD in Govt. R&B/CPWD/AMC or equivalent registration with any other state Govt. or institutions. |
| 4 | Estimated Cost put to tender | Rs.49,48,730.00 |
| 5 | Earnest Money Deposit | Rs.49,488/- (Demand Draft, Pay order, Bank Guarantee (As per finance circular No 56) or Cheque in favour of Municipal Commissioner, Ahmedabad) To be submitted as prescribed in 7.0 below. Demand Draft or Bank Guarantee shall be from Nationalized Bank and valid for 120 days. |
| 6 | (A) Security Deposit: | 5% of Tender Amount |
| | (B) Retention | 1. @ 2% of the value of work done will be deducted from each RA bill. It will be released along with release of payment of Final Bill. |
| 7 | Tender fees (Non refundable) | Rs.1500/- -Demand Draft / Pay order infavour of Municipal Commissioner, Ahmedabad) |
| 8 | Submission of EMD and Tender Fees | In separate sealed cover each for EMD and Tender Fees along with Tender as described in the invitation of tender and submitted to Assistant Manager(South West zone) , Ahmedabad Municipal Corporation, Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015 |
| 9 | Tenders issue date | Tenders from the website http://amc.nprocure.com and http://nprocure.com . shall be down loaded from |
| 10 | Last date of receiving Tenders. | Dt. 29/06/2026 up to 18:00 hrs The tenders received after this date and time will not be entertained under any circumstances. |
| 11 | Date of Opening | 30.06.2026; 17:00 hrs to Assistant Manager "South west Zone Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015 |
| 12 | Mode of sending the Tender Documents | Document shall be submitted in sealed envelope systems By RPAD/ Speed post/ Hand Delivery/ Courier in sealed covers as described in submission of the tender. |
| 13 | Terms, Condition, & Specification | All general condition of contract of Form B1 condition of contract shall be applicable. |
| 14 | GST નાણાંખાતુપરીપત્રનંબર - ૩૧, તા.૦૭-૦૭-૨૦૧૭ મુજબ | અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનમાંઝોનલઓફીસ / પ.વ.એ. / પ્રોજેક્ટ વિભાગદ્વારારોડ / બિલ્ડીંગ/લાઈટ/બ્રીજ ખાતાઓદ્વારાબહારપાડવામાં આવેલા ટેન્ડર જેનું સબમીશનતા.૦૧-૦૭-૨૦૧૭ પછી કરવાનું થાય છે, તેવા તમામટેન્ડરોમાંતથા હવેપછી બહારપાડવામાં આવનાર ઉપરોક્ત વિભાગ / ખાતાનાં તમામ ટેન્ડરોમાં (મટીરીયલ + લેબરસપ્લાયસાથે) GSTનાનોટીફિકેશનમુજબGST જ્યાં લાગુ પડતા હોય ત્યાં, સદરહુંકામના Bidder એ GST નોટીફિકેશન મુજબ ની એપ્લીકેબીલીટી ધ્યાનમાં રાખીને રેટનુંબીડીંગકરવાનુંરહેશે. |

Conditional tenders will not be accepted. Municipal Commissioner reserves the rights to reject any or all the tenders without assigning any reasons thereof.

Seal and Signature of the Bidder

**Add. City Engineer
(SouthWest Zone)**

AHMEDABAD MUNICIPAL CORPORATION

Invitation for Bid (IFB)

1. The AHMEDABAD MUNICIPAL CORPORATION, (Hereinafter called “the Employer”) invites sealed Tender document from reputed and qualified bidders for the construction of Works detailed in the Table below:-

| Sr. No. | Name of Works | Approximate value of works (Rs.) | Bid Security (Rs.) | Completion Period |
|---------|--|----------------------------------|--------------------|-------------------------------|
| 1 | Breakdown work on drainage lines and storm water lines at various places in urban and rural areas in Sarkhej ward of South West Zone | Rs.49,48,730.00 | Rs.49,488/- | 12 Months (excluding monsoon) |

2. Tender (a complete set of bidding document) fee shall be **Rs. 1500/-** in the form of Demand Draft / Pay Order from any Nationalized Bank in favor of MUNICIPAL COMMISSIONER, Ahmedabad, payable at Ahmedabad, which shall be non refundable. The fees shall be paid at the time of submitting the tender.
3. Interested bidders shall download the tender documents from website <http://amc.nprocure.com> and <http://nprocure.com>. up to **29.06.2026 up to 18:00 hrs** tender fee as mentioned in clause 2 above shall be paid by the bidder at the time of bid submission.
4. All bids must be accompanied by Bid Security of the amount specified for the Works in the above Table payable at Ahmedabad and drawn in favor of AHMEDABAD MUNICIPAL CORPORATION, Ahmedabad. Bid Security will have to be in any one of the forms as specified in Clause of ITB (Instructions to Bidders).
All Bids must be delivered to Assistant Manager "South West Zone, Zonal Office", Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015.

Seal and Signature of the Bidder

**Add. City Engineer
(SouthWest Zone)**



AHMEDABAD MUNICIPAL CORPORATION
MAHANAGAR SEVA SADAN
SOUTH WEST ZONE

DETAILS OF BANK ACCOUNT

| | | |
|----|---|--|
| 1 | Contractor's name | |
| 2 | Address | |
| 3 | Telephone/ mobile no. | |
| 4 | Permanent account no. (PAN no.) | |
| 5 | Name of the bank | |
| 6 | Branch name and address | |
| 7 | Account type | |
| 8 | Account no. | |
| 9 | MICR no. | |
| 10 | IFS CODE | |
| 11 | Contractor/ supplier's signature and stamp | |

AHMEDABAD MUNICIPAL CORPORATION
ENGINEERING DEPARTMENT
GENERAL CONDITION

1. Contractor shall produce the relevant registration certificate of AMC / State Govt /Central Govt.
2. Contractor shall register the work to labour commissioner as per labour act.
3. Contractor shall not sub-let the work without permission of the authority
4. Contractor should have sufficient skilled and unskilled laborers so that he shall start work at different sites simultaneously. Contractor's having labour force available during festivals shall only apply. Contractor can not stop the work due to on availability of labour force. In case progress is delayed, contractor shall be penalized 0.1% of Tender amount per day for work done after time limit, maximum up to 10% for remaining work.
5. Bitumen rate difference will be paid as per tender conditions, if applicable.
6. Advance payment / machinery advance will not be paid.
7. Payment of running bill will be made as per recent A.M.C. policy in force.
8. No extra payment will be made due to increase of central / state Govt. Taxes. Excluding GST as per As per circular no 38 Date 21.11.2022 of finance department of Ahmedabad Municipal Corporation.
9. If the work is not completed within time limit the penalty will be recovered from immediate bills of contractors.
10. If the material i.e. MH cover C.C block etc. supplied from Municipal Corporation store then contractor shall not claim for any extra rate for non execution of such item, partly/fully.
11. In the specifications, "as directed"/"Approved" shall be taken to mean, "as directed"/approved" by the Engineer-in-charge.
12. Wherever a reference to any Indian Standard appears in the specifications, it shall be taken to mean as a reference to the latest edition of the same in force on the date of agreement.
13. In "Mode of Measurement" in the specifications wherever a dispute arises in the absence of specific mention of a particular point or aspect, the provisions on these particular points, or aspects in the relevant Indian Standards shall be referred to.
14. All measurements and computations, unless otherwise specified, shall be carried out nearest to the following limits:
 - (i) Length, width and depth (height)----- 0.01 Meter.
 - (ii) Areas -----0.01 Sq. Mt.
 - (iii) Cubic Contents -----0.01 Cu.Mt.
15. The distance, which constitutes lead, shall be determined along the shortest practical route and not necessarily the route actually taken. The decision of the Engineer-in-charge in this regard shall be taken as final.
16. Where no lead is specified, it shall mean "all leads"
17. Lift shall be measured from plinth level.
18. Definite particulars covered in the items of work, through not mentioned or elucidated in it, specifications shall be deemed to be included there in.
19. Reference to specifications of materials as made in the detailed specification of the items of work is in the form of a designation containing the number of the specification of the material and prefix 'M' e.g. 'M-5'.
20. Approval to the samples of various materials given by the Engineer-in-charge shall not absolve the contractor from the responsibility of replacing defective material brought on site or materials used in the work found defective at a later date.
21. The contract rate of the item of work shall be for the work completed in all respects.
22. No collection of materials shall be made before it is got approved from the Engineer-in-charge.

23. Collection of approved materials shall be done at site of work in a systematic manner. Materials shall be stored at site of work in a systematic manner. Materials shall be stored in such a manner as to prevent damage, deterioration or intrusion of foreign matter and to ensure the preservation of their quality and fitness for the work.
24. Materials, if and when rejected by the Engineer-in-charge, shall be immediately removed from the site of work within 24 hours.
25. No materials shall be stored prior to, during and after execution shall be kept in sufficient numbers and in good working condition on the site of the work.
26. All works shall be carried out in workmanlike manners per the best techniques for the particular item.
27. All tools, templates, machinery and equipment for correct execution of the work as well as for checking lines, levels, alignment of the works during execution shall be kept in sufficient numbers and in good working condition on the site of the work.
28. The mode, procedure and manner of execution shall be such that it does not cause damage or over loading of the various components of the structure during execution or after completion of the structure.
29. All necessary safety measures and precaution (including those laid down in the various relevant Indian Standards) shall be taken to ensure the safety of men, materials and machinery on the works as also of the work itself.
30. The testing charges of all materials shall be borne by the Contractor unless recovery at one percent towards testing charges is separately made.
31. Time limit is to be considered as per given LOI of different approved estimate of work. In failure complete of work in Specify time limit liquidated damages for delay close will be applicable .

INSTRUCTION TO TENDERERS

TENDER VALIDITY PERIOD:

The tender shall be kept valid for acceptance for a period of One Hundred Twenty Calendar days (120) from opening of price bids.

SECURITY DEPOSIT

Within 10 days of receipt of Acceptance from the Corporation, the successful tender shall furnish to the Corporation Security Deposit of 5% (five percent) of the contract price cheque or Bank Guarantee, pay order, or demand draft of Nationalized Banks and Schedule Banks only.

CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:-

Add City Engineer
(South West Zone)

AHMEDABAD MUNICIPAL CORPORATION
ENGINEERING DEPARTMENT
GENERAL SPECIFICATION

Time limit for the work shall be 12 Months (excluding monsoon) after the order to start the works. Progress of work should be in proportion to time limit.

The contractor shall remain responsible for Workmen's compensation if any accident. The contractor shall arrange for barricading at night and arrangement of Pagi at night to direct the traffic. He shall be responsible for any damage to public. If any incident happens, during the execution of work. In case of dispute for unseen or overlooked items the decision of the Add. City Engineer shall be final. The contractor shall have to give site clean of all rubbish during the work and at the time of completion of work and hand over the site with final finishing of the work as directed. All the rejected materials shall be removed from site within 24 hours by contractor at this risk and cost. Debris shall have to cart daily from site.

If any extra item crops up during the progress of work the same shall be carried out by the contractor and he shall be paid at the rate fixed by Add.C.E. as per the rate analysis based on latest SOR or if item is not available in SOR than based on current market rates. In case of extra item decision of Add. City Engg. shall remain final regarding rate.

If in the interest of the Corporation it is necessary to change either any site or the design of the proposed work the contractor shall carry out the same at his quoted rates without charges any extra and the contractor will have to carry out the works and he will be paid at the rate quoted by him. No claim for extra rate for subsequent changes in site and design is entertained.

Octroi exemption passes shall not be given for any materials required for the work. Contractor will be fully responsible for compliance of the various provisions under contract Act. 1970 and the Rules framed thereunder. The tender for the work shall remain open for a period (120) days from the date of opening of the tenders for this work and that the tenderer shall not be allowed to withdraw or modify the offer on his own during the period. If any tenderer withdraws or makes any modifications or addition in the terms and conditions of his tender not acceptable to the Municipal Corporation the Municipal Corporation shall without prejudice to any right or remedy be at liberty to forfeit in full the said earnest money and black list the contractor.

If the work is not carried out within the specified time limit, from the date of order to start the work the penalty of Rs.-(As per Form - B1) per day of delay shall be recovered from the immediate bills payable to the contractor. Contractor has to make his own arrangement for procurement of steel and cement.

Contractors should note the following conditions carefully:-

- i) Conditional tender shall not be accepted.
- ii) All tenders are to be submitted in duplicate without which the tenders are liable to be rejected.
- iii) In case of tender downloaded from website, tender fee & EMD should be submitted in form of demand draft or in cash.
- iv) Condition of Form - B1 Standard Specification of material & code of practice will be applicable. Form B1 can be available in website. Specification shall be as per ' R & B Dept. - Govt. of Gujarat booklets of Building Works & and Road Works Specifications published by Gujarat Book Depot, Sector-21. Gandhinagar.

**CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:-**

**Add City Engineer
(South West Zone)**

SPECIFICATIONS OF MATERIALS – CIVIL

This section gives detail specifications for mainly used materials, for other materials refer Building Specifications.
For materials relevant specification of Building Specification shall apply.

TECHNICAL SPECIFICATIONS

NAME OF THE WORK:- Breakdown work on drainage lines and storm water lines at various places in urban and rural areas in Sarkhej ward of South West Zone

Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and strutting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum

1.A.1 Upto 1.50 mt depth

1.A.2 1.50 mt to 3.00 mt depth

1.A.3 3.00 mt to 4.50 mt depth

1.A.4 4.50 mt to 6.00 mt depth

Iteam no 2 Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, oiling/cutting Reinforcement etc.comp. with stacking the material as directed.

a up to 0.20 meter thickness (By Manual)

b 0.20 to 0.30 meter (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete.

c 0.30 meter & above (By any type of Breaker Machine or R.C.C.Cuttermachine including cost of operator, fuel, & transportation etc complete.

Iteam no3 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm. in depth consolidation each deposited layer by ramming and watering

Iteam no4 CONVEYANCE CHARGES-FOR DIFFERENT TYPES OF MATERIALS (A) lime murrum building rubbish earth manure or sludge & excavated rock and rubbish [Lime murrum building rubbish]

a) Lead up to 1 Km.

b) Lead From 1Km to 2 Km.

c) Lead From 2 Km to 3 Km.

d) Lead From 3 Km to 4 Km.

e) Lead From 4 Km to 5 Km.

Iteam no5 Providing and supplying ISI marked only standard length stoneware pipes in standard length of following class and diameter including all taxes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading,

conveyance to departmental stores, stacking etc. compl. (IS 651/1989 or its latest revision)

Stoneware Pipe

- a) 100 mm
- b) 150 mm
- c) 230 mm
- d) 300 mm

Item no 5.1 lowering, laying and jointing, Stone Ware Pipes of following diameters with cement mortar (1:1) proportion, proper position, grade and alignment and all level as directed by engineer in charge Including conveyance from stores to site of work jointing material etc. comp.

Stoneware Pipe

- a) 100 mm
- b) 150 mm
- c) 230 mm
- d) 300 mm

Item no 6 Providing and supplying ISI Standard R.C.C.pipes(of Sulphate Resisting Cement) in standard lengths of following class and diameter suitable for either collar joints or rubber ring joints including all taxes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc.

Note : One collar should be supplied with each full length plain ended RCC pipe, cost included in rates below. One rubber ring should be supplied with each full length socketed pipe, cost included in rates below.

Class NP3 Test Pressure 0.7 Kg/sq.cm

- a) 300 mm dia
- b) 450 mm dia
- c) 600 mm dia
- d) 900 mm dia
- e) 1200 mm dia
- f) 1600 mm dia

Item no 6.1 Lowering, laying and jointing R. C. C. pipes in C. M. 1:1 1/2 of following diameters in proper position, grade and alignment at all level as directed by Engineer-in-charge including conveyance from stores to site of work, labour, giving hydraulic testing as per ISI code.

Class NP2, NP3, NP4

- a) 300 mm dia
- b) 450 mm dia
- c) 600 mm dia
- d) 900 mm dia
- e) 1200 mm dia
- f) 1600 mm dia

Item no 7 Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc..completed.

- a) 0.60 X 0.45 mt.size Inside Clear, Depth from 0.0 to 0.90m for pipe dia ≤ 150 mm.
- b) 0.60 X 0.75 mt.size Inside Clear, Depth from 0.0 to 0.90 meter for pipe dia ≤ 20 mm.
- c) 0.75 X 0.75 mt.size (Inside Clear) Depth from 0.0 to 1.20 m for pipe dia ≤ 20 mm

- Iteam no 8** Constructing Slab Type M.H. Chamber Of The Following Size Including Excavation, Refilling, Brick Bats Cement Concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) In Cm 1:3, Finishing With Cement Slurry, P/F 4 Mm Dia M.S.SteelHdpe Coated Steps 35 Cm C/C At 35 Cm Staggered Masonary In Cm 1:5, Rcc Slab In Cc1:1.5:3 of thickness 15 C.M.,Including Cantering & Reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.)But Excluding The Cost Of Manhole Seat Cover Etc..Completed Of Size 0.75 X 1.00 Meter (Inside Clear, M.H. length should be parallel to the flow)
- a 1.00 to 2.00 meter depth, (Slab at Ground level) (for pipe dia<=230 mm)
- b 2.00 to 3.00 meter depth, (Slab at below 0.60 mt. From G.L.) (for pipe dia<=300 mm)
- 11 Rate reduction over item of Constructing Slab Type M.H.Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item)
- Iteam no12** Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm diaM.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Cantering & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size1.00 X1.40 meter (Inside Clear, M.H. length should be parallel to the flow, for pipe dia<= 800 mm)
- a "1.00 to 2.00 meter depth,
(Slab at Ground level)"
- b "2.00 to 3.00 meter depth,
(Slab at below 0.6 mt. From G.L.)"
- c "3.00 to 4.00 meter depth,
(Slab at below 1.00 mt. From G.L.)"
- Iteam no13** Constructing Slab Type M.H. Chamber of following size incl. excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., C.C. channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside (SRC) & outside (only for shaft) in C.M.1:3, finishing with cement slurry, P/F 4 mm dia M.S Steel HDPE coated steps 35 cm c/c at 35 cm staggered Masonry in C.M. 1:5, RCC slab in CC 1 : 1.5 : 3 of thickness 23 C.M, including Cantering & reinforcement (double jalli at 15 C.M c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc. completed of Size 1.2 x 2.2 meter (Inside Clear, M.H. length should be parallel to the flow.
For Pipe dia. 1200 mm
(i) 1.2 m x 2.2 m x 4m (Slab at below 1.00 mt. from G.L.)
- Iteam no14** Extra rate over item of Constructing Slab Type M.H. Chamber of following size for constructing M.H. Chamber, per 1.00 Decimeter of additional depth or part there of etc. complete. Of size 1.20 x 2.20 mt. (inside) and depth from
(i) 4.0 to 5. 0 meter depth
(ii) 6.0 to 7. 0 meter depth
- Iteam no15** Constructing Scrapper Slab Type M.H. Chamber of following size incl. excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., C.C. channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside (SRC) & outside (only for shaft) in C.M.1:3, finishing with cement slurry, P/F 4 mm dia M.S Steel HDPE coated steps 35 cm c/c at 35 cm staggered Masonry in C.M. 1:5, RCC slab in CC 1 : 1.5 : 3 of thickness 23 C.M, including Cantering & reinforcement (double jalli at 15 C.M c/c bothway 12 mm dia.) but excluding the cost of Manhole

- seat cover etc. completed of Size 2.2 x 2.2 meter (Inside Clear, M.H. length should be parallel to the flow,
- (i) 2.2 m x 2.2 m x 4 m (Slab at below 1.00 mt. from G.L.)
- Iteam no16** Extra rate over item of Constructing Scraper Slab Type M.H. Chamber of following size for constructing M.H. Chamber, per 1.00 Decimeter of additional depth or part there of etc. complete. Size 2.2 x 2.2 meter (inside) and depth from
- (i) 4.0 to 5.0 meter depth
- (ii) 6.0 to 7.0 meter depth
- Iteam no17** Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete.
- a a. 150 mm to 300 mm dia.
- b b. 400 mm to 600 mm dia.
- c c. 700 mm to 900 mm dia.
- d d. Up to 1600 mm dia.
- Iteam no18** Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No paymentfor M.H.work will be made until pipe is not cut completely in all respect.
- a 150 mm to 300 mm dia.
- b 400 mm to 600 mm dia.
- c 700 mm to 900 mm dia
- Iteam no19** Repairing damaged M.H. and rasing M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed.
- a (A) up to 0.15 mt. (@ Two Coarse)
- b (B) up to 0.35 mt. (@ Two Coarse)
- c (C) up to 0.65 mt. (@ Seven Coarse)
- d (D) up to 0.90 mt. (@ Ten Coarse)
- Iteam no20** Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed.
- Iteam no21** Dismantling of existing Arch type manhole up to Arch and then Const. Slab type manhole of following size incl. excavation, refilling and & finished 15 mm thick cement plaster inside in CM 1:3, P/F 4 mm diaM.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, incl. cost of RCC Slab in CC 1:1.5:3, including Canterng & reinforcement as directed by engineer in charge. Rate includes carting of debris and excavated soil.
- a 1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)
- b 1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt.From G.L.)
- c 1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)
- d 1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt. From G.L.)

- | | |
|-----------|--|
| e | 1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 3 to 4 mt depth (Slab at below 1.00 mt. From G.L.) |
| Item no22 | <p>Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed.</p> <p>a (SET cover and frame) F.R.C. Extra Heavy Duty [EHD-35] Machinehole Covers & Frame- 560mm ø clear opening,</p> <p>(OnlyCover) F.R.C. Extra Heavy Duty [EHD-35] Machinehole Covers & Frame- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> <p>(OnlyFrame) F.R.C. Extra Heavy Duty [EHD-35] Machinehole Covers & Frame- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> |
| b | <p>(SET cover and frame) F.R.C. Heavy Duty [HD-20] Machinehole Covers & Frames- 560mm ø clear opening,</p> <p>(Only Cover) F.R.C. Heavy Duty [HD-20] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (Only Cover)</p> <p>"(Only Frame) F.R.C. Heavy Duty [HD- 20] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> <p>(Only Frame)" </p> |
| c | <p>(SET cover and frame) F.R.C. Medium Duty [MD-10] Machinehole Covers & Frames- 560mm ø clear opening,</p> <p>(Only Cover) F.R.C. Medium Duty [MD- 10] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> <p>(Only Frame) F.R.C. Medium Duty [MD- 10] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> |
| d | <p>(SET cover and frame) F.R.C. Medium Duty [MD-10] Chamber Covers & Frame- 600 x 450 mm clear opening,</p> <p>(Only Cover) F.R.C. Medium Duty [MD- 10] Chamber Covers & Frame- 600 x 450 mm clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> <p>(Only Frame) F.R.C. Medium Duty [MD- 10] Chamber Covers & Frame- 600 x 450 mm clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1</p> |
| Item no23 | Carting and Fixing M.H., Chamber or Catchpits Seat and Cover in line and level to match existing road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied by A.M.C.(from any store) |
| Item no24 | Providing and fixing cast iron manhole frame of weight 80 to 85 kg suitable for existing EHD-35 FRC MH cover, rate also incl. loading, unloading and fixing the frame in line and level to match existing road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as per instruction by engg. in charge. |
| Item no25 | Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed. |
| a | (A) 100 mm to 300 mm dia. |
| b | (B) 350 mm to 600 mm dia |
| c | (C) 650 mm to 900 mm dia |
| d | (C) 1200 mm dia |

- Iteam no26** Providing Dead Cantering using good quality Country Wood Planks, wall Plate of required thickness and size including placing the nece. supports of reqd. size, nailing, fixing with mortar, levelling. All specification for dead centring as per standard engg. practice etc. comp. as directed.
- Iteam no27** Supplying, labour for Excavation of all types of soil at any depth including excavation of aphalt pavement of any thickness, demolition of brickwork in cm of any proportion including staking of serviceable materials and disposal of unserviceable materia etc. comp. as directed
- a** Mazdoor (Male) at day /Night (R&B SOR 2023-24 sr no.1051 Code no.L022)
- b** Mazdoor (Female) at day (R&B SOR 2023-24 sr no.1050 Code no.L021)
- c** Makadam/Supervisor/Fitter at Day/Night
- Iteam no28** Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S.angles at max. 2.00 metercentre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. The same shall be removed after completion of work. (Only for break down work from start to complete)
- Iteam no29** Labour charger for lowering existing Ventilating column safely with the help of required capacity of hydra crane or any type of required capacity of crane. Item also includes welding machine , gas cutter , electric cutter , breaker etc necessary machineries required for this work with out damage and item also includes carting thesame to the AMC store. etc. comp as directed.
- Iteam no30** Providing TMT Bar FE415 reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level (upto 10 ton)
- Iteam no31** "Brick work using common burnt clay building brickshaving crushingstrength notless than35 kg./Sq.Cm. in foundation and plinth in Cement Mortar 1:5. (1- Cement : 5 -fine sand)(B) Conventional "
- Iteam no32** Providing15mm thickcement plaster in single coaton Rough (Similar) side of single or half brick walls for interior plastering up to floor two level and finished evenand smoothin (i) Cement mortar 1:3 (1-cement:3-sand)
- Iteam no33** Reinstatement of Asphalt road using the same material.
- Iteam no34** Raising of MH using new method as per drawing and tech.details below (1) cutting road by cutter machine up to 0.15mt. Depth and up to 1.50 X 1.50 sq mt max. area. (2) Demolishing surrounded portion of MH seat to remove seat from base masonry by braker.(3) p/l brick maso. Up to 0.16 mt. in CM1:3 (two course) (4) Fixing/Placing MH seat after base mortarbedding made from MasterEmaco -S488 towerable mortar as per requirement (5) P/L 10 mm grit mix conc. made of SHRINKKOMP-30 surround to MH seat in any thicknes up to 0.35 mm max below raod level and finish it rough surface. (6) labour work for laying cold mix bitumin asphalt up to road surface and make it smooth finish after properly compacting by compector.
- Iteam no35** Providing andCasting insitu ordinarycement concrete M200 for R.C.C. Raft and cutoff wallsincluding necessary shuttering laying, vibrating, ramming and curing complete.(B) Walls, fomtop of foundation level upto floor two level (upto 10ton).
- Iteam no36** Providing and laying cement concrete 1:4:8 (1-Cement: 4-coarse sand:8- and broken stone aggregates 40 mm nominal size) and curing complete excluding cost of formwork in(A) Foundation and Plinth (upto 10 ton)
- Machinery**

- Iteam no37** Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery)
- Iteam no38** Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery)
- Iteam no39** Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery)
- Iteam no40** Hiring Charges For J.C.B.Machine Including Cost Of Fuel, Operator, Driver Etc..
- Iteam no41** Providing & Supplying Hitachi Machine-110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)
- Iteam no42** Providing & Supplying Hitachi Machine-200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)
- Iteam no43** Providing & Supplying hydra crane Machine of 12 tone capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)
- Iteam no44** Hiring of Tractor with trolley considering 8 Hrs. As working Day hours inclu. Driver
- Iteam no45** Supplying Electric Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)
- Iteam no46** Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)
- Iteam no47** Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per Codal Provision.
SWD Work
- Iteam no48** Constructing Bombay Pattern Type Catch Pit of size 0.60 x 0.60 depth up to 1 mt including excavation, B.B.C.C. (1:5:10), 23 cms thick brick maso. wall in the prop. of CM (1:6) with 40 mm thick IPS flooring in the prop M15 at bottom and 15 mm thick cement plaster inside the catch pit in the proportion of CM (1:3) with outjali etc. comp. as directed.
- Iteam no49** Catch Pit Jali Fixing P/F FRC catch pit jali with frame 600mm x 600mm clear opening etc. comp.. As directed by engineer in charge.

I HAVE ALSO GONE THROUGH TECHNICAL SPECIFICATIONS FOR THE ITEMS (AS PER STANDARD P.W.D. TECHNICAL SPECIFICATION FOR THE ITEMS AND ALSO I HAVE THE BOOK OF THE SAME) AND AGREE TO ABIDE BY THEM.

IN CASE OF WHERE IS NO TECHNICAL SPECIFICATION FOR THE ANY ITEMS AVAILABLE, SPECIFICATION GIVEN BY THE ENGINEER-IN-CHARGE SHALL BE FOLLOWED AND FOR THE SAME I AGREE TO ABIDE BY THEM.

CONTRACTOR'S SIGNATURE
& STAMP
Mobile No

Add City Engineer
(South West Zone)

AHMEDABAD MUNICIPAL CORPORATION
ENGINEERING DEPARTMENT
GENERAL CONDITION

As per City Engineer's circular no.-6/2011-12 Dt.24.6.2011 all terms & conditions will be applied.

Seal and Signature of the Bidder
Date:

Add City Engineer
(South West Zone)