

**NAME OF WORK:- SR to Restoration, Repair and Replacement Works of Court Room and Judge Chamber at District Court,
Schedule - B**

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amout according to
				In Figures	In Words		
1	2		3	4	5	6	7
1	1.00	No.	Providing and Arranging dias table having Top 40 mm thick overall made from 18mm thick MR garde plywood with 4 mm thick veneer on top and 0.8 mm thick backing laminate and teakwood border having size 25 mm x 12 mm with melamine polished finish. Top border to be made from 75 mm x 50mm indian teak wood.Top and both side 40 mm thick finish with 4mm thick veneer having melamine polish finish. Apron to be made from 18mm thick MR grade plywood with 4mm thick veneer having melamine polish finish with 0.8 mm thick balancing laminate. All veneer surface to be melamine polish. Bookslot on the table shall be provided as per the detail drawing. Including all materials and labour etc. complete as per drawing and instruction of engineer-in charge. (with T.W. border with melamine polish)Dias Table - 2400mm x 900mm x 800mm (H))	48884.00	Rs. Forty eight thousand eight hundred Eighty four only	No.	48884.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
2	2.00	No.	Providing and Arranging side unit with top 40mm overall thickness made from 18 mm thick MR grade plywood with 4.00 mm thick veneer on top with melamine finished polish. Side and drawer made of 18mm thick MR grade plywood with 4.00 mm thick veneer with melamine finished polish and inside 0.8mm thick balancing laminate of approved shade. Teakwood border with melamine finished polish of specified size to be provided all around the borders of plywood. Drawer run on Ebco make telescopic channel with Godrej make lock with Two keys and shutter fixed with auto hinges incld. all necessary fixtures and fastening as approved and back of the unit with 6mm thick MR grade plywood with 0.8 mm thick laminate of approved shade with nylon bullet including all materials and labour etc. Complete as per drawing and instruction of Engineer-in charge . Side table - Veneer - 900mm x 450mm x750 mm	20402.00	Rs. Twenty thousand Four hundred Two only	No.	40804.00
3	2.00	No.	Providing and Arranging table having top 40mm thick made From 18mm Thick MR Grade plywood with 4.00mm thick veneer and Border patty on exposed edges and 0.8mm thick Balancing laminate and Melamine Polish finish. Leg and frame to be made from 50 x 50 x 1.6mm size CRC Square pipe and Top and apron Frame to be made from 50mm x 25mm x 1.8mm size MS CRC pipe with epoxy powder coating 50 micron with leveller. Apron 18mm thick MR Grade plywood with 4.00 mm thick veneer Melamine Polish Finish with balancing laminate 0.8mm thick including all Materials Fixtures & fastenings and Labours etc. Complete as per Drawing and intrusction of Engineer - in- charge (with T.W border with Melamine polish)Steno Table & B.C Table Veneer - 1200mm x 900mm x 750mm	33027.00	Rs. Thirty Three thousand Twenty Seven only	q	66054.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
4	1.00	No.	Providing And Arranging table for judge chamber having overall thickness of Top 40 mm (18+18+4mm)18 mm thick MR Grade plywood and 4.00 mm thick veneer at top with melamine polish finish including 8mm thick back painted glass. Top to be made from 75mm x 50 mm Indian teak wood with half round moulded on long side with melamine polish. Leg 50 mm x 50 mm x 1.6 mm thick CRCA Square pipe and supporting pipe 50 mm x 25mm x 1.8 mm finishing with epoxy powder coated 50 micron with leveller. Apron having 18 mm thick MR Grade plywood with 4.00 mm thick veneer having melamine polish finish. Drawer Unit-450 x 550 x 600 mm having all Structure 18 mm thick MR grade plywood with veneer and teakwood border of specified size with melamine polish finish. Drawers (3 Nos)>....	57772.00	Rs. Fifty Seven thousand Seven hundred Seventy two only	No.	57772.00
			slides on Ebco make telescopic channel with Godrej make lock with two keys and necessary fixtures and fastening as approved with balancing laminate inside 0.8 mm thick of approved shade including all materials and labour etc. Complete as per drawing and instruction of engineer-in charge. Side Unit to be provided saparetly.Judge Table with MDU veneer Size :- 1800mm x 900mm x 750mm				
5	1.00	No.	Providing and Arranging acrylic work top with 10mm clear imported Acrylic sheet with two brass rods with height adjustable of overall size 580 mm x 400 mm etc complete as directcd by engineer incharge.Approved Make: scholar/pearl/alkonsign/elora Acrylic Worktop	6666.00	Rs. Six thosuand Sxi hundred Sixty six only	No.	6666.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
6	1.00	No.	Providing and Arranging side unit with top 40mm overall thickness made from 18 mm thick MR grade plywood with 4.00 mm thick veneer on top with melamine finished polish. Side and drawer made of 18mm thick MR grade plywood with 4.00 mm thick veneer with melamine finished polish and inside 0.8mm thick balancing laminate of approved shade. Teakwood border with melamine finished polish of specified size to be provided all around the borders of plywood. Drawer run on Ebco make telescopic channel with Godrej make lock with Two keys and shutter fixed with auto hinges incld. all necessary fixtures and fastening as approved and back of the unit with 6mm thick MR grade plywood with 0.8 mm thick laminate of approved shade with nylon bullet including all materials and labour etc. Complete as per drawing and instruction of Engineer-in charge .Side Table veneer Size :- 1200mm x 450mm x 750 mm	23331.00	Rs. Twnty three thousand Three hundred thirty one only	No.	23331.00
7	1.00	No.	Providing and Arranging Center table made from 37mm x 37 mm Indian teakwood leg and top frame made from 37mmx 75mm Indian teakwood having 18 mm thick Ply and 4mm thick Veneer with melamine polish and 0.8mm thick balancing laminate at bottom for shelf made with surrounding Indian teakwood frame of size 37 mm x 12 mm. The top having 12 mm thick glass with edge finish to be placed properly in groove made. Surface to be finished with melamine polish including all materials and labours etc. complete as per drawing and instruction of engineer-in charge. Center Table Veneer : size - 900mm x 600mm x 450mm	4747.00	Rs. Four thousand Seven hundred Forty seven only	No.	4747.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
8	1.00	No.	Providing and supply Sofa sturcture made from 18mm MR Grade Mr grad plywood supported with Maranti Solid wood, back side and curved part Covered with 3mm flexi ply, sofa arm made from 12mm thick MR Grade Mr grad plywood supported with maranti solid wood. Elastic Belt, 75mm board & 2.25 mm thick elastic webbing stapling in seat frame at 100 mm centre to centre distance, belt fastern in X and Y axes of seat, elastic belt elongation 45% tensile strength 350 kg. Foam 100 mm X 40 density Premium Quality foam covered with 25mm X 32 density super soft Premium Quality Foam for>...	72821.00	Rs. Seventy two thousand eight hundred Twenty one only	No.	72821.00
			soft touch filling in seat. 50 mm X 40 density Premium Quality foam covered with 25mm X 32 density super soft Premium Quality foam for soft touch filling in back. Stiching Stiching work done with well known german brand (Aman / Gutermann) Thread. Nylone & Polyster thread used as per application. 50 mm X 50 mm Wooden Legs applied with polishing. Including all materails. Hardware and labours etc. Completes as per drawing/Photographs & details and as Directed by Engineer - in - charge HOF MAKE : Cierzo 2 Seater Sofa Size :- 1425mm X 850mm x 850mm(H)				

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
9	1.00	No.	Providing , Arranging & fixing wooden coat stand made of Indian teakwood size-vertical member 65mm x 65mm size and bottom cross design teakwood member of 75mm (H) x 37mm as per design with melamine polish including Moulding edges.with teakwood single hanger of standard size (75mm x 35 mm) along with 2 nos brass hook, including all materials and labours etc. complete as per drawing and instruction of engineer-in charge.Coat Stand: 650mm x 650mm x 1500mm (H)	2929.00	Rs. Two thousand Nine hundred Twenty nine only	No.	2929.00
10	1.00	No.	Providing and Arranging Dinning Table made from indian Teakwood with legs having size 65mm x 65mm with moulding as per instruction and top framing to be made from 75 mm x 37mm size. Top to be made from 18mm thick MR grade plywood finish with 4mm thick approved veneer and 0.8mm balancing laminate on back side with Indian Teakwood beading on sides of size 50 mm x 25 mm and 16mm thick korean stone on top of the table. All veneer surfaces and wooden structure to be finished with melamine polish including all materials and labour etc.Complete as per drawing and instruction of engineer-in charge. Dinning Table Size veneer :- 750mmx 750mm x 750mm	7272.00	Rs. Seven thousand Two hundred Seventy two only	No.	7272.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amout according to
				In Figures	In Words		
1	2		3	4	5	6	7
11	1.00	No.	Providing and Arranging Cabinet made from 18mm thick MR grade Plywood box with one drawer unit having fixed on Ebco Made telescopic Channel with Godrej Make lock with two keys set one Shutter having SS Hinges (Auto 16 deg.) Handles and Indian Teakwood Border Patty With Melamine Polish. Cabinet Finish with 4mm thick approved Veneer and 0.8 mm thick Balancing Laminate to be Provided. On top of the storage 16mm thick approved mirror Polished Granite with Rounding edge Moulding Shall be provided including Necessary Fixtures, Fastening includes all materails and Labours etc. Complete as per drawing and intructions of Engineer-in-charge. Crockery Unit Veneer Size :- 600mm x 450mm x 750mm	19089.00	Rs. Nineteen thosuand Eighty nine only	No.	19089.00
12	1.00	No.	Providing and Arranging book storage having top 18 mm thick MR grade plywood with 4.00 mm thick veneer melamine polish finish with 0.8 mm balancing laminate.Shelves made of 12 mm thick clear float glass with all edge polish. Side and shutter made of 18mm thick MR grade plywood with 4.00 mm thick veneer melamine polish finish with 6mm thick clear float glass and Lock and nylon bullet including all necessary fixtures and fastenings as approved, incld. all materials and labour etc.Complete as per drawing and instruction of engineer-in charge (with T.W. border patti with melamine polish) Glass Storage veneer : 900mm x 450mm x 2100mm (H)	53328.00	Rs. Fifty three thousand Three hundred Twenty eight only	No.	53328.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amout according to
				In Figures	In Words		
1	2		3	4	5	6	7
13	1.00	No.	Providing and Arranging court storage having top 18 mm thick MR grade plywood with 4.00 mm thick veneer melamine polish finish with 0.8 mm balancing laminate.Shelves made of 18 mm thick MR grade plywood with 4.00 mm thick veneer melamine polish finish with 0.8 mm balancing laminate. Side and shutter made of 18mm thick MR grade plywood with 4.00 mm thick veneer melamine polish finishLock including all necessary fixtures and fastenings as approved, incld. all materials and labour etc.Complete as per drawing and instruction of engineer-in charge (with T.W. border patti with melamine polish) Coat storage veneer Size :- 600mm x 600mm x 2100mm	43632.00	Rs. Forty three thousand Six hundred Thirty two only	No.	43632.00
14	1.00	No.	Providing and supply Sofa sturcture made from 18mm MR Grade Mr grad plywood supported with Maranti Solid wood, back side and curved part Covered with 3mm flexi ply, sofa arm made from 12mm thick MR Grade Mr grad plywood supported with maranti solid wood. Elastic Belt, 75mm board & 2.25 mm thick elastic webbing stapling in seat frame at 100 mm centre to centre distance, belt fastern in X and Y axes of seat, elastic belt elongation 45% tensile strength 350 kg. Foam 100 mm X 40 density Premium Quality foam covered with 25mm X 32 density super soft Premium Quality Foam for...>....	90395.00	Rs. Ninty thousand Three hundred Ninty five only	No.	90395.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amout according to
				In Figures	In Words		
1	2		3	4	5	6	7
			soft touch filling in seat. 50 mm X 40 density Premium Quality foam covered with 25mm X 32 density super soft Premium Quality foam for soft touch filling in back. Stiching Stiching work done with well known german brand (Aman / Gutermann) Thread. Nylone & Polyster thread used as per application. 50 mm X 50 mm Wooden Legs applied with polishing. Including all materails. Hardware and labours etc. Completes as per drawing/Photographs & details and as Directed by Engineer - in - charge HOF MAKE : Cierzo 3 Seater Sofa Size:- 1925mm X 850mm x 850mm (H)				
15	2.00	No.	Providing and Arranging Dinning chair made from Indian teakwwod having Back leg size :75 mm x 37mm ,front leg 37mm x 37mm size, back support round (curvica) shape 150 mm x 37 mm size 2 nos, Back side sheet frame of size 100mm x 37mm and front side support size of 50 mm x 37 mm. Seat made from 12mm thick MR grade plywood and covered with 50 mm thick 40 density PU foam with 12mm supersoft HD covered for softness with high quality fabric of approved shade. Total height 900mm and back height 450mm, Seat size 400mm x 450mm including all materials and labours etc. Complete as per drawing and instruction of engineer-in charge. Dinning Chair	6565.00	Rs. Six thousand Fvie hundred Sixty five only	No.	13130.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
16	1.00	No.	Providing and Arranging dias chair having overall height of 1.52 mtr made from Indian teakwood having Back leg size 50mm x 50mm, Back Support 75mm x 35mm size, handle 75mm x 30mm size Back Logo (National emblem) made from bronze metal of size 150mm x 30 mm to be fixed on wooden back of size 225mm x 35mm Indian teakwood frame work.All the wooden members to be moulded as per the approved design. and as directed by Engineer in charge Seat having 80 mm (3") thick 40 density foam to be fixed on 12mm thick MR grade plywood and back having 50 mm (2") thick 40 mm density foam bottom, back and seat foam both with high quality fabric (Basic Rate Rs.950/ Rmt) of approved shade. All wooden members finished by melamine polish Including all materials and labour etc. complete as per drawing and instruction of Engineer-in charge.Dias Chair	15453.00	Rs. Fifteen thousand Four hundred Fifty three only	No.	15453.00
17	2.00	No.	Providing and Arranging dias chair having overall height of 1.52 mtr made from Indian teakwood having Back leg size 50mm x 50mm, Back Support 75mm x 35mm size, handle 75mm x 30mm size Back Logo (National emblem) made from bronze metal of size 150mm x 30 mm to be fixed on wooden back of size 225mm x 35mm Indian teakwood frame work.All the wooden members to be moulded as per the approved design. and as directed by Engineer in charge Seat having 80 mm (3") thick 40 density foam to be fixed on 12mm thick MR grade plywood and back having 50 mm (2") thick 40 mm density foam bottom, back and seat foam both with high quality fabric (Basic Rate Rs.950/ Rmt) of approved shade. All wooden members finished by melamine polish Including all materials and labour etc. complete as per drawing and instruction of Engineer-in charge.Dias Chair	20402.00	Rs. Twnty thousand Four hundred two only	No.	40804.00

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
18	1.00	No.	Providing and Arranging PREMIUM EXECUTIVE REVOLVING CHAIR (High Back) Sigma chrome Base with Knee Tilt Synchro Mechanism with Any Position back Lock, Seat & Back - Made from High Density U - FOAM, Armrest in two pieces 12mm outer boire cut veneer polyurathine High gloass & 6mm hot pressed plywood upholstered pad which fix with seat .Including all materials and labour etc.Complete as per drawing and instruction of engineer-in charge.Size : max.Height : 1300 mm to Min. 1200mm, Seat : 660mm x 660mm ,back 510 mm x 600 mm Molto 561 High Back Chairs	62923.00	Rs. Sixty two thousand Nine hundred Twenty three only	No.	62923.00
19	2.00	No.	Providing and Arranging PREMIUM EXECUTIVE REVOLVING CHAIR (MediumBack) Sigma chrome Base with Knee Tilt Synchro Mechanism with Any Position back Lock, Seat & Back - Made from High Density U - FOAM, Armrest in two pieces 12mm outer boire cut veneer polyurathine High gloass & 6mm hot pressed plywood upholstered pad which fix with seat .Including all materials and labour etc.Complete as per drawing and instruction of engineer-in charge.Size : max.Height : 1300 mm to Min. 1200mm, Seat : 660mm x 660mm ,back 510 mm x 600 mm Molto 562 Medium Back Chairs	56156.00	Rs. Fifty Six thousand Six hundred Fifty Six only	No.	112312.00
20	1.00	No.	Providing and fixing Ajanta / OREVA make wall clock of the desired shape and design as selected by engineer in charge Wall Clock	777.70	Rs. Seven hundred Seventy seven and Ps. Seventy only	No.	777.70

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
21	1.00	No.	Providing and supply Photo Frame of Mahatma Gandhiji made of Teakwood Border Patti of size 1" x 1/2" with melamine polish finish with 3 mm glass and inside the picture of Mahatma Gandhiji on Photo paper with high resolution picture quality and stucked on MDF as selected by engineer-in-charge including all necessary fixture, fasteners,labour , material etc comp.	2121.00	Rs. Two thosaund One hundred Twwenty only	No.	2121.00
22	21.89	Sqm.	Providing and Fixing Impulse Blackout Roller Blinds with fabric of 0.53mm thickness and Top channel of non-rusting aluminium alloy with 1.25mm thickness and bottom channel of 1.50mm thickness & 21mm diameter. Tilt channel of ABS plastic with 1.50mm polyster cord with 4.50mm balls with stop lock arrangement including all necessary fixture, fastners, fittings, labour material machinery etc complete as seletced and diretced by Engineer Incharge.	2323.00	Rs. Two thousand Three hundred Twenty three only	Sqm.	50850.47
23	3.90	Sqm.	Providing and Fixing Impulse Blackout Zebra Blinds with fabric of 0.53mm thickness and Top channel of non-rusting aluminium alloy with 1.25mm thickness and bottom channel of 1.50mm thickness & 21mm diameter. Tilt channel of ABS plastic with 1.50mm polyster cord with 4.50mm balls with stop lock arrangement including all necessary fixture, fastners, fittings, labour material machinery etc complete as seletced and diretced by Engineer Incharge.	5454.00	Rs. Five thousand Four hundred Fifty four only	Sqm.	21270.60
24	56.89	Sqm.	Repair and restoration of fire-affected veneer finished surfaces by replacing damaged veneer and re-polishing all furniture and panelling complete.	2222.00	Rs. Two thousand Two hundred Twenty two only	Sqm.	126409.58

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
25	106.44	Sqm.	Providing & Fixing of Armstrong Mineral Fibre Acoustical Suspended Ceiling System with Dune (Bevelled Tegular) Edge Tiles With Armstrong 15mm Exposed GRID The tiles should have Humidity Resistance (RH) of 99%, NRC 0.5, Light Reflectance ≥85%, Thermal Conductivity k = 0.052 - 0.057 w/m K, Colour White, Fire Performance UK Class 0 / Class 1 (BS 476 pt - 6 & 7) in module size of 600 x 600 x 16mm , suitable for Green Building application, with Recycled content of 32% be laid on Armstrong Suprafine 38 with 15 mm wide T - section flanges colour white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 38mm and a load carrying capacity of 14 Kgs/M2 & minimum pull out strength of 100 Kgs.. The T Sections have a Galvanizing of 90 grams per M2 and need to be installed with Suspension system of Armstrong make.	1272.60	Rs. One thousand Two hundred Seventy two and Ps. Sixty only	Sqm.	135455.54
26	16.00	No.	Dismantling doors, windows, ventilators etc. (wood or steel) shutters including chowkhats architraves, holdfasts and other attachment etc. complete and stacking them within all lead and lift.(i) Not exceeding 3 Sq.M. in area.	206.48	Rs. Two hundred Six and Ps. Forty eight only	No.	3303.68
27	58.09	Sqm.	P & L 24" x 24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finised with flush pointing & cleaning the surface etc. complete for light shade	1548.60	Rs. One thousand Five hundred Forty two and Ps. Sixty only	Sqm.	89958.17
28	2.22	Sqm.	Providing and laying Vitrified tiles 8 to 10 mm thick , 24" x 24" in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	1195.02	Rs. One thousand One hundred ninty five and Ps. Two only	Sqm.	2652.94

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
29	61.69	Sqm.	Providing and laying Vitrified tiles 8 to 10 mm thick , 24" x 24" in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	188.98	Rs. One hundred Eighty eight and Ps. Ninty wigh only	Sqm.	11658.18
30	338.86	Sqm.	Applying two coats of putty & two coats of primer of approved brand and manufacture on new wall surface to give an even shade including thoroughly brushing the surface free from mortar dropping and other foreign matter and sand papered smooth.	40.59	Rs. Forty and Ps. Fifty nine only	Sqm.	13754.33
31	561.87	Sqm.	Removing dry or oil bound distemper by a washing and scraping and sand papering the wall surface smooth	12.43	Rs. Twelve and Ps. Forty three only	Sqm.	6984.04
32	561.87	Sqm.	Wall painting (two coats) with plastic emulsion paint of approved brand and manufacture on undecorated wall surface to give an even shade including throughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth.	88.72	Rs. Eighty eight and Ps. Seventy two only	Sqm.	49849.11
33	8.69	Sqm.	Providing and laying 16mm thick Black Granite Stone (all edge machine cut and rounding mirror polished) of approved shade in Cills & Jambs incl. applying coarse-cum-fine sand on the back side of the granite with approved adhesive like Araldite or eq. to make the surface rough for better bonding with the wall surface on 10 mm. thick Cement Mortar 1:3 (1- cement, 3-coarse sand) laid and jointed with white cement slurry including rubbing and polishing complete. use single piece or two pieces incl. overlapping in up-down position granite stone for jambs & soffits as required and directed by Engineer- in-Charge.	2605.00	Rs. Two thousand Six hundred Five only	Sqm.	22637.45

Item No.	Quantity estimated which can be more		Description of Item:	Estimated Rate		Unit:	Total amount according to
				In Figures	In Words		
1	2		3	4	5	6	7
34	10.43	Sqm.	Providing and fixing 37mm Single/double shutter flush door solid core (MD, ,D,D1)laminated both side of 1 mm thickness pattern and design is to be approved by the Architect, with Stainless Steel handle size 30 Cm Long, Tower Bolt size 15cm, & Heavy Stainless steel Aldrop as per attached detail architectural drawing	4056.73	Rs. Four thousand Fifty six andPs. Seventy three only	Sqm.	42311.69
35	17.82	Sqm.	Providing and fixing THREE track sliding window (3 Glass shutters) using standard extruded color anodized aluminum section equivalent to Jindal series E (30mm) section numbers: frame bottom with weep holes - 20928, frame top & sides 20837, shutter top & Bottom - 20993, Shutter interlock - 20550, Shutter side (Handle) - 20549 with 5mm thick transparent tinted float glass, with EPDM rubber gasket, air lock strip and finishing joints with transparent silicon sealant, with alluminium powder coated fittings and fixtures.	4345.15	Rs. Four thousand Thre hundred forty five and Ps. Fifteen only	Sqm.	77430.57
					GRAND TOTAL...		1439771.06
			DEDUCT COST OF DISMENTALLED MATERIAL				-2400.00
	Rs. in words Rs. Fourteen lacs, Thirty Seven thousand, Three hundred Seventy one and Ps. Six only)						14,37,371.06
	An amount of Rs. 2400.00 (Two thousand Four hundred will be deducted from the First R.A. Bill payable to the						

Item No.	Quantity estimated which can be more	Description of Item:	Estimated Rate		Unit:	Total amount according to
			In Figures	In Words		
1	2	3	4	5	6	7
I/we am / are willing to carry out the work at _____ Above/below the estimated rates (percentage should be written in words and						
1) Estimated amount put to Tender: : Rs. _____			1) Estimated amount put to Tender : Rs. _____			
2) Deduct _____ % below Rs. _____			2) Add _____ % above Rs. _____			
3) Net Amount of Tender Rs. _____			3) Total Amount of Tender Rs. _____.			
4) In words Rs. _____			4) In words Rs. _____			
Signature of contractor		Deputy Executive Engineer, Police Campus (R&B) Sub-Dn. Rajkot.		Executive Engineer, City (R & B) Division, Rajkot.		
Notes :						
[1]	All work shall be carried out as per Public works Deptt. Hand Book and other I.S.specification and other Specification of the Division or as directed.					
[2]	All the columns in schedule should be filled in INK and total of entires in the last column should be struk by the contractor under his signature.					
[3]	Rates quoted include clearance of site (Prior commence of work and as its colser) in all respected and hold good for work under all conditions, site moisture weather etc.					
[4]	The contractor shall exhibit the details of work, tender amount and specifications as per Govt. Circular No. ED/6/32772/N Dtd. 26-04-1978 and as per G.R. No. TNC/9/24/C Dtd. 18-11-91 as directed by the Engineer-in-Charge of the work on board at site of work which contractor is not entitle for any extra payment.					
[5]	Testing of materials be as per statement attached with Specifications, the materials shall be tested. Bill for testing shall be paid by the Deptt., and 1% of the (one Percent) of amount put to tender after deducting the cost of materials as per Schedule-A shall be deducted from the Running Account Bills of the work (As per G.R. R & B Deptt. No. INC/1095/4/C Dtd. 20-12-91.					

Item No.	Quantity estimated which can be more	Description of Item:	Estimated Rate		Unit:	Total amount according to
			In Figures	In Words		
1	2	3	4	5	6	7
[6]	The Contractor shall quote even "NIL" if no reduction is proposal.					
[7]	In item of M.S.S. where there is change in Bituminous content for mixing as per actual mix design, the difference of asphalt consumption shall be deducted from tendered					
[8]	The Govt. of India have implemented G.S.T. from Date 1/7/2017 as such contractors are advised to consider the Provision of					
[9]	As per modification in Clause 14 of this tender, the Govt. vide Rso. dated 11.7.17 has modified the same as under [i] Excess upto 10% at Tender Rates [ii] Excess More than 10% at either tender rates or estimated rates which ever is less. The contractors are advised to quote their rates accordingly considering above modifications					

Signature of contractor

Deputy Executive Engineer,
Police Campus (R&B) Sub-Dn.
Rajkot.

Executive Engineer,
City (R & B) Division,
Rajkot.