

PROJECT:-

CONSTRUCTION OF UNDEL VILLAGE BADIYADEV TEMPLE TO
GOPREJ TALAV TATHA MAMA DEV TEMPLE JOINING ROAD
(VRNP) KM. 0/000 TO 1/850
TA. :-KHAMBHAT DIST. :- ANAND

DEPUTY EXECUTIVE ENGINEER
PANCHAYAT (R & B) SUB DIVISION
KHAMBHAT

EXECUTIVE ENGINEER
PANCHAYAT (R&B) DIVISION
ANAND

APPROVED BY

VIRAL PATEL

M.E CIVIL

CHECKED BY

PRIT PARIKH

B.E CIVIL

DESIGNED BY

MANAN SHAH

B.E CIVIL

DRAWN BY

RAHUL PARMAR

DRAFTSMAN

DATE

21/03/2026

SCALE

N.T.S


DRG NO :- PANCHAYAT / ANAND / KHAMBHAT / 08 /08

TITLE :- TYPICAL CROSS SECTION OF ROAD


CONSULTANTS :-




LK ENGINEERING & DESIGN CONSULTANT
Office Address : 45, 46 Third Floor, "Earth Eon" Opp.
Urm School,
Sama Sevak Road Vadodra-390008
Contact No. 9315414355
Email id :-lkedc2020@rediffmail.com




SECTION A-A



SECTION B-B



PLAN



**SECTION SHOWING HEAD WALL (M15)
WITH REINFORCEMENT DETAIL**

NOTES:

1. THE PIPE SHALL BE R.C.C NP-4 NON PRESSURE PIPE AS PER IS 458.
2. ALL THE DIMENSIONS ARE IN MM OTHERWISE SPECIFIED.
3. CLEAR DISTANCE BETWEEN PIPES 450 MM FOR 900MM DIA PIPE.
4. WHENEVER SOIL FILLING IS REQUIRED, FILLING SOIL CHARACTERISTICS SHALL BE C=0, Ø>30 deg.
5. CONCRETE GRADE : HEAD WALL (M15), P.C.C (M10), ENCASING (M15).
6. STEEL FE 550D SHALL BE USED CONFORMING TO RELEVANT IS CODE.

REF CODE :

IRC SP 13:2004, IS 458:2003, IRC 78:2014, MORTH 5th Revision.

NAME OF WORK:

CONSTRUCTION OF UNDEL VILLAGE BADIYADEV TEMPLE TO GOPREJ
TALAV TATHA MAMA DEV TEMPLE JOINING ROAD (VRNP) KM. 0/000
TO 1/850
TA. :-KHAMBHAT DIST. :- ANAND

DEPUTY EXECUTIVE ENGINEER
PANCHAYAT (R&B) SUB DIVISION
KHAMBHAT

EXECUTIVE ENGINEER
PANCHAYAT (R&B) DIVISION
ANAND

APPROVED BY : VIRAL PATEL

M.E CIVIL

CHECKED BY : BIRAL PATEL

M.E CIVIL

DESIGNED BY : PALAK UKANI

M.E CIVIL

DRAWN BY : PRANAV VALAND

DRAFTSMAN

DATE:

21-03-2026

SCALE:

NTS

REVISION:

R0

MMGSY

DRAWING NAME:

1-ROW 900 MM DIA PIPE CULVERT

CONSULTANT:



LK ENGINEERING & DESIGN CONSULTANT
Office Address : 45, 46 Third Floor, "Earth Eon" Opp.
Umri School,
Sarna Savli Road Vadodara-390008
Contact No. 9313414355
Email id -lkedc2020@lkedc.in