



### TYP ROAD GENERAL NOTES:-

- 1) FOR ALL DIMENSIONS & LEVELS REFER ARCH. DRAWING.
- 2) GROOVE HAS TO BE CUT WITHIN 24 hrs. AFTER CONCRETING.
- 3) SLOPE WITH SAUCER DRAIN PROVIDED TOWARDS STROM WATER DRAINS.
- 4) FOR SLOPES,DRAIN LOCATIONS, ARC DIMENSIONS REFER ARCH,DRAIN DRGS
- 5) HUME PIPES,MANHOLES AND OTHERS SHALL BE LAID AS PER SERVICES/LANDSCAPE DRGS
- 6) PATHWAYS/KERB SHALL BE PROVIDED AS PER SPECS
- 7) FOR KERB AND SPEED BREAKER LOCATIONS REFER ARCHITECTURAL SITE LAYOUT.
- 8) SITE SOAKED CBR VALUE OF 7% TO BE ENSURED AT SITE AT THE TOP OF SUBGRADE IN FILLING.
- 9) FOR LOCATION OF CROSS DRAINAGE STRUCTURES REFER DRAIN DRAWINGS.

DEVELOPMENT

## ROAD AT NARMADA SUGAR

PROJECT CONSULTANT

### AR STRUCTURALS

ARCHITECTURE | STRUCTURAL | INTERIOR

812, 8<sup>th</sup> Floor, Corporate Office, Golden Square, Beside D- Mart, ABC Circle, Bharuch 392 001 | office.arstructurals@gmail.com | www.arstructurals.com | 97290 11226 | 78005 78009

NOTE :-

RO	FOR REVIEW	SP	AR	11-06-26
NO.	DESCRIPTION	DRN.	CHK.	DATE
DRAWN BY :		SP		
DESIGNED BY :		AR		
CHECKED BY :		AR		
DATE:		30/04/2026		
PROJECT NO:		2126		
DRAWING TITLE				
RCC ROAD DETAILS				
SHEET NUMBER				
STR-01-01				