

Electrical Item Tender approved Rate (2025) Excluding GST					
Sr. No.	Item	Make	Unit	Qty	Excluding GST
1	3/4" p.v.c insulated adhesiv tap roll (6 meter)	steel grip,Anchor	NOS	1	8.28
2	3/4" p.v.c insulated non adhesiv tap roll	H.K	NOS.	1	27.74
3	36 watt Fluorescent tube light Stiks	philips,crompton,bajaj	NOS.	1	36.99
4	36 watt Fluorescent complete tube light patti	Anchor,crompton,bajaj	NOS.	1	192.67
5	Vacuum impregnated open construction copper ballast for 36-40 Watt	crompton,bajaj,oshram, Anchor	NOS.	1	231.21
6	Fluorescent tube light Rotor Holder Made from Bakelite Used for 40,36 watt	crompton,bajaj,oshram	NOS.	1	7.71
7	36 watt Fluorescent tube light starter	crompton,bajaj,oshram, philips,	NOS.	1	7.71
8	70,150 watt Ignitors for starting High Pressure Sodium lamps	crompton,bajaj,oshram	NOS.	1	84.78
9	150 Watt Ballast for High Pressure Sodium lamp	crompton,bajaj,oshram	NOS.	1	770.69
10	70 Watt Ballast for High Pressure Sodium lamp	crompton,bajaj,oshram	NOS.	1	531.78
11	150 Watt High Pressure Sodium lamp	crompton,bajaj,oshram	NOS.	1	315.98
12	70 Watt High Pressure Sodium lamp	crompton,bajaj,oshram	NOS.	1	192.67
13	100 Watt incandescent light bulb	crompton,bajaj,oshram	NOS.	1	15.41
14	500 Watt Clear - Mogul Base light bulb (tread cap)	Arya	NOS.	1	100.19
15	500 Watt porcelain base thred cap lamp holder	as per ISI	NOS.	1	92.48
16	70/125 watt porcelain base thred cap lamp holder	as per ISI	NOS.	1	53.18
17	5/6 amp.pendent Bakelite lamp holder	Anchor,Vinay	NOS.	1	19.27
18	5/6 amp. Bakelite adapter	Anchor,Vinay	NOS.	1	24.66
19	5/6 amp.Polycarbonate,Brass Terminals screw fix 2-In-1Pin Socket.	Anchor,Vinay	NOS.	1	25.43
20	6 amp.Polycarbonate,Brass Terminals screw fix one way piano switch	Anchor,Vinay	NOS.	1	11.56
21	15 amp.Polycarbonate,Brass Terminals screw fix one way piano switch	Anchor,Vinay	NOS.	1	65.51
22	15 amp.Polycarbonate,Brass Terminals screw fix 2-In-1Pin Socket.	Anchor,Vinay	NOS.	1	69.36
23	5/6 amp.Polycarbonate,Brass Terminals screw fix one way switch	Anchor,Vinay	NOS.	1	11.56
24	6 amp. 3 Pin Plug Top Polycarbonate,Brass Terminals	Anchor,Vinay	NOS.	1	42.39
25	15 amp. 3 Pin Plug Top Polycarbonate,Brass Terminals	Anchor,Vinay	NOS.	1	56.26
26	32 amp polycarbonate Surface DP with Neon	Anchor,Vinay	NOS.	1	107.90
27	Rust Lubricant Spray Rustlick 631	I.T.W	NOS.	1	262.04
28	Ellico Electronic Timer Single Phase 230V/415volt, SD-100Time Delay: 3 Sec. upto 30 Sec	Ellico	NOS.	1	393.05
29	Ellico Single Phasing Preventer Es 100	Ellico	NOS.	1	400.76
30	PLA PLUG IN TYPE CONTROL RELAY,2CO 240V AC	PLA	NOS.	1	254.33
31	Room Heater 1000 Watt	APS	NOS.	1	770.69
32	Heater stick rod 1000 watt	as per ISI	NOS.	1	46.24
33	800-Watt Quartz Heater OQH-1230/ OQH-1290	Orpat	NOS.	1	778.40
34	400-Watt Room Heater Rod for Quartz Heater for OQH-1230/ OQH-1290	Orpat	NOS.	1	154.14
35	400-Watt spring coil for Room Heater Rod	Orpat	NOS.	1	77.07
36	1 Sq.mm Copper Conductor PVC Insulated flexible wire, 1100 Volts, IS : 694 wire	jain son,darshan ,Finolex	meter	1	11.38
37	1.5 Sq.mm Copper ConductorPVC Insulated flexible wire, 1100 Volts, IS:694 wire	jain son,darshan ,Finolex	meter	1	16.69
38	2.5 Sq.mm Copper ConductorPVC Insulated flexible wire, 1100 Volts, IS:694 wire	jain son,darshan ,Finolex	meter	1	26.55
39	1.5 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100Volts, IS:694wire	Polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	59.93
40	2.5 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	Polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	97.09
41	4 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	Polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	148.21
42	6 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	Polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	208.61
43	10 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	Polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	369.93
44	16 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	KSB,Polycab,RRcable, Havells,KEI	meter	1	578.02
45	25 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	KSB,Polycab,RRcable, Havells,KEI	meter	1	739.87
46	35 Sq.mm X 3Core Copper ConductorPVC Insulated Flat Submersible cable, 1100 Volts, IS:694 wire	KSB,Polycab,RRcable, Havells,KEI	meter	1	1310.18
47	35 Sq.mm X 1Core Copper ConductorPVC Insulated cable, 1100Volts, IS:694wire	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	325.23
48	50 Sq.mm X 1Core Copper ConductorPVC Insulated cable, 1100Volts, IS:694wire	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	523.42

49	70 Sq.mm X 1Core Copper ConductorPVC Insulated cable, 1100Volts, IS:694wire	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	743.40
50	95 Sq.mm X 1Core Copper ConductorPVC Insulated cable, 1100Volts, IS:694wire	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	1001.32
51	1.5 sq.mm 4 core copper flexible cable	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	75.86
52	6 sq.mm 4 core copper Armur cable	polycab,RRcable,Darshan, AVOCAB,Ultracab	meter	1	385.35
53	50 sq.mm 3.5 core Alu. Armur cable	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	423.88
54	70 sq.mm 3.5 core Alu. Armur cable	polycab,RRcable,Darshan, AVOCAB,Ultracab, Havells	meter	1	508.66
55	16 Sqmm PVC armoured cable joint kit 1100Volts	3 M, Raychem	NOS.	1	747.57
56	120 Sqmm PVC armoured cable joint kit Epoxy type 1100Volts	3 M, Raychem	NOS.	1	1464.32
57	185 Sqmm PVC armoured cable joint kit 1100Volts	3 M, Raychem	NOS.	1	1795.72
58	300 Sqmm PVC armoured LT cable joint kit	3 M, Raychem	NOS.	1	2235.01
59	240 Sqmm PVC armoured HT cable joint kit	3 M, Raychem	NOS.	1	3254.64
60	240 Sqmm PVC armoured HT cable Straight through splice joint kit	3 M, Raychem	NOS.	1	3236.91
61	45 mm Brass Single Compression Cable Gland	cable fix,HMI	NOS.	1	84.78
62	50 mm Brass Single Compression Cable Gland	cable fix,HMI	NOS.	1	107.90
63	63 mm Brass Single Compression Cable Gland	cable fix,HMI	NOS.	1	123.31
64	1200 mm Ceiling Fan	crompton,bajaj,philips	NOS.	1	1156.04
65	Cast iron earthing plate of size 600 mm x600 mm x12 mm	as per ISI	NOS.	1	2543.29
66	Galvanized iron plate of size 600 mm x600 mm x6 mm	as per ISI	NOS.	1	1464.32
67	Bare Copper Earthing wire. Material: Copper. Thickness: 8 gauge.	as per ISI	K.G	1	832.35
68	BCH LIGS Oil Tight Limit Switch	BCH	NOS.	1	1063.56
69	10 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	4.24
70	16 sq.mmx10mm Tinned Copper crimping terminalHeavy duty cable lug	3 D	NOS.	1	5.78
71	25 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	10.02
72	35 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	11.56
73	50 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	14.64
74	70 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	28.52
75	95 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	40.85
76	120 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	53.95
77	300 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	192.67
78	400 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	308.28
79	600 sq.mmx10mm Tinned Copper crimping terminal Heavy duty cable lug	3 D	NOS.	1	443.15
80	10 sq.mmx8mm Aluminium crimping terminal Heavy duty cable lug	3 D	NOS.	1	1.54
81	16 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D	NOS.	1	2.31
82	25 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D	NOS.	1	3.47
83	35 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D	NOS.	1	3.85
84	50 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D -2552	NOS.	1	6.17
85	70 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D -2555	NOS.	1	9.25
86	120 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D -2560	NOS.	1	16.96
87	150 sq.mmx10mm Aluminium crimping terminal Heavy duty cable lug	3 D	NOS.	1	19.27
88	185 sq.mmx12mm Aluminium crimping terminal Heavy duty cable lug	3 D -2567	NOS.	1	23.12
89	240 sq.mmx16mm Aluminium crimping terminal Heavy duty cable lug	3 D -2570	NOS.	1	36.99
90	300 sq.mmx20mm Aluminium crimping terminalHeavy duty cable lug	3 D-2572	NOS.	1	52.41
91	400 sq.mmx20mm Aluminium crimping terminal Heavy duty cable lug	3 D - 2573	NOS.	1	77.07
92	10 sq.mm Tinned Copper Tubular Inline Heavy duty connector	3 D	NOS.	1	3.85
93	16 sq.mm Tinned Copper Tubular inline Heavy duty connector	3 D	NOS.	1	4.62
94	25 sq.mm Tinned Copper Tubular Inline Heavy duty connector	3 D	NOS.	1	10.02
95	35 sq.mm Tinned Copper Tubular Heavy duty Inline connector	3 D	NOS.	1	15.41
96	10 sq.mm Aluminium Tubular Inline Heavy duty connector	3 D	NOS.	1	1.54
97	16 sq.mm Aluminium Tubular inline Heavy duty connector	3 D	NOS.	1	1.54
98	25 sq.mm Aluminium Tubular Inline Heavy duty connector	3 D	NOS.	1	2.31
99	35 sq.mm Aluminium Tubular Inline Heavy duty connector	3 D	NOS.	1	3.85
100	70 sq.mm Aluminium Tubular Inline Heavy duty connector	3 D	NOS.	1	8.48
101	120 sq.mm Aluminium Tubular Inline Heavy duty connector	3 D	NOS.	1	13.87
102	185 sq.mm Aluminium tubular Inline Heavy duty connector	3 D	NOS.	1	21.58
103	400 sq.mm Aluminium tubular Inline Heavy duty connector	3 D	NOS.	1	75.53
104	16 sq.mm Tinned Copper Reducer Pin Type Terminal Ends Heavy duty	3 D	NOS.	1	6.17
105	25 sq.mm Tinned Copper Reducer Pin Type Terminal Ends Heavy duty	3 D	NOS.	1	15.41
106	150 HP Moter terminal plate for jyoti make Moter	APS	NOS.	1	693.62
107	315 Amp M.S Powder coted Cable Entry box For ELECON Switch	APS	NOS.	1	770.69
108	415/600 Amp M.S Powder coted Cable Entry box For ELECON Switch	APS	NOS.	1	1040.44
109	MCB chenai patti	as per ISI	NOS.	1	52.41
110	Copper Bus Bar 5/8 x 2 ½" Inch	as per ISI	K.G	1	909.42
111	Copper Bus Bar 3/8 x 2 ½" Inch	as per ISI	K.G	1	909.42
112	Copper Bus Bar 1/2 x 2 ½" Inch	as per ISI	K.G	1	909.42

113	P.V.C Nailclip 12 mm	Manglam	packet	1	96.34
114	P.V.C Nailclip 14 mm	Manglam	packet	1	111.75
115	P.V.C Nailclip 25 mm	Manglam	packet	1	115.60
116	ELR CBCT 72 Range 0.5 to 5 Amp 230 v AC	Elco, selec, L&T	NOS.	1	1464.32
117	PT Fuse 11KV HV fuse 3.15 amp	Anand	NOS.	1	770.69
118	PT Fuse 11KV HV fuse 1 amp	Anand	NOS.	1	770.69
119	CT 11KV 50/100-1 amp	crompton	NOS.	1	8477.63
120	Control Transformer 415/230 Volts,VA - 100 PH - 1 Freq. 50Hz	APS	NOS.	1	1156.04
121	TC Power ContectorAC 3,Amp-63,Volt-415,Cat.No. LCID633m	TC	NOS.	1	5780.20
122	TC Power ContectorAC 3,Amp-150,Volt-415,Cat.No. LC1FDP150AE	TC	NOS.	1	13024.72
123	TC Thermal Over Load Relay Range 14 - 22 Amp Cat.LRID63359	TC	NOS.	1	2235.01
124	TC Thermal Over Load Relay Range 48 - 57 Amp Cat.LRID63359	TC	NOS.	1	2504.75
125	TC Timer Range 1 to 30 sec	TC	NOS.	1	1078.97
126	Galvanized earthing strips 25x3 m.m	as per ISI	K.G	1	92.48
127	Galvanized earthing strips 25x6 m.m	as per ISI	K.G	1	92.48
128	Tubular Spaner Set TS -12 With Tomy Bar	Tapariya	SET	1	1117.51
129	Air Blower Heavy duty RB40SA	Hitachi	NOS.	1	5394.86
130	Combination Insulated player 8 inch (210 m.m)	Tapariya	NOS.	1	215.79
131	grinder/cutter machine 100mm	Hitachi	NOS.	1	2697.43
132	Cutting Disc - 4" - 105 X 1.2 X 16 mm - Cut Off Wheel	Hitachi	NOS.	1	34.68
133	Ring spaners set (6 mm to 36 mm)	Tapariya	SET	1	1695.53
134	Socket Set Model S 14 M	Tapariya	SET	1	4238.82
135	Wire Stripping pliers 6"	Tapariya	NOS.	1	215.79
136	Soket Set 3/8" Square Drive	Tapariya	SET	1	3082.77
137	Club Hammer With Handle (1000gms)	Tapariya	K.G	1	369.93
138	Allen Key Set ( up to 10 mm)	Tapariya	SET	1	215.79
139	Long Nose Pliers 8"	Tapariya	NOS.	1	231.21
140	Armure Cable Cutting Tools	Jainson	NOS.	1	2312.08
141	Hudrulic crimping tool ( Dies 10 mm2 to 185 mm2)	Jainson	SET	1	16192.27
142	drilling Machine (Model number- DH28PCY)	Hitachi	NOS.	1	12716.45
143	PVC Flexible pipe 50m.m	Dutron	METER	1	27.74
144	5/8 x 3" Inch ms nut bolt	APS	KG	1	100.19
145	Digital time switch 24 hours	GIC	Nos	1	1556.80
146	20 watt Led Tube fittings	philips,crompton,bajaj	Nos	1	169.55
147	110 watt LED fittings for street light	philips,crompton,bajaj	Nos	1	8477.63
148	45 watt Led feetings for street light	philips,crompton,bajaj	Nos	1	4470.02
149	100 watt Led flood light	philips,crompton,bajaj	Nos	1	4470.02
150	cable tie 110 mm	Manglam	packet	1	115.60
151	MCCB 250 Amp	ABB	NOS	1	8477.63
152	Rubber Insulating mat For LT panel thickness -6 mm (1meter X 1meter Class - A as per IS:5424 and with good electrical insulation property for 22kV (LV voltage) as per site requirement. (for LT Panel)	as per ISI	SQ. METER	1	778.40
153	Rubber Insulating mat For HT panel thickness - 12 mm (1meter X 1meter) Class - B as per IS:5424 and with good electrical insulation property for 22kV as per site requirement. (for HT Panel)	as per ISI	SQ. METER	1	1734.06
154	industrial heater coil only	APS	Nos	1	308.28
155	Piano type acrellic sheet bord for 2 plug 6 switch	APS	Nos	1	106.36
156	65 HP air cooled Auto tranformer	APS	Nos	1	9941.95
157	battery bakked power pack unit I/p 110 volt AC o/p 110 volt DC	Gogatech	Nos	1	11483.34
158	battery for battery bakked power pack unit 7.2 AH 12AL007	Amar raja quanta	Nos	1	1610.75
159	100 Amp Bolted fuse link	HBC	Nos	1	231.21
160	2 Amp glass tube fuse for Achuater	APS	Nos	1	10.02
161	Providing pair of rubber hand gloves suitable for working on 11 KV/22 KV supply	as per ISI	Nos.	1	308.28
162	Supply of carbon dioxide (CO2) fire extinguisher of 6.5kg capacity with necessary clamps made from 50 x 6 mm M.S. Flat with nut & bolts grouted in wall complete.	as per ISI	Nos.	1	6936.24
163	Supply of stand first AID box with anticeptic cream, medicine for use on wounds due burn, crepe bandage, guage bandage, medicated ready to use bandage (Band-aid) adhesive tape for medicinal user, scissors, anticeptic solution (Savlon or similar) etc. (All above contents shall be of standard makes) (For Pump house / LT Room)	as per ISI	Nos.	1	1387.25
164	Supply of printed instruction (First Aid) Chart both in English and Gujarati and duly framed with front glasses, for treatment of person suffering from electric shock.	as per ISI	Nos.	1	36.99
165	Shutter assembly for 11KV VCBpanel for CGPISL MAKE	Crompton	Set	1	7275.35
166	Supply of FIRE bucket round bottom of 9 litres capacity made out of 24 guage G.I. sheet with extra handle at bottom duly painted white inside and Red outside with FIRE mark, filled with dry sand and kept on stand provided or hung on wall hook.	as per ISI	Nos.	1	304.45
	<b>Total Rate of electrical Parts in Rs. (Excluding GST)</b>				<b>199559.80</b>