

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
1	3m Catridge Refiel for gun	COMPITABLE / 3M	40	Per pcs			
2	3m lable stickers steam	COMPITABLE / 3m	1076	Per pcs			
3	Alkaline Detergent	-	30	Per pcs			
4	Autoclave Lables	Comply TM Indicator Dry natural Rubber.	194	Per pcs			
5	Biological Incubator for Plasma (Machine)	-	1	Per pcs			
6	Biological Incubator for Steam (Machine)	-	1	Per pcs			
7	Biological Indicators for Plasma (24 Minutes)	-	50	Per pcs			
8	Biological Indicators for Steam (24 Minutes)	-	50	Per pcs			
9	Biological Indicators Steril ETO 1294 Attest Rapid EO	COMPITABLE / 3m	100	Per pcs			
10	Biological Indicators Steril Steam 1292E Attest Rapid Eur 3 HR R.O.	COMPITABLE / 3m	900	Per pcs			
11	Detergent for Ultrasonic Washer	-	12	Per pcs			
12	ETO GAS CARTRIDGE 170 GM	ALLIANCE ELEMECH	500	Per pcs			
13	ETO. Sterilization for Documentation Gun Label (Record Keeping Label-ETO)	Comply TM Indicator Tape Dry Nature (Rubber)E.O	172	Per pcs			
14	ETO CHEMICAL INDICATOR 1251	-	960	Per pcs			
15	GUN LABLE STICKER FOR PLASMA	-	15	Per pcs			
16	Heat Registan Thick Gloves	-	12	Per pcs			
17	Multi Enzyme Detergent	-	24	Per pcs			
18	Neutralizer	-	30	Per pcs			
19	Stainless Steel Cleaner & Polish, Cleaning Spray	-	5	Per pcs			
20	STERI-DUAL TM ECO 20CM X 200MTR CAT-8609 FOR ETO	COMPITABLE / 3M 8609	250	Per pcs			
21	STERI-DUAL TM ECO 30CMX200MTR CAT - 8615 FOR ETO	COMPITABLE / 3M CAT-8615	335	Per pcs			
22	STERI-DUAL TM ECO 7.5CM X 200MTR CAT - 8603 FOR ETO	COMPITABLE / 3M CAT 8603	65	Per pcs			
23	STERI-DUAL TM ECON 15CM X 200MTR CAT-8607 FOR ETO	COMPITABLE / 3M CAT-8607	158	Per pcs			
24	STERI-DUAL TM ECON 25CM X 200MTR CAT-8613 FOR ETO	COMPITABLE / 3M CAT-8613	250	Per pcs			
25	Sterrad 100S Cassettes 10113	-	79	Per pcs			
26	STERRAD CHEMICAL INDICATOR STRIP	-	37500	Per pcs			
27	Sterrad Velocity Biological Indicator 4321030	-	2	Per pcs			
28	Swabe Stick	-	163600	Per pcs			
29	TYVEK POUCH ROLL-14" 350MM X 70MM -12435	COMPITABLE / J & J	8	Per pcs			
30	TYVEK POUCH ROLL-16.5" 420MM X 70MM -12442	COMPITABLE / J & J	6	Per pcs			
31	TYVEK Roll 10" (250mm x 70mm) 76YDS	COMPITABLE / J & J CAT-12425	60	Per pcs			
32	TYVEK Roll 6" (150mm x 70mm) 76YARD	COMPITABLE / J & J CAT-12415	60	Per pcs			
33	TYVEK ROLL-4" 100MM X 70MM-12410	COMPITABLE / J & J CAT-12410	90	Per pcs			
34	Surgical Silk 2-0	Black Braided 6 Reels X 25 meters. 2/0	30	Per pcs			
35	MANNUAL SYRINGE NEEDLE DESTROYER	-	20	Per pcs			
36	SKIN STEPLAR REMOVER	Stainless Steel	20	Per pcs			
37	Adult Underbody Blanket (CODE NO. 54500)	COMPITABLE / 3m	800	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
38	Air Bed with Pump	Anti Bedsore Mattress based on alternative pressure pad and pump system. Power supply: 220V/50Hz, 1A/250V, Air output: 6-8 liter/min. Pressure range: 30 mmHg – 100 mmHg. Top cover: Nylon / PU with button Size:190cm(L) x 85cm(W) x 11cm (H). Exchangeable air cell, water proof. Low Noisy, Long life time benefit. Without CPR valve. Anti Bedsore Mattress (Air Jet Type).Tiny Holes on the surface for decreasing humidity. Replaces the foul air and reduce growth of microbes.Power supply: 220V/50Hz, 1A/250V, Air output: 3.5-4 liter/min. Pressure range: 50 mmHg – 90 mmHg. Material: PVC Size:200cm(L) x 90cm(W) x 6.5cm (H) Low Noisy, Long life time benefit	23	Per pcs			
39	AMPOULE CUTTER	Easy to use,Compatible with common ampoule sizes,effortless open-every-time solution due to extended lever action, Reusable and washable	62	Per pcs			
40	Apron Plastic large	-	13	Per pcs			
41	APRON-PLASTIC 32" X 50" NON STERILE	32" x 50" Non Sterile	54600	Per pcs			
42	B.P. cuff with tube. Adult	Adult ,Premium Quality	7	Per pcs			
43	B.P. INSTRUMENTS DIGITAL	Measurement Unit : mmHg, Minimal Scale : LCD/LED Column 2mmHg, Pressurization : Manual by Bulb, Depressurization : Manual by Air Release Valve	1	Per pcs			
44	Biochemical Indicator (Cycles)-1243B	-	146500	Per pcs			
45	Blood Pressure Recording Unit Digital Automated	-	3	Per pcs			
46	CIDEX TRAY	-	1	Per pcs			
47	stethoscope	stethoscope should offers a convenient, tunable diaphragm in a single-sided, coated alloy chestpiece designed to provide reliable and clear acoustics. The stethoscope offers the portable convenience of a single-sided chestpiece. A tunable diaphragm conveniently alternates between low and high frequency sounds without the need to turn over the chestpiece.	55	Per pcs			
48	Documentation Label Plasma (Sterilization)	-	57	Per pcs			
49	Drum for Autoclave 11x9	11	18	Per pcs			
50	Drum for Autoclave 12x15	12	26	Per pcs			
51	ECG CHEST ELECTRODES	-	100750	Per pcs			
52	ECG Paper Roll - 6108T	(CARDIART 6108T Automatic Machine - AUTOMATIC MACHINE)	500	Per pcs			
53	ECG PAPER ROLL - 80mm * 20 mtr	(CARDIART 80mm * 20 mtr Automatic Machine - AUTOMATIC MACHINE)	500	Per pcs			
54	CHART PAPER FOR DG-400 (EGC PAPER ROLL)	Compaitive Schiller	123	Per pcs			
55	ENDO CERVICAL BRUSH WITH SPECTULLA	-	50	Per pcs			
56	EXTENSION PIPE LINE PVC TUBE WITH THREE WAY STOP COCK-100CM	Non Toxic ,Non pyrogenic sterile E.O 100 cm.	44319	Per pcs			
57	EXTENSION TUBE 10 CM	10 CM	50	Per pcs			
58	Makintosh Rubber sheeting.	1100 mm	905	Per pcs			
59	Paper Printer Two Ply Product Code 40-03175-002	-	27	Per pcs			
60	PATIENT IDENTITY BANDS	RED, GREEN AND BLUE COLORS, Plastic Coating	178950	Per pcs			
61	PATIENT IDENTITY BANDS-BLACK	BLACK	60	Per pcs			
62	PATIENT IDENTITY BANDS-GREEN	GREEN	310	Per pcs			
63	PATIENT IDENTITY BANDS-ORANGE	ORANGE	10	Per pcs			
64	PATIENT IDENTITY BANDS-RED	RED	310	Per pcs			
65	PATIENT IDENTITY BANDS-YELLOW	YELLOW	310	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
66	Plain Drape	150cm x 120cm x 100 gauge E.T.O. Sterile	45835	Per pcs			
67	PLASTER OF PARIS BANDAGE	Premium Quality	581	Per pcs			
68	Plastic Connection	'T'	500	Per pcs			
69	Plastic Connection	'Y',	500	Per pcs			
70	S.S. KIDNEY TRAY	-	30	Per pcs			
71	S.S. TRAY 11 X 7	-	5	Per pcs			
72	S.S. TRAY 12 X 8	-	20	Per pcs			
73	S.S. TRAY 15 X 12	-	10	Per pcs			
74	S.S. TRAY 8 x 3	-	1	Per pcs			
75	Safety Belt	-	299	Per pcs			
76	SILICON SUCTION TUBE	-	1668	Per pcs			
77	Soft Roll 15cmx3mt	15cm x 3mtr.	155	Per pcs			
78	SPUTUM CUP	-	96	Per pcs			
79	Stainless Steel Surgical Dressing Trays (8" X 3")	-	76	Per pcs			
80	STEAM LABEL GUN	-	1	Per pcs			
81	Thermometer	-	170	Per pcs			
82	Tourniquet belt	premium quality (One of each size)	594	Per pcs			
83	TRAY WITH LID 12 X 18	-	10	Per pcs			
84	Urine Pot Plastic	-	52	Per pcs			
85	Weight Machine Standard Quality Size30x30x6cm (Weight Scale Analog)	-	15	Per pcs			
86	WEIGHT SCALE DIGITAL	-	10	Per pcs			
87	ECG CHEST SUCTION BULB	-	24	Per pcs			
88	DISPOSABLE SCOUTTUBE FOR SPIRO SCOUT	-	1000	Per pcs			
89	Tracheo-esophageal voice prosthesis Kit Size 17,20,22.5 Fr * 8mm, 10mm & 12.5mm Shaft Length	KIT Contains 1 Sterile Pharynx Protector made of Transparent Thermoplastic, 1 Sterile Puncture Needle made of Surgical Stainless Steel, 1 Sterile Guidewire made of pre-colored Fluoroplastic, 1 Sterile Puncture Dilator made of Thermoplastic Elastomer and Polypropylene with Preloaded Voice Prosthesis made of Silicone grade Medical rubber with fluoroplastic material of value and 1 Non-Sterile Brush. Used for retrograde primary and secondary insertion. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	10	Per pcs			
90	Tracheo-esophageal voice prosthesis indwelling low pressure coated for anterograde insertion via stoma Size 17,18,22.5 Fr * 4,6,8,10,12.5 & 15mm Shaft Length	Sterile Voice Prosthesis KIT Contins 1 Sterile Puncture Dilator made of Thermoplastic Elastomer and Polypropylene with preloaded Voice Prosthesis made of Silicone grade Medical rubber with fluoroplastic material of value and 1 Non-Sterile Brush. Used for replacement of Voice Prosthesis or Primary insertion when patient while remain in situ. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	5	Per pcs			
91	HME's XtraMoist (Heat and Moisture Exchangers)	Calcium Chloride impregnated Sponge Filter with Extra Airflow & Extra Moisture humidier property having movable disc which enable Speech Function.CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	10	Per pcs			
92	HME's XtraFlow (Heat and Moisture Exchangers)	Calcium Chloride impregnated Sponge Filter with Extra Airflow & Extra Moisture humidier property having movable disc which enable Speech Function.CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	10	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
93	Lary Tube	Soft Silicon Laryngectomy Tube having conical shape at the base, non traumatic smooth edges at the bottom with 2 loops for Neckstrap attachment, with or without Fenestration and 5 nos of Heat & Moisture Exchanger .CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	10	Per pcs			
94	LaryButton	Soft Silicon Laryngectomy button for voice & pulmonary rehabilitation and patient with shrinking stoma. non traumatic smooth edges at the bottom with 2 loops for Neckstrap attachment with outer diameter 12,14,16 & 18mm with 8,18mm length. HME access connector. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	10	Per pcs			
95	hydrocolloid adhesive HME dressing	Latex-free and hypoallergenic. Required in Round, Oval, and Plus shapes to suit different neck anatomies and stoma sizes. Central connector opening compatible with all VP HME and ShowerAid systems.Flexible, low-profile design for discrete and comfortable daily wear. Gentle removal without skin damage or residue HME access connector. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device. Individually packed and sealed in boxes of 10 or 20 pcs.Clearly labeled with reference number, batch, and expiry information. Compatible with Provox HME Cassettes, Provox ShowerAid, Provox LaryButton, and LaryTube systems. Can be used interchangeably with other Atos Medical Provox adhesives	10	Per pcs			
96	TubeHolder	The design should be specifically developed for secure fixation of LaryTube and LaryButton. As well as to hold tracheostomy and laryngectomy devices securely in position without adhesive. It should be Made of soft, skin-friendly, hypoallergenic fabric suitable for users with sensitive skin around the tracheostoma. It should be Latex-free to reduce allergic reactions. Regulatory compliance CE marked and compliant with Medical Device Regulation (EU) 2017/745. USFDA registered product (where applicable). It should be Comfort Features like Adjustable neckband for personalized fit and comfort, Gentle contact surface to minimize skin irritation and pressure marks, Velcro-type adjustable fastening on both ends for easy application and removal and Provides firm hold to prevent accidental tube displacement.	10	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
97	Polyurethane made Tracheostomy Tube with Cuff and Swivel neck flange	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management. The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., for a 7 mm tube size, the inner cannula's inner diameter should also be 7 mm). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. A low-pressure cuff is also required. The tube sizes should be within the range of 4, 5, 6, 7, 8, 9, and 10, without including half sizes. The tube should have a useful life of 29 days/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards. USFDA registered medical device	20	Per pcs			
98	Polyurethane made Tracheostomy Tube with Cuff, fenestration and Swivel neck flange	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management. The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., a 7 mm tube size should have a 7 mm inner cannula diameter). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. It should also feature a low-pressure cuff and fenestration. For easy identification, fenestrated tubes should have blue lettering on the neck flange. The tube sizes should be within the range of 4, 5, 6, 7, 8, 9, and 10, without including half sizes. The tube should have a useful life of 29 days/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards. USFDA registered medical device	5	Per pcs			
99	Polyurethane made Tracheostomy Tube with Swivel neck flange	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management. The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., a 7 mm tube size should have a 7 mm inner cannula diameter). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. The tube sizes should be within the range of 4, 5, 6, 7, 8, 9, and 10, without including half sizes. The tube should have a useful life of 29 day/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards. USFDA registered medical device	5	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
100	Polyurethane made Tracheostomy Tube with Swivel neck flange and fenestration	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management. The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., a 7 mm tube size should have a 7 mm inner cannula diameter). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. It should also feature a fenestration. For easy identification, fenestrated tubes should have blue lettering on the neck flange. The tube sizes should be within the range of 5, 6, 7, 8, 9, and 10, without including half sizes. The tube should have a useful life of 29 days/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	5	Per pcs			
101	Polyurethane made Tracheostomy Tube with cuff, Swivel neck flange and subglottic suction	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management. The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., a 7 mm tube size should have a 7 mm inner cannula diameter). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. It should also feature a low-pressure cuff and a subglottic suction. For easy identification, fenestrated tubes should have blue lettering on the neck flange. The tube sizes should be within the range of 5, 6, 7, 8, 9, and 10, without including half sizes.The tube should have a useful life of 29 days/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	2	Per pcs			
102	Polyurethane made Tracheostomy Tube with cuff, Swivel neck flange, subglottic suction and fenestration	Long-term tracheostomy tube recommended specs for comfort, safety, clinical support, and advanced function. Clinical function: fenestrations, suction aids and speaking valve compatibility support weaning, speech and secretion management.The tracheostomy tube should be made from thermosensitive polyurethane material. The tube size should match the inner diameter of the inner cannula (e.g., a 7 mm tube size should have a 7 mm inner cannula diameter). Additionally, the tube should feature a double swivel curved neck flange, allowing movement in both vertical and horizontal directions to accommodate the patient's head movements. It should also feature a low-pressure cuff, a subglottic suction and fenestration. For easy identification, fenestrated tubes should have blue lettering on the neck flange. The tube sizes should be within the range of 6, 7, 8, 9, and 10, without including half sizes.The tube should have a useful life of 29 days/plus and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device	2	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
103	Spiral-reinforced, soft and flexible tube with adjustable neck flange with a practical push-button mechanism with cuff and a scale	<p>The tracheostomy tube should be spiral-reinforced, soft, and flexible, made from DEHP-free, medical-grade PVC. It should include an adjustable neck flange with a practical push-button mechanism and a low-pressure cuff and a measurement scale. The tube sizes should be within the range of 6, 7, 8, 9, 10 and 11 without including half sizes.</p> <p>The neck flange should allow variable adjustment along the tube using the push-button mechanism for precise positioning and should lock or unlock by moving the lever up or down. Additionally, the neck flange should have flexible wings that can be adjusted independently to fit the patient's unique anatomy.</p> <p>The tube should have a useful life of 29 days and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device</p>	2	Per pcs			
104	Spiral-reinforced, soft and flexible XL tube with adjustable neck flange with a practical push-button mechanism with cuff and a scale	<p>The tracheostomy tube should be extra-long, spiral-reinforced, soft, and flexible, made from DEHP-free, medical-grade PVC. It should include an adjustable neck flange with a practical push-button mechanism and a low-pressure cuff and a measurement scale. The tube sizes should be within the range of 7, 8, 9, and 10 without including half sizes.</p> <p>The neck flange should allow variable adjustment along the tube using the push-button mechanism for precise positioning and should lock or unlock by moving the lever up or down. Additionally, the neck flange should have flexible wings that can be adjusted independently to fit the patient's unique anatomy.</p> <p>The tube should have a useful life of 29 days and a shelf life of 5 years. CE marked, compliant with EU MDR 2017/745. Manufactured under ISO 13485 quality management standards.USFDA registered medical device</p>	10	Per pcs			
105	Single incision GelPoint	Access platform system which facilitate the triangulation of standard instruments through single incision, three 10 mm & one 12 mm low profile sleeves with universal obturator to accommodate 5-12 mm instruments, Incorporates insufflation and smoke evacuation capabilities.Maintains pneumoperitoneum for continuous access and visualization.	3	Per pcs			
106	TAMIS Port small size	Access platform system with channel length of 4 cm to access the rectum and lower sigmoid colon for surgical procedures, three 10 mm & one 12 mm low profile sleeves with universal obturator facilitation of 5mm and 10mm instrument triangulation, and maintenance of pneumorectum throughout the procedure	1	Per pcs			
107	TAMIS Port Medium size	Access platform system with channel length of 5.5 cm to access the rectum and lower sigmoid colon for surgical procedures, three 10 mm & one 12 mm low profile sleeves with universal obturator facilitation of 5mm and 10mm instrument triangulation, and maintenance of pneumorectum throughout the procedure	1	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
108	TAMIS Port Large size	Access platform system with channel length of 9 cm to access the rectum and lower sigmoid colon for surgical procedures, three 10 mm & one 12 mm low profile sleeves with universal obturator facilitation of 5mm and 10mm instrument triangulation, and maintenance of pneumorectum throughout the procedure	1	Per pcs			
109	Hand assisted port	Laparoscopic system allows surgeons to rapidly alternate between hand access, straight laparoscopic and open surgical technique to optimize procedural efficiency and clinical outcomes, System which offers unparalleled access for rapid dissection and mobilization of tissue with atraumatic retraction and protection.	2	Per pcs			
110	Laprosopic Grasper with Latis pad	5 mm laprosopic instrument to grasp the tissue with latis pad to minimize the tissue injury. Ergonomic design and low profile design. 360 degree shaft rotation. Available in different sizes ie 35 & 45 cm	3	Per pcs			
111	Suction irrigation with built in smoke evacuation	Suction-Irrigation Disposable Tubing Set with clear, ergonomic handpiece provides a comfortable fit and an unobstructed view of the working channels. Built-in smoke evacuation maintains visibility and eliminates the need for a separate smoke evacuation device. The soft, flexible tubing is resistant to coiling and collapsing. The tubing is DEHP-free and is not made with natural rubber latex.	3	Per pcs			
112	Suction Irrigation reusable probe	Suction-Irrigation reusable probe attachments come with a variety of tip offerings and in several lengths and diameters, enabling a wide range of flow rates to be achieved with a single handpiece.	3	Per pcs			
113	Insufflation needle	Insufflation Needle with 13-gauge reduces operating room time by establishing pneumoperitoneum at a greater rate than traditional insufflation needles.	5	Per pcs			
114	45 mm vascular curved tip	Disposable Laparoscopic linear cutter 45 mm Vascular reload with Integrated fresh knife and with 360 degree rotation & 0-45 degree articulation in both directions. Staples with 3 rows of progressive staple heights, Safety interlock, Gradual compression on tissue.	20	Per pcs			
115	Staple Reinforced strip	Disposable reinforced strip with 100% SIS Bio absorbable soft tissue reinforced material - 60 mm length	5	Per pcs			
116	Illumination device for open surgery	Sterile, single-use illumination device for open surgery that allows light to be brought to within a few centimetres of the surgical field, in a very simple and convenient way, accessing dark areas that no other alternatives can reach. The device allows the light beam to be concentrated on the surgical field in front of the surgical instruments to focus on the surgeon's immediate field, to illuminate it intensely and very closely and to penetrate poorly illuminated cavities and corners. Up to 5 hours of bright light. Low power consumption. Optimum colour temperature for the chromatic reproduction of organs, vessels and tissues. Minimum weight that does not affect the instrument's grip.	10	Per pcs			
117	Illumination machine	Reusable power generator/source unit for the disposable illumination devices, designed to receive alternating-current (AC) energy from a main electricity power line and deliver one or more regulated direct-current (DC) outputs to supply devices with electrical energy. It typically consists of a step-up or step-down transformer, a rectifier, a filter, and an electronic regulator that keeps the voltage, current, or power output stable over a broad range of loads and input voltages.	2	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
118	Nasojunal feeding tube 16 Fr	Polyurethane or silicone made,16 Fr Nasojejun tube , length 150 cm or more, radiopaque, multiple distal side holes,with standard enteral connector,sterile , single use, soft atraumatic tip	300	Per pcs			
119	T lift tissue retractor system	laproscopic tissue retraction system, having percutaneous cannula(introducer) , T lift traction suture , locking clip	10	Per pcs			
120	Medium Pressure VP Shunt (Slit and Spring Valve)	One Unitized Shunt assembly with flushing reservoir, One Ventricular catheter with stylet length 15 cm, One Distal catheter 75 cm long. and three separate straight connectors.	20	Per pcs			
121	Low Pressure VP Shunt (Slit and Spring Valve)	One Unitized Shunt assembly with flushing reservoir, One Ventricular catheter with stylet length 15 cm, One Distal catheter 75 cm long. and three separate straight connectors.	20	Per pcs			
122	Medium Pressure VP Shunt (Dome Valve)	One Unitized Shunt assembly with Dome Vaive flushing reservoir, One Distal Part, One Ventricular Part with stylet length and two separate straight connectors.	20	Per pcs			
123	External Ventricular Drainage (EVD)	One Ventricular Catheter made of Radio-Opaque Bacterial Resistant Tubing with stylet, One Trocar, One Butterfly Connector & One External Drainage Kit. (Fluid retaining capacity of PVC connecting tube is approx 13 ml.)	20	Per pcs			
124	OMAYA Reservoir (Large size)	One Ventricular Catheter 15 cm long, One Cerebral Catheter Reservoir of Large size.	20	Per pcs			
125	OMAYA Reservoir (Small size)	One Ventricular Catheter 15 cm long, One Cerebral Catheter Reservoir of Small size.	20	Per pcs			
126	Ultrasonic Scissor Grip Shears Size 9 cm to 11cm	Ultrasonic curved taper tip coagulating shears compatible with ultrasonic cutting and coagulation device,9cm length,16mm curved active blade capable of sealing blood vessels up to and including 5mm in diameter, with ergonomic symmetrical finger ring grip compatible with generator GEN11(HARMONIC) installed in institute.USFDA approved (If needed Additional Generator as a Loaner to be provided by OEM)	5	Per pcs			
127	Ultrasonic Scissor Grip Shears Size 15 to 17CMS	harmonic curved taper tip coagulating shears compatible with ultrasonic cutting and coagulation device,17cm length,16mm curved active blade capable of sealing blood vessels up to and including 5mm in diameter, with ergonomic symmetrical finger ring grip compatible with generator GEN11(HARMONIC) installed in institute.USFDA Approved .(If needed Additional Generator as a Loaner to be provided by OEM)	5	Per pcs			
128	Ultrasonic Blue Handpiece - Open Surgery	Ultrasonic Blue handpiece with tear drop connector that plugs directly into the generator without the need of a connector .USFDA approved	5	Per pcs			
129	Ultrasonic Grey Handpiece - Lap Surgery	Ultrasonic Gray handpiece with tear drop connector that plugs directly into the generator without the need of a connector . USFDA approved .	5	Per pcs			
130	Specimen Retrival Pouch	4"x6" ENDOPOUCH Specimen Retrieval Bag, 224ml.USFDA APPROVED	10	Per pcs			
131	Bipolar cable	bipolar cable , should be comapatible with existing bipolar forceps and bipolar energy device, USFDA or European CE certified	20	Per pcs			
132	surgical skin marker with measuring tap of 15cm	surgical skin marker with measuring tap of 15cm, sterilied for surgical site marking	200	Per pcs			
133	Orthopedic under glove	Gamma Sterile 100% Powder free Surgical Gloves with Teal Green In color & must be Hydrasoft Coated with Glycerin & Dimethicone; Hydrasoft technology; Dermashield ;ART & SureFit Technology; Tested for Chemotherapy drugs in accordance with ASTM D6978 Must be Compatible with WHO's Viral Penetration Standards EN 374-5(VIRUS) SIZE-6.0, 6.5, 7, 7.5, 8 , 8.5	200	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
134	Orthopedic over glove	Gamma Sterile,100% Powder Free Orthopedic Gloves with Epoxy brown in color; - Cuff Thickness: >0.24 mm, Palm Thickness: > 0.30 mm, Finger Thickness: > 0.30 mm with Textured Fingers & Palm ;Sure-Fit; ART & Dermashield Technology Must be Compatible with WHO's Viral Penetration Standards EN 374-5(VIRUS)- Size 6,5, 7,7.5, 8,8.5	200	Per pcs			
135	Long Knee Brace	Long knee brace for knee immobilization(medium, large and extra large size)	100	Per pcs			
136	Shoulder immobilizer with arm pouch	Shoulder immobilizer with arm pouch(small , medium , large, extra large)	50	Per pcs			
137	foot drop splint with derotation boot	foot drop splint with derotation boot	40	Per pcs			
138	clinging roll	clinging roll(for extremity drapping)	40	Per pcs			
139	Distal Femur Megaprosthesis Fixed Hinge Joint	Titanium/ Stainless steel, sterile ,consists of Tibia Stem , Tibia Component - 55mm, 60mm, 65mm, 70mm Femur Component -Right - 45mm, 50mm Left - 45mm, 50mm ,Intramedullary stem USFDA OR CE CERTIFIED	20	Per pcs			
140	Distal Femur Megaprosthesis Rotating Hinge Joint	Titanium / Stainless Steel ,sterile , components :Tibia Stem Tibia Component 55mm, 60mm, 65mm, 70mm Femur Component Right - 45mm, 50mm Left - 45mm, 50mm Tibia Insert 55mm, 60mm, 65mm, 70mm ML and Thickness 10mm , Intramedullary stem USFDA OR CE CERTIFIED	20	Per pcs			
141	Proximal Femur Megaprosthesis	Titanium/ Stainless steel, sterile, Components: Half Cup Assembly (Bipolar Cup) 38mm(-3,0,+5), 40mm(-3,0,+5), 42mm(-3,0,+5), 44mm(-3,0,+5), 46mm(-3,0,+5) to 54mm Proximal Femur Component Intramedullary stem, USFDA OR CE CERTIFIED	5	Per pcs			
142	Total Femur Megaprosthesis	Titanium/ Stainless steel, sterile,, Components Half Cup Assembly (Bipolar Cup) 38mm(-3,0,+5), 40mm(-3,0,+5), 42mm(-3,0,+5), 44mm(-3,0,+5), 46mm(-3,0,+5) to 54mm Proximal Femur Component Tibia Stem Tibia Component 55mm, 60mm, 65mm, 70mm Femur Component Right - 45mm, 50mm Left - 45mm, 50mm Tibia Insert 55mm, 60mm, 65mm, 70mm ML and Thickness 10mm Intramedullary stem, USFDA OR CE CERTIFIED	5	Per pcs			
143	Compression Device Megaprosthesis	Titanium/ Stainless steel, sterile,, components: Uncemented stem: Compression Pins Tibia Stem Tibia Component 55mm, 60mm, 65mm, 70mm Femur Component Right - 45mm, 50mm Left - 45mm, 50mm Intramedullary stem , USFDA OR CE CERTIFIED	5	Per pcs			
144	Expandable Megaprosthesis	Titanium/ Stainless steel, sterile, Customised according to Size Femur, Tibia, Humerus, USFDA OR CE CERTIFIED	5	Per pcs			
145	C arm cover	C arm cover to cover IITV arms	50	Per pcs			
146	Indocyanine green	Indocyanine green 25 mg vial, Lyophilized sterile powder, with 10 ml sterile water, near infra red fluorescence spectrum	200	Per pcs			
147	Sterile grade talc powder	4 gm sterile grade talc powder vial, single use, for intrapleural use	20	Per pcs			
148	Hemostatic pelvic balloon catheter	Balloon tamponade catheter for management of bleeding in the pelvic cavity or used during pelvic surgeries like abdomino perineal resection, sterile, disposable, latex-free/medical grade silicone construction, high-volume balloon with filling capacity 300–750 mL, catheter size approximately 24 Fr, central drainage lumen for monitoring ongoing bleeding, separate inflation channel with one-way valve, radiopaque marker line, atraumatic smooth tip, compatible with saline inflation syringes, individually packed EO sterilized peel pack	30	Per pcs			
149	Zhermack Zetaplus Kit		5	Per pcs			
150	Non Perforated Tray		3	Per pcs			
151	Perforated Tray		3	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
152	Gc Type 9 Glass Ionomer Cement For Dentistry 15g Powder, 10ml Liquid, Mixing Pad Spoon		5	Per pcs			
153	Denttsplay Pro Taper Universal Rotary Files		20	Per pcs			
154	DiaDent Gutta Percha Point Paper Point		3	Per pcs			
155	DiaDent Gutta Percha Point 0.4		5	Per pcs			
156	DiaDent Gutta Percha Point 6%		5	Per pcs			
157	Etchant and Bonding Agent		10	Per pcs			
158	Shofu Composite Finishing and Polishing Kit		2	Per pcs			
159	Mani Stainless Steel Diamond Burs For Airotor Handpiece		20	Per pcs			
160	Luting Cement		5	Per pcs			
161	Alginate Polygene Powder		10	Per pcs			
162	Stone Plaster		10	Per pcs			
163	Prime Dental Paste Root Canal Filling Material Iodoform Compositon		5	Per pcs			
164	Mlabs Blue Dental Applicator Tips For Bonding Agent		1	Per pcs			
165	Dental Examination (PMT) Set		10	Per pcs			
166	Gc Fuji Ix Restorative Gc Cement		10	Per pcs			
167	Edita Root Canal Paste		5	Per pcs			
168	Tooth Preparation All Burs		20	Per pcs			
169	Trimming and Polishing Carbide Bur Kit For Denture		1	Per pcs			
170	Suction Tip		3	Per pcs			
171	Anti Fog Dental Mirror		10	Per pcs			
172	Periodontal Probe		1	Per pcs			
173	Nano Head Airotar		1	Per pcs			
174	Airotar With Light		5	Per pcs			
175	Micromotor		1	Per pcs			
176	Straight Handpiece		1	Per pcs			
177	Safeendo Bioactive Root Canal Sealer		10	Per pcs			
178	Endo Obturator Pen		1	Per pcs			
179	GDC Laxator – L3CA and L3C		1	Per pcs			
180	Oral Surgery Taller Taper Bur For Bone Guttering		1	Per pcs			
181	Woodpecker Apex Locator		1	Per pcs			
182	45 Degree Airotar		1	Per pcs			
183	Scaler Tips All		20	Per pcs			
184	Cotton Roll		1	Per pcs			
185	RVG Sensor Sleeve		10	Per pcs			
186	Gingival Cord		1	Per pcs			
187	Coletene Canal Pro Sodium Hypochlorite 3 %		1	Per pcs			
188	Coletene Canal Pro Sodium Hypochlorite 5.25 %		10	Per pcs			
189	GC Fugicem Gass Ionomer Cement		1	Per pcs			
190	M Espe Relyx Veneer Cement Translucent		2	Per pcs			
191	Periosteal Elevator		3	Per pcs			
192	Gas Blow Torch Big		3	Per pcs			
193	Gas Blow Torch Mini		3	Per pcs			
194	Composite flowable cement	for restoration	5	Per pcs			
195	fluoride disposable tray	to apply fluoride application	5	Per pcs			
196	Prime RC Solve	TO dissolve Gutta purcha	5	Per pcs			
197	Composite restoration instrument - GDC kit	For cemetation	2	Per pcs			
198	Waldent rubber dam kit	For isolation	1	Per pcs			
199	Dental Cheeck and lip retractor	for isolation	5	Per pcs			
200	Woodpecker endomotor	For root canal treatment	2	Per pcs			
201	V Loc 2-0	15cm	20	Per pcs			
202	Hysteroscopy tubing		10	Per pcs			
203	Veress Needle	12, 14	2	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
204	Amnealyte Solution IV Fluid	-	100	Per pcs			
205	LOOP ELETRODES (SNARE) ROUND 10X10MM	LENGTH 129MM	20	Per pcs			
206	LOOP ELETRODES (SNARE) ROUND 15X12MM LENGTH	LENGTH 125MM	10	Per pcs			
207	LOOP ELETRODES (SNARE) ROUND 20X15MM	LENGTH 130MM	20	Per pcs			
208	BALL ELETRODES STRIGHT 3MM	LENGTH 115MM	10	Per pcs			
209	BALL ELETRODES STRIGHT 5MM	LENGTH 115MM	10	Per pcs			
210	Keyes Punch Biopsy Forceps	-	1	Per pcs			
211	Blood Tubing	Adult	1000	Per pcs			
212	Transducer Protector		1000	Per pcs			
213	Dialyzer For Adult 1.3 M2		1000	Per pcs			
214	Dialyzer For Adult 1.4 M2		10	Per pcs			
215	Dialyzer For Adult 1.8 M2		5	Per pcs			
216	F4-Dialyser	Peadiatric	1	Per pcs			
217	F5-Dialyser	Peadiatric	1	Per pcs			
218	Blood Tubing	Peadiatric	2	Per pcs			
219	Bicarbonate type Acid Conc. Part - A		250	Per pcs			
220	Bicarbonate type Acid Conc. Part – A K+ Free		50	Per pcs			
221	Bicarbonate Cartiage Part – B SL Cart		600	Per pcs			
222	A.V Fistula – 16 G		10	Per pcs			
223	A.V Fistula – 17 G		10	Per pcs			
224	Citrosil 5 Ltr		24	Per pcs			
225	Arterial Catheter Kit	3Fr/20G 8cm length with straight tip guide wire	200	Per pcs			
226	Arterial Catheter Kit	5F/16G 15cm length	10	Per pcs			
227	Central venous catheter kit	Triple lumen 7 Fr	400	Per pcs			
228	Needle free connector with extension tube	15 cm triple lumen	700	Per pcs			
229	3 way stopcock with extensiontube	10 cm/7cm	1400	Per pcs			
230	50 cc syringe	with luer lock	140	Per pcs			
231	Yankauer suction set	-	20	Per pcs			
232	Endotracheal tube 7.5 mm	Cuffed with subglottic suction	20	Per pcs			
233	Tracheostomy tube 7.5 mm	Cuffed with subglottic suction	20	Per pcs			
234	Arterial Pressure Transducer Holder		6	Per pcs			
235	Pressure infusion bag	500 ml	6	Per pcs			
236	Clear Cold Cure (Acrelic)	400 gram	5	Per pcs			
237	Pink Cold Cure (Acrelic)	400 gram	5	Per pcs			
238	Monomer Liquid	400 ml	5	Per pcs			
239	Clear Heat Cure (Acrelic)	100 gram	5	Per pcs			
240	Monomer Liquid (heat Cure)	500 ml	2	Per pcs			
241	Gas Torch Bottle		5	Per pcs			
242	Plaster of Parish	3 Kg	20	Per pcs			
243	Wax Sheet		50	Per pcs			
244	MICRO MOTER BAR		20	Per pcs			
245	Gas Blow Torch Big		2	Per pcs			
246	Cold Moudl (sepreting midium)	1 liter	5	Per pcs			
247	Stone Plaster (gold yellow)	3 Kg	20	Per pcs			
248	alinate polygel powder	400 gram	3	Per pcs			
249	Impression Compound		20	Per pcs			
250	Polis Paper	Zero Number	50	Per pcs			
251	Dental (ortho Stainless Steel wire)		20	Per pcs			
252	Zhermack Zetaplus Kit		2	Per pcs			
253	Artificial Eyes		200	Per pcs			
254	Soft Liner		2	Per pcs			
255	Denatl Plaster Mixing Spatula		5	Per pcs			
256	Dental Mixing Boul		5	Per pcs			
257	Gi Dental Adams plier		2	Per pcs			
258	Gi Dental Auniiversal Plier		2	Per pcs			
259	Hard Wire Cutter		2	Per pcs			

GROUP- 18 Miscellaneous Hospital Goods

Sr. No.	Name of Items	Specifications	Approximate Two Yearly Total Requirement	Unit of Measurement (Per Pcs)	Packing Available	Brand Name	Mfg. Name
260	Plaster Cutter		2	Per pcs			
261	Topdent Wax Carver Set		2	Per pcs			
262	Cement Mixing Spatula		10	Per pcs			
263	Dental Wax Knife		5	Per pcs			
264	Acrylic mixing jar		5	Per pcs			
265	PLAIN CATHETER - 8	-	25800	Per pcs			
266	PLAIN CATHETER - 12	-	2200	Per pcs			
267	POLYPROPYLENE CAMERA COVER LENGTH 200 CENTIMETER (STERILE)	-	120	Per pcs			