

Name of work :-**M & R to Various Roads of R & B Division, Bhuj (Annual Rate Contract) (Providing Road Furniture work)****Bill of Quantity***Memorandum showing items of works to be carried out.*

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
1	1.00	Providing and fixing retro Reflective Engineering grade Board using C.R.C. (M.S.) Sheet 2mm, angle iron 75 x 75 x 6mm. Descaling and degreasing the board as per requirement using epoxyprimer epoxy paint and carrying retro reflective process by screen painting as directed etc. complete including transporting and fixing in C.C.1:4:8 with necessary excavation curing etc. complete as per I.R.C type design.(A) Engineer Grade	12676.47	Rupees Twelve Thousand Six Hundred Seventy Six And Paise Forty Seven Only	Sqm	12,676.47
2	1.00	Providing and fixing retro Reflective Hi Intensity Micro Prismatic Grade Board using 2mm Aluminum / 4mm ACP, angle iron 75 x 75 x 6mm. Descaling and degreasing the board as per requirement using epoxy reflective process by screen painting as directed etc. complete including transporting and fixing in C.C. 1:2:4 with necessary excavation curing etc. complete as per I.R.C. 67-2012 design. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (B)Class B Type-4(MDR/ODR) retro reflective sheeting	7610.66	Rupees Seven Thousand Six Hundred Ten And Paise Sixty Six Only	Sqm	7,610.66

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
3	1.00	Providing and fixing retro Reflective Prismatic grade Board using 2mm Aluminum / 4mm ACP, angle iron 75 x 75 x 6mm. Descaling and degreasing the board as per requirement using epoxyprimer epoxy paint and carrying retro reflective process by screen painting as directed etc. complete including transporting and fixing in C.C. 1:2:4 with necessary excavation curing etc. complete as per I.R.C 67-2012 design. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class -C Type-11(NH/SH) retro reflective sheeting	12310.89	Rupees Twelve Thousand Three Hundred Ten And Paise Eighty Nine Only	Each	12,310.89
4	1.00	Cautionary Warning Sign :- Providing and fixing sing boards made out of 2mm aluminium sheet; size 90 x 90 x 90 cms. equilateral triangle as per design of IRC-67-1977. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with retro reflectivesheeting as per latest M.O.S.T.Specifications; 3.1m long stand postand frame fabricated from suitable sizeiron angle of 35 x 35 x 3mm, 75 x 75 x 6mm as required; painted with bestquality epoxy coatings in black andwhite bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge.(A) Engineer Grade(VR)	3808.66	Rupees Three Thousand Eight Hundred Eight And Paise Sixty Six Only	No	3,808.66

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
5	1.00	Cautionary Warning Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	3906.19	Rupees Three Thousand Nine Hundred Six And Paise Nineteen Only	No	3,906.19
6	1.00	Cautionary Warning Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty	5077.27	Rupees Five Thousand Seventy Seven And Paise Twenty Seven Only	Each	5,077.27

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
7	1.00	Informatory Signs :-Providing and fixing sing boards made out of 2mm aluminium sheet; size 80 x 60cms. rectangle as per the design of IRC-67-1977 pre treated with phospheting process & acid teching; coated with one coat of epoxyprimer and two coats of best qualityepoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand postand frame fabricated from suitable sizeiron angle of 35 x 35 x 3mm75x75x6mm as required; painted with best qualityepoxy coatings in black and whitebends. the details of symbol for eachboard shall details of symbol for eachboard shall be as per the instruction ofengineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x45 x 60cms. for each leg. including excavation curing tec. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3856.90	Rupees Three Thousand Eight Hundred Fifty Six And Paise Ninety Only	No	3,856.90
8	1.00	Facility Informatory Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 80 x 60 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	3990.64	Rupees Three Thousand Nine Hundred Ninety And Paise Sixty Four Only	No	3,990.64

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
9	1.00	Facility Informatory Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 80 x 60 cms rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	5906.48	Rupees Five Thousand Nine Hundred Six And Paise Forty Eight Only	Each	5,906.48
10	1.00	Regulatory/Mandatory signs :Providing and fixing sing boards made out of 2mm aluminium sheet; size 60cms. diameter circle as per the design of IRC-67-1977 pre treated with phospheting process & acid eteching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3439.81	Rupees Three Thousand Four Hundred Thirty Nine And Paise Eighty One Only	No	3,439.81

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
11	1.00	Regulatory / Mandatory Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 60 cms. Dia Circle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	3540.12	Rupees Three Thousand Five Hundred Forty And Paise Twelve Only	No	3,540.12
12	1.00	Regulatory / Mandatory Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 60 cms Dia Circle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	4618.73	Rupees Four Thousand Six Hundred Eighteen And Paise Seventy Three Only	Each	4,618.73

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
13	1.00	STOP SIGN:-Providing and fixing sing boards made out of 2mm aluminium sheet; size 90 x 90cms. rectangle as per the design of IRC-67-1977 pre treated with phospheting process & acid teching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing tec. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	4676.06	Rupees Four Thousand Six Hundred Seventy Six And Paise Six Only	No	4,676.06
14	1.00	STOP Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 cms. Octagonal as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	6704.36	Rupees Six Thousand Seven Hundred Four And Paise Thirty Six Only	No	6,704.36

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
15	1.00	STOP Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 cms Octagone as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years for the Retro reflective	7213.42	Rupees Seven Thousand Two Hundred Thirteen And Paise Forty Two Only	Each	7,213.42
16	1.00	Parking Signs :-Providing and fixing sing boards made out of 2mm aluminium sheet; size 60 x 60cms. sequare plus 60 x 20cms rectangular additional plate as as per the design of IRC-67-1977 pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	4261.07	Rupees Four Thousand Two Hundred Sixty One And Paise Seven Only	No	4,261.07

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
17	1.00	Parking Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size size 60 x 60cms. square plus 60 x 20cms rectangular additional plate as as per the design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	4394.82	Rupees Four Thousand Three Hundred Ninety Four And Paise Eighty Two Only	No	4,394.82
18	1.00	Parking Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size size 60 x 60cms. square plus 60 x 20cms rectangular additional plate as as per the design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	5906.48	Rupees Five Thousand Nine Hundred Six And Paise Forty Eight Only	Each	5,906.48

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
19	1.00	Give Way Sign :-Providing and fixing sing boards made out of 2mm aluminium sheet; size 90 x 90 x 90cms. equiletral tringle (inverted) as as per the design of IRC-67-1977 pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3808.66	Rupees Three Thousand Eight Hundred Eight And Paise Sixty Six Only	No	3,808.66
20	1.00	Give Way Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	3906.19	Rupees Three Thousand Nine Hundred Six And Paise Nineteen Only	No	3,906.19

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
21	1.00	Give Way Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	5077.27	Rupees Five Thousand Seventy Seven And Paise Twenty Seven Only	Each	5,077.27
22	1.00	Direction sign (Junction board):- Providing and fixing sing boards made out of 2mm aluminium sheet; size 244 x 122cms. rectangle as as per the design of IRC-67-1977 pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame fabricated from suitable size iron angle of 50 x 50 x 5mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	14831.71	Rupees Fourteen Thousand Eight Hundred Thirty One And Paise Seventy One Only	No	14,831.71

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
23	1.00	Direction (Junction) Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 244x122 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr (2 Nos.) long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50x50x5mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer	21287.51	Rupees Twenty One Thousand Two Hundred Eighty Seven And Paise Fifty One Only	No	21,287.51
24	1.00	Direction (Junction) Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 244x122 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr long (2 Nos.) stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	26572.09	Rupees Twenty Six Thousand Five Hundred Seventy Two And Paise Nine Only	Each	26,572.09

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
25	1.00	Distance Informatory/ Destubatuib sign :Providing and fixing sing boards made out of 2mm aluminium sheet; size 180 x 120cms. rectangle as as per the design of IRC-67-1977 pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame fabricated from suitable size iron angle of 50 x 50 x 5mm 75 x 75 x 6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge (A) Engineer Grade(VR)	10926.57	Rupees Ten Thousand Nine Hundred Twenty Six And Paise Fifty Seven Only	No	10,926.57
26	1.00	Distance Informatory / Destination Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x120 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr (2 Nos.) long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	18254.19	Rupees Eighteen Thousand Two Hundred Fifty Four And Paise Nineteen Only	No	18,254.19

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
27	1.00	Distance Informatory / Destination Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x120 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr long (2 Nos.) stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	20918.11	Rupees Twenty Thousand Nine Hundred Eighteen And Paise Eleven Only	Each	20,918.11
28	1.00	Place ideatification sign :-Providing and fixing sing boards made out of 2mm aluminium sheet; size 150 x 90cms. rectangle as as per the design of IRC-67-1977 pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame fabricated from suitable size iron angle of 50x50x5mm 75x75x6mm as required; painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	9390.66	Rupees Nine Thousand Three Hundred Ninety And Paise Sixty Six Only	No	9,390.66

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
29	1.00	Place Identification Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 150x90 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr (2 Nos.) long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	12341.52	Rupees Twelve Thousand Three Hundred Forty One And Paise Fifty Two Only	No	12,341.52
30	1.00	Place Identification Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 150x90 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4.0mtr long (2 Nos.) stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	14085.46	Rupees Fourteen Thousand Eighty Five And Paise Forty Six Only	Each	14,085.46

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
31	1.00	Village name/ Bump Ahead sign :- Providing and fixing sign boards made out of 2mm aluminium sheet; size 90 x 60cms. rectangle as per the design of IRC-67-1977 pre treated with phosphating process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame fabricated from suitable size iron angle of 50 x 50 x 5mm painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	5045.36	Rupees Five Thousand Forty Five And Paise Thirty Six Only	No	5,045.36
32	1.00	Village name Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90x60 cms. rectangular as per design of IRC-67-2012. Pre treated with phosphating process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer	6397.43	Rupees Six Thousand Three Hundred Ninety Seven And Paise Forty Three Only	No	6,397.43

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
33	1.00	Village Name Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90x60 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol or inscription/letters / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A	6313.51	Rupees Six Thousand Three Hundred Thirteen And Paise Fifty One Only	Each	6,313.51
34	1.00	Hazard Marker Sign :-Providing and fixing sing boards made out of 2mm aluminium sheet; size 90 x 30cms. rectangle as as per the design/drawing attached (IRC) pretreated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.1m long stand post and frame fabricated from suitable size iron angle of 35 x 35 x 3mm & 50 x 50 x 5mm painted with best quality epoxy coatings The fixing at site shall be in 1:2:4 CC block of size 45x45x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	2423.74	Rupees Two Thousand Four Hundred Twenty Three And Paise Seventy Four Only	No	2,423.74

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
35	1.00	Hazard Marker Sign :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 90x30 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 1.8mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	3518.69	Rupees Three Thousand Five Hundred Eighteen And Paise Sixty Nine Only	No	3,518.69
36	1.00	Hazard Marker Sign :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 90x30 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 1.8mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years for the Retro reflective	3666.30	Rupees Three Thousand Six Hundred Sixty Six And Paise Thirty Only	Each	3,666.30

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
37	1.00	Sign Board per square Meter :- Providing and fixing sing boards made out of 2mm aluminium sheet; size 1 Meter x 1 Meter as as per the design given by engineer in charge pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame may be fabricated either from suitable size iron angle of 35 x 35x 3mm & 50 x 50 x 5mm & 75 x 75 x 6mm as required painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge (A) Engineer Grade(VR)	7615.38	Rupees Seven Thousand Six Hundred Fifteen And Paise Thirty Eight Only	No	7,615.38
38	1.00	Sign board per Square Meter :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 1 meter x 1meter as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4 mtr long stand post (2 Nos.) of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50x50x5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	7894.02	Rupees Seven Thousand Eight Hundred Ninety Four And Paise Two Only	No	7,894.02

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
39	1.00	Sign board per Squate Meter :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 1meter x1 meter as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4 mtr long stand post (2 Nos.) of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge.The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	12310.89	Rupees Twelve Thousand Three Hundred Ten And Paise Eighty Nine Only	Each	12,310.89
40	1.00	Men at work (Heavy) sign :- Providing and fixing sing boards made out of 2mm aluminium sheet; size 120 x 90cms. rectangle as as per the attached drawing. pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968, 3.1m long (2 nos) stand post and frame fabricated from suitable size iron angle of 50 x 50 x 5mm painted with best quality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	6141.20	Rupees Six Thousand One Hundred Forty One And Paise Twenty Only	No	6,141.20

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
41	1.00	Men at work (Heavy) sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 120cm x 90cm as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6 mtr long stand post (2 Nos.) of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50x50x5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	9148.16	Rupees Nine Thousand One Hundred Forty Eight And Paise Sixteen Only	No	9,148.16
42	1.00	Men at work (Heavy) sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 120cm x90cm rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6 mtr long stand post (2 Nos.) of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge.The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	12211.91	Rupees Twelve Thousand Two Hundred Eleven And Paise Ninety One Only	Each	12,211.91

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
43	1.00	Men at work (2' x 2') sign :- Providing and fixing sing boards made out of 2mm aluminium sheet; size 60 x 60cms. equare as as per the attached drawing. pretreated with phospheting process & acid etching coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; 3.10m long stand post and frame febricated from iron angele of 35 x 35 x3mm and 50 x50x5mm as required . Painted with best quality epoxy coatings in black and white bends. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60cms. for each leg. including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3534.54	Rupees Three Thousand Five Hundred Thirty Four And Paise Fifty Four Only	No	3,534.54
44	1.00	Men at work (2' x 2') sign :- Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60cmx60cm as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50x50x5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	3634.85	Rupees Three Thousand Six Hundred Thirty Four And Paise Eighty Five Only	No	3,634.85

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
45	1.00	Men at work (2' x 2') sign :- Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP(Aluminum composite Panel); size 60cm x 60cm square as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge.The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	4962.13	Rupees Four Thousand Nine Hundred Sixty Two And Paise Thirteen Only	Each	4,962.13
46	1.00	Men at work (Folding) sign :- Providing and fixing sing boards made out of 2mm aluminium sheet; size 60 x 60x 60 cms. equilateral as as per the attached drawing. pre treated with phospheting process & acid etching coated with one coat of epoxy primer and two coats of best quality epoxy paint; reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; stand post and frame febricated as per attached drawing painted with best quality epoxy coatings The details of symbol or in inscription or numerals as per attached drawing(A) Engineer Grade(VR)...	1018.59	Rupees One Thousand Eighteen And Paise Fifty Nine Only	No	1,018.59

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
47	1.00	Men at work (Folding) sign :- Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x60x60cm equilateral Triangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35x35x3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report	1461.91	Rupees One Thousand Four Hundred Sixty One And Paise Ninety One Only	No	1,461.91
48	1.00	Men at work (Folding) sign :- Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x60 x 60cm equilateral triangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third	3507.73	Rupees Three Thousand Five Hundred Seven And Paise Seventy Three Only	Each	3,507.73

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
49	1.00	Tree guard sign :-Providing & fixing sign board made out of 2mm aluminium sheet, size 30cms diameter circle, pretreated with phosphating process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications (As per attached drawing)(A) Engineer Grade(VR)...	516.22	Rupees Five Hundred Sixteen And Paise Twenty Two Only	No	516.22
50	1.00	Tree Guard sign :-Providing & fixing sign board made out of 2mm aluminium sheet / 3mm ACP (Aluminum composite Panel) ,size 30cms diameter circle, pretreated with phosphating process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (B) Class-B Type-4 Retro Reflective sheeting	590.98	Rupees Five Hundred Ninety And Paise Ninety Eight Only	No	590.98

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
51	1.00	Tree Guard sign :-Providing & fixing sign board made out of 2mm aluminium sheet / 3mm ACP (Aluminum composite Panel) , size 30cms diameter circle, pretreated with phospheting process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class-C Type-11 Retro Reflective sheeting	531.26	Rupees Five Hundred Thirty One And Paise Twenty Six Only	Each	531.26
52	1.00	Route marker sign :-Providing & fixing sign boards made out of 2mm aluminium sheet, size 60x45cms. rectangle plus 30x25cms additional plate as per the attached drawing (IRC) pre treated with phospheting process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro sheeting as per latest M.O.S.T. Specifications ; 3.1m long stand post and frame fabricated from iron angle of 35 x 35 x 3mm , 75x75x6mm as required, painted with best quality epoxy coating in black and white bends The details of numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms. for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3744.68	Rupees Three Thousand Seven Hundred Forty Four And Paise Sixty Eight Only	No	3,744.68

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
53	1.00	Route Marker sign :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x45cm rectangular plus 30x25cm additional plate as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35x35x3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	3842.20	Rupees Three Thousand Eight Hundred Forty Two And Paise Twenty Only	No	3,842.20
54	1.00	Route Marker sign :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x45 cm rectangular plus 30x25cm additional plate as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge.The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc complete	5108.58	Rupees Five Thousand One Hundred Eight And Paise Fifty Eight Only	Each	5,108.58

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
55	1.00	Danger Plate Sign :-Providing & fixing sign board made out of 2mm aluminium sheet, size 30cms diameter circle, pretreated with phosphating process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications (As per attached drawing)(A) Engineer Grade(VR)...	516.22	Rupees Five Hundred Sixteen And Paise Twenty Two Only	No	516.22
56	1.00	Danger Plate sign :-Providing & fixing sign board made out of 2.0 mm aluminium sheet / 4 mm ACP (aluminum Composite Panel), size 30cms diameter circle, pretreated with phosphating process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class-B Type-4 Retro Reflective sheeting	590.98	Rupees Five Hundred Ninety And Paise Ninety Eight Only	No	590.98

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
57	1.00	Danger Plate :-Providing & fixing sign board made out of 2.0 mm aluminium sheet / 4 mm ACP (aluminum Composite Panel), size 30cms diameter circle, pretreated with phosphating process and acid etching, painted with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. specifications. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class-C Type-11 Retro Reflective sheeting	531.26	Rupees Five Hundred Thirty One And Paise Twenty Six Only	Each	531.26
58	1.00	Railway crossing sign:Providing & Fixing sign boards made out of 2mm aluminium sheet, size 90x90x90cms. triangle plus 90 x 30cms additional plate as per the attached drawing (IRC) pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro sheeting as per latest M.O.S.T. Specifications 3.1. long stand post and frame fabricated from iron angle of 35 x 35 x 3mm , 75 x 75 x 6mm as required painted with best quality epoxy coatings in black and white bends. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60 cms for each leg. including excavation curing etc. complete the supervision of engineer in charge.(A) Engineer Grade(VR)...	5173.35	Rupees Five Thousand One Hundred Seventy Three And Paise Thirty Five Only	No	5,173.35

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
59	1.00	Railway crossing sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle plus 90x30cm additional plate as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	5346.11	Rupees Five Thousand Three Hundred Forty Six And Paise Eleven Only	No	5,346.11
60	1.00	Railway crossing sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 90 x 90 x 90 cms. equilateral triangle plus 90x30cm additional plate as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.6mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	7076.06	Rupees Seven Thousand Seventy Six And Paise Six Only	Each	7,076.06

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
61	1.00	Four/Two lane Ahead sign :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 120 x 120 cms square plus 120 x 60cms additional plate as per the attached drawing pre treated with phosphetingg process & acid etching. coated with one coat of epoxy priemr and two coats of best quality epoxy paint reflectorised with retro sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968,3.1m long (2nos) stand post and frame fabricated either from iron angle of 50x50x5mm, 75x75x6mm as required, painted with best quality epoxy coating in black and white bends The fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	11494.32	Rupees Eleven Thousand Four Hundred Ninety Four And Paise Thirty Two Only	No	11,494.32
62	1.00	Four (Two) LANE Ahead Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 120x120 cms. square plus 120x60cm additonal plate as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4 mtr long stand post (2 Nos.) of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation curing etc complete	17946.02	Rupees Seventeen Thousand Nine Hundred Forty Six And Paise Two Only	No	17,946.02

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
63	1.00	Four (Two) Lane Ahead Sign :- Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 120x120 cms. square plus 120x60 cm additional plate as per design of IRC-67-2012. Pre treated with phosphating process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 4 mtr long stand post (2 Nos.) of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	20052.54	Rupees Twenty Thousand Fifty Two And Paise Fifty Four Only	Each	20,052.54
64	1.00	Diversion sing board :-Providing & Fixing sign boards made out of 2mm aluminium sheet, size 180 x 60 cms. rectangle as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy priemr and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. Specifications; Letters and numerals should be as per IRC-30-1968,3.1m long (2nos) stand post and frame fabricated from iron angle of 35x35x3mm, 50x50x5mm painted with best quality epoxy coatings in blak and white bends. The fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	6798.92	Rupees Six Thousand Seven Hundred Ninety Eight And Paise Ninety Two Only	No	6,798.92

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
65	1.00	Diversion Ahead Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x60 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.1 mtr long stand post (2 Nos.) of Iron Angle 50 x 50 x 5mm / 50NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	9867.07	Rupees Nine Thousand Eight Hundred Sixty Seven And Paise Seven Only	No	9,867.07
66	1.00	Diversion Ahead Sign :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x60 cms. rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.1 mtr long stand post (2 Nos.) of 50 x 50 x 5mm / 50NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	10671.66	Rupees Ten Thousand Six Hundred Seventy One And Paise Sixty Six Only	Each	10,671.66

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
67	1.00	Kerb guard sign board (small) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 240 x 30 cms in U shape; as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro sheeting as per latest M.O.S.T. Specifications; stand post and frame fabricated from iron angle of 50x50x5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	5622.54	Rupees Five Thousand Six Hundred Twenty Two And Paise Fifty Four Only	No	5,622.54
68	1.00	Kerb guard sign board (small) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 240 x 30 cms in U shape; as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; stand post and frame fabricated from iron angle of 50x50x5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted	6973.01	Rupees Six Thousand Nine Hundred Seventy Three And Paise One Only	No	6,973.01

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
69	1.00	Kerb guard sign board (small) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 240 x 30 cms in U shape; as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with Micro Prismatic Grade retro reflective sheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T. Specifications; stand post and frame fabricated from iron angle of 50x50x5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class-C Type-11	7480.06	Rupees Seven Thousand Four Hundred Eighty And Paise Six Only	Each	7,480.06
70	1.00	Kerb guard sign board (Big) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 732 x 30 cms in U shape; as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. 3.1m long ; Stand post and frame fabricated from iron angle of 50 x 50 x 5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	10889.02	Rupees Ten Thousand Eight Hundred Eighty Nine And Paise Two Only	No	10,889.02

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
71	1.00	Kerb guard sign board (Big) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 732 x 30 cms in Uspape; as per the attached drawing pretreated with phospheting process & acid etching. coated with one coat of epoxy priemr and two coats of best quality epoxy paint reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; Stand post and frame fabricated from iron angle of 50 x50 x 5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge. A warranty for 7 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted.	17770.28	Rupees Seventeen Thousand Seven Hundred Seventy And Paise Twenty Eight Only	No	17,770.28
72	1.00	Kerb guard sign board (Big) :- Providing & Fixing sign boards made out of 2mm aluminium sheet, size 732 x 30 cms in Uspape; as per the attached drawing pretreated with phospheting process & acid etching. coated with one coat of epoxy priemr and two coats of best quality epoxy paint reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications ; Stand post and frame fabricated from iron angle of 50 x50 x 5mm, 10mm sq. bar as required, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge. A warranty for 10 years for the Retro reflective sheeting from original manufacturer & a certified copy of 3 year outdoor exposure test report from third party test lab for the product offered shall be submitted by contractor. (A) Class-C Type-11	19113.24	Rupees Nineteen Thousand One Hundred Thirteen And Paise Twenty Four Only	Each	19,113.24

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
73	1.00	Around the Island/road direction sign board (Big) :-Providing & Fixing sign boards made out of 2mm aluminium sheet, size 180 x 60 cms rectangle as per the attached drawing pre treated with phosphating process & acid etching. coated with one coat of epoxy primer and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. 3.1m long (2nos) stand post and frame fabricated from iron angle of 50x50x5mm, painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	6798.92	Rupees Six Thousand Seven Hundred Ninety Eight And Paise Ninety Two Only	No	6,798.92
74	1.00	Around the Island / Road Direction Sign (Big) :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x60 cms. as per design of IRC-67-2012. Pre treated with phosphating process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC block of size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer	9585.24	Rupees Nine Thousand Five Hundred Eighty Five And Paise Twenty Four Only	No	9,585.24

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
75	1.00	Around the Island / road Direction Sign board (Big) :-Providing and fixing sign boards made out of 2mm aluminium sheet / 4mm ACP (Aluminum composite Panel); size 180x60 cms. as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	8272.91	Rupees Eight Thousand Two Hundred Seventy Two And Paise Ninety One Only	Each	8,272.91
76	1.00	Around the Island/road direction sign board (Small) :-Providing & Fixing sign boards made out of 2mm aluminium sheet, size 60 x 60 cms square, as per the attached drawing pre treated with phospheting process & acid etching. coated with one coat of epoxy priemr and two coats of best quality epoxy paint reflectorised with retro reflective sheeting as per latest M.O.S.T. 3.1m long (2nos) stand post and frame fabricated from iron angle of 35x35x3mm, & 50 x 50x 5mm as required painted with best quality epoxy coating the fixing at site shall be in 1:2:4 CC block of size 45 x 45x 60cms for each leg, including excavation curing etc. complete under the supervision of engineer in charge.(A) Engineer Grade(VR)...	3484.78	Rupees Three Thousand Four Hundred Eighty Four And Paise Seventy Eight Only	No	3,484.78

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
77	1.00	Around the Island / Road Direction Sign (Small) :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x60 cms. as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc complete under the	3585.10	Rupees Three Thousand Five Hundred Eighty Five And Paise Ten Only	No	3,585.10
78	1.00	Around the Island / road Direction Sign board (Small) :-Providing and fixing sign boards made out of 2.0 mm aluminium sheet / 4 mm ACP (Aluminum composite Panel); size 60x60 cms. as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35 x 35 x 3mm; painted with bestquality epoxy coatings in black and white bends. The details of symbol foreach board shall be as per theinstruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer	5102.52	Rupees Five Thousand One Hundred Two And Paise Fifty Two Only	Each	5,102.52

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
79	1.00	Road marking with hot applied thermoplastic paints with reflectorising glass beads on bitumin surface providing and laying a hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250gms per sqm area, thickness of 2.5mm is excluding of surface applied glass beds as per IRC:35-2015. The finished surface to be level, uniform and free from streaks and holes. zebra patta /bump patta lane/center line/ edge line/cut patta. The white color marking should provide liminance coefficinet on cemend road shall be min 130 mcd/m2/lux and Asphalt road shall be min 100 mcd/m2/lux during the service life during the day time. The marking should meet the performance criteria for night time reflectivity, wet reflectivity and skid resistance as mentioned in the section-15 of IRC 35-2015. Warranty for the Retro reflectivity should be two years.	367.72	Rupees Three Hundred Sixty Seven And Paise Seventy Two Only	Sqm	367.72
80	1.00	Cat Eye / Road Stud / RPM: Supplying Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with Micro prismatic lens (No Glass bead lens) capable of providing total internal reflection of the light entering the lens face and shall support a load of 13635 kgs. tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97 D DO III Dt 11.06. 1997. The height, width and length shall not exceed 20 mm, 130 mm and 130 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35 +/- 5 degree. The body of the marker should having finger grip for easy and accurate placement and application with epoxy / bituminous Adhesive as recommended by the manufacturer of the marker. The color of the marker should be as per the IRC 35-2015 and as directed by Engineer-in-charge	217.40	Rupees Two Hundred Seventeen And Paise Forty Only	No.	217.40

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
81	1.00	Cat Eye / Road Stud / RPM: Supplying of Molded Twin Shanks Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 13635 kgs. tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97 DO III Dt 11.06. 1997. The height, width and length shall not exceed 20 mm, 130 mm and 130 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35 +/- 5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 500 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside without nails and using	326.23	Rupees Three Hundred Twenty Six And Paise Twenty Three Only	Each	326.23
82	1.00	Supplying and fixing cat eye (Stimsonite) made out from Acrilo beaultile sterine injuction high compressed molding with reflector made of MMC (prismatic type of size 12cm x 6cm x 2.5cm) provided with bituminous adhesive 100g. with each unit for fixing. (High Intensity grade)	375.72	Rupees Three Hundred Seventy Five And Paise Seventy Two Only	No.	375.72

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
83	1.00	Flexible Median Marker : Providing and Fixing of Flexible Median Marker that are made of tough, high impact resistant, injection-molded, thermoplastic body with property of flexibility to provide high durability. The dimension of Flexible Median Marker should not exceed 18.4 cm in height(including shank height),12.5 Cm in width. ,0.65 cm in thickness and shank depth shall be 3.4 cm The body structure shall be rounded at all its corners and edges. The plastic used for molding the Flexible Median Marker should survive impact load of 5kg continuously for 750 times at room temperature. The logo of the manufacturer shall be embossed on either side of the body in the injection molding process. The Median Marker shall have flame like shaped body with, fluorescent yellow color retro-reflective sheeting of size not less than 90 Cm square, with fully reflective micro prismatic cube corners as its retro-reflective elements as per IRC 67 2012 and	271.69	Rupees Two Hundred Seventy One And Paise Sixty Nine Only	Each	271.69
84	1.00	AFP (Aluminum Backed Flexible Prismatic): Providing and fixing Aluminum backed flexible prismatic sheeting , consisting of yellow/black colored flexible prismatic sheet with non-mettalic prismatic lens as retro reflective elements and confirming to ASTM D4946 Type VI specifications for reboundable retro reflective sheeting. This flexible prismatic sheeting shall be of 30cm width and laminated at the back with a 50 micron Aluminum (Al) foil with pressure sensitive adhesive and liner. Further, this flexible prismatic sheeting shall have screen printed arrow/slant line pattern in black color in a continuous roll format. The AFP sheeting, with the liner removed, shall be applied with a neoprene contact adhesive with a Polychloroprene as base, viscosity of 200-450 cps and solid content of 20-30%. Once applied, the edges of the product shall be sealed all around with a two-part epoxy based structural adhesive and shall be	6375.12	Rupees Six Thousand Three Hundred Seventy Five And Paise Twelve Only	Each	6,375.12

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
85	1.00	Standard Delineator: Providing and fixing of Standard Metal Delineator consisting of minimum retro reflective unit exposed area of 330 cm ² white color, full cube corner micro prismatic non-metallic retro reflective sheeting on each side conforming with IRC 67 2012 and meeting the coefficient of retro reflection values as per ASTM D 4956 Type XI table specification. The delineator shall be painted with powder coat of minimum 40 microns thickness, on top of which retro reflective sheeting shall be pasted on both sides. The structure shall be manufactured in roll forming process and shall have height not less than 800 mm above the ground, width not less than 100 mm and shall extend not more than 300mm below the ground while being installed. height of sheeting should be minimum 150mm whereas width of sheeting should not be less than 75mm (should be placed every alternative 15cm). The front and back faces of the delineator should be curved.	1027.17	Rupees One Thousand Twenty Seven And Paise Seventeen Only	Each	1,027.17
86	1.00	Solar Stud: Supplying of Solar Raised Pavement Markers made of polycarbonate molded body with circular shape, solar powered, LED self illumination in active mode, 360 degree illumination and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face in passive mode. The marker shall support a load of 20000 kg tested in accordance to ASTM D 4280. The marker should be resistant to dust and water ingress according to IP 65 standards and should withstand temperatures in the range of 0 C to 70 C. Color of lighting could be provided in red or yellow (amber) as per requirement and typical frequency of blinking is 1 Hz. There should be current losses of less than 20 micro-amperes at 2.4 V in sleep-charging mode to enhance the life of the marker and a full charge should provide for a minimum autonomy of 50 hours. The height, width and length of the marker shall not be less than 10	2088.68	Rupees Two Thousand Eighty Eight And Paise Sixty Eight Only	Each	2,088.68

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
87	1.00	Providing and laying of Plastirib - T or equivalent raised profile edge line marking (audible warning) with hot applied thermoplastic road marking compound according to IRC 35 - 2015, Clause 7.7, with 2mm thick base coat layer above that ribs profile size of length 40mm X width 140mm X Height 6 mm thick (Total 8 mm thick) at the distance of 250 mm between two ribs including reflectorizing glass beads @ 250 gm/ sq.mt area. The maximum width of raised profile should be 150 mm. The thickness of 8 mm profile should be exclusive of surface applied glass beads. The finished surface to be levelled, uniform and free from streaks and holes, to be applied on edge lines. The profile marking should be mark basic line and raise line at a time simultaneously.	917.08	Rupees Nine Hundred Seventeen And Paise Eight Only	Each	917.08
88	1.00	Providing and laying of Plastirib - T or equivalent raised profile edge line marking (audible warning) with hot applied thermoplastic road marking compound according to IRC 35 - 2015, Clause 7.7, with 2mm thick base coat layer above that ribs profile size of length 40mm X width 140mm X Height 6 mm thick (Total 8 mm thick) at the distance of 500 mm between two ribs including reflectorizing glass beads @ 250 gm/ sq.mt area. The minimum and maximum width of raised profile should be 150 mm. The thickness of 8 mm profile should be exclusive of surface applied glass beads. The finished surface to be levelled, uniform and free from streaks and holes, to be applied on edge lines. The profile marking should be mark basic line and raise line at a time simultaneously.	827.19	Rupees Eight Hundred Twenty Seven And Paise Nineteen Only	Each	827.19

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
89	1.00	Chevron sign :-Providing and fixing sign boards made out of 1.5mm aluminium sheet / 3mm ACP (Aluminum composite Panel); size 60x50 cm as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ;reflectorised with Micro Prismatic Grade retro reflectivesheeting of Type-11 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 50 x 50 x 5mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge.The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg.including excavation, curing etc.complete under the supervision of engineer in charge. A warranty for 10 years	4681.35	Rupees Four Thousand Six Hundred Eighty One And Paise Thirty Five Only	Each	4,681.35
90	1.00	Chevron sign :-Providing and fixing sign boards made out of 1.5mm aluminium sheet / 3mm ACP (Aluminum composite Panel); size 60x50cm rectangular as per design of IRC-67-2012. Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 3.3 mtr long stand post of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required and frame fabricated from suitable size iron angle of 35x35x3mm; painted with bestquality epoxy coatings in black and white bends. the details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	3711.75	Rupees Three Thousand Seven Hundred Eleven And Paise Seventy Five Only	Each	3,711.75

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
91	1.00	Supplying of solar road stud (Solar k tie) construction aluminium alloy steel 100 dc water proof design conform to IP67 Dimension 140 mm x 128mm x 82mm + 1mm height of shank + 54mm +0.5 mm diameter of shank 42.5 mm + 0.5 mm plastic unbreakable, scratch, resistant poly carbonate for maintenance free operation solar panel high efficiency mono-crystalline 3v/50 mAh Battery XTSRS.01. XTSRS.02. Super capacitor 2.7 v/22 of Six super bright LED with 18000 mod view distance up to 800 meters flash rate 1H2 according to customers requirement resist compression can take the load of 25 tons vehicle color red and yellow working time 80 to 100 hours continuously after the battery is fully charged and complete fixing will be drilling holes on the road for the shank to go inside with out nails and using epoxy resin based adhesive per manufactures recommendation and complete as directed by the Engineer	1692.76	Rupees One Thousand Six Hundred Ninety Two And Paise Seventy Six Only	Each	1,692.76
92	1.00	Type - A, "W" : Metal Beam Crash Barrier (Providing and erecting a "W" metal beam crash barrier comprising of 3 mm thick corrugated sheet metal beam rail, 70 cm above road/ground level, fixed on ISMC series channel vertical post, 150 x 75 x 5 mm spaced 2 m centre to centre, 1.8 m high, 1.1 m below ground/road level, all steel parts and fitments to be galvanised by hot dip process, all fittings to conform to IS:1367 and IS:1364, metal beam rail to be fixed on the vertical post with a spacer of channel section 150 x 75 x 5 mm, 330 mm long complete as per clause 811)	3508.74	Rupees Three Thousand Five Hundred Eight And Paise Seventy Four Only	Rmt	3,508.74

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
93	1.00	Providing and erecting a Road Restraint System -Roller System Barrier ETI Raller System H1 & H2 comprising of post of hot dip galvanized steel of 139.8 mm diameter (L-2200 and L-750) thickness 4.5 mm spaced with interval of 1 meter installed into hardened road. Safet frame rail from sheet of 3.2 mm thick are fixed to main posts, shock absorbing rallers 345 mm diameter and 430 mm height made of polypropylene - EVA, post caps, locker pipes and connection material. Distance between main past and short post shall be 500 mm and the height of upper edge rail is 960 mm. All steel parts (FRAME S235JR equivalent SS400) and post S235JR shall be hot dip galvanized against corrosion. The system shall be installed after Road Safety Survey, Liasoning for reports, Pre & Post Assessment & Installation report in accordance with the design & drawings and assembly instructions etc complete	87500.76	Rupees Eighty Seven Thousand Five Hundred And Paise Seventy Six Only	meter	87,500.76
94	1.00	Providing and fixing Height Restriction Barrier (HRB) consisting of MS structural steel frame forming portal type gantry across the carriageway, designed to restrict movement of over-height vehicles, having clear height for 2.75m, complete with vertical posts, horizontal cross beam, bracings, base plates, anchor bolts, and foundations in PCC & RCC, fabricated, erected, painted with approved primer and two coats of synthetic enamel paint, provided with retro-reflective sheeting, hazard markings, and height restriction signage conforming to IRC:67, including all materials, labour, tools, traffic safety measures, testing and commissioning, complete as per MoRTH Specifications (Section 800) and relevant IRC guidelines, to the satisfaction of the Engineer-in-Charge. For Clear Width upto 8.0m.	474654.98	Rupees Four Lakh(s) Seventy Four Thousand Six Hundred Fifty Four And Paise Ninety Eight Only	Nos	4,74,654.98

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
95	1.00	Providing & Supplying New Jersey type Precast M25 grade concrete and min 15 kg reinforcement in each crash barrier of size having 0.25 smt cross sectional area and 1.0 m length with lifting provision and making one coat primer and two coats of reflective paints etc complete.	3497.09	Rupees Three Thousand Four Hundred Ninety Seven And Paise Nine Only	Nos	3,497.09
96	1.00	Providing and fixing Flood Gauge sign boards made out of 1.5mm aluminium sheet / 3mm ACP (Aluminum composite Panel); size 430 mm wide and 2000 mm above G.L. marked with scale as per design of IRC-67-2012 (Figur No. 18.10). Pre treated with phospheting process & acid etching; coated with one coat of epoxy primer and two coats of best quality epoxy paint ; reflectorised with High Intensity Prismatic Grade retro reflectivesheeting of Type-4 as per ASTM D-4956 and latest M.O.S.T.Specifications; 430 mm x 2500 mm frame of Iron Angle 75 x 75 x 6mm / 65NB Circular MS Pipe as required; painted with best quality epoxy coatings in black and white bends. The details of symbol or inscription / numerals for each board shall be as per the instruction of engineer in charge. The fixing at site shall be in 1:2:4 CC blockof size 45 x 45 x 60 Cms. for each leg including excavation, curing etc.complete under the supervision of engineer in charge. A	5555.00	Rupees Five Thousand Five Hundred Fifty Five Only	Nos	5,555.00
97	1.00	Providing and applying two coats of white washing with lime (chuna) and geru band to roadside trees up to a height of 1.0 m to 1.2 m from ground level, including cleaning the surface, preparing the lime solution with suitable adhesive (fevicol/salt), applying geru band of approved width, and all labour, materials, tools & plants, watering, and incidental charges complete as directed by Engineer-in-Charge.	60.60	Rupees Sixty And Paise Sixty Only	Nos	60.60

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7
98	1.00	Providing and erecting a Road Restraint System -Roller System Barrier ETI Raller System H1 & H2 comprising of post of hot dip galvanized steel of 139.8 mm diameter (L-2200 and L-750) thickness 4.5 mm spaced with interval of 1 meter installed into hardened road. Safet frame rail from sheet of 3.2 mm thick are fixed to main posts, shock absorbing rallers 345 mm diameter and 430 mm height made of polypropylene - EVA, post caps, locker pipes and connection material. Distance between main past and short post shall be 500 mm and the height of upper edge rail is 960 mm. All steel parts (FRAME S235JR equivalent SS400) and post S235JR shall be hot dip galvanized against corrosion. The system shall be installed after Road Safety Survey, Liasoning for reports, Pre & Post Assessment & Installation report in accordance with the design & drawings and assembly instructions etc complete	87500.76	Rupees Eighty Seven Thousand Five Hundred And Paise Seventy Six Only	Rmt	87,500.76
				Total	Rs.	12,66,339.15
		Rupees Twelve Lakh(s) Sixty Six Thousand Three Hundred Thirty Nine And Paise Fifteen Only				

*Estimated amount

Put to tender Rs.....

Deduct :% below

Rs.....

Net Rs.....

In words

.....

*Estimated amount

Put to tender Rs.....

Add :% above

Rs.....

Net Rs.....

In words

.....

*(please strike out whichever is not applicable)

Note-1 All works shall be carried out as per Public Works Department Handbook and other specifications of Division or as directed.

Note-2 -

Note-3 Rates quoted include clearance of site (prior commencement of work and its close) in all respects and hold good for work under all conditions, site, moisture, weather etc.

Note-4 -

Note-5 Testing of material shall be statement attached with the GERI Vadodara. Bill for testing charges shall be paid by the Executive Engineer and 1% (One Percent) of amount put to tender excluding cost of materials to be issued as schedule A i.e. Rs. _____ shall be recovered from the Contractor's running bills as per (R&B) Department No.TNC/1085/(4)/C dated 10-5-85 and 20-12-91.

Note-6 -

Note-8 ઉધોગ અને ખાણ વિભાગ, સચિવાલય, ગાંધીનગરના ઠરાવ ક્રમાંક: એમ.એમ.આર.- ૧૧૨૦૦૦-૨૦૧૩-છ, તા. ૧/૮/૨૦૦૪ થી રાજ્ય સરકારના બાંધકામ માટે વપરાતા ગૌણ-ખનિજની રોયલ્ટી સાદી માટી અને સોફ્ટ મોરમ પર રોયલ્ટી લાગુ પડશે.

It. No.	Qty. Estimated but may be	Item of work	Estimated Rates		Unit	Total amount according to estimated Quantities
			In Figures	In Words		
1	2	3	4	5	6	7

Note-9		Labour Cess 1% of estimated cost put to tender for this work shall be recovered from the contract payment as "Labour Cess" in terms of the Gujarat Govt. Gazette - extra ordinary - dt.12.12.2004, implementation of buildings and other construction work (resolution of employment and conditions of services Act'1996)				
Note-10		Quantity of items may reduce or increase as per work execution.				
Note-11		ઉપરોક્ત કામ કોઈપણ કારણસર મંજૂર / નામંજૂર કરવાની સત્તા સહી કરનાર અધિકારીની અબાધિત રહેશે.				
Note-12		-				
Note-13		In RCC items where there is change of grade mix or change as per actual mix design the difference of cement consumption shall be deducted from rate of original item at the rate of star rate mentioned in tender. However for Increase in quantity of cement no additional payment shall be made.				
Note-14		For earthquake resistance provision the work shall be carried out as per the instruction of Engineer in-charge.				

Signature of Contractor

**Executive Engineer
R&B Division, Bhuj**