



Power of Desire



**SOMANY**

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph. (033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

**Toll Free No. 1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:  
www.somanyceramics.com



Find us at:  
www.facebook.com/SomanyCeramic



Find us at:  
www.twitter.com/SomanyCeramic



Find us at:  
www.instagram.com/SomanyCeramics



DURAGRES / CAT / APRIL 2022

**DURAGRES**  
Timeless Elegance

**SOMANY**  
Tiles | Bathware

**ZAMEEN SE JUDEY**

**800X  
1600mm**  
GLAZED VITRIFIED TILES

**UNIT-4  
FOR SOUTH**






**800X  
1600mm**  
GLAZED VITRIFIED TILES

ENORME MOZART BEIGE FP





ENORME LUCIDO SANTA MARIYA HG

High Gloss, 800x1600mm

V2



ENORME IMPERAL STATURIO FP

Full Polish, 800x1600mm

V4



ENORME MOZART BEIGE FP

Full Polish, 800x1600mm

V4



ENORME MOZART GREY FP

Full Polish, 800x1600mm

V4



NEW



ENORME AMAZONIA BIANCO FP  
Full Polish, 800x1600mm



ENORME AMAZONIA BEIGE FP  
Full Polish, 800x1600mm



ENORME AMAZONIA COFFEE FP  
Full Polish, 800x1600mm



ENORME AMAZONIA GREY FP  
Full Polish, 800x1600mm







ENORME PRIME LUCIDO NIGHT NERO

High Gloss, 800x1600mm

V3

+

+

+

+



ENORME LUCIDO PORTORO BLACK

High Gloss, 800x1600mm

V3

+

+

+

+



ENORME ARENA BEIGE FP

Full Polish, 800x1600mm

V3

+

+

+

+



ENORME ACE ARMANI NATURAL FP

Full Polish, 800x1600mm

V3

+

+

+

+





**800X  
1600mm**  
GLAZED VITRIFIED TILES

ENORME BRECCIA DORATA FP





ENORME ARENADO CREMA FP

Full Polish, 800x1600mm

V2

↕

🌀

🔧



ENORME ARENADO GREY LIGHT FP

Full Polish, 800x1600mm

V2

↕

🌀

🔧



ENORME BRECCIA NATURAL FP

Full Polish, 800x1600mm

V3

↕

🌀

🔧



ENORME BRECCIA DORATA FP

Full Polish, 800x1600mm

V4

↕

🌀

🔧





ENORME CLARA BOTTOCHINO BEIGE FP

Full Polish, 800x1600mm

V2

↕

🌀

👤



ENORME LIEM BEIGE FP

Full Polish, 800x1600mm

V4

↕

🌀

👤



ENORME ETERNA NATURAL FP

Full Polish, 800x1600mm

V3

↕

🌀

👤



ENORME ETERNA GREY FP

Full Polish, 800x1600mm


V3

↕

🌀

👤





ENORME LUNESIS SUPER WHITE FP

Full Polish, 800x1600mm

V3



ENORME MORSE DIANO FP

Full Polish, 800x1600mm

V4



ENORME NEO DIANO BEIGE FP

Full Polish, 800x1600mm

V4



ENORME NUBA WHITE FP

Full Polish, 800x1600mm

V3





**800X  
1600mm**  
GLAZED VITRIFIED TILES

ENORME RIOHA STATUARIO MIRROR-A  
ENORME RIOHA STATUARIO MIRROR-B





ENORME PRIME ATLAS CREMA FP

Full Polish, 800x1600mm

V2

↕

🌀

🔥



ENORME PRIME BRECCIA GOLD FP

Full Polish, 800x1600mm

V3

↕

🌀

🔥



ENORME PRIME DYNA GOLD FP

Full Polish, 800x1600mm

V2

↕

🌀

🔥



ENORME PRIME BRECCIA AURUM FP

Full Polish, 800x1600mm

V2

↕

🌀

🔥





ENORME NYLO GREY LIGHT FP

Full Polish, 800x1600mm

V3



ENORME RIOHA STATUARIO FP

Full Polish, 800x1600mm

V2




ENORME RIOHA STATUARIO MIRROR-A FP

ENORME RIOHA STATUARIO MIRROR-B FP

Full Polish, 800x1600mm

V1







ENORME ROSABELA GREY FP

Full Polish, 800x1600mm

V2

↕

🌀

👤



ENORME STATUARIO GOLD FP

Full Polish, 800x1600mm

V2

↕

🌀

👤



ENORME VERONA BEIGE FP


Full Polish, 800x1600mm

V4

↕

🌀

👤



ENORME WHITE FP

Full Polish, 800x1600mm

V1

↕

🌀

👤





**800X  
1600mm**  
GLAZED VITRIFIED TILES

ENORME STONE BROWN  
ENORME STONE BEIGE



800X1600MM | MATT

NEW



ENORME STONE BEIGE  
Matt, 800x1600mm



ENORME STONE BROWN  
Matt, 800x1600mm



SOMANY  
DURAGRES



ENORME STONE NATURAL  
Matt, 800x1600mm



ENORME STONE EARTH  
Matt, 800x1600mm







ENORME PRIME SATIN ANTIQUE BEIGE

Satin Matt, 800x1600mm

V3

☞

🌀

🔧



ENORME PRIME ZENITH GREY

Matt, 800x1600mm

V1

☞

🌀

🔧



ENORME CRYSTALO SATURNO CREMA

Sugar, 800x1600mm

V4

☞

🌀

🔧



ENORME CRYSTALO SATURNO BROWN

Sugar, 800x1600mm

V4

☞

🌀

🔧





ENORME IMPRESSION CREMA MARFILE

Carving, 800x1600mm

V2

☞

🌀

🔧



ENORME IMPRESSION VALENTINO BEIGE

Carving, 800x1600mm

V4

☞

🌀

🔧



ENORME IMPRESSION VALENTINO GREY

Carving, 800x1600mm

V4

☞

🌀

🔧



ENORME IMPRESSION VALENTINO COFFEE

Carving, 800x1600mm

V4

☞

🌀

🔧





ENORME IMPRESSION CLARA BOTTICHINO BEIGE  
Carving, 800x1600mm



ENORME IMPRESSION SAVONA BURBERRY BEIGE  
Carving, 800x1600mm



800X  
1600mm  
GLAZED VITRIFIED TILES


ENORME IMPRESSION SAVONA BURBERRY BEIGE



DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



The classification is as follow:

**V1** Minimal Variation   **V3** Random Variation   **V2** Slight Variation   **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.

For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

Notes

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. “ Technical Specification” for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKING DETAIL FOR 800x1600MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
800x1600mm	9.0	52.00	2	2.56sq.mtr. / 27.55sq.ft.

TECHNICAL SPECIFICATION FOR 800x1600MM GVT TILES				
Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group B1b	Requirement as per ISO 13006 ≤ 0.5% Group B1a	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.10%	± 0.3%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.3%	± 0.10%	
iv) Rectangularity	± 0.10%	± 0.3%	± 0.10%	
v) Surface Flatness				
a) Center curvature (%) ( max.Deviation)	± 0.50%	± 0.4%	± 0.2 %	
b) Edge curvature (%) { max.Deviation)	± 0.50%	± 0.4%	± 0.2 %	
c) Corner warpage (%) ( max.Deviation)	± 0.50%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Av. 0.08<E ≤ 3 %, Individual 3.3 max	Av ≤ 0.5 %, Individual 0.6% max	E ≤ 0.08%	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Av 30, Individual 27 min	Av 35, Individual 32 min	Avg.35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1300	Min,1300	
iv) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5(for Matt & RT), Min.3(for Polished)	IS 13630 Part 13
v) Resistance to Abrasion of glazed tiles( Class I to V )	Min II	Abrasion Class & Cycle passed	Class-V(for Matt & RT), Class-III(for polished)	IS 13630 Part 11 /ISO 10545-7
vi) Coefficient of linear thermal expansion from embiant temperature to 100° C	7 X 10 <sup>-6</sup> K <sup>-1</sup> max	Test Method Available	Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> max	IS 13630 Part 4/ ISO 10545-8
vii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
viii) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
ix) Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test Method Available	Min 0.55	IS 13630 Part 14/ISO 10545-5
x) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min Class 1	Min Class 3	Min Class-1 (For Matt), Min Class-2 (for polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value	Min Class AA	



Note:

