



HI-TECH ALUMINIUM Since 2008

Trading The "Sign Of Success"

DOOR AND WINDOW SYSTEM



- Aluminium for sustainable construction industry
- Buildings for almost a hundred years
- Aluminium windows and doors
- Structurally sound and reliable
- The choice of the modern day homeowners
- A better View of Quality service
- Aluminium the best material

Stockist & Trading | Aluminium Window Door Partition | Industrial Section




INDEX

1.	22 MM DOMEL SERIES	1
2.	23 MM CARDINAL SERIES	2
3.	25 MM CARDINAL SERIES	3
4.	27 MM DOMEL CARDINAL	5
5.	29 MM CARDINAL SERIES	8
6.	29 MM GULF SERIES	11
7.	35 X 75 MM DOMEL SERIES	12
8.	35 X 75 MM VENTENA SERIES	13
9.	35 X 59 MM GULF SERIES	14
10.	R - 40 MM SERIES	17
11.	R - 50 MM SERIES	19
12.	25 X 25 MM SLIM FIX SERIES	21
13.	16 X 45 MM SLIM PROFILE	22
14.	25 X 45 MM SLIM PROFILE	23
15.	MOSQUITO SECTION	25
16.	CURTAIN WALL	26
17.	EXTRA FITTING ACCESSORIES	28

22 MM DOMEL SERIES


2 - TRACK



Section No.: 22HT01

Wt (Kg/12') : (2.300 - 2.500)


3 - TRACK



Section No.: 22HT02

Wt (Kg/12') : (3.400 - 3.600)


SHUTTER



Section No.: 22HT03

Wt (Kg/12') : (2.200 - 2.400)

CLIP




Section No.: 22HT04

Wt (Kg/12') : (0.800 - 1.000)

23 MM CARDINAL SERIES


2 - TRACK



Section No.: 23HT01

Wt (Kg/12') : (2.300 - 2.500)


3 - TRACK



Section No.: 23HT02

Wt (Kg/12') : (3.700 - 3.800)


SHUTTER



Section No.: 23HT03

Wt (Kg/12') : (2.650 - 2.850)


CLIP



Section No.: 23HT04

Wt (Kg/12') : (0.800 - 1.000)

RAIL TRACK




Section No.: 23HT05

Wt (Kg/12') : (0.500 - 0.600)


25 MM CARDINAL SERIES

2 - TRACK




Section No.: 25HT01
Wt (Kg/12') : (2.900 - 3.000)

2 TRACK LEG




Section No.: 25HT02
Wt (Kg/12') : (3.650 - 3.750)

3 - TRACK




Section No.: 25HT03
Wt (Kg/12') : (4.500 - 4.600)

3 - TRACK LEG




Section No.: 25HT04
Wt (Kg/12') : (5.250 - 5.650)

SGU SHUTTER



Section No.: 25HT05
Wt (Kg/12') : (2.800 - 2.900)


SGU SLIM I/L



Section No.: 25HT06
Wt (Kg/12') : (1.950 - 2.000)


25 MM CARDINAL SERIES

SGU RAIN FORES I/L




Section No.: 25HT07
Wt (Kg/12'): (3.450 - 3.550)

CLIP




Section No.: 25HT08
Wt (Kg/12') : (1.400 - 1.500)

RAIL TRACK



Section No.: 25HT09
Wt (Kg/12') : (0.600 - 0.700)


CENTER PATTI



Section No.: 25HT10
Wt (Kg/12'): (1.300 - 1.400)


27 MM DOMEL SERIES

SINGLE TRACK




Section No.: 27HT01
Wt (Kg/12'): (1.600 - 1.700)

2 TRACK




Section No.: 27HT02
Wt (Kg/12'): (2.400 - 2.600)

2 - TRACK LEG




Section No.: 27HT03
Wt (Kg/12'): (5.100 - 5.100)

2 - TRACK GRILL




Section No.: 27HT04
Wt (Kg/12'): (3.500 - 3.700)

3 - TRCK



Section No.: 27HT05
Wt (Kg/12'): (4.000 - 4.200)


4 - TRCK



Section No.: 27HT06
Wt (Kg/12'): (6.700 - 7.000)


27 MM DOMEL SERIES

3 - TRACK LEG




Section No.: 27HT07
Wt (Kg/12') : (6.000 - 6.300)

3 - TRACK GRILL




Section No.: 27HT08
Wt (Kg/12') : (5.700 - 6.000)

SUG SHUTTER




Section No.: 27HT09
Wt (Kg/12') : (2.400 - 2.600)

DGU SHUTTER




Section No.: 27HT10
Wt (Kg/12') : (3.000 - 3.200)

DOMEL CLIP



Section No.: 27HT11
Wt (Kg/12') : (1.000 - 1.200)


CENTER PATTI



Section No.: 27HT12
Wt (Kg/12') : (1.000 - 1.200)

27 MM DOMEL SERIES


SQ SHUTTER



Section No.: 27HT13

Wt (Kg/12') : (2.700 - 2.900)

FLAT SHUTTER




Section No.: 27HT14

Wt (Kg/12') : (2.800 - 3.000)


29 MM CARDINAL SERIES

2 - TRACK




Section No.: 29HT01
Wt (Kg/12') : (3.800 - 4.000)

2 - TRACK LEG




Section No.: 29HT02
Wt (Kg/12') : (4.400 - 4.600)

3 - TRACK




Section No.: 29HT03
Wt (Kg/12') : (6.200 - 6.400)

3 - TRACK LEG




Section No.: 29HT04
Wt (Kg/12') : (6.400 - 6.600)

SGU SHUTTER



Section No.: 29HT05
Wt (Kg/12') : (3.300 - 3.500)


DGU SHUTTER



Section No.: 29HT06
Wt (Kg/12') : (3.000 - 3.300)


29 MM CARDINAL SERIES

SGU SLIM I/L




Section No.: 29HT07
Wt (Kg/12') : (1.800 - 2.000)

DGU SLIM I/L




Section No.: 29HT08
Wt (Kg/12') : (1.900 - 2.100)

SGU REINFORCEMENT I/L




Section No.: 29HT09
Wt (Kg/12') : (3.500 - 3.700)

DGU REINFORCEMENT I/L




Section No.: 29HT10
Wt (Kg/12') : (3.700 - 3.800)

RAIL TRACK



Section No.: 29HT11
Wt (Kg/12') : (0.550 - 0.650)


CLIP



Section No.: 29HT12
Wt (Kg/12') : (1.150 - 1.250)

29 MM CARDINAL SERIES

CENTER PATTI




Section No.: 29HT13

Wt (Kg/12') : (1.600 - 1.800)

HI-TECH ALUMINIUM

29 MM GULF SERIES


2 - TRACK TOP



Section No.: 29HT29

Wt (Kg/12') : (2.900 - 3.000)


2 - TRACK BOTTOM



Section No.: 29HT30

Wt (Kg/12') : (4.450 - 4.500)


3 - TRACK TOP



Section No.: 29HT31

Wt (Kg/12') : (4.100 - 4.200)

3 - TRACK BOTTOM




Section No.: 29HT32

Wt (Kg/12') : (6.650 - 6.750)


35 X 75 MM DOMEL SERIES

2 - TRACK TOP




Section No.: 35HT01
Wt (Kg/12') : (6.100 - 6.300)

3 - TRACK TOP




Section No.: 35HT02
Wt (Kg/12') : (8.700 - 8.900)

SGU SHUTTER




Section No.: 35HT03
Wt (Kg/12') : (5.100 - 5.300)

DGU SHUTTER



Section No.: 35HT04
Wt (Kg/12') : (4.500 - 4.800)


D - CLIP



Section No.: 35HT05
Wt (Kg/12') : (1.400 - 1.600)


35 X 75 MM VENTENA SERIES

2 - TRACK LEG




Section No.: 35HT10
Wt (Kg/12') : (4.400 - 4.700)

3 - TRACK LEG




Section No.: 35HT11
Wt (Kg/12') : (6.600 - 7.000)

SGU SHUTTER




Section No.: 35HT12
Wt (Kg/12') : (4.000 - 4.200)

DGU SHUTTER




Section No.: 35HT13
Wt (Kg/12') : (4.200 - 4.400)

SLIM I / L



Section No.: 35HT14
Wt (Kg/12') : (2.700 - 2.900)


INTERLOCK CLIP



Section No.: 35HT15
Wt (Kg/12') : (1.550 - 1.650)


35 X 59 MM GULF SERIES

2 - TRACK BOTTOM




Section No.: 35HT35
Wt (Kg/12') : (5.900 - 6.200)

2 - TRACK TOP




Section No.: 35HT36
Wt (Kg/12') : (4.600 - 4.800)

3 - TRACK BOTTOM




Section No.: 35HT37
Wt (Kg/12') : (8.000 - 8.200)

3 - TRACK TOP




Section No.: 35HT38
Wt (Kg/12') : (6.000 - 6.200)

DGU SHUTTER



Section No.: 35HT39
Wt (Kg/12') : (3.100 - 3.300)


TOP BOTTOM



Section No.: 35HT40
Wt (Kg/12') : (3.200 - 3.400)


35 X 59 MM GULF SERIES

MESH SHUTTER



Section No.: 35HT41
Wt (Kg/12') : (0.900 - 1.000)

INTERLOCK




Section No.: 35HT42
Wt (Kg/12') : (2.200 - 2.400)

SGU ADDAPTER




Section No.: 35HT43
Wt (Kg/12') : (0.900 - 1.100)

CENTER CLIP




Section No.: 35HT44
Wt (Kg/12') : (1.700 - 1.900)

TRACK ADDAPTER



Section No.: 35HT45
Wt (Kg/12') : (0.900 - 1.100)


TRACK CAP



Section No.: 35HT46
Wt (Kg/12') : (0.650 - 0.750)

35 X 59 MM GULF SERIES

REINFORCEMENT I/L




Section No.: 35HT47

Wt (Kg/12') : (4.000 - 4.200)


R - 40 MM SERIES

FRAME




Section No.: 4OHT01
Wt (Kg/12') : (1.900 - 2.100)

MULLION




Section No.: 4OHT02
Wt (Kg/12') : (2.200 - 2.400)

CLIP




Section No.: 4OHT03
Wt (Kg/12') : (0.800 - 1.000)

DGU CLIP




Section No.: 4OHT04
Wt (Kg/12') : (0.850 - 1.050)

52 MM SHUTTER



Section No.: 4OHT05
Wt (Kg/12') : (2.300 - 2.500)


FLY MULLION



Section No.: 4OHT06
Wt (Kg/12') : (2.400 - 2.600)


R - 40 MM SERIES

70 X 40 MULLION




Section No.: 40HT07
Wt (Kg/12') : (3.100 - 3.300)

75 X 40 MULLION




Section No.: 40HT08
Wt (Kg/12') : (3.000 - 3.200)

2 IN 1 FRAME




Section No.: 40HT09
Wt (Kg/12') : (3.500 - 3.700)

3 IN 1 FRAME



Section No.: 40HT10
Wt (Kg/12') : (4.600 - 4.800)


62 MM SHUTTER



Section No.: 40HT11
Wt (Kg/12') : (2.700 - 2.900)


R - 50 MM SERIES

FRAME




Section No.: 50HT01
Wt (Kg/12') : (2.900 - 3.100)

MULLION




Section No.: 50HT02
Wt (Kg/12') : (3.650 - 3.750)

WINDO SHUTTER




Section No.: 50HT03
Wt (Kg/12') : (4.150 - 4.250)

DOOR SHUTTER




Section No.: 50HT04
Wt (Kg/12') : (4.700 - 4.800)

CLIP



Section No.: 50HT05
Wt (Kg/12') : (1.150 - 1.250)


DGU CLIP



Section No.: 50HT06
Wt (Kg/12') : (0.850 - 0.950)


R - 50 MM SERIES

BOTTOM ADDEPTER




Section No.: 50HT07
Wt (Kg/12') : (2.000 - 2.100)

INSIGHT SHUTTER




Section No.: 50HT08
Wt (Kg/12') : (3.500 - 3.700)

FLY MULLION



Section No.: 50HT09
Wt (Kg/12') : (2.300 - 2.400)


REVERSE ADDPETER



Section No.: 50HT10
Wt (Kg/12') : (1.800 - 2.000)


25 X 25 MM SLIM FIX SERIES

FIX PROFILE




Section No.: 25HT25
Wt (Kg/12') : (1.550 - 1.750)

MALE




Section No.: 25HT26
Wt (Kg/12') : (1.050 - 1.150)

FEMALE




Section No.: 25HT27
Wt (Kg/12') : (0.650 - 0.750)



Section No.: 25HT28
Wt (Kg/12') : (0.400 - 0.500)


I SECTION (10 MM)



Section No.: 25HT29
Wt (Kg/12') : (0.350 - 0.450)


16 X 45 MM SLIM PROFILE

STICK




Section No.: 16HT01
Wt (Kg/12'): (0.750 - 0.850)

TOP BOTTOM




Section No.: 16HT02
Wt (Kg/12'): (2.650 - 2.750)

FRAME




Section No.: 16HT03
Wt (Kg/12') : (2.000 - 2.100)

MIDDLE / DIVIDER




Section No.: 16HT04
Wt (Kg/12'): (2.200 - 2.300)

SLIDING TRACK (G)



Section No.: 16HT05
Wt (Kg/12'): (2.750 - 2.850)


COVER CAP



Section No.: 16HT06
Wt (Kg/12'): (1.000 - 1.100)


25 X 45 MM SLIM PROFILE

FIX FRAME




Section No.: 45HT01
Wt (Kg/12') : (2.000 - 2.200)

FIX MIDDLE




Section No.: 45HT02
Wt (Kg/12') : (2.500 - 2.600)

FOLDING FRAME




Section No.: 45HT03
Wt (Kg/12') : (1.600 - 1.800)

FOLDING FRAME CLIP




Section No.: 45HT04
Wt (Kg/12') : (0.550 - 0.750)

FOLDING MIDDLE



Section No.: 45HT05
Wt (Kg/12') : (1.800 - 1.900)


FOLDING MIDDLE CLIP



Section No.: 45HT06
Wt (Kg/12') : (0.450 - 0.550)


25 X 45 MM SLIM PROFILE

COVER




Section No.: 45HT07
Wt (Kg/12') : (0.705 - 0.950)

DOOR COVER




Section No.: 45HT08
Wt (Kg/12') : (1.150 - 1.350)

DOOR TOP




Section No.: 45HT09
Wt (Kg/12') : (3.600 - 3.800)

DOOR VERTICAL



Section No.: 45HT10
Wt (Kg/12') : (4.450 - 4.650)


DOOR CLIP



Section No.: 45HT11
Wt (Kg/12') : (0.650 - 0.850)


MOSQUITO SECTION

HANDLE




Section No.: MSHT01
Wt (Kg/12') : (1.900 - 2.000)

TOP



Section No.: MSHT02
Wt (Kg/12') : (1.550 - 1.650)


SIDE



Section No.: MSHT03
Wt (Kg/12') : (1.350 - 1.450)

CURTAIN WALL


58 X 64



Section No.: HT58

Wt (Kg/12'): (4.000 - 4.200)


63 X 56



Section No.: HT63

Wt (Kg/12'') : (5.400 - 5.600)

PRESSER PLATE



Section No.: HT64

Wt (Kg/12'): (1.450 - 1.650)


COVER PLATE



Section No.: HT65

Wt (Kg/12'): (0.850 - 1.050)


70 X 45



Section No.: HT70

Wt (Kg/12'): (4.200 - 4.400)

PRESSER PLATE



Section No.: HT71

Wt (Kg/12'): (1.700 - 1.800)

CURTAIN WALL

COVER PLATE




Section No.: HT72

Wt (Kg/12') : (0.850 - 0.950)

HI-TECH ALUMINIUM


EXTRA FITTING ACCESSORIES

16 MM ROUND




Section No.: HT16
Wt (Kg/12') : (0.400 - 0.500)

19 MM ROUND




Section No.: HT19
Wt (Kg/12') : (0.500 - 0.600)

518. U CHANNEL




Section No.: UCHT51
Wt (Kg/12') : (0.600 - 0.650)

BOX ANGLE




Section No.: BAHT38
Wt (Kg/12') : (2.200 - 2.300)

ROUND / MOSQUITO CAP



Section No.: RCHT10
Wt (Kg/12') : (0.400 - 0.500)

CAPSULE



Section No.: CPHT35
Wt (Kg/12') : (1.100 - 1.200)

NOTES

HI-TECH ALUMINIUM



HI-TECH ALUMINIUM Since 2008

Trading The "Sign Of Success"

Thank you...



9978804545



079- 22202545



hitechaluminium2022@gmail.com



www.hitechaluminium.com



Plot No. : B-3, Pushparaj Ind. Estate, Nutan Mill Compound
Potaliya Cross Road, Saraspur, Ahmedabad-18

હાઇ-ટેક એલ્યુમિનિયમ, અમદાવાદ