


FOR ORIENTATION OF FOOTING AND COLUMN REFER PLAN			
NOTES:			
➤ ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN METERS.			
➤ THE NET SBC CONSIDERED FOR DESIGN AT THE FOUNDATION LEVEL IS 18T/SQM			
➤ GRADE OF CONCRETE SHALL BE M25 WITH 20MM DOWN GRADED COARSE AGGREGATE FOR FOUNDATION AND OTHER STRUCTURES.			
➤ ANY LOOSE SOIL ENCOUNTERED AT THE FOUNDATION LEVEL SHALL BE REMOVED AND REPLACED WITH PCC 1:3:6.			
➤ FOUNDATION LEVEL SUGGESTED IS -2.0 M			
➤ IF HARD STRATA IS NOT MET AT THE FOUNDATION LEVEL THE SAME SHALL BE INFORMED TO THE DESIGN OFFICE FOR SUITABLE MODIFICATION.			
➤ CLEAR COVER TO REINFORCEMENT SHALL BE AS FOLLOWS:-			
50mm ON ALL SIDES FOR FOOTING			
40mm FOR COLUMNS.			
➤ REINFORCEMENT USED SHALL BE OF THE GRADE OF Fe 550			
➤ LAP LENGTH TO BE PROVIDED SHALL BE 50 DIA OF BAR.			
➤ FOUNDATION IS DESIGNED FOR G+3 BLDG			
➤ _____ (T)-TOP REINFORCEMENT.			
➤ _____ (B)-BOTTOM REINFORCEMENT.			
NO	REVISION	DRAWN	DATE
DO NOT SCALE			
<div></div> <div>AMINBHAVI & HEGDE Consulting Engineers Private Limited (An ISO 9001: 2015 Organisation) 3rd, FLOOR MADHAV SQUARE, STATION ROAD, D H A R W A D - 580007</div>		OFFICE OF ORIGIN	
		DHARWAD	
		DATE	
		07-04-2026	
		DRAWN	
ROOPA			
CLIENT:		PRE - CHECKED	
RAJIV GANDHI HOUSING CORPORATION		GHOUS	
PROJECT:		FINAL CHECKED	
CONSTRUCTION OF MOULANA AZAD MODEL SCHOOL AT JAGALUR TOWN		PLJ	
TITLE:		APPROVED	
FOOTING AND COLUMN DETAILS		G R H	
DRG NO: AH/KREIS/BRARS/AB/FND/03		R-0	
THIS DRAWING IS THE PROPERTY OF M/S AMINBHAVI & HEGDE. IT SHOULD NOT BE USED COPIED OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION			
VILLAGE		JAGALUR	
TAL		JAGALUR	
DIST		DAVANAGERE	
ACADEMIC BLOCK			