







FOOTING NAME	NO'S	EXCAVATION SIZE		FOOTING SIZE			REINFORCEMENT ALONG - L		REINFORCEMENT ALONG - B	
		X	Y	L	B	D	BOTTOM REINFORCEMENT	TOP REINFORCEMENT	BOTTOM REINFORCEMENT	TOP REINFORCEMENT
F1	10	3900	3800	3700	3600	700	#12@125MM C/C	#12@125MM C/C	#12@125MM C/C	#12@125MM C/C
F2	15	3300	3200	3100	3000	600	#12@150MM C/C	-	#12@150MM C/C	-
F3	03	2400	2200	2200	2000	450	#10@125MM C/C	-	#10@125MM C/C	-

STRIUPPS	#8@150C/C	#8@150C/C	#8@150C/C
COLUMN STEEL	● 10 - #25	● 08 - #25	● 08 - #20
COLUMN SIZE	300 X450	300 X450	300 X 450
FROM FOOTING TO TERRACE FLOOR LVL			
COLUMN	C1		
STRIUPPS	#8@150C/C		
COLUMN STEEL	● 08 - #16		
COLUMN SIZE	300 X 450		
FROM FOOTING TO TERRACE FLOOR LVL			
COLUMN	C4		



THIS DRAWING IS THE PROPERTY OF IMPRINTS  
STRUCTURAL CONSULTANT. NO PART OF THE  
DRAWING MAY BE REPRODUCED IN ANY MANNER  
WHATSOEVER WITHOUT PERMISSION FROM  
IMPRINTS STRUCTURAL CONSULTANT.