



- NOTE :
- DO NOT SCALE THE DRAWING FOLLOW THE WRITTEN DIMENSIONS ONLY.
 - ALL DIMENSIONS ARE IN mm UNO.
 - ANY CHANGES SHOULD BE BROUGHT TO THE NOTICE OF THE CONCERNED ENGINEER.
 - ALL LEVELS / PROFILES / DIMENSIONS / LOCATIONS ARE TO BE CHECKED WITH ARCHITECTURAL DWG.
 - GRADE OF CONCRETE FOR FOOTINGS : M25
COLUMNS : M25
PLINTH BEAMS : M25
 - COVER: COLUMNS : 40mm
FOOTINGS : 50mm
PLINTH BEAMS : 25mm
 - GRADE OF STEEL IS Fe500.
 - LAPS TO BE STAGGERED.
 - ANCHORAGES TO BE PROVIDED AS PER USUAL PRACTICE.
 - ADD 100mm ON EITHER SIDE OF FOOTING FOR EXCAVATION.

ENGG.REF :

THIS DRG SHALL BE READ IN CONJUNCTION WITH ARCHITECTURAL AND SERVICES DRG

LEGEND :

UNO - UNLESS NOTED OTHERWISE

PB - INDICATES PLINTH BEAM

DESCRIPTION	DATE	REV.
REVISION		

CONSULTANTS :

M/S. R.G.H.C.L

ARCHITECTS :

imprints

ARCHITECTURE - STRUCTURAL ENGINEERING

55, FIRST FLOOR, 8 th CROSS, 5 th MAIN, MALLESHWARAM, B A N G A L O R E - 560 003

e-mail: imprints_arr@yahoo.co.in

TEL: 080-23464205

CLIENT :

MINORITY WELFARE DEPARTMENT

DRAWING TITLE :

PLINTH BEAM DETAILS

PROJECT TITLE :

PROPOSED CONSTRUCTION OF KPS MODEL URDU SCHOOL AT 02 LOCATIONS OF HAVERI DISTRICT.

1. AKKIALUR VILLAGE, HANAGAL TALUK.

2. KARADAGI VILLAGE, SAVANUR TALUK.

DRAWN : DUNDURAJ	DWG.NO
DESIGNED : VENKATESH	ST-04
CHECKED : VIJAYANAND	REV.
DATE : 20-04-2026	R0
SCALE : NTS	

JOB NO :

THIS DRAWING IS THE PROPERTY OF IMPRINTS STRUCTURAL CONSULTANT NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHATSOEVER WITHOUT PERMISSION FROM IMPRINTS STRUCTURAL CONSULTANT.