


G.A OF SLAB & REINFORCEMENT @ GROUND FLOOR ROOF LVL
(SLAB THICKNESS - 175mm UNTILL OTHER WISE SPECIFIED)

- NOTE :
- DO NOT SCALE THE DRAWING FOLLOW THE WRITTEN DIMENSIONS ONLY.
 - ALL DIMENSIONS ARE IN 'mm' & LEVELS ARE IN 'm' UNLESS NOTED OTHERWISE.
 - ANY CHANGES SHOULD BE BROUGHT TO THE NOTICE OF THE CONCERNED ENGINEER.
 - GRADE OF CONCRETE FOR
COLUMNS : M25
ROOF SLAB : M25
ROOF BEAMS : M25
 - COVER:
COLUMNS : 40mm
ROOF SLAB : 20mm
ROOF BEAMS : 25mm
 - *#* REPRESENTS HYSD BARS OF GRADE Fe-500.
 - LAPS TO BE STAGGERED
 - PROVIDE SPACER RODS WHERE EVER REQUIRED.
 - READ THIS DRAWING ALONG WITH ARCHITECTURAL DRAWING.
 - PROVIDE DISTRIBUTION STEEL #8 - 200 C/C WHEREVER NECESSARY.
 - LEAVE DOWELS AS PER ARCHITECTURAL ELEVATION TREATMENT.

ENGG.REF :
THIS DRG SHALL BE READ IN CONJUNCTION WITH ARCHITECTURAL AND SERVICES DRG

LEGEND :
UNO - UNLESS NOTED OTHERWISE
1B - GROUND FLOOR ROOF BEAM

DESCRIPTION	DATE	REV.
REVISION		
IMPLEMENTING AGENCY : RAJIV GANDHI RURAL HOUSING CORPORATION LTD. (A Government of Karnataka Enterprise) Cauvery Bhavan, 8th & 9th Floor, T & F Block, K.G. Road, Bangalore-560009.		
ARCHITECTS :  imprints ARCHITECTURE - STRUCTURAL ENGINEERING # 55, FIRST FLOOR, 8th CROSS, 5th MAIN, MALLESHWARAM, B A N G A L O R E - 560 003 e-mail: imprints_arr@yahoo.co.in TEL: 080-23464205		

CLIENT : MINORITY WELFARE DEPARTMENT		
DRAWING TITLE : SLAB REINFORCEMENT DETAILS @ GROUND FLOOR ROOF LVL		
PROJECT TITLE : PROPOSED CONSTRUCTION OF KPS MODEL URDU SCHOOL AT 02 LOCATIONS OF HAVERI DISTRICT. 1. AKKI-ALUR VILLAGE, HANAGAL TALUK. 2. KARADAGI VILLAGE, SAVANUR TALUK.		
DRAWN	: DUNDURAJ	DWG.NO ST-07
DESIGNED	: VENKATESH	
CHECKED	: VIJAYANAND	REV. R0
DATE	: 20-04-2026	
SCALE	: NTS	
JOB NO : THIS DRAWING IS THE PROPERTY OF IMPRINTS STRUCTURAL CONSULTANT NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHATSOEVER WITHOUT PERMISSION FROM IMPRINTS STRUCTURAL CONSULTANT.		