

Name of Work :- A.R.C. for civil works for various health care facilities in Various Talukas (Vagra, Amod, Jambusar), Dist : Bharuch.

Schedule - B

SR. No.	Item No.	NBO No.	Qty.	Item Description	Unit.	S.O.R. Year 2024-25(Rate)+1 % L.C.	In Word	Total Amount Rs.
1	1	S.O.R. 2024-25, 20001A	1.00	Demolition and disposal of unserviceable materials with all lead and lift.i. Lime concrete	Cu. Mt.	515.40	Five Hundred Fifteen Rupees and Forty Paise	515.40
2	2	S.O.R. 2024-25, 20001B	1.00	ii. Unreinforced cement concrete.	Cu. Mt.	593.35	Five Hundred Ninety Three Rupees and Thirty Five Paise	593.35
3	3	S.O.R. 2024-25, 20002	1.00	Demolition including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift. i. R.C.C. work	Cu. Mt.	1030.81	One Thousand Thirty Rupees and Eighty One Paise	1030.81
4	4	S.O.R. 2024-25, 20003A	1.00	Demolition of brick work and stone masonry including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift. i. In Lime Mortar	Cu. Mt.	356.33	Three Hundred Fifty Six Rupees and Thirty Three Paise	356.33
5	5	S.O.R. 2024-25, 20003B	1.00	ii. In Cement Mortar	Cu. Mt.	536.09	Five Hundred Thirty Six Rupees and Nine Paise	536.09
6	6	S.O.R. 2024-25, 20004	1.00	Demolition of terrace including stacking of serviceable materials and disposal of underserviceable materials with all lead and lift. (i) Brick tile covering.	Sq.Mt.	62.21	Sixty Two Rupees and Twenty One Paise	62.21
7	7	S.O.R. 2024-25, 20005	1.00	Dismantling tiled of stone floors laid in mortar including stacking of serviceable materials and disposal of under serviceable materials with all lead and lift.	Sq.Mt.	46.77	Forty Six Rupees and Seventy Seven Paise	46.77
8	8	S.O.R. 2024-25, 20006	1.00	Dismantling of wooden floors including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift.	Sq.Mt.	69.99	Sixty Nine Rupees and Ninety Nine Paise	69.99
9	9	S.O.R. 2024-25, 20007A	1.00	Dismantling of sheet roofing including ridges, hips, valleys, gutters etc. stacking of serviceable materials with all lead and lift. i. G.I. Sheet roofing	Sq.Mt.	46.77	Forty Six Rupees and Seventy Seven Paise	46.77
10	10	S.O.R. 2024-25, 20007B	1.00	ii. A.C. sheet roofing	Sq.Mt.	52.03	Fifty Two Rupees and Three Paise	52.03
11	11	S.O.R. 2024-25, 20008	1.00	Dismantling manglore of country tile roofing with battens boarding etc. including stacking of serviceable materials and disposal of unserviceable materials with all lead and lift.	Sq.Mt.	85.26	Eighty Five Rupees and Twenty Six Paise	85.26

12	12	S.O.R. 2024-25, 20010	1.00	Dismantling wood work, wrought framed and fixed in frames, trusses including stacking the materials with all lead and lift.	Cu.Mt.	1711.65	One Thousand Seven Hundred Eleven Rupees and Sixty Five Paise	1711.65
13	13	S.O.R. 2024-25, 20012	1.00	Dismantling steel work including dismantling a stacking the materials with all lead and lift.	Kg.	3.67	Three Rupees and Sixty Seven Paise	3.67
14	14	S.O.R. 2024-25, 20013A	1.00	Dismantling doors, windows, ventilators etc. (wood or steel) shutters including chowkhats, architraves, holdfasts and other attachment etc. complete and stacking them within all lead and lift. i.. Not exceeding 3 sq.m in area	Each.	182.94	One Hundred Eighty Two Rupees and Ninety Four Paise	182.94
15	15	S.O.R. 2024-25, 20013B	1.00	ii. Exceeding 3 sq.m in area	Each.	244.98	Two Hundred Forty Four Rupees and Ninety Eight Paise	244.98
16	16	S.O.R. 2024-25, 20045	1.00	Removing and scraping of old deteriorated plaster of any thickness from wall/R.C.C. member including stacking of serviceable material and disposal of unserviceable from site of work with all lead and lift.	Sq.Mt.	18.94	Eighteen Rupees and Ninety Four Paise	18.94
17	17	S.O.R. 2024-25, 20016	1.00	Dismantling sanitary fittings like wash basin, W.C. pan Indian and European type, flushing tank etc. including stacking the materials with all lead and lift.	Each.	394.51	Three Hundred Ninety Four Rupees and Fifty One Paise	394.51
18	18	S.O.R. 2024-25, 20015	1.00	Dismantling C.I. Pipes G.S.W. pipes and A.C. rain water pipes with fittings and clamps including stacking the materials with all lead and lift (for any dia. of pipe).	Metre	73.02	Seventy Three Rupees and Two Paise	73.02
19	19	S.O.R. 2024-25, 20017	1.00	Scraping oil paint from steel and other metal Surface and making the Surface even (with Hand Scraping)	Sq.Mt.	49.32	Forty Nine Rupees and Thirty Two Paise	49.32
				EARTHWORK				
20	20	S.O.R. 2024-25, 04001A	1.00	Excavation for foundation upto 1.5 mt.depth including sorting out and stacking of unuseful materials and disposing off the excavated stuff upto 50 Meter lead. (A) loose or soft soil	Cu.Mt.	203.83	Two Hundred Three Rupees and Eighty Three Paise	203.83
21	21	S.O.R. 2024-25, 04001B	1.00	(B) Dense or hard soil	Cu.Mt.	261.73	Two Hundred Sixty One Rupees and Seventy Three Paise	261.73
22	22	S.O.R. 2024-25, 04001C	1.00	(C) Hard murrum	Cu.Mt.	447.54	Four Hundred Forty Seven Rupees and Fifty Four Paise	447.54
23	23	S.O.R. 2024-25, 04001D	1.00	(D) Soft rock not requiring Blasting.	Cu.Mt.	507.53	Five Hundred Seven Rupees and Fifty Three Paise	507.53
24	24	S.O.R. 2024-25, 04001E	1.00	(E) Hard Rock	Cu.Mt.	961.34	Nine Hundred Sixty One Rupees and Thirty Four Paise	961.34
25	25	S.O.R. 2024-25, 04002A	1.00	Excavation for foundation upto 1.5 mt. to 3.0 mt. including sorting out and stacking of useful materials and disposing off the excavated stuff upto 50mt. Lead. (A) loose or soft soil	Cu.Mt.	224.95	Two Hundred Twenty Four Rupees and Ninety Five Paise	224.95

26	26	S.O.R. 2024-25, 04002B	1.00	(B) Dense or hard soil	Cu.Mt.	282.85	Two Hundred Eighty Two Rupees and Eighty Five Paise	282.85
27	27	S.O.R. 2024-25, 04002C	1.00	(C) Hard murrum	Cu.Mt.	479.21	Four Hundred Seventy Nine Rupees and Twenty One Paise	479.21
28	28	S.O.R. 2024-25, 04002D	1.00	(D) Soft rock not requiring Blasting.	Cu.Mt.	529.04	Five Hundred Twenty Nine Rupees and Four Paise	529.04
29	29	S.O.R. 2024-25, 04002E	1.00	(E) Hard Rock		998.85	Nine Hundred Ninety Eight Rupees and Eighty Five Paise	998.85
30	30	S.O.R. 2024- 25,04005A	1.00	Add extra for disposing of the excavated stuff of item No. 17 & 18 for lead of (a) 50 M to 100 M	Cu.Mt.	17.45	Seventeen Rupees and Forty Five Paise	17.45
31	31	S.O.R. 2024- 25,04005B	1.00	(b) 100 M to 200 M	Cu.Mt.	34.91	Thirty Four Rupees and Ninety One Paise	34.91
32	32	S.O.R. 2024- 25,04005C	1.00	(c) 200 M to 300 M	Cu.Mt.	52.36	Fifty Two Rupees and Thirty Six Paise	52.36
33	33	S.O.R. 2024- 25,04005D	1.00	(d) 300 M to 400 M	Cu.Mt.	77.57	Seventy Seven Rupees and Fifty Seven Paise	77.57
34	34	S.O.R. 2024- 25,04005E	1.00	(e) 400 M to 500 M	Cu.Mt.	129.28	One Hundred Twenty Nine Rupees and Twenty Eight Paise	129.28
35	35	S.O.R. 2024-25, 4006	1.00	Filling available excavated earth (excluding rock in trenches, plinth, sides of foundations etc.) in layers not exceeding 20 c.m. in depth consolidating each diposited layer by ramming and watering	Cu.Mt.	130.39	One Hundred Thirty Rupees and Thirty Nine Paise	130.39
36	36	S.O.R. 2024-25, 04007A	1.00	Filling in plinth with sand under floors including watering, ramming, consolidating and dressing etc. complete	Cu.Mt.	460.19	Four Hundred Sixty Rupees and Nineteen Paise	460.19
37	37	S.O.R. 2024-25, 4008A	1.00	Filling in foundation and plinth with murrum or selected soil in layers of 20 cm. thickness including watering, ramming and consolidating etc. complete	Cu.Mt.	289.06	Two Hundred Eighty Nine Rupees and Six Paise	289.06
38	38	S.O.R. 2024-25, 04010B	1.00	Boring holes 3.5 M deep in ordinary soil (for cast in situ piles) and getting out the soil and disposal of the surplus excavated soil as directed with in a lead of 50 Meter for following diameter of pipes. (ii) 250 mm	Each.	1270.11	One Thousand Two Hundred Seventy Rupees and Eleven Paise	1270.11
39	39	S.O.R. 2024-25, 04010C	1.00	Boring holes 3.5 M deep in ordinary soil (for cast in situ piles) and getting out the soil and disposal of the surplus excavated soil as directed with in a lead of 50 Meter for following diameter of pipes. (ii) 300 mm	Each.	1486.14	One Thousand Four Hundred Eighty Six Rupees and Fourteen Paise	1486.14
40	40	S.O.R. 2024-25, 04011B	1.00	Extra for under reaming inside the bore hloes for under reamed piles of following Diameter. (ii) 250 mm.	Each.	508.74	Five Hundred Eight Rupees and Seventy Four Paise	508.74

41	41	S.O.R. 2024-25, 04011C	1.00	Extra for under reaming inside the bore hloes for under reamed piles of following Diameter. (ii) 300 mm.	Each.	632.44	Six Hundred Thirty Two Rupees and Forty Four Paise	632.44
42	42	S.O.R. 2024-25, 4009A	1.00	Filling in foundation and plinth with brick bats / chhara in layers of 20 cm. Thickness including watering and consolidating etc. complete	Cu.Mt.	600.56	Six Hundred Zero Rupees and Fifty Six Paise	600.56
				EARTHWORK (Executed with Machinaries)				
43	43	S.O.R. 2024-25, 04001A	1.00	Excavation for foundation upto 1.5 mt.depth including sorting out and stacking of unuseful materials and disposing off the excavated stuff upto 50 Meter lead. (A) loose or soft soil	Cu.Mt.	117.08	One Hundred Seventeen Rupees and Eight Paise	117.08
44	44	S.O.R. 2024-25, 04001B	1.00	(B) Dense or hard soil	Cu.Mt.	149.67	One Hundred Forty Nine Rupees and Sixty Seven Paise	149.67
45	45	S.O.R. 2024-25, 04001C	1.00	(C) Hard murrum	Cu.Mt.	256.12	Two Hundred Fifty Six Rupees and Twelve Paise	256.12
46	46	S.O.R. 2024-25, 04001D	1.00	(D) Soft rock not requiring Blasting.	Cu.Mt.	264.82	Two Hundred Sixty Four Rupees and Eighty Two Paise	264.82
47	47	S.O.R. 2024-25, 04001E	1.00	(E) Hard Rock	Cu.Mt.	597.60	Five Hundred Ninety Seven Rupees and Sixty Paise	597.6
48	48	S.O.R. 2024-25, 04002A	1.00	Excavation for foundation upto 1.5 mt. to 3.0 mt. including sorting out and stacking of useful materials and disposing off the excavated stuff upto 50mt. Lead (A) loose or soft soil	Cu.Mt.	129.81	One Hundred Twenty Nine Rupees and Eighty One Paise	129.81
49	49	S.O.R. 2024-25, 04002B	1.00	(B) Dense or hard soil	Cu.Mt.	162.38	One Hundred Sixty Two Rupees and Thirty Eight Paise	162.38
50	50	S.O.R. 2024-25, 04002C	1.00	(C) Hard murrum	Cu.Mt.	273.54	Two Hundred Seventy Three Rupees and Fifty Four Paise	273.54
51	51	S.O.R. 2024-25, 04002D	1.00	(D) Soft rock not requiring Blasting.	Cu.Mt.	287.48	Two Hundred Eighty Seven Rupees and Forty Eight Paise	287.48
52	52	S.O.R. 2024-25, 04002E	1.00	(E) Hard Rock	Cu.Mt.	620.24	Six Hundred Twenty Rupees and Twenty Four Paise	620.24
53	53	S.O.R. 2024-25, 26011B	1.00	Supplying of graded stone aggregate of following size [For W.B.M. road] 2) Hand broken stone aggregates 40mm to 63mm size	Cu.Mt.	262.48	Two Hundred Sixty Two Rupees and Forty Eight Paise	262.48
54	54	S.O.R. 2024-25, 26011C	1.00	Supplying of graded stone aggregate of following size [For W.B.M. road] 3) Crushed stone aggregate for Hard Quality up to 63mm size	Cu.Mt.	297.48	Two Hundred Ninety Seven Rupees and Forty Eight Paise	297.48

55	55	S.O.R. 2024-25, 26012A	1.00	Supplying on site (as per instruction of Engineer incharge) of crushed stone aggregates, chippings etc. of machine crushed stone of following nominal size free of disintegrated pieces, deleterious and organic matter (for any type of work with all conveyance charges, taxes etc.) and grading as per I.R.C. Code i) 50 mm	Cu.Mt.	297.48	Two Hundred Ninety Seven Rupees and Forty Eight Paise	297.48
56	56	S.O.R. 2024-25, 26012B	1.00	ii) 40mm	Cu.Mt.	349.97	Three Hundred Forty Nine Rupees and Ninety Seven Paise	349.97
57	57	S.O.R. 2024-25, 26012C	1.00	ii) 25mm	Cu.Mt.	384.96	Three Hundred Eighty Four Rupees and Ninety Six Paise	384.96
58	58	S.O.R. 2024-25, 26012D	1.00	iv) 20 mm	Cu.Mt.	419.96	Four Hundred Nineteen Rupees and Ninety Six Paise	419.96
59	59	S.O.R. 2024-25, 26012E	1.00	v) 12mm	Cu.Mt.	398.75	Three Hundred Ninety Eight Rupees and Seventy Five Paise	398.75
60	60	S.O.R. 2024-25, 26012F	1.00	(vi) 10 mm	Cu.Mt.	279.97	Two Hundred Seventy Nine Rupees and Ninety Seven Paise	279.97
61	61	S.O.R. 2024-25, 26018A	1.00	Spreading the stone aggregate for roiling and W.B.M including filling the interstices forming the surface to required camber and gradient. i) 40mm to 63mm size aggregates(H.B)	Cu.Mt.	249.75	Two Hundred Forty Nine Rupees and Seventy Five Paise	249.75
62	62	S.O.R. 2024-25, 26018B	1.00	ii) 25mm to 50mm size crushed stone	Cu.Mt.	249.75	Two Hundred Forty Nine Rupees and Seventy Five Paise	249.75
63	63	S.O.R. 2024-25, 26018C	1.00	iii)chipping varying from 6mm to 25mm size and quarry dust/spal	Cu.Mt.	249.75	Two Hundred Forty Nine Rupees and Seventy Five Paise	249.75
				CONCRETE				
64	64	S.O.R. 2024-25, 5004A	1.00	Providing & laying plain cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 crushed stone aggregate 40mm nominal size) and curing complete excluding cost of form work in (A) foundation and plinth	Cu.Mt.	2640.21	Two Thousand Six Hundred Forty Rupees and Twenty One Paise	2640.21
65	65	S.O.R. 2024-25, 5008A	1.00	Providing & laying brick bat cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded bricks bats) and curing complete excluding cost of form work in (A) foundation and plinth	Cu.Mt.	2651.18	Two Thousand Six Hundred Fifty One Rupees and Eighteen Paise	2651.18
66	66	S.O.R. 2024-25, 5003A	1.00	Providing and laying cement concrete 1:3:6 (1-Cement : 3- coarse sand : 6- hand broken stone aggregates 40 mmnominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth	Cu.Mt.	2965.76	Two Thousand Nine Hundred Sixty Five Rupees and Seventy Six Paise	2965.76

67	67	S.O.R. 2024-25, 5006A	1.00	Providing and laying cement concrete 1:5:10 (1- Cement : 5- Coarse sand : 10- hand broken stone aggregates 40 mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth	Cu.Mt.	2477.43	Two Thousand Four Hundred Seventy Seven Rupees and Forty Three Paise	2477.43
68	68	S.O.R. 2024-25, 5009A	1.00	Providing and laying cement concrete 1:5:10 (1- Cement : 5- fine sand : 10- graded brick bat aggregates 40mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth	Cu.Mt.	2481.58	Two Thousand Four Hundred Eighty One Rupees and Fifty Eight Paise	2481.58
69	69	S.O.R. 2024-25, 05010AA	1.00	Providing and laying cement concrete 1 :2:4 (1 cement : 2 coarse sand : 4 graded stone aggregates 20 mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth.	Cu.Mt.	3481.28	Three Thousand Four Hundred Eighty One Rupees and Twenty Eight Paise	3481.28
70	70	S.O.R. 2024-25, 05030	1.00	Providing and laying ordinary cement concrete 1:2:4 (1cement : 2 coarse sand : 4graded stone aggregates 20 mm. nominal size) for R.C.C. Lintel including finishing smooth with curing etc. complete including the cost of form work but excluding the cost of reinforcement up to floor two level.	Cu.Mt.	10219.38	Ten Thousand Two Hundred Nineteen Rupees and Thirty Eight Paise	10219.38
71	71	S.O.R. 2024-25, R.A. No.:- 01	1.00	Providing and laying ordinary cement concrete 1:2:4 (1cement : 2 coarse sand : 4graded stone aggregates 20 mm. nominal size) and curing complete including the cost of form work and excluding the cost of reinforcement for reinforced concrete work in C.C. COPING.	Cu.Mt.	5472.00	Five Thousand Four Hundred Seventy Two Rupees	5472.00
72	72	S.O.R. 2024-25, R.A. No.:- 02	1.00	Providg & laying Ordinary cement concrete 1: 2 : 4 (1 -cement; 2 coarse sand; 4 graded stone aggregate 20 mm nominal size) and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in. (A) Foundation, footing, base of columns and mass concrete.	Cu.Mt.	4429.00	Four Thousand Four Hundred Twenty Nine Rupees	4429.00
73	73	S.O.R. 2024-25, R.A. No.:- 03	1.00	Providing and laying ordinary cement concrete 1:2:4 (1cement : 2 coarse sand : 4graded stone aggregates 20 mm. nominal size) and curing complete including the cost of form work and excluding the cost of reinforcement for reinforced concrete work in Chajja.	Cu.Mt.	6444.00	Six Thousand Four Hundred Forty Four Rupees	6444.00
74	74	S.O.R. 2024-25, R.A. No.:- 04	1.00	Providing and laying Ordinary cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregates 20 mm nominal size) and finishing smooth with curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C. work in Gr. Beam / P. Beam.	Cu.Mt.	7278.00	Seven Thousand Two Hundred Seventy Eight Rupees	7278.00

75	75	S.O.R. 2024-25, 05028A	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) exposed work with curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (i) Slabs upto 8cm thickness	Cu.Mt.	9542.04	Nine Thousand Five Hundred Forty Two Rupees and Four Paise	9542.04
76	76	S.O.R. 2024-25, 05028B	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) exposed work with curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (ii) Slabs having more than 8 cm and upto 10 cm.thickness	Cu.Mt.	8425.21	Eight Thousand Four Hundred Twenty Five Rupees and Twenty One Paise	8425.21
77	77	S.O.R. 2024-25, 05028C	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) exposed work with curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (iii) Slabs having more than 10 cm and upto 13 cm. thickness	Cu.Mt.	7454.03	Seven Thousand Four Hundred Fifty Four Rupees and Three Paise	7454.03
78	78	S.O.R. 2024-25, 05031A1	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) and finishing smooth with,curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (A) BEAMS :(i) Having cross-sectional area 0.05 to 0.08 Sq.M	Cu.Mt.	8593.80	Eight Thousand Five Hundred Ninety Three Rupees and Eighty Paise	8593.8
79	79	S.O.R. 2024-25, 05031A2	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) and finishing smooth with,curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (A) BEAMS :(ii) Having cross-sectional area more than 0.08Sq.M and upto 0.12 Sq.M	Cu.Mt.	7665.60	Seven Thousand Six Hundred Sixty Five Rupees and Sixty Paise	7665.6
80	80	S.O.R. 2024-25, 05031A3	1.00	Providing and laying ordinary cement concrete 1:2:4 (1- Cement 2-coarse sand : 4- graded stone aggregates 20 mm nominal size) and finishing smooth with,curing etc. complete including the cost of formwork but excluding the cost of reinforcement for R.C.C work in (A) BEAMS :(iii) Having cross-sectional area more than 0.12Sq.M and upto 0.18 Sq.M	Cu.Mt.	6578.07	Six Thousand Five Hundred Seventy Eight Rupees and Seven Paise	6578.07
81	81	S.O.R. 2024-25, 05021A	1.00	Providing and laying damp proof course 25 mm thick cement concrete 1:2:4(1 cement : 2 coarse sand :4 stone aggregate 10 mm nominal size) and curing complete	Sq.Mt.	295.11	Two Hundred Ninety Five Rupees and Eleven Paise	295.11

82	82	S.O.R. 2024-25, R.A. No.:- 05	1.00	Providing & laying controlled cement concrete M-250 with curing etc. complete incl. the cost of form work but excluding the cost of rainrorcement for R.C.C. work up to floor two level.. A. For Foundation footings, Base of columns and Mass Concrete.	Cu.Mt.	4753.00	Four Thousand Seven Hundred Fifty Three Rupees	4753.00
83	83	S.O.R. 2024-25, R.A. No.:- 06	1.00	B. For slab beam, lintels & chajja	Cu.Mt.	6650.00	Six Thousand Six Hundred Fifty Rupees	6650.00
84	84	S.O.R. 2024-25, R.A. No.:- 07	1.00	C. For Slabs,Sill,Shelves	Cu.Mt.	6707.00	Six Thousand Seven Hundred Seven Rupees	6707.00
85	85	S.O.R. 2024-25, R.A. No.:- 08	1.00	D. For stair case	Cu.Mt.	6431.00	Six Thousand Four Hundred Thirty One Rupees	6431.00
86	86	S.O.R. 2024-25, R.A. No.:- 09	1.00	E. For Parapet,Horizantal & Vertical Fins	Cu.Mt.	8976.00	Eight Thousand Nine Hundred Seventy Six Rupees	8976.00
87	87	S.O.R. 2024-25, R.A. No.:- 10	1.00	F. For Gr. Beam / P. Beam	Cu.Mt.	6056.00	Six Thousand Fifty Six Rupees	6056.00
88	88	S.O.R. 2024-25, R.A. No.:- 11	1.00	Providing & laying controlled cement concrete M-200 with curing etc. complete incl. the cost of form work but excluding the cost of rainrorcement for R.C.C. work up to floor two level. A. For Foundation footing, Base of columns and Mass concrete.	Cu.Mt.	4463.00	Four Thousand Four Hundred Sixty Three Rupees	4463.00
89	89	S.O.R. 2024-25, R.A. No.:- 12	1.00	B. For slab beam, lintels & chajja	Cu.Mt.	6586.00	Six Thousand Five Hundred Eighty Six Rupees	6586.00
90	90	S.O.R. 2024-25, R.A. No.:- 13	1.00	Providing & laying controlled cement concrete M-200 with curing etc. complete incl. the cost of form work but excluding the cost of rainrorcement for R.C.C. work up to floor two level. For Slabs,Sill,Shelves	Cu.Mt.	4843.00	Four Thousand Eight Hundred Forty Three Rupees	4843.00
91	91	S.O.R. 2024-25, R.A. No.:- 14	1.00	Providing & laying controlled cement concrete M-200 with curing etc. complete incl. the cost of form work but excluding the cost of rainrorcement for R.C.C. work up to floor two level. For stair case	Cu.Mt.	7425.00	Seven Thousand Four Hundred Twenty Five Rupees	7425.00
92	92	S.O.R. 2024-25, R.A. No.:- 15	1.00	Providing and laying controlled cement concrete M-200 and curing complete including the cost of form work but excluding the cost of reinforcement for reinforced concrete work in Gr. Beam / P. Beam.	Cu.Mt.	5993.00	Five Thousand Nine Hundred Ninety Three Rupees	5993.00
93	93	S.O.R. 2024-25, R.A. No.:- 16	1.00	Providing & laying controlled cement concrete M-200 with curing etc. complete incl. the cost of form work but excluding the cost of rainrorcement for R.C.C. work up to floor two level. For Parapet,Horizantal & Vertical Fins	Cu.Mt.	8913.00	Eight Thousand Nine Hundred Thirteen Rupees	8913.00

94	94	S.O.R. 2024-25, 05015A	1.00	Extra for additional lift of concrete for all RCC work above floor two level excluding cost of reinforcement.	Per floor Per Cu.Mt.	38.08	Thirty Eight Rupees and Eight Paise	38.08
95	95	S.O.R. 2024-25, 05013A	1.00	Providing mild steel reinforcement for R.C.C. work incl. binding and placing in position complete upto floor two level.	KG.	60.58	Sixty Rupees and Fifty Eight Paise	60.58
96	96	S.O.R. 2024-25, 05014BA	1.00	Providing TMT Bar FE 415 reinforcement for R.C.C. work including bending, binding and placing in position complete.	KG.	67.26	Sixty Seven Rupees and Twenty Six Paise	67.26
97	97	S.O.R. 2024-25, 05014CA	1.00	Providing TMT Bar FE 500D reinforcement for R.C.C. work including bending, binding and placing in position complete.	KG.	76.21	Seventy Six Rupees and Twenty One Paise	76.21
98	98	S.O.R. 2024-25, 05018	1.00	Providing throating or plaster drip and moulding to R.C.C. Chhajja	Rmt.	41.00	Forty One Rupees	41.00
99	99	S.O.R. 2024-25, 05016A	1.00	Extra for additional lift of reinforcing steel for all RCC work above floor two level	Per floor Per Kg	1.00	One Rupees	1.00
100	100	S.O.R. 2024-25, 06001BA	1.00	Brick work using common burnt clay building bricks having crushing strength not less than 35 Kg./Sq.Cm. in foundation and plinth in cement mortar 1:5 (1 cement : 5 fine sand) (B) Conventional	Cu.Mt.	4051.78	Four Thousand Fifty One Rupees and Seventy Eight Paise	4051.78
101	101	S.O.R. 2024-25, 06002BA	1.00	Brick work using common burnt clay building bricks having crushing strength not less than 35 Kg./Sq.Cm. in foundation and plinth in cement mortar 1:6 (1 cement : 6 fine sand) (B) Conventional	Cu.Mt.	4021.02	Four Thousand Twenty One Rupees and Two Paise	4021.02
102	102	S.O.R. 2024-25, 06002BA+06006B	1.00	Brick work using common burnt clay building bricks for super structure having crushing strength not less than 35 Kg./Sq.Cm. in cement mortar 1:6 (1 cement : 6 fine sand) above plinth level upto floor two level.(B) Conventional	Cu.Mt.	4289.33	Four Thousand Two Hundred Eighty Nine Rupees and Thirty Three Paise	4289.33
103	103	S.O.R. 2024-25, 06007A2	1.00	Extra for brick work/Block masonry work in superstructure above floor two level.	per floor/Cu.M t.	40.49	Forty Rupees and Forty Nine Paise	40.49
104	104	S.O.R. 2024-25, 06008A2	1.00	i) Half brick masonry in common burnt clay building bricks having crushing strength not less than 35 Kg./Sq.Cm. in cement mortar 1:4 (1 Cement : 4 coarse sand) in foundation and plinth. (B) Conventional	Sq.Mt.	599.84	Five Hundred Ninety Nine Rupees and Eighty Four Paise	599.84
105	105	S.O.R. 2024-25, 06008A2+06010B	1.00	Half brick masonry in common burnt clay conventional building bricks having crushing strength not less than 35 Kg./Sq.Cm. in cement mortar 1:4 (1 Cement : 4 coarse sand) above plinth level upto floor two level	Sq.Mt.	651.67	Six Hundred Fifty One Rupees and Sixty Seven Paise	651.67
106	106	S.O.R. 2024-25, 06010B	1.00	Extra for half brick work/Block in superstructure above floor two level. a. For First floor	per floor/Sq.Mt .	51.83	Fifty One Rupees and Eighty Three Paise	51.83
107	107	S.O.R. 2024-25, 06010B+06011BA	1.00	b. For Second floor	per floor/Sq.Mt .	57.83	Fifty Seven Rupees and Eighty Three Paise	57.83
108	108	S.O.R. 2024-25, 07004A	1.00	Coursed rubble masonry with hard stone of approved quality in foundations and plinth in Cement Mortar 1:6 (1 Cement : 6 Coarse Sand) etc. Complete.	Cu.Mt.	3334.48	Three Thousand Three Hundred Thirty Four Rupees and Forty Eight Paise	3334.48
109	109	S.O.R. 2024-25, 07004A+07006	1.00	Coursed rubble masonry with hard stone of approved quality in Superstructure above plinth level up to floor two level in Cement Mortar 1:6 (1 Cement : 6 Coarse Sand) etc. Complete.	Cu.Mt.	3631.47	Three Thousand Six Hundred Thirty One Rupees and Forty Seven Paise	3631.47

110	110	S.O.R. 2024-25, 06014	1.00	Masonry work using Aerated light weight concrete block having crushing strength not less than 35 kg/sqcm for super structure above plinth level up to floor two level in cement mortar 1:5 91 cement : 5fine sand) complete as per technical Specification.	Cu.Mt.	4528.57	Four Thousand Five Hundred Twenty Eight Rupees and Fifty Seven Paise	4528.57
111	111	S.O.R. 2024-25, R.A. No.:- 17	1.00	Providing and fixing chicken mesh jali at R.C.C.-Masonry joints at any height with all labour and materials etc. complete.	Sq.Mt.	81.00	Eighty One Rupees	81.00
112	112	S.O.R. 2024-25, R.A. No.:- 18	1.00	Stiching Cracks in slab cutting with Chisel and making V grouve and Filling the cracks using epoxy material and Non shrinkage additives in proportion 1:3(1 Cement : 3 Sand) including curung Scaffolding etc Complete	Rmt.	98.76	Ninety Eight Rupees and Seventy Six Paise	98.76
113	113	S.O.R. 2024-25, R.A. No.:- 19	1.00	Injecting cement with conbex 100/ Intraplast N-200 grout into concrete/brick work by suitable gun/pump at required pressures by providing drilling and inserting 12mm dia aluminium grouting multi perforated nipple upto 30mm to 40mm depth using "M" seal around the nipple, cutting of nipple after curing, cleaning including opening and sealing the crack with cement mortar and conbex 100 etc complete (item to be paid on actual consumption of cement)	KG.	35.00	Thirty Five Rupees	35.00
114	114	S.O.R. 2024-25, R.A. No.:- 20	1.00	Retrofitting to building by strengthening existing walls from inside by providing vertical and horizontal inner bands and by scraping old plaster, providing a base coat of 15mm thick in C.M 1:3 providing and fixing G.I. Weld mesh 50mm x 50mm square made of 3mm wire on inner side of wall and fixing the same by 8mm T.M.T. clamps after drilling holes @ 60cm c/c two raw including required "U" steel nailing, applying bonding coat of polymer modified cementitious slurry etc. Applying smooth cement plaster 20mm in C.M. 1:3 on weld mesh with floating coat of neat cement slurry including necessary scaffolding with all equipments etc. complete as directed. A.For Ground floor.	Sq.Mt.	832.00	Eight Hundred Thirty Two Rupees	832.00
115	115	0	1.00	B.For First floor.	Sq.M.	842.00	Eight Hundred Forty Two Rupees	842.00
116	116	0	1.00	C. Second Floor	Sq.Mt.	852.00	Eight Hundred Fifty Two Rupees	852.00

117	117	S.O.R. 2024-25, R.A. No.:- 21	1.00	Retrofitting to buildings by providing vertical or horizontal outer bands by scraping old plaster, providing a base coat of cement plaster 15mm thick in C.M 1:3 providing and fixing G.I. Weld mesh 50mm x 50mm square 3mm wire on outer face of walls and fixing the same by 8mm T.M.T. clamp after drilling holes @ 60 cm c/c two raw with interior weld mesh, applying bonding coat of polymer modified cementitious slurry, applying 20mm cement plaster in two coats under layer 12mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished with top layer of 8mm thick cement plaster 1:1 (1 cement : 1 fine sand) with sponge, including grouting holes etc. complete. A. For Ground floor.	Sq.Mt.	1162.00	One Thousand One Hundred Sixty Two Rupees	1162.00
118	118	0	1.00	B. For first Floor.	Sq.Mt.	1172.00	One Thousand One Hundred Seventy Two Rupees	1172.00
119	119	0	1.00	C. For Second floor.	Sq.Mt.	1182.00	One Thousand One Hundred Eighty Two Rupees	1182.00
120	120	S.O.R. 2024-25, 11002AA	1.00	Steel work welded in built up sections framed work including cutting, hoisting, fixing in position and applying a priming coat of red lead paint. [A.] In beams and joists, channels angles tees, flats with connecting plates or angle cleats as in main and cross beams, Hip and jack rafters, purlins connected to common rafters and the like.	Quintle.	9047.86	Nine Thousand Forty Seven Rupees and Eighty Six Paise	9047.86
121	121	S.O.R. 2024-25, 11002DA	1.00	[D.] In trusses and trussed purlins, upto 25M span and 15M overall height.	Quintle.	8788.90	Eight Thousand Seven Hundred Eighty Eight Rupees and Ninety Paise	8788.90
122	122	S.O.R. 2024-25, 10025AA	1.00	Providing and fixing M.S. grill of required pattern top wooden frames of windows etc. with M.S.. flats at required spacing and frame alround square or round bars with round headed bolts and nuts or by screws. (A) Plain grill	KG.	102.62	One Hundred Two Rupees and Sixty Two Paise	102.62
123	123	S.O.R. 2024-25, 10025BA	1.00	Providing and fixing M.S. grill of required pattern top wooden frames of windows etc. with M.S.. flats at required spacing and frame alround square or round bars with round headed bolts and nuts or by screws. (B) Ornamental grill	Kg.	154.62	One Hundred Fifty Four Rupees and Sixty Two Paise	154.62
124	124	S.O.R. 2024-25, R.A. No.:- 22	1.00	Providing and fixing 90 C.M. high MS railing for balconies, terrace parperts, ramp etc. with necessary hold fast inserted in floor and fill with concrete(1:2:4) with 40mm dia heavy duty MS pipe on top and 20 mm x 20mm Square Vertical balustrade 30cm C/C as approved square bars Balusters @ spacing 30 cm c/c and 35 X 5 mm Flat 2.0 no along 0.30 cm height from bottom with as per approved design and as per instruction of engineer in charge pattern including cutting, bending, welding, fixing and applying three coats of approved brand with primer and two coat of paint etc. complete	Rmt.	1321.00	One Thousand Three Hundred Twenty One Rupees	1321.00

125	125	S.O.R. 2024-25, 11005BA	1.00	Providing & fixing rolling shutter of approved make of 80 mm wide M.S. Laths interlocked together through their enter lengths and jointed together at the ends by end locks mounted on specially designed pipe shall with bracket plates guide channels and arrangement for inside and out side locking with push & pull operation complete including cost of hood cover and spring (B) Shutter having width above 3.5 M and Above	Sq.M.	4495.02	Four Thousand Four Hundred Ninety Five Rupees and Two Paise	4495.02
126	126	S.O.R. 2024-25, 11003A	1.00	Providing and fixing in position collapsible steel shutters with verticla channels 20 x 10 x 2 mm braced with flat iron diagonals 20 x 5 mm size with top & bottom rails of T iron 40 x 40 x 6 mm with 38 mm dia steel pulleys complete with bolts, nuts, locking arrangements, stoppers, handles incl. applying a priming coat of rerd lead paint.	Quintle.	5787.15	Five Thousand Seven Hundred Eighty Seven Rupees and Fifteen Paise	5787.15
127	127	S.O.R. 2024-25, 11004A	1.00	Providing and fixing 1 mm thick M.S. Sheet sliding shutters with frame and diagonal braces of 40 x 40 x 6 mm angle iron, 3.15 mm M.S. gusset plates at junctions and corners 25 mm dia, pulley, 40 x 40 x 6 mm angle and T - iron huide rail at top and bottom respectively with handles, stopers and locking agangement etc. including applying a priming coat of red lead paint.	Sq.Mt.	3688.64	Three Thousand Six Hundred Eighty Eight Rupees and Sixty Four Paise	3688.64
128	128	S.O.R. 2024-25, 10001A	1.00	Providing wood work in frames of doors, windows, clear storey windows and other similar works, wrought framed & fixed in positioned in position made in Indian Teak Wood	10 Cu. Dm.	608.06	Six Hundred Eight Rupees and Six Paise	608.06
129	129	S.O.R. 2024-25, 10011	1.00	Providing and fixing flush door shutters, solid core construction with frame if first class hard-wood with cross band and face veneer of plywood face pannels including anodized aluminum butt hinges with necesary screws. (B) Non decorative type and black board core anodised alluminium but hinges in flush door shutters. [2] 35mm thick	Sq.Mt.	1797.77	One Thousand Seven Hundred Ninety Seven Rupees and Seventy Seven Paise	1797.77
130	130	MR	1.00	Add Extra for Providing and fixing sunmica /lamination of 1 mm thicness of approved quality on Flush door/Table top or where ever required (Basic Rate assuming 1450.00 Rs per Sheet of 8'X4' =32 sq. feet)	Sq.Mt.	1825.00	One Thousand Eight Hundred Twenty Five Rupees	1825.00
131	131	S.O.R. 2024-25, 10032A	1.00	Providing and fixing Indian teak wood 35mm th. Shutters for doors, windows and clearstory window incl. indian teak wood frame 12cmX 7 cm size including anodized Alluminum fixtures and fastering incl. primer coat of approved quality and two coats of oil painting etc. complete. (i) Fully Glazed	Sq.Mt.	4836.39	Four Thousand Eight Hundred Thirty Six Rupees and Thirty Nine Paise	4836.39
132	132	S.O.R. 2024-25, 10032B	1.00	(ii) Fully Panelled	Sq.Mt.	5533.68	Five Thousand Five Hundred Thirty Three Rupees and Sixty Eight Paise	5533.68
133	133	S.O.R. 2024-25, 10032C	1.00	(iii) Partly Panelled and Partlty Glased	Sq.Mt.	5185.03	Five Thousand One Hundred Eighty Five Rupees and Three Paise	5185.03

134	134	S.O.R. 2024-25, 10004BA	1.00	Providing and fixing Indian teak wood 35mm th. Shutters for doors, windows and clearstory window including anodized alluminium butt hinges with necessary screws incl. primer coat of approved quality and two coats of oil painting etc. complete. (i) Fully Glazed	Sq.Mt.	3244.08	Three Thousand Two Hundred Forty Four Rupees and Eight Paise	3244.08
135	135	S.O.R. 2024-25, 10004AA	1.00	(ii) Fully Panelled	Sq.Mt.	3941.37	Three Thousand Nine Hundred Forty One Rupees and Thirty Seven Paise	3941.37
136	136	S.O.R. 2024-25, 10004CA	1.00	(iii) Partly Panelled and Partlty Glased	Sq.Mt.	3592.72	Three Thousand Five Hundred Ninety Two Rupees and Seventy Two Paise	3592.72
137	137	S.O.R. 2024-25, 10014A	1.00	Providing and fixing 30 mm wire gauge shutters using galvanised M.S. wire of I.S. gauge designation of 85 G. with wire of 0.56 mm dia,for Doors, windows and clearstory windows including anodised alluminium butt hinges with necessary screws. (A) Indian teak wood.	Sq.Mt.	2706.07	Two Thousand Seven Hundred Six Rupees and Seven Paise	2706.07
138	138	S.O.R. 2024-25, 10030A	1.00	Providing and fixing 35 mm thick shutters for Doors, windows and clerestory windows including Indian teak wood frames 10 cm x 7 cm. size including anodized alluminium fixtures and fastenings including primer coat of approved quality and two coats of oil painting etc, complete. (i) Fully Glazed.	Sq.Mt.	4641.01	Four Thousand Six Hundred Forty One Rupees and One Paise	4641.01
139	139	S.O.R. 2024-25, 10030B	1.00	Providing and fixing 35 mm thick shutters for Doors, windows and clerestory windows including Indian teak wood frames 10 cm x 7 cm. size including anodized alluminium fixtures and fastenings including primer coat of approved quality and two coats of oil painting etc, complete. (ii) Fully Panelled.	Sq.Mt.	5338.30	Five Thousand Three Hundred Thirty Eight Rupees and Thirty Paise	5338.30
140	140	S.O.R. 2024-25, 10030C	1.00	Providing and fixing 35 mm thick shutters for Doors, windows and clerestory windows including Indian teak wood frames 10 cm x 7 cm. size including anodized alluminium fixtures and fastenings including primer coat of approved quality and two coats of oil painting etc, complete. (iii) Partly panelled and partly glazed.	Sq.M.	4989.65	Four Thousand Nine Hundred Eighty Nine Rupees and Sixty Five Paise	4989.65
141	141	S.O.R. 2024-25, 10006AA	1.00	Providing and fixing 25 mm thick shutters for cupboards etc. including anodised alluminium butt hinges with necessary screws. (A) Indian teak wood. (i) Fully Panelled.	Sq.Mt.	3064.44	Three Thousand Sixty Four Rupees and Forty Four Paise	3064.44
142	142	S.O.R. 2024-25, 10006BA	1.00	Providing and fixing 25 mm thick shutters for cupboards etc. including anodised alluminium butt hinges with necessary screws. (A) Indian teak wood. (ii) Fully Glazed.	Sq.Mt.	2620.69	Two Thousand Six Hundred Twenty Rupees and Sixty Nine Paise	2620.69
143	143	S.O.R. 2024-25, 10029AA	1.00	(i) Providing and fixing glazed louvered glass fold windows and ventilator with Teak frame 10 Cm x 7 cm. size including 3 coats of oil painting to wood work etc. complete	Sq.Mt.	4143.57	Four Thousand One Hundred Forty Three Rupees and Fifty Seven Paise	4143.57
144	144	S.O.R. 2024-25, 13002	1.00	Providing & fixing rough cast wired 6mm thick bedded in putty fixed with wooden beading incl. the cost of wooden beading of indian teak wood and necessary cutting of glass. (C) Wired figured glass	Sq.Mt.	564.85	Five Hundred Sixty Four Rupees and Eighty Five Paise	564.85

145	145	M.R.	1.00	Providing & fixing 50mm X 50mm X 2mm Alluminium angle for protection of inner corner of building up to 1.5mt height of approved quality with required Stainless steel Screw minimum 2" Long or more if required as site condition with 1st quality Rawl plug and finishing site as per requirement	Rmt.	1425.00	One Thousand Four Hundred Twenty Five Rupees	1425.00
146	146	M.R.	1.00	Providing & fixing 50mm X 50mm X 0.80 mm Stainless Steel angle for protection of inner corner of building up to 1.5mt height of approved quality with required Stainless steel Screw minimum 2" Long or more if required as site condition with 1st quality Rawl plug and finishing site as per requirement	Rmt.	1835.00	One Thousand Eight Hundred Thirty Five Rupees	1835.00
147	147	S.O.R. 2024-25, 10037	1.00	providing and fixing of FRP Frame size 100 x 50 mm and 28 mm thick FRP shutters with 1.5 to 2.00 thick fire- extinguishing grade FRP skin in depressed panel design having extra reinforcement on sides and edges and in Gel coat finish. The core of the shutter is to be filled up with injected fire extinguishing grade polyurethane foam done in situ along with embedded wooden pieces for stiffening and also for taking hinges and fixtures. The whole shutter is to be waterproof, weatherproof termite proof and resistance to mild acid / alkali. Rates are to be inclusive of SS hinges with necessary screws and aluminum fixtures and fastening Product should have 3 years performance guarantee and company have ISO 9001 -2000 certificate	Sq.Mt.	2377.76	Two Thousand Three Hundred Seventy Seven Rupees and Seventy Six Paise	2377.76

148	148	S.O.R. 2024-25, 10044	1.00	Providing and fixing 30mm thick FACTORY MADE SOLID BOTH SIDE PRELAM PANEL PVC DOOR SHUTTER consisting of frame made out of M.S. tube of 19 gauge thickness and size of 19mm x 19mm for stiles, top and bottom rails M.S. frame shall have a coat of steel primer of approved make and manufactures. m.S. frame covered with 5mm thick heat moulded prelam PVC "C" channel of size 30mm thickness 70mm width of which 50mm shall be flat and 20mm shall be tapered in 45 degree Angle on either side forming stiles, and 5mm thick, 95mm wide pream PVC sheet out of which 75mm shall be flat and 20mm shall be tapered in 45 degree on the Inner side to form top and bottom rail and 115mm wide prelam PVC sheet out of which 75mm shall be flat and 20mm shall be tapered on both side to form lock rail, top, bottom and lock rails shall be provided either side of the panel 10mm (5mmx2) thick 20mm wide cross PVC sheet shall be provided as gap insert for top rail and bottom rails panelling of 5mm thick both side prelam PVC sheet to be fitted in the M.S. frame welded sealed to the stiles and rails with 7mm (5mm+2mm) thickx15mm wide PVC sheet beading on inner side, and jointed togeht with solvent cement adhesive An additional 5mm thick PVC strip of 20mm width is to be stuck o the interior siue of the "C chanel using PVC solvent adhesive etc complete as per direction of Engineering in charge manufacture's Specification and rawing.	Sq.Mt.	2236.14	Two Thousand Two Hundred Thirty Six Rupees and Fourteen Paise	2236.14
149	149	S.O.R. 2024-25, 10064A	1.00	Providing fusion bonded Epoxy coating not less than 175 micron thickness and up to 300 micron to reinforcement bars as per IS-13620-1993/ASTM-775 M including testing of coating at plant and all taxes (A) 10mm to 16mm dia bar.	M.T.	10162.62	Ten Thousand One Hundred Sixty Two Rupees and Sixty Two Paise	10162.62
150	150	S.O.R. 2024-25, R.A. No.- 23	1.00	Providing and fixing Godrej Type Steel cupboards in wall withsteel frames and shutters using 18 gauge M.S. steel sheet including necessary fixtures , fastening like locks handles, hinges with approved shade of sparay painting etc complete as directed	Sq.Mt.	2202.00	Two Thousand Two Hundred Two Rupees	2202.00
151	151	S.O.R. 2024-25, 13003B	1.00	Providing and fixing sheet glass as per approved quality Copper tint, Frosted or as per requiremnet bedded in putty and fixed with wooden beadings including the cost of wooden beadings of first class teak wood and necessary cutting of glass.(B) 4mm thick.	Sq.Mt.	1134.21	One Thousand One Hundred Thirty Four Rupees and Twenty One Paise	1134.21

152	152	S.O.R. 2024-25, R.A. No.:- 24	1.00	Providing and laying in position decorative roof tiles of approved make and design with all required accessories set in cement slurry (3.3 kg cement /sqm) over a minimum 20mm thick cement mortar 1:3 bedding and laid to proper slopes and level at any height on flat or inclined roof, chhajja, weather sheds, projections, joints shall be filled with specified color pigment, including curing, cleaning etc. complete as directed by engineer-in-charge.	Sq.Mt.	878.00	Eight Hundred Seventy Eight Rupees	878.00
153	153	S.O.R. 2024-25, R.A. No.:- 25	1.00	Refixing wood work in purlins/ trusses, frames rafter including necessary, fixing accessories etc. complete.	Cu.Dm.	7.00	Seven Rupees	7.00
154	154	S.O.R. 2024-25, R.A. No.:- 26	1.00	Removing and refixing existing door or window with frame and shutters including making good the damaged wood work and applying single coats of oil paint etc. complete.	Sq.Mt.	507.00	Five Hundred Seven Rupees	507.00
155	155	M.R.	1.00	Supplying and fixing Heavy quality SS fittings with best quality for doors, windows, ventilators with necessary brass screws, nails etc. complete as directed and as approved by Architect & Engineer-in-charge. The fixture & fastenings shall be provided as under : a) Heavy handle 12.5 cm.	Each.	450.00	Four Hundred Fifty Rupees	450.00
156	156	S.O.R. 2024-25, R.A. No.:- 27	1.00	Providing and fixing 3 mm thick PVC sheets as signange and display of health signs/information of required size having retro reflective letters/design as per requiemment, fixing the same through approved adhesive etc. complete work shall e carried out as per instruction of Engineer-in-charge (Approved make PVC foamed sheet only) (45 x 15 cms.)	Each.	270.00	Two Hundred Seventy Rupees	270.00
157	157	S.O.R. 2024-25, 11027	1.00	Providing and fixing window having extruded aluminum Colour anodized section frame main outer size 95mm x 24mm x 1.17mm (of Jindal Section no:2459 @ wt.of 0.738 Kg/mt), horizontal Three track member size 92mm x 31.75mm x 1.30mm (of Jindal Section no:8688,@ Wt.1.07 Kg/mt), vertical member of size 92mm x 31.75mm x 1.50mm (of Jindal Section no:8933,@ Wt. 1.06 Kg/mt) with sliding shutters of horizontal member size 40 mmx18mm x1.29mm (of Jindal Section no:8947@ wt.of 0.456 Kg/mt), vertical member of size 40mm x 18mm x 1.29 mm (of Jindal Section no:8949 @ wt.of 0.456Kg/mt/ with 5 mm thick transparent bronze colour tinted float glass with powder coated aluminum fittings and fixtures and transparent silicon sealant glass fixing to frame as per details etc	Sq.Mt.	1583.95	One Thousand Five Hundred Eighty Three Rupees and Ninety Five Paise	1583.95
158	158	M.R.	1.00	In Two Shutter Glass 4 mm thick (Frosted or obscured on one side) fixed with transparent silicon gasket and in one Shutter Stainless Steel Mosquito net Approved Quality (Reliance Brand C.S. 304 only)as directed By Engineer In charge including all required materials labours and equipments as per detailed drwg. As directed.	Sq.Mt.	535.00	Five Hundred Thirty Five Rupees	535.00

159	159	S.O.R. 2024-25, 11028	1.00	Providing and fixing window having extruded aluminum Colour anodized section frame main outer size 63.50 x 38.10 x 1.95 mm(of Jindal Section no:4605,@ Wt 1.094 Kg / Rmt), horizontal two track member size 61.85 mm x 31.75 mm x 1.20mm (of Jindal Section no: 8687 @ wt.of 0.695 Kg/mt), vertical member of size 61.85 mm x 31.75mm x 1.30 mm (of Jindal Section no:8758 @ wt.of 0.0.659 Kg/mt) with sliding shutters of horizontal member size 40mm x 18mm x 1.29mm (of Jindal Section no:8949 @ wt.of 0.456Kg/mt), vertical member of size 40mm x 18mm x 1.29mm (of Jindal Section no:8947 @ wt.of 0.456Kg/mt/ Section 8948, @ Wt. 0.457 Kg/mt) with 5 mm thick transparent bronze colour tinted float glass with powder coated aluminum fittings and fixtures and transparent silicon sealant glass fixing to frame as per details etc complete for window.	Sq.Mt.	1713.70	One Thousand Seven Hundred Thirteen Rupees and Seventy Paise	1713.70
160	160	S.O.R. 2024-25, 11029	1.00	Providing and fixing standared extruded of alluminium section of size 63.50 x 38.10 x 1.95 mm(of Jindal Section no:4605, @ Wt 1.094Kg / Rmt with colour anodized alluminium frame with 5 mm thick transparent bronze colour tinted float glass with colour anodized alluminium frame for ventilation with 5 mm thick frosted glass as details etc complete for.window	Sq.Mt.	1301.82	One Thousand Three Hundred One Rupees and Eighty Two Paise	1301.82
161	161	S.O.R. 2024-25, R.A. No.:- 28	1.00	Providing & fixing in position standard extruded Aluminium Partition with Colour anodized hollow section frame (any Span Should not be wide than 0.90 mtr)of approved shade & pivoted single shutter fabricated from alluminium standard section for outer frame size 101 mm x 44.5 mm (of app. Wt. 1.2 kg / Rmt.) and door styles and top rial of alluminium section size 47.5mm x 44.5 mm (of app. Wt. 1.05 kg/ Rmt.) Bottom rail & lockrail for door of size 114mm x 44.5mm (of app. Wt 1.30 Kg./Rmt.) and providing rubber gasket and glazing chips around the glass allover including providing heavy handle, heavy lock, Door Closer,bracket, stoppers. 5 mm th. transparent float glass of copper/ gray tint (Structural Glass) fixed with transparent silicon gasket and 9 mm bothside prelaminated Sheet in bottom panel including all required materials labours and equipments as per detailed drwg. as directed.	Sq.Mt.	2058.00	Two Thousand Fifty Eight Rupees	2058.00

162	162	S.O.R. 2024-25, R.A. No.:- 29	1.00	Providing & fixing in position standard extruded Aluminium Partition with Color anodized hollow section frame of approved shade of without shutter fabricated from alluminium standard section for outer frame size 101 mm x 44.5 mm (of app. Wt. 1.2 kg / Rmt.) and door styles and top rial of alluminium section size 47.5mm x 44.5 mm (of app. Wt. 1.05 kg/ Rmt.) Bottom rail & lockrail for door of size 114mm x 44.5mm (of app. Wt Kg./Rmt.) and providing rubber gasket and glazing chips around the glass allover including providing heavy handle, heavy lock, bracket, stoppers. 5 mm th. transparent float glass of copper/ gray tint (Structural Glass) fixed with transparent silicon gasket including all required materials labours and equipments as per detailed drwg. as directed.	Sq.Mt.	1753.00	One Thousand Seven Hundred Fifty Three Rupees	1753.00
163	163	S.O.R. 2024-25, R.A. No.:- 30	1.00	Providing & fixing in position partly fixed and partly openable standard extruded Aluminium door with color anodized hollow section frame of approved shade & pivoted double shutter fabricated from alluminium standard section for outer frame size 101 mm x 44.5 mm X 2 mm Thick (of app. Wt. 2.60 kg / Rmt) and door styles and toprial of alluminium section size 47.5mm x 44.5 mm X 2.00 mm Thick (of app. Wt. 1.25 kg/ Rmt) Bottom rail & lockrail for door of size 114mm x 44.5mm X 2 mm Thick (of app. Wt 1.75 Kg/Rmt) and providing rubber gasket and glazing chips around the glass allover including providing heavy handle, heavy lock, bracket, stoppers.Floor Spring,Aldrop (Color anodised) 5 mm th. transparent float glass of copper tint (Structural Glass) fixed with rubber gasket and 19 x 17 mm size Glasing Clip same in Bottom Portion with providing 9 mm thick decorative water proof Both side prelaminaed pressed wood based board with fixing Glasing clips 19 X 17 mm including all required materials labours and equipments as per detailed drwg. as directed.	Sq.Mt.	2819.00	Two Thousand Eight Hundred Nineteen Rupees	2819.00

164	164	S.O.R. 2024-25, R.A. No.:- 31	1.00	providing and fixing alluminium colour anodized single shutters having standared extruded alluminium colour anodized hollow sections frame of size 101 mm x 44.5 mm (aproximate wt 1.2 kg per Rmt) and door styles and top rail of alluminium section size 47.5 mm x 44.5 mm (approximate wt 1.05 kg per rmt) and bottom rail and lock rail per door of size 114 mm x 44.5 mm (aproximate wt 1.3 kg per rmt) and providing rubber gasket and glazing clips around the glass all over including providing 9 mm thick decorative water proof Both side prelaminaaed pressed wood based board with fixing Glasing clips 19 X 17 mm including providing heavy locks handels stopers pivots door closers and Ground Glass 5 mm thick (Frosted or obscured on one side) on top with fixing Glasing clips 19 X 17 mm including all labour and equipments etc complete	Sq.Mt.	3067.00	Three Thousand Sixty Seven Rupees	3067.00
165	165	S.O.R. 2024-25, 17002A	1.00	Providing 15 mm thick cement plaster in single coat Plaster in cement mortar (1:3) (1 cement : 3 sand)on brick/concrete wall, for interior plastering upto floor two level, finished even and smooth as per engineer-in-charge instructions.	Sq.Mt.	187.71	One Hundred Eighty Seven Rupees and Seventy One Paise	187.71
166	166	S.O.R. 2024-25, 17002B	1.00	Providing 15 mm thick cement plaster in single coat Plaster in cement mortar (1:4) (1 cement : 4 sand)on brick/concrete wall, for interior plastering upto floor two level, finished even and smooth as per engineer-in-charge instructions.	Sq.Mt.	167.03	One Hundred Sixty Seven Rupees and Three Paise	167.03
167	167	S.O.R. 2024-25, 17007A	1.00	Extra over NBO No. 17.60 for interior plastering above floor two level for every edditional storey height. 1) Single coat plaster	Sq.M. X No.of storey	22.76	Twenty Two Rupees and Seventy Six Paise	22.76
168	168	S.O.R. 2024-25, 17007B	1.00	2) Two coat plaster	Sq.M. X No.of storey	25.94	Twenty Five Rupees and Ninety Four Paise	25.94
169	169	S.O.R. 2024-25, 17007C	1.00	3) Floating coat of neat cement	Sq.M. X No.of storey	4.63	Four Rupees and Sixty Three Paise	4.63
170	170	S.O.R. 2024-25, 17001B	1.00	Providing 10 mm thick cement plaster in single coat on brick/concrete wall for interior plastering up to floor two level and finished even and smooth in (ii) Cement mortar 1:4 (1 cement : 4 sand)	Sq.Mt.	125.99	One Hundred Twenty Five Rupees and Ninety Nine Paise	125.99
171	171	S.O.R. 2024-25, 17001A	1.00	Providing 10 mm thick cement plaster in single coat on brick/concrete wall for interior plastering up to floor two level and finished even and smooth in (ii) Cement mortar 1:3 (1 cement : 3 sand)	Sq.Mt.	140.16	One Hundred Forty Rupees and Sixteen Paise	140.16
172	172	S.O.R. 2024-25, 17006	1.00	Extra over NBO No.17.58 to 17.71 for plastering on ceiling and soffits of stairs up to floor two level instead of plastering on wall.	Sq.Mt.	24.82	Twenty Four Rupees and Eighty Two Paise	24.82
173	173	S.O.R. 2024-25, 17008	1.00	Extra over NBO No.17.91 for plastering on ceiling and soffits of stairs above floor two level for every additional storey height.	Sq.Mt.	20.84	Twenty Rupees and Eighty Four Paise	20.84

174	174	S.O.R. 2024-25, 17004A	1.00	Extra over Items 58 to 64 for finishing with a floating coat of neat cement slurry.	Sq.Mt.	48.21	Forty Eight Rupees and Twenty One Paise	48.21
175	175	S.O.R. 2024-25, R.A. No.:- 32	1.00	Chipping off existing loose, damaged, cracked concrete etc. from RCC members i.e. columns, beams slabs etc upto 6mm beyond reinforcement, carefully by chiesel and hammer including cleaning of rusted reinforcement and exposed surface by mechanical wire brush or any other established method and applying rust removing solution like Rusticide or Rustoline with cotton waste swab to reinforcement as per manufacturers recommendation, washing thoroughly with potable water and applying rust preventive coating of polyalk fixo prime and slurry in 1:1.5 (1kg of polyalk fixo prime to 1.50 kg of fresh cement) with soft brush after 24 hours of rust removing two coats without adding water, including another coat of rust preventive after 24 hours air curing including scaffolding etc. complete.	Sq.Mt.	312.00	Three Hundred Twelve Rupees	312.00
176	176	S.O.R. 2024-25, 17009	1.00	Providing 20mm thick sand faced cement plaster (GUTAKA) on walls upto height 10 meters above ground level consisting of 12mm thick backing coat of C.M. 1:3 (1 Cement : 3 Sand) and 8mm thick finishing coat of C.M. 1:1 (1 Cement : 1 Sand) etc. comp.	Sq.Mt.	329.29	Three Hundred Twenty Nine Rupees and Twenty Nine Paise	329.29
177	177	S.O.R. 2024-25, 17015	1.00	Providing cement vata (10cm. x 10 cm. size) quarter round in cement mortar 1:1 including neat cement finishing, watering etc. complete.	Rmt.	23.68	Twenty Three Rupees and Sixty Eight Paise	23.68
178	178	S.O.R. 2024-25, 17017	1.00	Providing 20mm thick double coat mala cement plaster on interior brick / concrete work for plastering comprising of base coat of 12mm thick cement plaster in cement mortar (1 cement : 4 coarse sand) in rough finishing and 8 mm thick top coat of cement mortar 1 :2 (1 cement :2 coarse sand) finished with trovel including scaffolding curing etc complete.	Sq.Mt.	270.43	Two Hundred Seventy Rupees and Forty Three Paise	270.43
179	179	S.O.R. 2024-25, 17017	1.00	Pointing on coursed stone masonry with cement mortar 1:3 (1 cement : 3 coarse sand) (A) Flush pointing.	Sq.Mt.	87.81	Eighty Seven Rupees and Eighty One Paise	87.81
180	180	S.O.R. 2024-25, 17017	1.00	Pointing on coursed stone masonry with cement mortar 1:3 (1 cement : 3 coarse sand) (A) Ruled pointing.	Sq.Mt.	90.68	Ninety Rupees and Sixty Eight Paise	90.68
181	181	S.O.R. 2024-25,17010A	1.00	Pointing on brickwork with cement mortar 1:3 (1-cement : 3-coarse sand) (A) Flush pointing	Sq.Mt.	96.25	Ninety Six Rupees and Twenty Five Paise	96.25
182	182	S.O.R. 2024-25,17011A	1.00	Pointing on brickwork with cement mortar 1:4 (1-cement : 4-coarse sand)(A) Flush pointing	Sq.Mt.	99.11	Ninety Nine Rupees and Eleven Paise	99.11

183	183	S.O.R. 2024-25,14001AA	1.00	Providing and laying 40mm thick marble chips flooring rubbed and polished (I.E. terrazo) to granolithic finish with under layer 30mm thick cement concrete 1:2:4 (1-Cement:2-coarse sand :4-graded stone aggregate 10 mm and down gauge) and top layer 10mm thick with white, black or white and blak marble cihps of required sizes from 1mm to 4mm nominal size laid in cement marble powder mix 3:1 (3-Cement : 1-Marble powder by weight) in proportion of 4:7 (4-Cement :7-marble chips by volume) (A) Dark shade pigment with ordinary cement (In top layer only)	Sq.Mt.	754.02	Seven Hundred Fifty Four Rupees and Two Paise	754.02
184	184	S.O.R. 2024-25,14001BA	1.00	Providing and laying 40mm thick marble chips flooring rubbed and polished (I.E. terrazo) to granolithic finish with under layer 30mm thick cement concrete 1:2:4 (1-Cement:2-coarse sand :4-graded stone aggregate 10 mm and down gauge) and top layer 10mm thick with white, black or white and blak marble cihps of required sizes from 1mm to 4mm nominal size laid in cement marble powder mix 3:1 (3-Cement : 1-Marble powder by weight) in proportion of 4:7 (4-Cement :7-marble chips by volume) (B) Light shade pigment with white cement (In top layer only)	Sq.Mt.	878.09	Eight Hundred Seventy Eight Rupees and Nine Paise	878.09
185	185	S.O.R. 2024-25,14003AA	1.00	Providing and laying cushioning layer on R.C.C. Slab consisting of 75mm thick lime, concrete using brick aggregate of 20mm nominal size mortar compresing of 1-Lime : 2- fine sand)	Sq.Mt.	248.16	Two Hundred Forty Eight Rupees and Sixteen Paise	248.16
186	186	S.O.R. 2024-25,14008AA	1.00	Providing and laying white glazed tiles 6mm thick in flooring treads of steps and landing laid on a bed of 12mm thick cement mortar 1:3 (1-cement : 3-coarse sand) finishing with flush pointing in white cement.	Sq.Mt.	916.27	Nine Hundred Sixteen Rupees and Twenty Seven Paise	916.27
187	187	S.O.R. 2024-25,14008BA	1.00	Providing and laying Ceramic tiles 6mm thick in flooring treads of steps and landing laid on a bed of 12mm thick cement mortar 1:3 (1-cement : 3-coarse sand) finishing with flush pointing in white cement.	Sq.Mt.	957.63	Nine Hundred Fifty Seven Rupees and Sixty Three Paise	957.63
188	188	S.O.R. 2024-25,14008CA	1.00	Providing and laying Vitrified tiles 8 to 10 mm thick , 24" x 24" in flooring treads of steps and landing laid on a bed of 12mm thick cement mortar 1:3 (1-cement : 3-coarse sand) finishing with flush pointing in white cement.	Sq.Mt.	1073.13	One Thousand Seventy Three Rupees and Thirteen Paise	1073.13
189	189	S.O.R. 2024-25,14008DA	1.00	Providing and laying Vitrified tiles 8 to 10 mm thick , 36" x 36" in flooring treads of steps and landing laid on a bed of 12mm thick cement mortar 1:3 (1-cement : 3-coarse sand) finishing with flush pointing in white cement.	Sq.Mt.	1484.61	One Thousand Four Hundred Eighty Four Rupees and Sixty One Paise	1484.61
190	190	S.O.R. 2024-25,14009AA	1.00	Providing and laying white glazed tiles 6mm thick in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	Sq.Mt.	946.50	Nine Hundred Forty Six Rupees and Fifty Paise	946.50
191	191	S.O.R. 2024-25,14009BA	1.00	Providing and laying Ceramic tiles 6mm thick in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	Sq.Mt.	995.81	Nine Hundred Ninety Five Rupees and Eighty One Paise	995.81

192	192	S.O.R. 2024-25,14009CA	1.00	Providing and laying Vitrified tiles 8 to 10 mm thick , 24" x 24" in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	Sq.Mt.	1141.45	One Thousand One Hundred Forty One Rupees and Forty Five Paise	1141.45
193	193	S.O.R. 2024-25,14009DA	1.00	Providing and laying Vitrified tiles 8 to 10 mm thick , in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	Sq.Mt.	1538.85	One Thousand Five Hundred Thirty Eight Rupees and Eighty Five Paise	1538.85
194	194	S.O.R. 2024-25,14011A	1.00	Providing and laying marble stone slab flooring over 20mm (average)base of cement mortar 1:6 (1-cement : 6 coarse sand) or L.M. 1:1.5(1- lime putty : 1.5 - coarse sand) laid and jointed with gray cement slurry including rubbing and polishing complete. (A) Marble slab 25mm thick	Sq.Mt.	2134.79	Two Thousand One Hundred Thirty Four Rupees and Seventy Nine Paise	2134.79
195	195	S.O.R. 2024-25,14012AA	1.00	Providing and laying polished Kota stone slab flooring over 20mm (Average) thick base of cement mortar 1:6 (1-cement : 6-coarse sand) or L.M. 1.1.5 (1-Lime putty :1.5 - coarse sand) laid over and jointed with grey cement slurry mixed with pigment to match the shade of slab including rubbing and polishing etc. complete. (A) 25mm thick	Sq.Mt.	976.72	Nine Hundred Seventy Six Rupees and Seventy Two Paise	976.72
196	196	S.O.R. 2024-25,14012BA	1.00	Providing and laying polished Kota stone slab flooring over 20mm (Average) thick base of cement mortar 1:6 (1-cement : 6-coarse sand) or L.M. 1.1.5 laid over and jointed with grey cement slurry including rubbing and polishing etc. complete. (B) 30 mm thick	Sq.Mt.	1043.52	One Thousand Forty Three Rupees and Fifty Two Paise	1043.52
197	197	S.O.R. 2024-25,14013A	1.00	Providing and laying polished kota stone slab 25mm thick in risers of steps,skirting Dedo and pillars laid on 10mm thick cement mortar 1:3 (1-Cement : 3 coarse sand) and jointed with gray cement slury mixed with pigment to match the shade of slab including rubbing and polishing etc. complete.	Sq.Mt.	1121.48	One Thousand One Hundred Twenty One Rupees and Forty Eight Paise	1121.48
198	198	S.O.R. 2024-25,14014AA	1.00	Providing and laying rough chiseled dressed stone flooring over 20mm average thick base of cement mortar 1:5 (1-Cement : 5-coarse sand) or L.M. 1:1.5 (1-Lime putty : 1.5 - coarse sand) including pointing with cement mortar 1:2 (1-cement : 2-stone dust) etc. complete. (A) 25mm thick	Sq.Mt.	549.47	Five Hundred Forty Nine Rupees and Forty Seven Paise	549.47
199	199	S.O.R. 2024-25,14015AA	1.00	Providing and laying cement concrete flooring 1:2:4 (1-cement : 2-coarse sand : 4-graded stone aggregate 20mm nominal size) laid in one layer and finished with a floating coat of neat cement. (A) 40mm thick.	Sq.Mt.	283.15	Two Hundred Eighty Three Rupees and Fifteen Paise	283.15
200	200	S.O.R. 2024-25,14015BA	1.00	Providing and laying cement concrete flooring 1:2:4 (1-cement : 2-coarse sand : 4-graded stone aggregate 20mm nominal size) laid in one layer and finished with a floating coat of neat cement. (B) 50mm thick.	Sq.Mt.	330.88	Three Hundred Thirty Rupees and Eighty Eight Paise	330.88
201	201	S.O.R. 2024-25,14019A	1.00	Providing and laying brick on edge flooring laid dry grouted with c.M. 1:6 (1 - Cement : 6 - coarse sand) including finishing the joints flush curing etc. complete.	Sq.Mt.	557.37	Five Hundred Fifty Seven Rupees and Thirty Seven Paise	557.37

202	202	S.O.R. 2024-25,14020A	1.00	P & L 24" x 24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete for DARK shade	Sq.Mt.	1397.83	One Thousand Three Hundred Ninety Seven Rupees and Eighty Three Paise	1397.83
203	203	S.O.R. 2024-25,14021A	1.00	P & L 24" x 24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete for antiskit	Sq.Mt.	1397.83	One Thousand Three Hundred Ninety Seven Rupees and Eighty Three Paise	1397.83
204	204	S.O.R. 2024-25,14022A	1.00	P & L 24" x 24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete for light shade	Sq.Mt.	1415.77	One Thousand Four Hundred Fifteen Rupees and Seventy Seven Paise	1415.77
205	205	S.O.R. 2024-25,14032	1.00	Providing and fixing pre-cast concrete kerb stone of gray cement based concrete block 30cm length,30cm height and 15cm thick of M250 grade concret as per approved design and including excavation for fixing in proper line and level,filling the joint with C:M 1:3 (1cement:3fine sand) etc complete.	Sq.Mt.	361.64	Three Hundred Sixty One Rupees and Sixty Four Paise	361.64
206	206	S.O.R. 2024-25,14033	1.00	Providing and fixing pre-cast Rubber Dye / steel Dye inter locking concrete block 60mm thick with grade of concrete M300 pneumatic compressed / vibrated mechanically and as per approved design Confirming to IS 15658 : 2006 including 35 mm Sand layer for levelling and filling the joint with sand in proper line and level as per guidlines of IRC : SP 63-2018 etc. Complete.	Sq.Mt.	685.42	Six Hundred Eighty Five Rupees and Forty Two Paise	685.42
207	207	S.O.R. 2024-25,14035	1.00	Providing and laying broken chine mosaic flooring for terrace using 12 mm to 20 mm broken pieces of glazed tiles to be laid over cement mortar 1:3 to plain or slope and to be tempered to bring mortar creme out upto surface using white cement including rounding off junctions and extending them upto 15 cm along the wall,clearing with water and oxalic acid etc. as directed.	Sq.Mt.	747.29	Seven Hundred Forty Seven Rupees and Twenty Nine Paise	747.29

208	208	S.O.R. 2024-25, R.A. No.:- 33	1.00	Providing and laying chaina mosaic water proofing treatment on terrace including applying neat cement slurry 2.75 Kg./Sqm. Of cement admixed with water proofing compound after cleaning the surface (b) laying cement concrete using brick bats 25 to 100 mm size with 50% C.M. 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound over 20 mm thick layer of C.M. 1:5 to required slope including rounding of junction of walls and slabs (a) after two days of proper curing applying a second with 20 mm thick C.M. 1:4 and china mosaic tiling and finally finishing the surface with trowel white cement slurry (e) after finishing the whole terrace shall be flooded with water for a period of two weeks.	Sq.Mt.	1198.00	One Thousand One Hundred Ninety Eight Rupees	1198.00
209	209	S.O.R. 2024-25,14036	1.00	Providing and laying coloured glazed tiles of the size 300 mm x 200 mm x 8 mm / 300 mm x 450 mm x 8 mm in skirting, risers of steps and dado on 10 mm. thick cement plaster 1:3 (1 cement : 3 coarse sand) & jointed with white cement slurry.	Sq.Mt.	1417.36	One Thousand Four Hundred Seventeen Rupees and Thirty Six Paise	1417.36
210	210	S.O.R. 2024-25, It. Code No. : 14012AA	1.00	Providing and laying 60 X 45 CM. size HAND DRESSED (right angle) Semi Mirror Polished KOTAH STONE FLOORING OF EVEN GRADE & Shade Laid over 20 mm. (average thick base of cement mortar 1:6 (1 cement : 6 coarse sand) of L.M. 1:1.5 and laid over and jointed with grey cement Slurry etc complete as per directed by engineer incharge. (A) 25mm thick.	Sq.Mt.	976.72	Nine Hundred Seventy Six Rupees and Seventy Two Paise	976.72
211	211	S.O.R. 2024-25, It. Code No. : 14013A	1.00	Providing and laying Semi mirror polished Hand Dressed (right angle) Kota stone slab in Skirting, Riser and Trade in Single Stone of an Even Grade And Shade (maximum 1.5 mtr size) over 20 mm. (average thick base of cement mortar 1:6 (1 cement : 6 coarse sand) or L.M. 1:1.5 and laid over and jointed with grey cement slurry including rubbing and Semi mirror polishing Joint in line and Level making Smooth as per Instruction of Engineer Incharge etc complete. (A) 25 mm thick	Sq.Mt.	1121.48	One Thousand One Hundred Twenty One Rupees and Forty Eight Paise	1121.48
212	212	S.O.R. 2024-25, R.A. No.:- 34	1.00	Providing, fixing and construction of 0.75 cm wide sandwich type Plate form with 25 mm thick polished kota of uniform size and colour for kitchen, pantry, counter, laboratory, sink, shelves etc in floor, dado or fascia upto 100 mm including necessary cement mortar bedding in cement mortar 1:2 of required thickness. Kota shall be fixed over 25mm thick Single Polish kota bottom, cement joints and pointing as specified with necessary making of edges, polishing curing daily mopping with water including Provide and fixing Stainless sink of Size 600 X 450 X 150 with necessary fitting and kerosene as directed for atleast 15 days or upto the satisfaction of engineer in charge.	Sq.Mt.	4214.00	Four Thousand Two Hundred Fourteen Rupees	4214.00

213	213	S.O.R. 2024-25, R.A. No.:- 35	1.00	Providing and fixing 0.75 meter wide sand which type platform including supplying and fixing granite stone 18 mm thick mirror polished 1st quality Granite stones in top and side position and vertical strip at front over 25 mm thick polished kotah stone platform fixing in top and sides and intermediates supports fixing with cement mortar and adhesive and finishing including providing cutting for fixing kitchen/Laboratory sink (as directed) 600 mm x 450 mm x 150 mm size stainless steel sink / vitreous china sink (as directed by engineer incharge) at required position etc complete	Sq.Mt.	5385.00	Five Thousand Three Hundred Eighty Five Rupees	5385.00
214	214	S.O.R. 2023-24, R.A. No. - 36	1.00	Providing and laying machine cut free edges machine polished Kota stone for shelves in cupboard and walls in single piece (Maximum 150) 25 mm including cutting grooves in walls and fixing the stone with neat cement slurry in true line and level as directed . etc. complete. for Shelves	Sq.Mt.	855.00	Eight Hundred Fifty Five Rupees	855.00
215	215	S.O.R. 2023-24, R.A. No. - 37	1.00	Providing and laying polished Granite Marble stone 15mm to 18mm thick in Door Frame, Window Jambs laid on 10mm thick cement mortar 1:3 (1 cement : 3 coarse sand) and jointed with grey cement slurry with matching pigment incl. rubbing and polishing etc complete colour and shed as approved by architect and engineer in charge.	Sq.Mt.	2128.00	Two Thousand One Hundred Twenty Eight Rupees	2128.00
216	216	S.O.R. 2024-25,15001A	1.00	Providing corrugated G.I. sheet of class-3 roofing fixed with galvanized iron J or L Hooks, Bolts and nuts 8mm diameter with bitumen and G.I. limpet washer or G.I. limpet washer. filled with white lead complete excluding the cost of purlins, Rafters and Trusses.(1) 0.80 mm thick sheet.	Sq.Mt.	727.13	Seven Hundred Twenty Seven Rupees and Thirteen Paise	727.13
217	217	S.O.R. 2024-25,15002A	1.00	Providing ridges or hips 600 mm overall in plain G.I. sheet class-3 fixed with G.I. J or L Hooks and nuts 8mm dia G.I. Limpet and bitumen washer complete. (1) 0.80 mm thick sheet.	Sq.Mt.	641.94	Six Hundred Forty One Rupees and Ninety Four Paise	641.94
218	218	S.O.R. 2024-25,15003A	1.00	Providing valleys 900mm overall in plain 1.6mm thick G.I. sheet fixed with G.I. J or L Hooks, Bolts and nuts galvanized iron J or L Hooks Bolts and nuts 8mm dia G.I. Limpet and bitumen washers complete.	Sq.Mt.	1053.21	One Thousand Fifty Three Rupees and Twenty One Paise	1053.21

219	219	S.O.R. 2024-25,16006	1.00	Providing and fixing eco-friendly light weight calcium silicate false ceiling tiles having Tegular edge & 15 mm Thick Densified edges on the Tile Periphery for Extra Strength The Light weight calcium silicate ceiling tiles shall have , light reflection 85% non-combustible as per B.S. 476 part IV, 100% humidity resistance and also having thermal conductivity 0.043 ° w/m KC. for the best thermal Insulation . The Light weight calcium Silicate tile shall be of approved texture Fine fissured/ Spintone/Cosmos having NRC value of 0.5 & Globe having NRC value of 0.75 NRC or equivalent of size 595 X 595 mm to be laid on true horizontal level suspended inter locking metal grid of hot dipped galvanized steel sections (galvanizing @120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and size of 24X38mm made from 0.30 mm thick (minimum) sheet, 1200mm centre to centre, and cross 'T' of size 24X28mm made out of 0.33mm (Minimum) sheet spaced 1200mm along spaced between main 'T' at 600mm centre to centre to form a grid of 1200X600mm and secondary cross 'T' of length 600mm and size 24x28mm made of 0.30 mm thick (Minimum) sheet to be interlocked at middle of the 1200X600mm panel to form grid of size 600X600mm resting on periphery walls/partitions on a perimeter wall angle pre-coated steel of size (24X24X3000mm made of 0.40mm thick (minimum) sheet with the help of rawl plugs at 450mm centre to centre with 25mm long dry wall screws @ 230mm interval and laying 15mm thick Densified edges light weight calcium silicate ceiling tiles of approved texture (Fine Fissured/Cosmos/Spintone) in the grid including, cutting /making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc wherever required Main 'T' runners to be	Sq.Mt.	1648.96	One Thousand Six Hundred Forty Eight Rupees and Ninety Six Paise	1648.96
220	220	S.O.R. 2024-25,16007	1.00	Pro. And fixing single layer water proof gypsum board 12.5 mm thick sections using water proof board of size 1220 mm x 1830 mm x 8.0 mm suspended by GI suspender channel of size 25 mm x 3 mm with intermediate channel of size 18 mm x 40 mm x 0.8 mm at 1220 mm center to center ceiling section of size 40 mm x 35 mm x 0.55 mm at 457 mm c/c and perimeter channel A of size 20 mm x 27 mm x 30 mm x 0.5 mm at edges & drops incl. paper tap sand soffit cleat, anchor fastener, screw bolt connecting cleat, joining compound top coat on ceiling incl. making necy. opening for light fitting, diffuser etc. comp. as per detail drawing as directed.	Sq.Mt.	606.95	Six Hundred Six Rupees and Ninety Five Paise	606.95
221	221	S.O.R. 2024-25,18001	1.00	White washing with lime on wall surface (two coats) to give an even shade including thoroughly booming the surface to remove all dirt, dust; mortar drops and other foreign matter.	Sq.Mt.	12.09	Twelve Rupees and Nine Paise	12.09

222	222	S.O.R. 2024-25,18002	1.00	White washing with lime on wall surface (one coats) to give an even shade including thoroughly booming the surface to remove all dirt, dust; mortar drops and loose scales of lime wash and other foreign matter.	Sq.Mt.	5.58	Five Rupees and Fifty Eight Paise	5.58
223	223	S.O.R. 2024-25,18003	1.00	Extra over items 11 to 12 for every subsequent coat of white washing with lime on wall surface.	Sq.Mt.	5.58	Five Rupees and Fifty Eight Paise	5.58
224	224	S.O.R. 2024-25,18004	1.00	Extra over item 11 for white washing with lime on ceilings and/or sloping roofs.	Sq.Mt.	1.12	One Rupees and Twelve Paise	1.12
225	225	S.O.R. 2024-25,18006	1.00	Extra over Item 13 for every subsequent coat of white washing with lime on ceilings and/or sloping roofs.	Sq.Mt.	0.48	Zero Rupees and Forty Eight Paise	0.48
226	226	S.O.R. 2024-25,18007	1.00	Colour washing with lime on wall surface (two coats) over and including a primary coat of white washing to give an even shade after through brooming the surface to remove all dirt, dust, mortar drops and other foreign matter.	Sq.Mt.	12.26	Twelve Rupees and Twenty Six Paise	12.26
227	227	S.O.R. 2024-25,18008	1.00	Colour washing with lime on wall surface (one coats) to give an even shade including throughly brooming the surface to loose scales of lime wash and other foreign matter.	Sq.Mt.	7.81	Seven Rupees and Eighty One Paise	7.81
228	228	S.O.R. 2024-25,18009	1.00	Extra over item 17 to 18 for every subsequent coat of colour wash with lime on wall surface	Sq.Mt.	7.81	Seven Rupees and Eighty One Paise	7.81
229	229	S.O.R. 2024-25,18010	1.00	Extra over Item 17 for colour washing on ceilings and/or sloping roofs.	Sq.Mt.	2.08	Two Rupees and Eight Paise	2.08
230	230	S.O.R. 2024-25,18012	1.00	Cement washing with portland cement slurry on wall surface (one coat) to give a smooth finish including thoroughly broomings the surface to remove all dirt, mortar drops and other foreign Brand.	Sq.Mt.	11.45	Eleven Rupees and Forty Five Paise	11.45
231	231	S.O.R. 2024-25,18013	1.00	Extra over Item No. 29 for every subseqent coat of cement washing with port land cement slurry	Sq.Mt.	11.45	Eleven Rupees and Forty Five Paise	11.45
232	232	S.O.R. 2024-25,18014	1.00	Removing dry or oil bound distemper by a washing and scraping and sand papering the wall surface smooth including necessary repairs to scratches complete.	Sq.Mt.	10.99	Ten Rupees and Ninety Nine Paise	10.99
233	233	S.O.R. 2024-25,18015	1.00	Extra over item 33 for removing dry oil bound distemper on ceilings and sloping roofs.	Sq.Mt.	1.60	One Rupees and Sixty Paise	1.60
234	234	S.O.R. 2024-25,18016	1.00	Distempering with dry distemper of approved brand and manufacture (two coats) and of required shade on wall surfaces of given an even shade, over and including a priming coat of whitening after thoroughly brooming the surface free from mortar dropping and other foreign matter.	Sq.Mt.	47.09	Forty Seven Rupees and Nine Paise	47.09
235	235	S.O.R. 2024-25,18017	1.00	Distempering with dry distemper of approved brand and manufacture (One coats) and of required shade on wall surfaces of given an even shade, after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing the surface even and sand papered smooth.	Sq.Mt.	15.27	Fifteen Rupees and Twenty Seven Paise	15.27
236	236	S.O.R. 2024-25,18018	1.00	Extra over Items No. 38 and 39 of every subsequent coat at distempering with dry distemper of approved brand and manufacture.	Sq.Mt.	14.32	Fourteen Rupees and Thirty Two Paise	14.32

237	237	S.O.R. 2024-25,18019	1.00	Extra over item 38 for distempepring with dry distemper on ceilings and slopings roofs.	Sq.Mt.	6.36	Six Rupees and Thirty Six Paise	6.36
238	238	S.O.R. 2024-25,18021	1.00	Distempeing (Two coats) with oil bound distemper of approved brand and manufacture and of required shade on wall surfaces to give an even shade, over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar dropping and other foreign matter and also including preparing the surface even and sand papered smooth.	Sq.Mt.	71.90	Seventy One Rupees and Ninety Paise	71.90
239	239	S.O.R. 2024-25,18022	1.00	Distempeing (Two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on wall surfaces to give an even shade, over and including a priming coat with alkali resistance primer of approved brand after thoroughly brushing the surface and other foreign matter and also including preparing the surface even and sand parpered smooth.	Sq.Mt.	71.90	Seventy One Rupees and Ninety Paise	71.90
240	240	S.O.R. 2024-25,18023	1.00	Distempeing (One coats) with oil bound washable distemper of approved brand and of required shade on wall surfaces to give an even shade, after thorouhly brushing the surface clean of all grease dirt, loose pieces of scales and also including distempering with oil bound washable distemper of preparing the surface even and smooth.	Sq.Mt.	27.36	Twenty Seven Rupees and Thirty Six Paise	27.36
241	241	S.O.R. 2024-25,18024	1.00	Extra over Item 44 to 46 for every subsequent coat of approved brand and manufacture.	Sq.Mt.	29.75	Twenty Nine Rupees and Seventy Five Paise	29.75
242	242	S.O.R. 2024-25,18025	1.00	Extra over Item 44,45 for distempering with oil bound washable distemper on celling and sloping roofs.	Sq.Mt.	7.96	Seven Rupees and Ninety Six Paise	7.96
243	243	S.O.R. 2024-25,18027	1.00	Finishing wall with water proofing cement paint of on wall surfaces (Two coats) to give an approved brand and manufacture and of required shape even shade after thoroughly brushing the surface to remove all dirt and remains of loose powered materials.	Sq.Mt.	58.08	Fifty Eight Rupees and Eight Paise	58.08
244	244	S.O.R. 2024-25,18028	1.00	Extra over Item 51 for every subsequent coat of water proofing cement paint of approved brand and manufacture.	Sq.Mt.	31.50	Thirty One Rupees and Fifty Paise	31.50
245	245	S.O.R. 2024-25,18029	1.00	Extra over item 51 for finishing with cement paint on ceiling and sloping roofs.	Sq.Mt.	6.36	Six Rupees and Thirty Six Paise	6.36
246	246	S.O.R. 2024-25,18031	1.00	Wall painting (two coats) with plastic emulsion paint of approved brand and manufacture on undecorated wall surface to give an even shade including throughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth.	Sq.Mt.	78.90	Seventy Eight Rupees and Ninety Paise	78.90
247	247	S.O.R. 2024-25,18032	1.00	Extra over item 57 for every subsequent coat of wall painting with plastic emulsion pain of approved brand.	Sq.Mt.	40.52	Forty Rupees and Fifty Two Paise	40.52
248	248	S.O.R. 2024-25,18033	1.00	Extra over item 57 for painting with plastic emulsion paint of approved brand on ceilings and sloping roofs.	Sq.Mt.	5.26	Five Rupees and Twenty Six Paise	5.26

249	249	S.O.R. 2024-25,19031	1.00	Finishing wall with weather proof exterior emulsion paint on wall surface (two coats) to give an required shape even shade after thoroughly brushing the surface to remove all dirt, and remains of loose powdered materials.etc complete.	Sq.Mt.	114.53	One Hundred Fourteen Rupees and Fifty Three Paise	114.53
250	250	S.O.R. 2024-25,19032	1.00	Applying two coats of putty & two coats of primer of approved brand and manufacture on new wall surface to give an even shade including thoroughly brushing the surface free from mortar dropping and other foreign matter and sand papered smooth.	Sq.Mt.	40.59	Forty Rupees and Fifty Nine Paise	40.59
251	251	S.O.R. 2024-25,19023B	1.00	Writing letter or figures on any surface with black japan paint (stops,comas, hyphens and the like not to be measured and paid for separately) (ii) Indian (Letters/Figures)	Sq.Mt.	3.35	Three Rupees and Thirty Five Paise	3.35
252	252	S.O.R. 2024-25,19024B	1.00	Extra over items 19.119 for using thick white paint instead of black japan paint. (ii) Indian (Letters/Figures)	Sq.Mt.	0.07	Zero Rupees and Seven Paise	0.07
253	253	S.O.R. 2024-25,19001	1.00	Applying priming coat over new steel and other metel surface after and including preparing the surface by throughly cleaning, oil,grease, dirt and other foreign matter and scoured with brushes fine steel wood, scrapers and sand paper with ready mixed priming paint brushing red lead.	Sq.Mt.	34.85	Thirty Four Rupees and Eighty Five Paise	34.85
254	254	S.O.R. 2024-25,19002	1.00	Painting two coats (excluding priming coat) on new steel and other metal surface with enamel paint, brushing, interior to give an even shade including cleaning the surface an even shade including cleanicn the surface of all dirt, dust and other foreign matter.	Sq.Mt.	87.81	Eighty Seven Rupees and Eighty One Paise	87.81
255	255	S.O.R. 2024-25,19003	1.00	Painting one coats (excluding priming coat) on previously painted steel and other metal surface with enamel paint, brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter.	Sq.Mt.	55.21	Fifty Five Rupees and Twenty One Paise	55.21
256	256	S.O.R. 2024-25,19004	1.00	Extra over item 7 and 11 for every subsequent coat of paint	Sq.Mt.	54.53	Fifty Four Rupees and Fifty Three Paise	54.53
257	257	S.O.R. 2024-25,19005	1.00	Painting two coats (excluding priming coat) on new steel and other metal surface with synthetic enamel paint, brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter.	Sq.Mt.	65.31	Sixty Five Rupees and Thirty One Paise	65.31
258	258	S.O.R. 2024-25,19006	1.00	Painting one coats (excluding priming coat) on previously printed steel and other metal surface with synthetic enamel paint, brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter.	Sq.Mt.	43.90	Forty Three Rupees and Ninety Paise	43.90
259	259	S.O.R. 2024-25,19007	1.00	Extra over item 19 and 21 for every subsequent coat of paint.	Sq.Mt.	50.93	Fifty Rupees and Ninety Three Paise	50.93
260	260	S.O.R. 2024-25,19009B	1.00	Appliyng priming coat over new wood and wood based surface after and including preparing the surface by throughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting. (B) Ready mixed paint brushing wood primier pink.	Sq.Mt.	41.05	Forty One Rupees and Five Paise	41.05

261	261	S.O.R. 2024-25,19009C	1.00	Applying priming coat over new wood and wood based surface after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting. (C) Ready mixed paint brushing priming for enamel	Sq.Mt.	41.05	Forty One Rupees and Five Paise	41.05
262	262	S.O.R. 2024-25,19010B	1.00	Extra over item 59 for every subsequent coat of priming coat. (B) Ready mixed paint brushing wood primer pink.	Sq.Mt.	41.08	Forty One Rupees and Eight Paise	41.08
263	263	S.O.R. 2024-25,19010C	1.00	Extra over item 59 for every subsequent coat of priming coat. (C) Ready mixed paint brushing priming for enamel	Sq.Mt.	41.08	Forty One Rupees and Eight Paise	41.08
264	264	S.O.R. 2024-25,19011	1.00	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint, interior to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping.	Sq.Mt.	87.81	Eighty Seven Rupees and Eighty One Paise	87.81
265	265	S.O.R. 2024-25,19012	1.00	Painting one coats (excluding priming coat) on previously painted wood and wood based surface with enamel paint, to give an even shade including cleaning the of all dirt, dust and other foreign matter.	Sq.Mt.	56.63	Fifty Six Rupees and Sixty Three Paise	56.63
266	266	S.O.R. 2024-25,19013	1.00	Extra over item 71 and 73 for every subsequent coat of paint.	Sq.Mt.	54.53	Fifty Four Rupees and Fifty Three Paise	54.53
267	267	S.O.R. 2024-25,19014	1.00	Painting two coats (excluding priming coat) on new wood and wood based surface with ready mixed paint, brushing, oil, gloss, semi gloss to give and even shade including cleaning of all dust, dirt and other foreign matter sand papering and stopping.	Sq.Mt.	105.31	One Hundred Five Rupees and Thirty One Paise	105.31
268	268	Approval Tender W.O. No. : PIU/Acs/A.D./Bharuch/1450/2022, On Dt. 14-03-2022	1.00	Circle Design painting & patterns with oil paint of approved brand and Manufacture on undecorated wall surface to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth.	Ea.	2160.00	Two Thousand One Hundred Sixty Rupees	2160.00
269	269	Approval Tender W.O. No. : PIU/Acs/A.D./Bharuch/1450/2022, On Dt. 14-03-2022	1.00	Painting Budget/NHM logo 26"35" size & Ayushman bharat name size 18" Height with oil paint of approved brand and manufacture on undecorated wall surface to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth.	Ea.	7610.00	Seven Thousand Six Hundred Ten Rupees	7610.00
270	270	Approval Tender W.O. No. : PIU/Acs/A.D./Bharuch/1450/2022, On Dt. 14-03-2022	1.00	Window & Door Design painting & Patterns with oil paint of approved brand and manufacture on undecorated wall surface to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth.	Rmt.	377.00	Three Hundred Seventy Seven Rupees	377.00
271	271	S.O.R. 2024-25,21001	1.00	Providing and fixing M.S. fan clamps of shape and size as specified in existing R.C.C. slab including cutting chase and making good.	Each.	173.40	One Hundred Seventy Three Rupees and Forty Paise	173.40
272	272	S.O.R. 2024-25,21002A	1.00	Cutting out cracks of roof terrace to V- section , cleaning out, wetting , grouting with cement and sand slurry 1:3 (1-cement 3-sand)	Rmt.	65.23	Sixty Five Rupees and Twenty Three Paise	65.23

273	273	S.O.R. 2024-25,21003A	1.00	Cutting out cracks roof terrace to V-Section cleaning out and filling solidly with a hot mixture of bitumen and clean dry sand (1:1 by weight)	Rmt.	75.08	Seventy Five Rupees and Eight Paise	75.08
274	274	S.O.R. 2024-25,22001	1.00	Providing and fixing 1.20 Metre high fencing with 2.0 Metre long M.S. Angle posts 40mm x 40 mm x6 mm and oil painting 3 coats fixed at 2.5 Mt,C/c. with five Horizontan lines and two diagonals of galvanised steel barbed wire weighting 9.38 Kg. per 100 Metre, strained and fixed to posts with G.I,staples including fixing the postsin ground with 0.5 M x 0.5.M x 0.5 M. block in C.C1:5:10 etc complete.	Rmt.	389.25	Three Hundred Eighty Nine Rupees and Twenty Five Paise	389.25
275	275	S.O.R. 2024-25,22003	1.00	Constructing a sink (chowkedi) with C.C. 1:2:4, 12cm. thick over B.B. masonry in C.M,(1:6) in front and dwarf wall 1.0 Mt.high and 23 cm.thick cement plaster to masonry / in C.M.1:3) and cement concrete flooring in 1:2:4: mi x 5 cm. dia. drain pipe etc.complete.	Rmt.	2258.02	Two Thousand Two Hundred Fifty Eight Rupees and Two Paise	2258.02
276	276	S.O.R. 2024-25,22004A	1.00	Constructing a cooking platform 60 cm. width and 70 cm high resting on B.B.Masonry walls 23 cm.thick in C.M.(1:6) with (ii) Fixing black kadappa stone 30mm thick laid on precast R.C.C. (1:2:4) slab with plastering on exposed faces of wall in C.M. (1:4) etc complete.	Rmt.	2694.77	Two Thousand Six Hundred Ninety Four Rupees and Seventy Seven Paise	2694.77
277	277	S.O.R. 2024-25,22005	1.00	Carrying out timber treatment to all wood work including drilling holes and spraying oil based chemical solution on surface of timber work for termite control including labor and material etc. complete. Using Chlorpyriphos20 EC as per 6313 2013 Part III (1% concentration by mass) is recommended one litre chemical emulsion diluted with 19 liters of kerosene. Total diluted concentration will be 20 liters inclusive of 1 liter chemical emulsion application in drilled holes and 0.75 / Litre chemical per one Sqmt two coat on wood surface not protected by paint or varnish.	Sq.Mt.	46.14	Forty Six Rupees and Fourteen Paise	46.14
278	278	S.O.R. 2024-25,22006	1.00	Applying general insecticide pest control treatment to floors, cupboards etc including labour materials etc. complete. Using Imidacloprid 30.5 SCas Per IS 6313 part -II((0.075% concentration by mass) is recommended 10.5ml chemical diluted with 5 liters of water application 0.5 litre chemical /Sqm of surface is recommended as per I.S.	Sq.Mt.	40.89	Forty Rupees and Eighty Nine Paise	40.89
279	279	S.O.R. 2024-25,22007	1.00	Carring out plinth treatment to post construction / existing structure by spraying chemical solution for termite control treatment including labour and material consistment with I.S.I specification. Using Chlordene and Chiorpurfiles 20 EC. As Per 6131_paret-II Consentration Weight one percent is recommended i.e one litre 20 EC chemical emulsion with 19 liter give 1 % concenteration inclusive of one litre chemical emulsion appication at the rate of 5 Litre chemical / Sqm of surface is recommended as per I.S.	Sq.Mt.	34.36	Thirty Four Rupees and Thirty Six Paise	34.36

280	280	S.O.R. 2024-25,22008	1.00	Carrying out wall treatment for termite control including spraying with chemical solution in oil base including labour and material Using Chlorpyriphos 20 ECAs per IS 6313 part - II (1% concentration by mass) is recommended i.e one litre chemical emulsion diluted with 19 liter oil base. Total solution will be 20 liters inclusive of one liter chemical emulsion application at the rate of 7.5 litre chemical / Sqm of surface is recommended as per I.S.	Sq.Mt.	27.85	Twenty Seven Rupees and Eighty Five Paise	27.85
281	281	S.O.R. 2024-25,22014	1.00	Providing erecting and fixing double coated ISI water tank of required capacity each with all necessary fittings and connection etc. complete on terrace.	lit.	3.95	Three Rupees and Ninety Five Paise	3.95
282	282	S.O.R. 2024-25, R.A. No. - 38	1.00	Supplying & fixing double coated PVC water tank such as Sintex including delievery at site, supply and fixing of inlet, outlet, air vent overflow, drainage sleeves of the specified size, with necessary neo-prene gasket/packing/washers, GI washer & check nuts etc. complete as directed on terrsce, loft in bathrooms etc in any height. The rate shall include for fixing additional accessories supplied by the supplier accessories. The necessary pedestal / supporting structures shall be measured relavant items	lit.	7.57	Seven Rupees and Fifty Seven Paise	7.57
283	283	S.O.R. 2024-25, R.A. No. - 39	1.00	Providing & fixing ISMB 150mmx75mmx10mm, 125mmx75mmx8mm M.S. Angle framed work for Cattle trap with 80mm dia (Heavy Duty) G.I. Pipe fixing Row 150mm C/c Distance & 50mm x 10mm M.S. Flat (clamp fixing) Including cutting, bending and welding and a priming coat of red lead paints and two coat of oil paint as directed.	Sq.Mt.	7054.00	Seven Thousand Fifty Four Rupees	7054.00
284	284	S.O.R. 2024-25, R.A. No. - 40	1.00	Supplying and spreading of stone aggregate of an 40mm to 63mm Size machine cut of an approved quality frm quarry site to site of work including loading unloading with all load and lift etc .	Cu.Mt.	1269.00	One Thousand Two Hundred Sixty Nine Rupees	1269.00
285	285	S.O.R. 2024-25, R.A. No. - 41	1.00	Supplying & Spreading of stone dust materials From out side borro area inqluding loading -anloading with all load and lift etc comp. For road	Cu.Mt.	1012.00	One Thousand Twelve Rupees	1012.00
286	286	S.O.R. 2024-25, R.A. No. - 42	1.00	Fabricating, supplying and fixing in position SS railing for Staircase with brush finish and 304 grade as per Indian Standard and detailed drawing grinding, cleaning and filling the welded spots with SS finish (Only standard measurments will be paid for)	Rmt.	2879.00	Two Thousand Eight Hundred Seventy Nine Rupees	2879.00
287	287	S.O.R. 2024-25, R.A. No. - 43	1.00	Providing and fixing "Y" shape Concretina razer coil Fencing 10 mm C/c. 40 mm x 40 mm x 6mm Angle For "Y" And 40 mm x 40 mm x 6 mm Angle For Bottam & sides As Shown In Drawing & G.I. Barbed Roll Fencing 10 cm C/C Spray & oil Painting. wire properly Affixed with G.I wired on Both sides Including Concrete work (In C.M. 1 : 2 :4) etc complete.	Rmt.	498.00	Four Hundred Ninety Eight Rupees	498.00

288	288	S.O.R. 2023-24,(GWSSB) R.A. No. - 44	1.00	Providing and drilling of 300mm Pilot bore hole in alluvial strata by directed rotary rig & remaining bling lowering housing casing of Print bore hole 450 mm dia Including assembling lowering housing casing strainer pipe casing pipe of 200 mm dia screens pipe of 20 mm dia with a = 4 mm to 6 mm best Quality of Sevalia gravel lowering the Submersible mortar of 2Hp along with flat PVC cable panel board of 3Hp single phase 230 volts etc.	Rmt.	3386.00	Three Thousand Three Hundred Eighty Six Rupees	3386.00
289	289	S.O.R. 2024-25, R.A. No. - 45	1.00	Constructing brick masonry underground Water tank with 0.23 mt thick masonry in C.M. 1 : 6(1Cement :6 coarse sand) bricks having crushing strength not less than 35 Kg/Cm2. and 0.15 mt. Thick R.C.C. Pardi .C.I. Cover With Frame 610mm x 455 mm internal dimensions. Foundation P.C.C.in 1:4:8 (1 Cement: 4 Coarse Sand: 8 Hand Broken stone aggregates 40mm nominal size.) 0.15 mt thick R.C.C. top slab , bottom ,horizontal & vertical Pardi in M200 Controlled Cement Concrete and inside 15 mm thick cement Plaster in C.M.1:3 finished smooth with a floating coat of neat cement slurry on walls and Bottom level etc. comp (inside dimension 5600mm x 3000mm x 1500 deep as per drawing.)	lit.	7.18	Seven Rupees and Eighteen Paise	7.18
290	290	S.O.R. 2024-25,23004B	1.00	Providing and fixing to wall ceiling and floor 6.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(B) 25mm.	Rmt.	102.93	One Hundred Two Rupees and Ninety Three Paise	102.93
291	291	S.O.R. 2024-25,23004C	1.00	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(C) 32mm.	Rmt.	118.99	One Hundred Eighteen Rupees and Ninety Nine Paise	118.99
292	292	S.O.R. 2024-25,23004D	1.00	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(D) 40mm.	Rmt.	124.25	One Hundred Twenty Four Rupees and Twenty Five Paise	124.25
293	293	S.O.R. 2024-25,23004E	1.00	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(E) 50mm.	Rmt.	167.03	One Hundred Sixty Seven Rupees and Three Paise	167.03
294	294	S.O.R. 2024-25,23004F	1.00	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure polythene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(F) 75mm.	Rmt.	277.43	Two Hundred Seventy Seven Rupees and Forty Three Paise	277.43

295	295	S.O.R. 2024-25,23004G	1.00	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(G)110 mm.	Rmt.	336.24	Three Hundred Thirty Six Rupees and Twenty Four Paise	336.24
296	296	S.O.R. 2024-25,23009	1.00	Providing and fixing water closet squatting Pan (Indian type W.C. Pan) size 580mm (Earthwork, bed concrete, foot reste and trap to be measured and paid for separately) (A) Vitreous China.(I) Long pattern = White colour	Each.	948.09	Nine Hundred Forty Eight Rupees and Nine Paise	948.09
297	297	S.O.R. 2024-25,23010	1.00	Providing and fixing wsh down water closet (European type, W.C. Pan) with integral P or S trap including jointing the trap with soil pipe in Cement Mortar 1:1 (1-Cement : 1-fine sand) (Seal and cover to be measured and paid for separately)(A) vitreous China Pattern :(i) in white colour	Each.	1303.71	One Thousand Three Hundred Three Rupees and Seventy One Paise	1303.71
298	298	S.O.R. 2024-25,23011	1.00	Providing and fixing 100mm size P or S trap for water closet squatting pan including jointing the trap with the pan and soil pipe in cement Mortar 1:1 (1-Cement : 1-Fine sand)(A) Vitreous China.	Each.	329.29	Three Hundred Twenty Nine Rupees and Twenty Nine Paise	329.29
299	299	S.O.R. 2024-25,23017	1.00	Providing and fixing plastic seat and cover for wash down water closer with C.P. brass hinges and rubber buffers. (B) Black plastic seal and cover.	Each.	291.33	Two Hundred Ninety One Rupees and Thirty Three Paise	291.33
300	300	S.O.R. 2024-25,23018	1.00	Providing and fixing washbasin with single hole for pillar tap with C.I. or M.S. brackets painted white including sutting holes and making good the same but excluding fittings.(A) Vitreous China:(ii) Flat Back washbasin 550 mm x v 400mm size. (i) In white colour.	Each.	1382.37	One Thousand Three Hundred Eighty Two Rupees and Thirty Seven Paise	1382.37
301	301	S.O.R. 2024-25,23019	1.00	Providing and fixing Kitchen sink with C.I. or M.S. brackets, painted white including cutting holes in walls and making good the same but excluding fittings. (C) Vitreous China Sink.(i) 600mm x 450mm x 150mm size .	Each.	2280.27	Two Thousand Two Hundred Eighty Rupees and Twenty Seven Paise	2280.27
302	302	S.O.R. 2024-25,23020A	1.00	Providing and fixing C.P. brass waste for washbasin or sink. (A) 32mmdia.	Each.	67.91	Sixty Seven Rupees and Ninety One Paise	67.91
303	303	S.O.R. 2024-25,23020B	1.00	Providing and fixing C.P. brass waste for washbasin or sink. (B) 40mm dia.	Each.	89.83	Eighty Nine Rupees and Eighty Three Paise	89.83
304	304	S.O.R. 2024-25,23021A	1.00	Providing and fixing M.I. fisher union for washbasin or sink. (A) 32mm dia.	Each.	78.75	Seventy Eight Rupees and Seventy Five Paise	78.75
305	305	S.O.R. 2024-25,23021B	1.00	Providing and fixing M.I. fisher union for washbasin or sink. (B) 40mm dia.	Each.	88.65	Eighty Eight Rupees and Sixty Five Paise	88.65
306	306	S.O.R. 2024-25,23023	1.00	Providing and fixing C.P. brass shower rose with 15mm or 20mm inlet.(A) 100mm dia. Each	Each.	282.16	Two Hundred Eighty Two Rupees and Sixteen Paise	282.16
307	307	S.O.R. 2024-25, R.A. No. - 46	1.00	Providing and fixing brass chromium plated surgical handle cock of approved size and make (plumber, Essco only) 15 mm dia etc complete.	No.	1118.00	One Thousand One Hundred Eighteen Rupees	1118.00

308	308	S.O.R. 2024-25,23024	1.00	Providing and fixing 600mm x 450mm bevelled edge mirror of superior glass mounted on 6mm thick A.C. sheet or plywood sheet and fixing to wooden plug with C.P. brass screws and washers.	Each.	833.73	Eight Hundred Thirty Three Rupees and Seventy Three Paise	833.73
309	309	S.O.R. 2024-25,23025	1.00	Providing and fixing C.P. brass towel rail complete with C.P. brass brackets fixed to wooden plugs with C.P. brass screws.(B) 600mm x 20mm size.	Each.	603.19	Six Hundred Three Rupees and Nineteen Paise	603.19
310	310	S.O.R. 2024-25,23026	1.00	Providing and fixing 600mm x 120mm glass shelf with C.P. brass bracket and guard rail complete mixed to wooden plug with C.P. brass screws.	Each.	520.18	Five Hundred Twenty Rupees and Eighteen Paise	520.18
311	311	S.O.R. 2024-25,23027	1.00	Providing and fixing toilet paper holder.(A) C.P. Brass	Each.	418.68	Four Hundred Eighteen Rupees and Sixty Eight Paise	418.68
312	312	S.O.R. 2024-25,23028A1	1.00	Providing and fixing screw down bib taps of following size.(A) Brass screw down bib tap polished bright. (i) 15mm dia.	Each.	186.83	One Hundred Eighty Six Rupees and Eighty Three Paise	186.83
313	313	S.O.R. 2024-25,23028A2	1.00	Providing and fixing screw down bib taps of following size.(A) Brass screw down bib tap polished bright. (ii) 20mm dia.	Each.	214.81	Two Hundred Fourteen Rupees and Eighty One Paise	214.81
314	314	S.O.R. 2024-25,23028B1	1.00	Providing and fixing screw down bib taps of following size.(B) Brass chromium plated screws down Bib Tap. (i) 15mm dia.	Each.	186.83	One Hundred Eighty Six Rupees and Eighty Three Paise	186.83
315	315	S.O.R. 2024-25,23028B2	1.00	Providing and fixing screw down bib taps of following size.(B) Brass chromium plated screws down Bib Tap. (ii) 20mm dia.	Each.	214.81	Two Hundred Fourteen Rupees and Eighty One Paise	214.81
316	316	S.O.R. 2024-25,23028C1	1.00	Providing and fixing screw down bib taps of following size.(C) Gun metal screw down bib tap. (i) 15mm dia.	Each.	158.86	One Hundred Fifty Eight Rupees and Eighty Six Paise	158.86
317	317	S.O.R. 2024-25,23028C2	1.00	Providing and fixing screw down bib taps of following size.(C) Gun metal screw down bib tap. (ii) 20mm dia.	Each.	177.85	One Hundred Seventy Seven Rupees and Eighty Five Paise	177.85
318	318	S.O.R. 2024-25,23029A	1.00	Providing and fixing pillar tap, capstan head, screw down high pressure with screws, shanks and back nuts. (i) 15mm dia.	Each.	308.73	Three Hundred Eight Rupees and Seventy Three Paise	308.73
319	319	S.O.R. 2024-25,23029B	1.00	Providing and fixing pillar tap, capstan head, screw down high pressure with screws, shanks and back nuts. (ii) 20mm dia.	Each.	354.69	Three Hundred Fifty Four Rupees and Sixty Nine Paise	354.69
320	320	S.O.R. 2024-25,23030A	1.00	Providing and fixing brass screw down stop tap.(A) 15mm dia.	Each.	205.83	Two Hundred Five Rupees and Eighty Three Paise	205.83
321	321	S.O.R. 2024-25,23030B	1.00	Providing and fixing brass screw down stop tap.(B) 20mm dia.	Each.	223.81	Two Hundred Twenty Three Rupees and Eighty One Paise	223.81
322	322	S.O.R. 2024-25,23030C	1.00	Providing and fixing brass screw down stop tap.(C) 25mm dia.	Each.	220.82	Two Hundred Twenty Rupees and Eighty Two Paise	220.82
323	323	S.O.R. 2024-25,23031A	1.00	Providing and fixing Gun metal check or non-return fullway wheel valve.(A) 15mm dia.	Each.	186.83	One Hundred Eighty Six Rupees and Eighty Three Paise	186.83
324	324	S.O.R. 2024-25,23031B	1.00	Providing and fixing Gun metal check or non-return fullway wheel valve.(B) 20mm dia.	Each.	203.82	Two Hundred Three Rupees and Eighty Two Paise	203.82
325	325	S.O.R. 2024-25,23031C	1.00	Providing and fixing Gun metal check or non-return fullway wheel valve.(C) 25mm dia.	Each.	420.63	Four Hundred Twenty Rupees and Sixty Three Paise	420.63

326	326	S.O.R. 2024-25,23031D	1.00	Providing and fixing Gun metal check or non-return fullway wheel valve.(D) 32mm dia.	Each.	314.73	Three Hundred Fourteen Rupees and Seventy Three Paise	314.73
327	327	S.O.R. 2024-25,23031E	1.00	Providing and fixing Gun metal check or non-return fullway wheel valve.(E) 40mm dia.	Each.	663.43	Six Hundred Sixty Three Rupees and Forty Three Paise	663.43
328	328	S.O.R. 2024-25,23032A	1.00	Providing and fixing chromium plated brass half trun flush cock of approved quality including fixing in pipe line etc. complete.(i) 20mm dia.	Each.	254.78	Two Hundred Fifty Four Rupees and Seventy Eight Paise	254.78
329	329	S.O.R. 2024-25,23032B	1.00	Providing and fixing chromium plated brass half trun flush cock of approved quality including fixing in pipe line etc. complete.(ii) 25mm dia.	Each.	263.77	Two Hundred Sixty Three Rupees and Seventy Seven Paise	263.77
330	330	S.O.R. 2024-25,23032C	1.00	Providing and fixing chromium plated brass half trun flush cock of approved quality including fixing in pipe line etc. complete.(iii) 32mm dia.	Each.	275.76	Two Hundred Seventy Five Rupees and Seventy Six Paise	275.76
331	331	S.O.R. 2024-25,23033	1.00	Providing and fixing Urinal or approved quality including conecting the Urinal with waste pipe , tap etc. complete.(A) White earthenware flat back or corner type size 430mm x 260mm x 350mm.	Each.	1036.27	One Thousand Thirty Six Rupees and Twenty Seven Paise	1036.27
332	332	S.O.R. 2024-25,23034	1.00	Providing and fixing Urinal of approved quality including connection with trap and with integral longitudinal flush pipe.(A) Squating plate pattern white earthenware 550mm x 300mm.	Each.	1557.35	One Thousand Five Hundred Fifty Seven Rupees and Thirty Five Paise	1557.35
333	333	S.O.R. 2024-25,23035	1.00	Providing and fixing Rubber plug for sink or wash basin.	Each.	17.15	Seventeen Rupees and Fifteen Paise	17.15
334	334	S.O.R. 2024-25,23036	1.00	Providing and fixing chromium plated, bottle trap with necessary couplings of approved quality for wash basin.	Each.	295.80	Two Hundred Ninety Five Rupees and Eighty Paise	295.80
335	335	S.O.R. 2024-25,23037A1	1.00	Providing and fixing ball cock of approved. quality as directed.(A) Copper Metal (i) 25mm dia.	Each.	132.89	One Hundred Thirty Two Rupees and Eighty Nine Paise	132.89
336	336	S.O.R. 2024-25,23037A2	1.00	Providing and fixing ball cock of approved. quality as directed.(A) Copper Metal (ii) 50mm dia.	Each.	189.84	One Hundred Eighty Nine Rupees and Eighty Four Paise	189.84
337	337	S.O.R. 2024-25,23037B1	1.00	Providing and fixing ball cock of approved. quality as directed.(B) Abonite (i) 25mm dia.	Each.	102.91	One Hundred Two Rupees and Ninety One Paise	102.91
338	338	S.O.R. 2024-25,23037B2	1.00	Providing and fixing ball cock of approved. quality as directed.(B) Abonite (ii) 50mm dia.	Each.	137.89	One Hundred Thirty Seven Rupees and Eighty Nine Paise	137.89
339	339	S.O.R. 2024-25,23038	1.00	Providing and fixing C.I. Manhole cover 0.60 M. x 0.45M. size having weight not less than 35Kg.	Each.	958.17	Nine Hundred Fifty Eight Rupees and Seventeen Paise	958.17
340	340	S.O.R. 2024-25,23061	1.00	Providing laying and jointing in true line and level 15mm dia. U.P.V.C. Pipe (SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	Rmt.	72.65	Seventy Two Rupees and Sixty Five Paise	72.65

341	341	S.O.R. 2024-25,23062	1.00	Providing laying and jointing in true line and level 25mm dia. U.P.V.C. Pipe (SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	Rmt.	91.84	Ninety One Rupees and Eighty Four Paise	91.84
342	342	S.O.R. 2024-25,23063	1.00	Providing laying and jointing in true line and level 32mm dia. U.P.V.C. Pipe (SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	Rmt.	119.15	One Hundred Nineteen Rupees and Fifteen Paise	119.15
343	343	S.O.R. 2024-25,23064	1.00	Providing laying and jointing in true line and level 40mm dia. U.P.V.C. Pipe (SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	Rmt.	148.12	One Hundred Forty Eight Rupees and Twelve Paise	148.12
344	344	S.O.R. 2024-25,23065	1.00	Providing laying and jointing in true line and level 50mm dia. U.P.V.C. Pipe (SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	Rmt.	195.67	One Hundred Ninety Five Rupees and Sixty Seven Paise	195.67
345	345	S.O.R. 2024-25,23066	1.00	Providing, laying and jointing in true line and level 160 diameter U.P.V.C (Type B) conforming to IS 13592-1992 with one end plain and other end socketed with rubber ring, & fittings conforming to ISI 14735-1999 of approved make for drainage system pipe line, pipe shall be jointed with each other with rubber lubricant, pipe shall be fixed on wall using of PVC clamp of the size 160 mm diameter x 210 mm length x 196 mm height at every 2000 mm center to center or shall be concealed in walls as directed including necessary fittings such as bends, shoes etc. including testing of pipes and joints and jointed with adhesive solvent cement including cost of all materials.	Rmt.	831.22	Eight Hundred Thirty One Rupees and Twenty Two Paise	831.22

346	346	S.O.R. 2024-25,23067	1.00	Providing, laying and jointing in true line and level 110 diameter U.P.V.C (Type B) conforming to IS 13592-1992 with one end plain and other end socketed with rubber ring, & fittings conforming to ISI 14735-1999 of approved make for drainage system pipe line, pipe shall be jointed with each other with rubber lubricant, pipe shall be fixed on wall using of PVC clamp of the size 110 mm diameter x 149 mm length x 145 mm height at every 2000 mm center to center or shall be concealed in walls as directed including necessary fittings such as bends, shoes etc. including testing of pipes and joints and jointed with adhesive solvent cement including cost of all materials.	Rmt.	835.15	Eight Hundred Thirty Five Rupees and Fifteen Paise	835.15
347	347	S.O.R. 2024-25, R.A. No. - 47	1.00	Providing and fixing to wall ceiling and floor 6.00 Kg. F/Cm ² working pressure SWR Pipes of the following outside Dia. Low density, complete with socket and spigot type fittings, wall clips, Rubber gasket etc. including making good the wall ceiling and floor. (B) 75 mm dia	Rmt.	309.00	Three Hundred Nine Rupees	309.00
348	348	S.O.R. 2024-25, R.A. No. - 48	1.00	Providing and fixing to wall ceiling and floor 6.00 Kg. F/Cm ² working pressure SWR Pipes of the following outside Dia. Low density, complete with socket and spigot type fittings, wall clips, Rubber gasket etc. including making good the wall ceiling and floor. 110 mm dia	Rmt.	448.00	Four Hundred Forty Eight Rupees	448.00
349	349	S.O.R. 2024-25, R.A. No. - 49	1.00	Providing and fixing in position cowl vent to pipes : (ii) 110 mm. Dia.	No.	127.00	One Hundred Twenty Seven Rupees	127.00
350	350	S.O.R. 2024-25, R.A. No. - 50	1.00	Providing and fixing in position cowl vent to pipes : (i) 75 mm. Dia.	No.	127.00	One Hundred Twenty Seven Rupees	127.00
351	351	S.O.R. 2024-25,23068	1.00	Providing and fixing PVC SWR Nahni trap IS 14735 for drain - 100 mm diameter with jali of the following nominal diameter of self cleansing design with C.I sread down or hinged grating including the cost of cutting and making good the walls.	Each.	558.36	Five Hundred Fifty Eight Rupees and Thirty Six Paise	558.36
352	352	S.O.R. 2024-25,23069	1.00	Providing and fixing PVC SWR Nahni trap IS 14735 for drain - 75 mm diameter with jali of the following nominal diameter of self cleansing design with C.I sread down or hinged grating including the cost of cutting and making good the walls.	Each.	547.22	Five Hundred Forty Seven Rupees and Twenty Two Paise	547.22
353	353	S.O.R. 2024-25,23057	1.00	Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [C] 25 mm.	Rmt.	249.72	Two Hundred Forty Nine Rupees and Seventy Two Paise	249.72
354	354	S.O.R. 2024-25,23058	1.00	Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [D] 32mm.	Rmt.	333.66	Three Hundred Thirty Three Rupees and Sixty Six Paise	333.66

355	355	S.O.R. 2024-25,23059	1.00	Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [E] 40mm.	Rmt.	442.04	Four Hundred Forty Two Rupees and Four Paise	442.04
356	356	S.O.R. 2024-25,23060	1.00	Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [F] 50mm.	Rmt.	653.77	Six Hundred Fifty Three Rupees and Seventy Seven Paise	653.77
357	357	S.O.R. 2024-25,24001AA	1.00	Providing and laying (to level or slopes) and jointing with stiff mixture of Cement Mortar in proportion 1:1 Salt glazed stoneware pipes including testing of pipes and joints complete.(A) 100mm dia.	Rmt.	216.36	Two Hundred Sixteen Rupees and Thirty Six Paise	216.36
358	358	S.O.R. 2024-25,24001BA	1.00	Providing and laying (to level or slopes) and jointing with stiff mixture of Cement Mortar in proportion 1:1 Salt glazed stoneware pipes including testing of pipes and joints complete.(B) 150mm dia.	Rmt.	305.13	Three Hundred Five Rupees and Thirteen Paise	305.13
359	359	S.O.R. 2024-25,24002A	1.00	Providing and laying Cement concrete 1:5:10 (1-Cement : 5-Fine sand :10-Graded stone aggregate 40mm nominal size) bedding for stoneware pipes of following internal diameters with necessary formwork and curing complete.(A) 100 mm dia. (112 mm Ave.bed thickness)	Rmt.	127.16	One Hundred Twenty Seven Rupees and Sixteen Paise	127.16
360	360	S.O.R. 2024-25,24002B	1.00	Providing and laying Cement concrete 1:5:10 (1-Cement : 5-Fine sand :10-Graded stone aggregate 40mm nominal size) bedding for stoneware pipes of following internal diameters with necessary formwork and curing complete.(B) 150mm dia. (166mm Ave. bed thickness)	Rmt.	127.16	One Hundred Twenty Seven Rupees and Sixteen Paise	127.16
361	361	S.O.R. 2024-25,24004A1A	1.00	Extra over item 24.1 for providing salt Glazed stoneware fittings.(i) Bends of required degree (any redious) of following nominal diameters. (A) 100mm dia.	Each.	56.17	Fifty Six Rupees and Seventeen Paise	56.17
362	362	S.O.R. 2024-25,24004A2A	1.00	Extra over item 24.1 for providing salt Glazed stoneware fittings.(i) Bends of required degree (any redious) of following nominal diameters.(B) 150mm dia.	Each.	63.79	Sixty Three Rupees and Seventy Nine Paise	63.79
363	363	S.O.R. 2024-25,24004BA	1.00	Extra over item 24.1 for providing salt Glazed stoneware fittings.(ii) Taper bend of required degree of following internal diameters.(A) 100mm x 150mm	Each.	74.33	Seventy Four Rupees and Thirty Three Paise	74.33
364	364	S.O.R. 2024-25,24005A	1.00	Providing and laying jointing and pointing with stiff mixture of Cement Mortar 1:1 (1-Cement : 1-Fine sand) 150 mm internal diameter salt glazed stoneware half round channels.	Rmt.	180.95	One Hundred Eighty Rupees and Ninety Five Paise	180.95
365	365	S.O.R. 2024-25,24006AA	1.00	Providing and fixing S.W. gully trap with C.I. grating brick masonry chamber and water tight C.I. cover with frame of 300mm x 300mm size (inside) with standard weight.(i) Square mouth traps. (A) 100mm x 100mm size P type.	Each.	1292.19	One Thousand Two Hundred Ninety Two Rupees and Nineteen Paise	1292.19

366	366	S.O.R. 2024-25,24006B	1.00	Providing and fixing S.W. gully trap with C.I. grating brick masonry chamber and water tight C.I. cover with frame of 300mm x 300mm size (inside) with standard weight.(i) Square mouth traps.(B) 150mm x 100mm size P or R type.	Each.	1246.92	One Thousand Two Hundred Forty Six Rupees and Ninety Two Paise	1246.92
367	367	S.O.R. 2024-25,24007BA	1.00	Providing laying (to level or slopes) and jointing reinforced concrete Light duty non-pressure pipes I.S. class NP2 of the following internal diameter with collars and butt ends prepared for collar joints including testing of joints complete.(B) 150mm	Rmt.	248.67	Two Hundred Forty Eight Rupees and Sixty Seven Paise	248.67
368	368	S.O.R. 2024-25,24007CA	1.00	Providing laying (to level or slopes) and jointing reinforced concrete Light duty non-pressure pipes I.S. class NP2 of the following internal diameter with collars and butt ends prepared for collar joints including testing of joints complete.(C) 250mm	Rmt.	348.04	Three Hundred Forty Eight Rupees and Four Paise	348.04
369	369	S.O.R. 2024-25,24007DA	1.00	Providing laying (to level or slopes) and jointing reinforced concrete Light duty non-pressure pipes I.S. class NP2 of the following internal diameter with collars and butt ends prepared for collar joints including testing of joints complete.(D) 300mm	Rmt.	665.48	Six Hundred Sixty Five Rupees and Forty Eight Paise	665.48
370	370	S.O.R. 2024-25,24007EA	1.00	Providing laying (to level or slopes) and jointing reinforced concrete Light duty non-pressure pipes I.S. class NP2 of the following internal diameter with collars and butt ends prepared for collar joints including testing of joints complete.(E) 450mm	Rmt.	1060.59	One Thousand Sixty Rupees and Fifty Nine Paise	1060.59
371	371	S.O.R. 2024-25,24007GA	1.00	Providing laying (to level or slopes) and jointing reinforced concrete Light duty non-pressure pipes I.S. class NP2 of the following internal diameter with collars and butt ends prepared for collar joints including testing of joints complete.(G) 600mm	Rmt.	1381.20	One Thousand Three Hundred Eighty One Rupees and Twenty Paise	1381.20
372	372	S.O.R. 2024-25,24008A	1.00	Constructing Manhole with R.C.C. top slab in 1:2:4 mix (1-cement :2-coarse sand : 4-graded stone aggregate 20mm nominal size) foundation concrete 1:3:6 mix (1-cement : 3- coarse sand :6-Brick bats 40 + 50mm size) inside plastering 15mm thick with Cement Mortar 1:3 (1-Cement : 3-coarse sand) finished with a floating coat of neat cement and making channels in cement concrete 1:2:4 mix (1-Cement :2-Coarse sand :4-stone aggregate 20mm nominal size) finished smooth complete including curing and festing (i) Inside size 900mm x 1200mm and 1.5M. deep including C.I. cover with frame size 560mm diameter total weight of cover and frame to be not less than 128 kgs. (Wt. of cover 64 Kg. and Wt. of frame 64 Kg.)(A) With 230mm thick walls of brick msonry using brick having crushing strength not less than 35Kg. / Sq.cm. in Cement Mortar 1:5 (1- Cement: 5-Coarse sand) (1) A type depth 0.90 Metre for 150mm diameter sewer.	Each.	11029.97	Eleven Thousand Twenty Nine Rupees and Ninety Seven Paise	11029.97

373	373	S.O.R. 2024-25,24008B	1.00	Constructing Manhole with R.C.C. top slab in 1:2:4 mix (1-cement :2-coarse sand : 4-graded stone aggregate 20mm nominal size) foundation concrete 1:3:6 mix (1-cement : 3- coarse sand :6-Brick bats 40 + 50mm size) inside plastering 15mm thick with Cement Mortar 1:3 (1-Cement : 3-coarse sand) finished with a floating coat of neat cement and making channels in cement concrete 1:2:4 mix (1-Cement :2-Coarse sand :4-stone aggregate 20mm nominal size) finished smooth complete including curing and festing (i) Inside size 900mm x 1200mm and 1.5M. deep including C.I. cover with frame size 560mm diameter total weight of cover and frame to be not less than 128 kgs. (Wt. of cover 64 Kg. and Wt. of frame 64 Kg.)(A) With 230mm thick walls of brick msonry using brick having crushing strength not less than 35Kg. / Sq.cm. in Cement Mortar 1:5 (1- Cement: 5-Coarse sand) (2) B type depth 1.50 Metre for 150mm diameter sewer.	Each.	19330.46	Nineteen Thousand Three Hundred Thirty Rupees and Forty Six Paise	19330.46
374	374	S.O.R. 2024-25,24009A	1.00	(I) Extra rate for constructing B.B. masonry for every additional depth of 0.1M. or Part thereof over item No.24.27 (I) for depth from 0.9M to 1.5M.	Each.	522.96	Five Hundred Twenty Two Rupees and Ninety Six Paise	522.96
375	375	S.O.R. 2024-25,24016AA	1.00	Constructing brick masonry chamber for underground C.I. Inspection chamber and bends with bricks having crushing strength not less than 35Kg/Cm2 in C.M. 1:5 C.I. cover with frame (Light duty) 455mm x 610mm intenal dimensions total weight of cover with frame to be not less than 38Kg. (Wt. of cover 23 Kg.) and Wt. of frame 15Kg.) (R.C.C. top slabe with 1:2:4 mix (1-cement :2- coarse sand :4-graded stone aggregate 20mm size) foundation concrete 1:5:10 inside plaster 15mm thick with cement mortar 1:3 finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete.(i) Inside dimensions 455mmx 610mm and 450mm deep for single pipe line.	Each.	2932.93	Two Thousand Nine Hundred Thirty Two Rupees and Ninety Three Paise	2932.93
376	376	S.O.R. 2024-25,24016BA	1.00	Constructing brick masonry chamber for underground C.I. Inspection chamber and bends with bricks having crushing strength not less than 35Kg/Cm2 in C.M. 1:5 C.I. cover with frame (Light duty) 455mm x 610mm intenal dimensions total weight of cover with frame to be not less than 38Kg. (Wt. of cover 23 Kg.) and Wt. of frame 15Kg.) (R.C.C. top slabe with 1:2:4 mix (1-cement :2- coarse sand :4-graded stone aggregate 20mm size) foundation concrete 1:5:10 inside plaster 15mm thick with cement mortar 1:3 finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete.(ii) Inside dimensions 500mm x 700 mm and 450mm deep for pipe line with one or two inlets.	Each.	3660.76	Three Thousand Six Hundred Sixty Rupees and Seventy Six Paise	3660.76

377	377	S.O.R. 2024-25,24016CA	1.00	Constructing brick masonry chamber for underground C.I. Inspection chamber and bends with bricks having crushing strength not less than 35Kg/ Cm ² in C.M. 1:5 C.I. cover with frame (Light duty) 455mm x 610mm intenal dimensions total weight of cover with frame to be not less than 38Kg. (Wt. of cover 23 Kg.) and Wt. of frame 15Kg.) (R.C.C. top slabe with 1:2:4 mix (1-cement :2- coarse sand :4-graded stone aggregate 20mm size) foundation concrete 1:5:10 inside plaster 15mm thick with cement mortar 1:3 finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete.(iii) Inside dimensions 600mm x 850 mm and 450mm deep for pipe lines with three or more inlets.	Each.	7180.44	Seven Thousand One Hundred Eighty Rupees and Forty Four Paise	7180.44
378	378	S.O.R. 2024-25, R.A. No. - 51	1.00	Repairing and removing existing chamber of brick massonary chamber to match it with road level including providing and fixing SFRC IS 12592 cover with frame etc Complete including brick work in cm 1:6 and 15 mm thick Cement Plaster in CM 1:4 to raise the height to match the level with road/Paving etc complete as directed.	Each.	2415.00	Two Thousand Four Hundred Fifteen Rupees	2415.00
379	379	S.O.R. 2024-25,24017A	1.00	Extra over items 24.44 for every additional depth of 0.1M. of part thereof beyond 450mm depth for Brick masonry chamber.(i) for 455mm x 610mm size.	Each.	242.39	Two Hundred Forty Two Rupees and Thirty Nine Paise	242.39
380	380	S.O.R. 2024-25,24017B	1.00	Extra over items 24.44 for every additional depth of 0.1M. of part thereof beyond 450mm depth for Brick masonry chamber.(ii) for 500mm x 700mm size.	Each.	264.86	Two Hundred Sixty Four Rupees and Eighty Six Paise	264.86
381	381	S.O.R. 2024-25,24017C	1.00	Extra over items 24.44 for every additional depth of 0.1M. of part thereof beyond 450mm depth for Brick masonry chamber.(iii) for 600mm x 850mm size.	Each.	325.59	Three Hundred Twenty Five Rupees and Fifty Nine Paise	325.59
382	382	S.O.R. 2024-25,24018AA	1.00	(A) Providing sock pit of 2.00 Cu.M. Volume including excavating and filling brickbats with dry masonry work at top for 45cm. height including covering the top with stone including providing vatas in C.M. 1:3 with finishing curing etc. complete as directed.	Each.	1348.26	One Thousand Three Hundred Forty Eight Rupees and Twenty Six Paise	1348.26
383	383	S.O.R. 2024-25,24018BA	1.00	(B) Providing sock pit of 5.00 Cu.M. Volume including excavating and filling brickbats with dry masonry work at top for 45cm. height including covering the top with stone including providing vatas in C.M. 1:3 with finishing curing etc. complete as directed.	Each.	3372.19	Three Thousand Three Hundred Seventy Two Rupees and Nineteen Paise	3372.19
384	384	S.O.R. 2024-25, R.A. No. - 52	1.00	Construction Septic Tank with R.C.C. slab in C.C. 1 : 2 : 4 including excavating , filling bed concrete C.C. 1 : 4 : 8 , 0.15 mt. thick buffer wall with Outer periferial brick masonary wall 0.23 m thick in C m 1 : 6 Including finishing with cement plaster 15 mm thick in C M 1 : 4 With C I main hall cover as per details drawing size 2.50x 1.25 x 1.50 Mt.	Each.	35481.00	Thirty Five Thousand Four Hundred Eighty One Rupees	35481.00

385	385	S.O.R. 2024-25, R.A. No. - 53	1.00	Providing sock pit of specific volumn of 13.00 cum volumn including excavating pit upto 5.0mt depth, on base of P.C.C. honey comb brick masonry work 0.35mt thick upto 0.30mt below G.L. One 6"th copping is provided (including reinforcement) on parifare of brick masonry work. Dry brick masonry work is provided 0.30mt above G.L. At Top 0.15mt thick R.C.C. 1:2:4 Slab is provided, including Cast iorn cover 455mm x 610mm Size and out side 15mm smooth plaster is provided on expose surface. Providing 2.00mt Internal Dia.	Each.	62558.00	Sixty Two Thousand Five Hundred Fifty Eight Rupees	62558.00
386	386	S.O.R. 2024-25, R.A. No. - 54	1.00	Provdg. & fixing on wall face 110mm dia. PVC rain water pipe of FINOLEX, SUPREME,KISHAN or PRINCE brand is used incl. filling the joints with spun yarn soaked in neat cement slurry and cement mortar 1:2 (1 cement : 2 fine sand) (A) 110 mm dia.PVC pipe 6 kg/sqcm	Rmt.	325.00	Three Hundred Twenty Five Rupees	325.00
387	387	S.O.R. 2024-25,26117A	1.00	Clearing and grubbing road land including uprooting rank vegetation grass bushes,shrubs,sapling and trees girth up to 300 mm removal of stumps of trees cut earlier and disposal of unserviceable materials(A) By manual means in area of light jungle.	Hectare.	80243.79	Eighty Thousand Two Hundred Forty Three Rupees and Seventy Nine Paise	80243.79
388	388	S.O.R. 2024-25,26117B	1.00	Clearing and grubbing road land including uprooting rank vegetation grass bushes,shrubs,sapling and trees girth up to 300 mm removal of stumps of trees cut earlier and disposal of unserviceable materials (B) By manual in area of thorny jungle.	Hectare.	106992.26	One Lakh Six Thousand Nine Hundred Ninety Two Rupees and Twenty Six Paise	106992.2593
389	389	S.O.R. 2024-25,26117C	1.00	Clearing and grubbing road land including uprooting rank vegetation grass bushes,shrubs,sapling and trees girth up to 300 mm removal of stumps of trees cut earlier and disposal of unserviceable materials (C) By mechanical means in area of light jungle.	Hectare.	28393.04	Twenty Eight Thousand Three Hundred Ninety Three Rupees and Four Paise	28393.04
390	390	S.O.R. 2024-25,26117D	1.00	Clearing and grubbing road land including uprooting rank vegetation grass bushes,shrubs,sapling and trees girth up to 300 mm removal of stumps of trees cut earlier and disposal of unserviceable materials(D) By mechanical means in area of thorny jungle.	Hectare.	34796.29	Thirty Four Thousand Seven Hundred Ninety Six Rupees and Twenty Nine Paise	34796.29
391	391	S.O.R. 2024-25,26118	1.00	Rolling and consolidation using vibratory road roller 8 - 10 tonne capacity (incl. watering)(A) Earth work (layer not exceeding 200mm thickness)	Cu.Mt.	33.09	Thirty Three Rupees and Nine Paise	33.09
392	392	S.O.R. 2024-25,26118B	1.00	Rolling and consolidation using vibratory road roller 8 - 10 tonne capacity (B) Granular sub base(Layer not exceeding 150mm thickness)	Cu.Mt.	31.51	Thirty One Rupees and Fifty One Paise	31.51
393	393	S.O.R. 2024-25,26118C	1.00	Rolling and consolidation using vibratory road roller 8 - 10 tonne capacity (C) Water bound Macadam (Layer not exceeding 100mm thickness)	Cu.Mt.	59.09	Fifty Nine Rupees and Nine Paise	59.09

394	394	S.O.R. 2024-25,26123	1.00	Supplying and fixing reinforced concrete heavy duty non-pressure pipes with collars for culverts including setting and joining the pipes in C.M. 1:2 watering and laying (To level of slops of I.S. 458 / 1971 Class NP4 of following internal diameter. (ii) 450 mm dia.	Rmt.	1620.75	One Thousand Six Hundred Twenty Rupees and Seventy Five Paise	1620.75
395	395	S.O.R. 2024-25,26124	1.00	Supplying and fixing reinforced concrete heavy duty non-pressure pipes with collars for culverts including setting and joining the pipes in C.M. 1:2 watering and laying (To level of slops of I.S. 458 / 1971 Class NP4 of following internal diameter. (iii) 600 mm dia.	Rmt.	2681.24	Two Thousand Six Hundred Eighty One Rupees and Twenty Four Paise	2681.24
396	396	S.O.R. 2024-25,26125	1.00	Supplying and fixing reinforced concrete heavy duty non-pressure pipes with collars for culverts including setting and joining the pipes in C.M. 1:2 watering and laying (To level of slops of I.S. 458 / 1971 Class NP4 of following internal diameter. (iv) 900 mm dia.	Rmt.	4685.19	Four Thousand Six Hundred Eighty Five Rupees and Nineteen Paise	4685.19
397	397	S.O.R. 2024-25,26004AA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift and including watering rolling and consolidation of subgrade in layers at O.M.C. to required dry density including filling the depression which occur during the process using power roller 8T to 10T.(A) From Borrow pits within land width.	Cu.Mt.	152.51	One Hundred Fifty Two Rupees and Fifty One Paise	152.51
398	398	S.O.R. 2024-25,26004BA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift and including watering rolling and consolidation of subgrade in layers at O.M.C. to required dry density including filling the depression which occur during the process using power roller 8T to 10T.(B) From Borrow area within 0.5KM. lead.	Cu.Mt.	155.72	One Hundred Fifty Five Rupees and Seventy Two Paise	155.72
399	399	S.O.R. 2024-25,26004CA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift and including watering rolling and consolidation of subgrade in layers at O.M.C. to required dry density including filling the depression which occur during the process using power roller 8T to 10T.(C) From Borrow area within 1.0KM. lead	Cu.Mt.	158.61	One Hundred Fifty Eight Rupees and Sixty One Paise	158.61
400	400	S.O.R. 2024-25,26004DA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift and including watering rolling and consolidation of subgrade in layers at O.M.C. to required dry density including filling the depression which occur during the process using power roller 8T to 10T.(D) From Borrow area within 2.0KM. lead	Cu.Mt.	164.10	One Hundred Sixty Four Rupees and Ten Paise	164.10
401	401	S.O.R. 2024-25,26004EA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift and including watering rolling and consolidation of subgrade in layers at O.M.C. to required dry density including filling the depression which occur during the process using power roller 8T to 10T.(E) From Borrow area within 3.0KM. lead	Cu.Mt.	169.44	One Hundred Sixty Nine Rupees and Forty Four Paise	169.44

402	402	S.O.R. 2024-25,26001A	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift (excluding watering and consolidation)(A) From Borrow pits within land width.	Cu.Mt.	104.20	One Hundred Four Rupees and Twenty Paise	104.20
403	403	S.O.R. 2024-25,26001BA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift (excluding watering and consolidation)(B) From Borrow area within 0.5 Km.lead.	Cu.Mt.	147.50	One Hundred Forty Seven Rupees and Fifty Paise	147.50
404	404	S.O.R. 2024-25,26001CA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift (excluding watering and consolidation)(C) From Borrow area within 1.0 Km.lead.	Cu.Mt.	150.39	One Hundred Fifty Rupees and Thirty Nine Paise	150.39
405	405	S.O.R. 2024-25,26001DA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift (excluding watering and consolidation)(D) From Borrow area within 2.0 Km. lead.	Cu.Mt.	155.89	One Hundred Fifty Five Rupees and Eighty Nine Paise	155.89
406	406	S.O.R. 2024-25,26001EA	1.00	Earthwork for embankment including breaking clods, dressing with all lead and lift (excluding watering and consolidation)(E) From Borrow area within 3.0 Km. lead.	Cu.Mt.	161.22	One Hundred Sixty One Rupees and Twenty Two Paise	161.22
407	407	S.O.R. 2024-25,26002A	1.00	Rolling of earthwork in layers with power roller including filling in depressions which occur during the process.	Cu.Mt.	13.40	Thirteen Rupees and Forty Paise	13.40
408	408	S.O.R. 2024-25,26003	1.00	Watering of earth work as directed.	Cu.Mt.	9.08	Nine Rupees and Eight Paise	9.08
409	409	S.O.R. 2024-25,26011A	1.00	Supplying of graded stone aggregate of following sizes (for W.B.M. Road)(1) Hand broken stone aggregate 25mm to 90mm size.	Cu.Mt.	244.98	Two Hundred Forty Four Rupees and Ninety Eight Paise	244.98
410	410	S.O.R. 2024-25,26011B	1.00	Supplying of graded stone aggregate of following sizes (for W.B.M. Road)(2) Hand broken stone aggregate 40 mm to 63 mm size.	Cu.Mt.	262.48	Two Hundred Sixty Two Rupees and Forty Eight Paise	262.48
411	411	S.O.R. 2024-25,26011C	1.00	Supplying of graded stone aggregate of following sizes (for W.B.M. Road)(3) Crushed stone aggregate for Hard Quality up to 63 mm size.	Cu.Mt.	297.48	Two Hundred Ninety Seven Rupees and Forty Eight Paise	297.48
412	412	S.O.R. 2024-25,26012A	1.00	Supplying of crushed stone aggregates, chippings etc. of hard stone of following nominal size free of disintegrated pieces deleterious and organic mater (for Bitumen surface dressing etc.) and grading as per I.R.C. Code.(i) 50mm.	Cu.Mt.	297.48	Two Hundred Ninety Seven Rupees and Forty Eight Paise	297.48
413	413	S.O.R. 2024-25,26012B	1.00	Supplying of crushed stone aggregates, chippings etc. of hard stone of following nominal size free of disintegrated pieces deleterious and organic mater (for Bitumen surface dressing etc.) and grading as per I.R.C. Code.(ii) 40mm.	Cu.Mt.	349.97	Three Hundred Forty Nine Rupees and Ninety Seven Paise	349.97
414	414	S.O.R. 2024-25,26012C	1.00	Supplying of crushed stone aggregates, chippings etc. of hard stone of following nominal size free of disintegrated pieces deleterious and organic mater (for Bitumen surface dressing etc.) and grading as per I.R.C. Code.(iii) 25mm.	Cu.Mt.	384.96	Three Hundred Eighty Four Rupees and Ninety Six Paise	384.96
415	415	S.O.R. 2024-25,26012D	1.00	Supplying of crushed stone aggregates, chippings etc. of hard stone of following nominal size free of disintegrated pieces deleterious and organic mater (for Bitumen surface dressing etc.) and grading as per I.R.C. Code.(iv) 20mm.	Cu.Mt.	419.96	Four Hundred Nineteen Rupees and Ninety Six Paise	419.96
416	416	S.O.R. 2024-25,26016A	1.00	(i) Supplying of murrum / binding materials.	Cu.Mt.	96.96	Ninety Six Rupees and Ninety Six Paise	96.96

417	417	S.O.R. 2024-25,26018A	1.00	Spreading the stone aggregate for rolling and W.B.M. including filling the interstices to required camber and gradient (excluding spreading of Blindage)(ii) 40mm to 63mm size aggregates (H.B.).	Cu.Mt.	249.75	Two Hundred Forty Nine Rupees and Seventy Five Paise	249.75
418	418	S.O.R. 2024-25,26018B	1.00	Spreading the stone aggregate for rolling and W.B.M. including filling the interstices to required camber and gradient (excluding spreading of Blindage)(iii) 25mm to 50mm size crushed stone.	Cu.Mt.	249.75	Two Hundred Forty Nine Rupees and Seventy Five Paise	249.75
419	419	S.O.R. 2024-25,26020A	1.00	Spreading blindage or road crust filling the gaps in metal and leveling to camber and gradient as directed.(i) Murrum.	Cu.Mt.	147.47	One Hundred Forty Seven Rupees and Forty Seven Paise	147.47
420	420	S.O.R. 2024-25,26020B	1.00	Spreading blindage or road crust filling the gaps in metal and leveling to camber and gradient as directed.(ii) Sand.	Cu.Mt.	147.47	One Hundred Forty Seven Rupees and Forty Seven Paise	147.47
421	421	S.O.R. 2024-25,26021	1.00	Rolling and consolidation of soling including filling in depression which occur during the process, with power roler 8 tonne to 12 tonne.	Sq.Mt.	22.36	Twenty Two Rupees and Thirty Six Paise	22.3614
422	422	S.O.R. 2024-25,26057	1.00	Providing and fixing Junction board of M.S. plates and angles as per standard I.R.C. design including fixing in C.C. 1:4:8 with necessary excavation painting figuring and lettering on board etc. complete.	Each.	5236.70	Five Thousand Two Hundred Thirty Six Rupees and Seventy Paise	5236.70
423	423	S.O.R. 2024-25, labour Statement	1.00	Labour charges - Mason 1st Class	Each.	791.00	Seven Hundred Ninety One Rupees	791.00
424	424		1.00	Labour charges - Mason 2nd Class	Each.	691.00	Six Hundred Ninety One Rupees	691.00
425	425		1.00	Labour charges - Mazdoor (Female)	Each.	480.00	Four Hundred Eighty Rupees	480.00
426	426		1.00	Labour charges - Mazdoor (Male)	Each.	505.00	Five Hundred Five Rupees	505.00
427	427		1.00	Labour charges - Plumber (Fitter)	Each.	729.00	Seven Hundred Twenty Nine Rupees	729.00
428	428		1.00	Labour charges - Plumber(Fitter)Assist	Each.	593.00	Five Hundred Ninety Three Rupees	593.00
429	429		1.00	Labour charges - Carpenter 1st Class	Each.	801.00	Eight Hundred One Rupees	801.00
430	430		1.00	Labour charges - Carpenter 2nd Class	Each.	692.00	Six Hundred Ninety Two Rupees	692.00
431	431		1.00	Labour charges - Welder	Each.	754.00	Seven Hundred Fifty Four Rupees	754.00
432	432		1.00	Semi Skill helper	Days.	497.00	Four Hundred Ninety Seven Rupees	497.00
433	433		1.00	Unskilled labour	Days.	487.00	Four Hundred Eighty Seven Rupees	487.00
434	434	S.O.R. 2024-25, Material basic rate.	1.00	Supply and fixing of galvanized screws for bolting of the structural and non structural LGS members as per specification and anchor hilti bolts for fixing LGS frame to plinth	Kg.	17.12	Seventeen Rupees and Twelve Paise	17.12
435	435	S.O.R. 2024-25, Material basic rate.	1.00	Cement	M.T.	5234.00	Five Thousand Two Hundred Thirty Four Rupees	5234
436	436	S.O.R. 2024-25, Material basic rate.	1.00	Cement Bags (Empty)	Each.	2.38	Two Rupees and Thirty Eight Paise	2.38

437	437	S.O.R. 2024-25, Material basic rate.	1.00	Chromium Plated brass Bib tap. 15mm dia.	Each.	158.47	One Hundred Fifty Eight Rupees and Forty Seven Paise	158.47
438	438	S.O.R. 2024-25, Material basic rate.	1.00	Commercial Plywood Sheet 12 mm	Sq.Mt.	305.93	Three Hundred Five Rupees and Ninety Three Paise	305.93
439	439	S.O.R. 2024-25, Material basic rate.	1.00	Commercial Plywood Sheet 19 mm	Sq.Mt.	352.20	Three Hundred Fifty Two Rupees and Twenty Paise	352.20
440	440	S.O.R. 2024-25, Material basic rate.	1.00	Commercial Plywood Sheet 6 mm	Sq.Mt.	155.08	One Hundred Fifty Five Rupees and Eight Paise	155.08
441	441	S.O.R. 2024-25, Material basic rate.	1.00	Distemper Primer	Lit.	57.63	Fifty Seven Rupees and Sixty Three Paise	57.63
442	442	S.O.R. 2024-25, Material basic rate.	1.00	Door closers (Heavy type of 765 number) Hardwire or Everite Prabhat or Equivalent.	Each.	466.10	Four Hundred Sixty Six Rupees and Ten Paise	466.10
443	443	S.O.R. 2024-25, Material basic rate.	1.00	Door closers arrow type with spring 12 length as approved sample (30 cms)	Each.	474.58	Four Hundred Seventy Four Rupees and Fifty Eight Paise	474.58
444	444	S.O.R. 2024-25, Material basic rate.	1.00	Dry Distemper	kg	36.44	Thirty Six Rupees and Forty Four Paise	36.44
445	445	S.O.R. 2024-25, Material basic rate.	1.00	Emulsion with aldring heptachlor or chlordane	Litre	126.27	One Hundred Twenty Six Rupees and Twenty Seven Paise	126.27
446	446	S.O.R. 2024-25, Material basic rate.	1.00	Emulsion with Dieldrin	Litre	126.27	One Hundred Twenty Six Rupees and Twenty Seven Paise	126.27
447	447	S.O.R. 2024-25, Material basic rate.	1.00	Enamel Paint	Litre	151.69	One Hundred Fifty One Rupees and Sixty Nine Paise	151.69
448	448	S.O.R. 2024-25, Material basic rate.	1.00	Enamel Primer	Litre	97.46	Ninety Seven Rupees and Forty Six Paise	97.46
449	449	S.O.R. 2024-25, Material basic rate.	1.00	Glasses 2 mm to 3 mm thick	Sq.Mt.	122.88	One Hundred Twenty Two Rupees and Eighty Eight Paise	122.88
450	450	S.O.R. 2024-25, Material basic rate.	1.00	Glasses 3 mm thick	Sq.Mt.	194.92	One Hundred Ninety Four Rupees and Ninety Two Paise	194.92
451	451	S.O.R. 2024-25, Material basic rate.	1.00	Granite Slab (18 mm thick) 1 side Polished	Sq.Mt.	1347.46	One Thousand Three Hundred Forty Seven Rupees and Forty Six Paise	1347.46
452	452	S.O.R. 2024-25, Material basic rate.	1.00	M.S. Plate / Flat	Quintal	3630.51	Three Thousand Six Hundred Thirty Rupees and Fifty One Paise	3630.51
453	453	S.O.R. 2024-25, Material basic rate.	1.00	Murum/ binding Material	Cu.Mt.	96.00	Ninety Six Rupees	96

454	454	S.O.R. 2024-25, Material basic rate.	1.00	Oil bound distemper	Kg.	50.85	Fifty Rupees and Eighty Five Paise	50.85
455	455	S.O.R. 2024-25, Material basic rate.	1.00	P.V.C bib tap 15mm. Dia	Each.	21.19	Twenty One Rupees and Nineteen Paise	21.19
456	456	S.O.R. 2024-25, Material basic rate.	1.00	Particle board sheet 12 mm thick	Sq.Mt.	205.08	Two Hundred Five Rupees and Eight Paise	205.08
457	457	S.O.R. 2024-25, Material basic rate.	1.00	Particle board sheet 19 mm thick	Sq.Mt.	262.71	Two Hundred Sixty Two Rupees and Seventy One Paise	262.71
458	458	S.O.R. 2024-25, Material basic rate.	1.00	Pillar tap 15mm dia	Each.	261.86	Two Hundred Sixty One Rupees and Eighty Six Paise	261.86
459	459	M.R.	1.00	Cleaning and washing of C.C.Road/ paved area by providing labour and cleaning material (like broom, floor cleaner, wiper,wire brushing etc) charges by using water, including cleaning of grooves , Rough finish surface comp As Per satisfaction of engineer in charge.	Sq.Mt.	1.25	One Rupees and Twenty Five Paise	1.25
460	460	M.R.	1.00	Cleaning and washing of Terrace area upto height 20mtr by providing labour and cleaning material (like broom, floor cleaner, wiper, wire brushing etc) charges by using water, including cleaning of Rough finish surface comp As Per satisfaction of engineer in charge.	Sq.Mt.	1.25	One Rupees and Twenty Five Paise	1.25
461	461	S.O.R. 2024-25, Hire Charge stste. Sr.Code No. : H033	1.00	Engaging Tractor with trolley with hydraulic utilities unloading & operator including oil, lubricantes, diesels etc. complete.(8 Hours per Day Rs. 245 per Hour)	Hour.	247.45	Two Hundred Forty Seven Rupees and Forty Five Paise	247.45
462	462	S.O.R. 2024-25, Hire Charge stste. Sr.Code No. : H016	1.00	Engaging Excavator (J.C.B. type) with operator including oil, lubricantes, diesels etc. complete.	Hour.	718.98	Seven Hundred Eighteen Rupees and Ninety Eight Paise	718.98
463	463	M.R.	1.00	Labour for mechanically cleaning under ground and or overhead water supply tower(tanks) of any capacity of common/seperate use in hospital/college campus by opening wash out line, complete dewatering, removing deposited silt from all sides and throwing the same as & where directed using one's own stick brooms, ladders, buckets, ropes, labourers, machines and safety tools etc. complete at all height and as per instructions of Engineer in charge. of any capacity from 500 liter to 1,00,000 liter	Per lit.	0.55	Zero Rupees and Fifty Five Paise	0.55
464	464	M.R.	1.00	Labour for cleaning the under ground drainage lines up to any depth and dia by removing silt , mud,etc.from pipe lines by passing ropes and or steel bars from one chamber to another chamber etc.and depositing the sludge outside the premises ,this shall be repeated till it is completely cleaned and water flows smoothly using own scaffolding ,ladders,buckets etc.complete as per instructions.	Rmt.	40.25	Forty Rupees and Twenty Five Paise	40.25

465	465	M.R.	1.00	Labour for cleaning the Chember of any size and depth by removing silt ,mud and refuse.Flushing out the water,taking away the silt and sludge out side the premises.This shall be repeated till it is completely cleaned up to the bottom channel etc.complete as per instuctions.	Each.	95.25	Ninety Five Rupees and Twenty Five Paise	95.25
466	466	M.R.	1.00	Labour charge for making of staging for heighted work including heigher charge of material (Height of proping up to 5 mtr height from plinth level	Sq.Mt.	300.00	Three Hundred Zero Rupees	300.00
467	467	M.R.	1.00	Providing of new mud pump for dewatering of mud or any type of liquid waste from drainage having specation V-2200 4" Dia. Of Capacity 1 HP. Including 80mm dia Suction Hose pipe with Hose collar & Clamp including all taxes.	Each.	35703.50	Thirty Five Thousand Seven Hundred Three Rupees and Fifty Paise	35703.50
468	468	M.R.	1.00	Providing of new mud pump for dewatering of mud or any type of liquid waste from drainage having specation V-2200 3" Dia. Of Capacity 1 HP. Including 80mm dia Suction Hose pipe with Hose collar & Clamp including all taxes.	Each.	21715.00	Twenty One Thousand Seven Hundred Fifteen Rupees	21715.00
469	469	M.R.	1.00	Lisonning for the approval of local authority for various work like Water connection, Drainage connection, fire noc, airport noc etc. (The official charges will be paid sepratly after producing the receipt of payment.)	Job.	20200.00	Twenty Thousand Two Hundred Zero Rupees	20200.00
470	470	M.R.	1.00	Supplying and using of super suction machine from corporation for cleaning of drainage line for all dia and type of pipe etc. complete as per instructions of incharge engineer.	Per Day.	28522.60	Twenty Eight Thousand Five Hundred Twenty Two Rupees and Sixty Paise	28522.60
471	471	M.R.	1.00	Supplying of the gully Emptyier pump/ Tanker for the sucking of waste water from the soak well & Septik tank with all transporterio and as per instruction of engg in charge.(limit for 35.00 Km.)	Per Trip.	5200.00	Five Thousand Two Hundred Zero Rupees	5200.00
				Total Cost Rs. One Crore Only			Total Rs.	10000000.00
							Say Total Rs.	10000000.00
I/we am/are willing to carry out the work at.....% above/below percent (should be written in figures and words) of the estimated rates mentioned above. Amount of my/our tender works out as under :								
Estimated amount put to tender							Rs.	
Add / deduct.....% above / below							Rs.	
Net amount							Rs.	
In words (Rupees.....							Rs.	
Note -1	All works shall be carried out as per Public Work Department Handbook and other specification of Division or as directed.							
Note -2	All the columns in Schedules should be filled in ink and the total of the entries ink last column should be struck by the contractor under his signature.							

Note -3	Rates quoted include clearance of site (prior commencement of work and at its close). In all respect and hold good for work under all condition, site, moisture, weather etc.		
Note -4	Serviceable material available (if any) after Demolishing / Dismantalling any item should be hand over to the concerned PIU Site Engineer In Charge as per instruction of engineer in charge.		
Note -5	Contract will have to quote his G.S.T. Registration number while submitting his tender.		
Note -6	Recovery of G.S.T. At. 2 % of value of work done shall be made from contractor bills.		
	Signature of Contractor with Seal		Signature of Contracting Authority with Seal