

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

SrDSTE/NGP/SECR acting for and on behalf of The President of India invites E-Tenders against Tender No **ST-loopline-PMS-GJ-26R** Closing Date/Time 16/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	a) S&T work for provision of additional loop lines at Parmalkasa and Gangajhari stations (EI stations) of Nagpur Division SECR b) Replacement of VDU along with embedded PC over Nagpur division of SECR.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	16/07/2026 15:00	Date Time Of Uploading Tender	22/06/2026 18:03
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	44625000.08	Tendering Section	SSE/SG/NGP
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	892500.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	02/07/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-Execution of S&T materials.							11366864.50	Above/ Below/P ar
01	01	24.00	Kilometre	76590.00	1838160.00	AT Par	1838160.00	
	Description:- Excavation of trench and clearing of roots of trees, bushes, ballast and reconditioning etc., including bailing out water and disposal of extra soil. all soils including soft rocky area. Depth 1.0 Mtr. & width 0.3 Mtr. NOTE : (1) This includes guarding of cables, relaying of cables and redoing of cable jointing in case of the thefts or otherwise at contractor's own cost for item no. as mentioned above till commissioned.							
02	02	86.00	Kilometre	16740.00	1439640.00	AT Par	1439640.00	
	Description:- Laying of Signalling Cable/Power/Quad cable / PIJF cable in the excavated trench to Drg.No:CON/SK/T/5. Transportation, supply of 'U' clamps and anchoring of cable at every 10 Mtrs with 'U' clamp to Drg. No:CSTE/C/Cable/81 including back filling with excavated earth and ramming of trenches after cable laying.NOTE : (1) This includes guarding of cables, relaying of cables and redoing of cable jointing in case of the thefts or otherwise at contractor's own cost for item no. as mentioned above till commissioned.							
03	03	90.00	Drum-Km	415.00	37350.00	AT Par	37350.00	
	Description:- Shifting of cables in roll with or without wooden drums from depot of SSE/SIG and meggering before loading and after laying, and recording the values in cable insulation register along with representative of Railways.							
04	04	8.00	Kilometre	32603.00	260824.00	AT Par	260824.00	
	Description:- Laying of second class bricks including supply of required quantity at site on single/multiple cable laid in the trench (Approx 9 bricks per mtr).NOTE : (1) This includes guarding of cables, relaying of cables and redoing of cable jointing in case of the thefts or otherwise at contractor's own cost for item no.1 to 2 as mentioned above till commissioned.							
	05	48.00	Numbers	17067.00	819216.00	AT Par	819216.00	

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

05				Description:- The excavation of pit, casting of concrete foundation Steel appartus case (Large) to Drg.No. CON/SK/T/8 with 4 Nos. of foundation bolts 20mm x 460mm to Drg.No. SA-112 A/M or latest including surrounding earthwork along the foundation, erection, installation and wiring of steel appartus case, fixing of terninals, fuse blocks, signal transformer, current transformer, filament switching unit, track battery chargers, adjustable/fixed resistances, choke coils, Fuses, Relays, E type locks , termination of cables, cable insertion, wiring to draw 110V AC therefore in the new apparatus case as required, testing, commissioning including subsequent alterations (if required), bunching of cables, earthing of cable,armours etc. Painting of the apparatus case inside and outside after clearing the surface thoroughly and first coating of anti -corrosive paint and subsequent two coatings of Alluminium paint outside and Red Oxide inside and lettering. 18 mm Hylum sheet for location box shelf and 12 mm for cable termination in location box.			
06	06	35.00	Numbers	2548.00	89180.00	AT Par	89180.00
				Description:- Alteration/ Modifications in the existing location boxes, fixing of equipments, cable insertion, termination, wiring, testing & commissioning, two coat painting, lettering to suit the circuits as per approved wiring diagrams. This includes filling with sand and plastering the same.			
07	07	20.00	Numbers	19785.00	395700.00	AT Par	395700.00
				Description:- Alteration of existing Q-series/Composite Relay Racks and cable termination racks.			
08	08	360.00	Numbers	415.00	149400.00	AT Par	149400.00
				Description:- Fixing of concrete cable route marker at 30-40 meter and at diversion point including supply & transportation of cable route marker at site. Detail size & fixing of cable route marker should be followed as per drawing no. SDO/Cable laying/020.			
09	09	8.00	Numbers	48363.00	386904.00	AT Par	386904.00
				Description:- Q-series/Composite Relay Racks and cable termination racks (New).			
10	10	39.00	cum	2943.00	114777.00	AT Par	114777.00
				Description:- Cement Concrete of proportion 1:3:6 with graded aggregate of size 25mm. and below.			
11	11	64.00	Each	1941.00	124224.00	AT Par	124224.00
				Description:- Excavation of earth pit, transportation, placing and fixing of earth electrode with construction of cement encloser to Drg.No.CON/SK/T/9 and CON/SK/T/9A and drawal of GI wire wrapped on MS strip (35 x 6 mm) from earth electrode to all signalling equipments, including fixing and soldering of lugs at both end of the wire.			
12	12	20.00	Numbers	5882.00	117640.00	AT Par	117640.00
				Description:- Installation, testing and commissioning of Permanent and Maintenance Free Earth pits as per latest TAN STS/E/TAN/3006 version 3.0. Installation charges : Earthpit (1 Set) It includes, (i)Civil works related to earth pit digging, PMF earth pit installation, backfilling and chamber making. (ii) Materials for chamber including Chamber Cover.			
13	13	960.00	Metre	761.00	730560.00	AT Par	730560.00
				Description:- Laying and Fixing of galvanised iron pipe (GI Pipe) with threaded collars (for jointing pipe) of 80 mm nominal dia Spec.No.IS-1239 medium grade, on bridges, culverts, drains including supply and transportation of GI pipes and all other materials required for fixing the pipe to Drg.No.Con/SK/T/2 and drawing of Signal/Power/Quad cables inside the pipe with masonry works over the entire length of the bridge and at entry and exit of the culvert and curing for 72 hrs, drilling of holes on the pipe at 10 cm apart to be clamped 2 Mtrs apart on culvert, for the Signalling, quad, power cable.			
14	14	300.00	Metre	1080.00	324000.00	AT Par	324000.00
				Description:- Track crossing, Road Crossing by pushing method (HDD method) at culverts/ track / pucca road crossing at a depth not less than 1 meter with reference to bottom of rail/road surface including supply of HDPE pipe/DWC pipe(4 inch dia) .NOTE : (1) This includes guarding of cables, relaying of cables and redoing of cable jointing in case of the thefts or otherwise at contractor's own cost for item no. as mentioned above till commissioned.			
15	15	45.00	Numbers	232.00	10440.00	AT Par	10440.00
				Description:- Dismantling of Signal posts/BSLB/SLB/Stop Board & Dismantling of Steel apparatus case with fittings.			
16	16	180.00	Metre	254.00	45720.00	AT Par	45720.00
				Description:- Laying of half round RCC hume pipe with 150 mm dia & 1 mtr long including supply at site on single/multiple cable laid in the trench .			
17	17	200.00	Man-Days	266.00	53200.00	AT Par	53200.00
				Description:- Supply of Unskilled labour for immediate restoration of normal traffic by jointing Signalling/Telecom/Power cables of damaged during excavation of earth work of engineering department or for shifting, stacking of stores materials. Unskilled staff will remain available in working hours.			
18	18	35.00	Hour	603.00	21105.00	AT Par	21105.00
				Description:- Deployment of Prokline/ Hydra operation at site for exposing the burried cables or relocation the Location Box/ Signal Post with foundation as per the advice of Railway site engineer.			

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

19	19	1600.00	Metre	241.00	385600.00	AT Par	385600.00	
	Description:- Physical tracing and opening/locating of existing working cables by precession digging for diversion of cables in connection with cable clearance for engineering earth work without interfering the circuits as per the advice of Railway site engineer.							
20	20	1600.00	MT-Km	38.00	60800.00	AT Par	60800.00	
	Description:- Collecting, stacking with deployment of Man power, Hydra etc for Loading/ Unloading and Transportation of Materials (Fresh/Released/Unused) from (i) work site to GSD/Raipur, (ii) work site to the store of SSE(SIG) (iii) any store depot to any other store depot over Indian railways as decided by Railway Administration by suitable Trucks and stacking properly.							
21	21	1.00	Kilometre	336450.00	336450.00	AT Par	336450.00	
	Description:- Excavation of trenches including clearing of roots of trees etc. in hard/rocky soil by chiseling up to a depth of minimum 0.6 Mtr. and width 0.3 Mtr. at the bottom, supply and placing RCC hume pipe section as per drawing on sieved soil of 30mm over cable / HDPE pipe and concreting through - out the length upto a layer of 75mm. Then back filling the trench and then ramming of soil .							
22	22	200.00	Each	310.00	62000.00	AT Par	62000.00	
	Description:- Charging and installation of secondary cell 2 Volt 80/120AH/200AH (lead acid type), and preparation of electrolyte for lead acid cells. If power is not available at site of work, charging may be done at nearby location as per convenience of the Railway. Initial Charging to be done in presence of Rlys representative from executive agency as well as maintenance org, with uninterrupted supply.							
23	23	12.00	Numbers	4629.00	55548.00	AT Par	55548.00	
	Description:- Fixing of calling-on signals/dependent shunt signals with enameled markers including drawing of cable through the signal post, termination of cables, wiring, fixing of calling-on/dependent shunt signal legend board, LED, two coat painting and lettering, testing and commissioning as required.							
24	24	30.00	Numbers	1274.00	38220.00	AT Par	38220.00	
	Description:- Alteration/modification, testing, commissioning, two coat painting, lettering of the existing 2 Aspect/3 Aspect/4 aspect signals/shunt signals/calling on signal/ LC gate to suit the circuit per approved wiring diagram including fixing of LED/Singal lamps and their wiring.							
25	25	6.00	Numbers	17378.00	104268.00	AT Par	104268.00	
	Description:- Installation of signal posts for Multiple Aspect Colour Light Signals complete (2 ASPECT)with signal units, bases, LED unit, fixing and wiring of current transformers of LED units, ladders & other fittings, excavation of pit, casting of cement concrete foundations with necessary water outlets, erection and fixing of complete fittings of the signal/signal post with necessary earthed screen protection arrangement, including drawing of cable through signal posts, termination of cables, wiring, testing and commissioning, two coat painting and lettering, supply and fixing of speed boards if required for the following:- NOTE:- The foundation for Multiple Aspect Colour Light Signal Post drg. No. Con/SK/T/12 and and the foundation bolts shall be of sizes 24 mm x 915 mm to Drg. No. SA- 116A/M and bolts for each foundation for above shall be of size 20 mm x 305 mm to Drg. No. SA- 110A/M (4 no for each) with two nuts and two washers each per bolt.							
26	26	6.00	Numbers	19551.00	117306.00	AT Par	117306.00	
	Description:- Installation of signal posts for Multiple Aspect Colour Light Signals complete (3 ASPECT/4 ASPECT)with signal units, bases, LED unit, fixing and wiring of current transformers of LED units, ladders & other fittings, excavation of pit, casting of cement concrete foundations with necessary water outlets, erection and fixing of complete fittings of the signal/signal post with necessary earthed screen protection arrangement, including drawing of cable through signal posts, termination of cables, wiring, testing and commissioning, two coat painting and lettering, supply and fixing of speed boards if required for the following:- NOTE:- The foundation for Multiple Aspect Colour Light Signal Post drg. No. Con/SK/T/12 and and the foundation bolts shall be of sizes 24 mm x 915 mm to Drg. No. SA- 116A/M and bolts for each foundation for above shall be of size 20 mm x 305 mm to Drg. No. SA- 110A/M (4 no for each) with two nuts and two washers each per bolt.							
27	27	3.00	Numbers	3856.00	11568.00	AT Par	11568.00	
	Description:- Installation, testing and commissioning of Position Light shunt signal (Independent), posts complete with lamps/LED lamps, LED units, Bases and other fittings, excavation of pit, casting of cement concrete foundation, fixing of complete fittings of signal, LED lamps, current regulator including foundation bolts, washers, nuts, termination of cables, wiring, painting and lettering as required. NOTE:- The foundation for position light shunt signal Drg. No. Con/SK/T/13 and bolts for each foundation for above shall be of size 20 mm x 305 mm to Drg. No. SA-110A/M (4 nos. for each) with two nuts and two washers each per bolt.							
28	28	12.00	Numbers	385.00	4620.00	AT Par	4620.00	
	Description:- A)Supply of retro reflective signal/shunt signal enameled number legend board of size- 300mm X 200mm X 3mm (minimum) made up of alluminium composite - 4 panel (ACP) with white back ground and alphabets/numbers in black along with fixing clamps. B) Installation of retro reflective signal/shunt signal enameled number legend board.							
	29	16.00	Numbers	12859.00	205744.00	AT Par	205744.00	

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

29	Description:- Installation (including over hauling) of Electric point machines on MS plate fixed on wooden/PSC sleepers complete with crank handle key Interlocking arrangement as per the drawing approved by Railways, junction boxes (as suggested by the railway) with 1 ½" dia G.I.pipe/HDPE pipe of required length up to point machine, ground connections, including smithy works involved, insulation of MS plate on which the point machine is to be fixed from the gauge tie plate involving revetting/welding of angle, cleats, termination of cables, wiring, preliminary adjustment for operation of point by crank handle and subsequent final adjustment, painting and lettering as required, testing and commissioning of the same.						
30	30	12.00	Each	507.00	6084.00	AT Par	6084.00
	Description:- Installation and wiring of Rotary key transmitters/KLCR on teak wood board enclosed inside a suitable box with front transparent check cover with locking arrangement. This includes 3/4" thick teak wood boards, transparent sheet for box, locking arrangement. 2nos.of locks for box and 1 No. lock for front transparent sheet.						
31	31	6.00	Numbers	15000.00	90000.00	AT Par	90000.00
	Description:- Alteration/Alteration of Data Logger/RTU software at station/LC gate.						
32	32	7.00	Numbers	7227.00	50589.00	AT Par	50589.00
	Description:- Alteration Modification, cable termination, wiring, testing & commissioning of existing Integrated power supply panel as per approved power supply diagram and specification. The contactor has to supply arrangements at central relay room, goomties on original tracing paper of size 60cm.x42cm. with 8 computer prints in the format supplied by railways.						
33	33	16.00	Set	4209.00	67344.00	AT Par	67344.00
	Description:- Installation, testing and commissioning of Point and crossing portion of track circuit as per Drg.No:SK/DRG/OL/27 and track bonding plan including drilling of 9/32" holes on rails, provision of bonding, block joints (90R/52Kg/60 Kg) with machined fish plate or Glued Joints, fixing and painting of track lead junction boxes, fixing of 25 mm nominal dia GI pipe of required length with 9/32" holes at 10 cm. apart for protection of tail cables, insulation of lead wires from rails using heat shrinkable tape, insulation of traction bonds below rails with 3mm thick heat shrinkable tapes, fixing of lead wire suitably with sleepers. Provision of tail cable termination, fixing of double track lead wires, jumper wires, terminals, track charger, adjustable/fixed resistance, choke coil, fuses, battery, track relay etc., and also lettering/numbering of track lead junction boxes, block joints and track circuits.						
34	34	24.00	Set	3832.00	91968.00	AT Par	91968.00
	Description:- Installation, testing and commissioning of Straight portion of track circuits as per Drg.No:SK/DRG/OL/27 and track bonding plan including drilling of 9/32" holes on rails, provision of bonding, block joints (90R/52Kg/60 Kg) with machined fish plate or Glued Joints, fixing and painting of track lead junction boxes, fixing of 25 mm nominal dia GI pipe of required length with 9/32" holes at 10 cm. apart for protection of tail cables, insulation of lead wires from rails using heat shrinkable tape, insulation of traction bonds below rails with 3mm thick heat shrinkable tapes, fixing of lead wire suitably with sleepers. Provision of tail cable termination, fixing of double track lead wires, jumper wires, terminals, track charger, adjustable/fixed resistance, choke coil, fuses, battery, track relay etc., and also lettering/numbering of track lead junction boxes, block joints and track circuits.						
35	35	2.00	Station	12143.00	24286.00	AT Par	24286.00
	Description:- Modification to existing indoor wiring as per approved modified circuit daigram of station including associated wiring of potential free contracts of relay required in connection with datalogger as per technical specification.						
36	36	5.00	Numbers	3086.00	15430.00	AT Par	15430.00
	Description:- Fixing, cable drawing and termination, wiring, painting, lettering, testing and commissioning of Junction type Route indicator complete 3/4 Way along with lamp/LED unit						
37	37	6.00	Numbers	9469.00	56814.00	AT Par	56814.00
	Description:- Transportation, installation, testing & commissioning of fuse indication cum monitoring and automatic changeover system as mentioned above.						
38	38	6.00	Each	5094.00	30564.00	AT Par	30564.00
	Description:- Supply & Erection along with casting of foundation of Stop board /Sightingn board/SLB/BSLB/legend board as per approved drawings						
39	39	4.00	Day	34095.00	136380.00	AT Par	136380.00
	Description:- Arrangement for commissioning of station for the work of Non-Interlocking period at site such as provision of 2 Tent, 4 Table, Chair(8 no in each Tent) in general, Drinking water & other amenity, Cap, Umbrella Torch for 30 Staffs, Hand Gloves for Six to Eight staff, and arrangement fo one vehicle at each station for the work of NI period for required commissioning of station for the work of Non-Interlocking period at site, Lighting arrangements in tent, in the yard over point zone for proper working in the evening and night as required. If necessary , DG has to be arranged by the contractor on his own cost including diesel, lubricant oil etc.,. Necessary arrangement shold be done as adised by Site Engineer.						
40	40	80.00	Sheet	1004.00	80320.00	AT Par	80320.00

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

40								
		Description:- Design and development of Circuit Diagram/Logic in size B(A3) as per SEM sheet including contact analysis. As per IRSEM para 8.1.4 (f), Contractor's designer name/designation/license number with their initials shall be ensured for plan/drawing/circuits.						
41	41	120.00	Sheet	1004.00	120480.00	AT Par	120480.00	
		Description:- Other Signalling Drawing in size U(A3) as per SEM sheet (wiring in location box). As per IRSEM para 8.1.4 (f), Contractor's designer name/designation/license number with their initials shall be ensured for plan/drawing/circuits.						
42	42	2.00	Station	5024.00	10048.00	AT Par	10048.00	
		Description:- Design and development of Station working rule Diagram (SWRD) based on SIP of station in size U(A3) as per SEM. As per IRSEM para 8.1.4 (f), Contractor's designer name/designation/license number with their initials shall be ensured for plan/drawing/circuits.						
43	43	20.00	Sheet	1004.00	20080.00	AT Par	20080.00	
		Description:- Design and development of Route Control Chart (RCC) in size B(A3) as per SEM. As per IRSEM para 8.1.4 (f), Contractor's designer name/designation/license number with their initials shall be ensured for plan/drawing/circuits.						
44	44	2.00	Station	32901.00	65802.00	AT Par	65802.00	
		Description:- Design/preparation of Signal Interlocking Plan (SIP) of 4-6 Line Yard for approval & submission of four paper copies and 1 TRACING PAPER copy as per standard SECR practice. As per IRSEM para 8.1.4 (f), Contractor's designer name/designation/license number with their initials shall be ensured for plan/drawing/circuits.						
45	45	800.00	Metre	2246.00	1796800.00	AT Par	1796800.00	
		Description:- Track crossing, Road Crossing by pushing method (HDD method) at culverts/ track / pucca road crossing at a depth not less than 1 meter with reference to bottom of rail/road surface including supply of GI pipe with 76 mm dia, Spec. No. -1239 medium grade (for the length of pushing more than 05 meters).NOTE : (1) This includes guarding of cables, relaying of cables and redoing of cable jointing in case of the thefts or otherwise at contractor's own cost for item no. as mentioned above till commissioned.						
46	46	20.00	Numbers	3580.00	71600.00	AT Par	71600.00	
		Description:- Shifting of existing location boxes to facilitate earthwork of Engg./Con. This includes filling with sand and plastering inside location boxes.						
47	47	60.00	Man-Days	748.75	44925.00	AT Par	44925.00	
		Description:- Installation of cenolube 100 Grease. After cleaning of old oil and grease and re-lubrication of switch chairplate at point machine at interval of 15 days per point machine. Tightening of nuts check nuts and bolts lock nuts holding the detector slides lock slides with lugs. Workers are required to check for the tightness of the switch plates and points and clean the rust and dust apply Cenolube 100 grease on slidechairs & assembly up to 3 sleepers from the toe of switch. Rate per person for 2 persons to be deployed for 45 days time, so number of man-days is 2*45=90 days.						
48	48	400.00	Man-Days	515.00	206000.00	AT Par	206000.00	
		Description:- Providing services of helping hand manpower to carry out miscellaneous/sundry works in the office/field and accompanying Railway staff with all expenses of transportation, accommodation, food, consumables etc., with all ascents/descents, taxes, octroi, cess, fees, duties, with contractors tools.						
49	49	50.00	Numbers	823.73	41186.50	AT Par	41186.50	
		Description:- Transportation, installation, fixing & commissioning of MS Flat on existing conventional earth. This includes cutting, making holes, welding etc. of MS flat as per site requirement. This also includes supply of SS nut & bolt as per requirement. Note: Unit -Numbers stands for per earth.						
	S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount
								Bidding Unit
	Schedule () B-Supply of S&T materials.						11024788.10	Above/ Below/Par
01	01	90.00	Numbers	3036.00	273240.00	AT Par	273240.00	
		Description:- Supply of Low maintenance lead acid stationary secondary cells 80 AH for S&T installations made of Polypropylene-Co-Polymer (PP-CP) container and with initial charging of nominal voltage 2 volts as per Specn.No.IRS-S-88/2004 with latest amd .NOTE : Before placing order for all the materials to the firms concerned, Prior approval to be obtained from Railway 's Engineer. Inspection by RDSO.						
02	02	110.00	Numbers	5574.00	613140.00	AT Par	613140.00	
		Description:- Supply of Low maintenance lead acid stationary secondary cells 200 AH for S&T installations made of Polypropylene-Co-Polymer (PP-CP) container and with initial charging of nominal voltage 2 volts as per Specn.No.IRS-S-88/2004 with latest amd . NOTE :Before placing order for all the materials to the firms concerned, Prior approval to be obtained from Railway 's Engineer. Inspection by RDSO.						

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

03	03	14.00	Set	18579.00	260106.00	AT Par	260106.00	
	Description:- Supply of Ground connection for universal type point machines (110V DC) complete with insulating materials (5 Rods) as per Drg.No.(I)SA 8805(ii)RDSO/S/3273(iii)RDSO/S/3271 (IV) RDSO/S/ 3267 (v)RDSO/S/3269, Switch extension bracket RDSO/S/3264 & Drive lug S 8806 . Inspection by Representative of Sr. DSTE/Co./NGP.							
04	04	8.00	Numbers	96469.00	771752.00	AT Par	771752.00	
	Description:- Supply of Electric point operating machine IRS type (AC immunity 160 V AC) non trailable, to operate on 110 V DC complete with lock, detector, cable termination box and slides for lock and detector- rotary locking, universal type as per specification IRS-S-24/2002 & For Motar IRS:37/82 with latest amendment, Drg. No. RDSO/S 10800 (for motor Drg. no.RDSO-S/10910). Inspection by RDSO.							
05	05	8.00	Set	108866.80	870934.40	AT Par	870934.40	
	Description:- Supply of Electric Point Machine Non-trailable type conforming to RDSO specifications no.IRS:S-24/2025 revision 3.0 with following further information. (A) 220 mm throw with interlocking for operation of Point in Railway yard as per RDSO Drg No. S-11000. (B) Type of ground connections with Nylon insulation confirming to RDSO Drg. No. S-3454 and clamp Point lock confirming to RDSO Drg No. 3395 for 60 KG. thick web switch (C) AC immunity level of motor for electric Point Machine should be of 400 V [r.m.s] 50 Hz (D) Point accessories-cable termination box as per drg. No. SGW/MGS/PT4/91. Inspection by RDSO.							
06	06	14.00	Numbers	932.00	13048.00	AT Par	13048.00	
	Description:- Supply of junction box for point machine as per the drawing number 59/17 issued by CSTE/SECR. Inspection by Rep. of Sr. DSTE/Co./NGP.							
07	07	55.00	Kilometre	10784.00	593120.00	AT Par	593120.00	
	Description:- Supply of Cable PVC insulated single core unsheathed with plain annealed copper conductor 16/0.2 mm dia. (80% grey & 20% yellow) as per the colour coding scheme of Railways. Spec. no: IRS-S-76/89 with latest amendment. Inspection by RDSO.							
08	08	2.00	Kilometre	22816.00	45632.00	AT Par	45632.00	
	Description:- Cable PVC insulated single core unsheathed with plain annealed copper conductor 3/0.75 mm dia. (Red & Black)as per the colour coding scheme of Railways. Spec. no: IRS-S-76/89 with latest amendment. Inspection by RDSO.							
09	09	8.00	Numbers	32681.00	261448.00	AT Par	261448.00	
	Description:- Supply of 2 Aspect signal unit in FRP body without Lenses and transformer as per RDSO spec. No. RDSO/SPN/194/2006 . Inspection by Rep. of Sr. DSTE/Co./NGP.							
10	10	8.00	Numbers	32681.00	261448.00	AT Par	261448.00	
	Description:- Supply of 3 Aspect signal unit in FRP body without Lenses and transformer as per RDSO spec. No. RDSO/SPN/194/2006. Inspection by Rep. of Sr. DSTE/Co./NGP.							
11	11	4.00	Numbers	39820.00	159280.00	AT Par	159280.00	
	Description:- Supply of 4 Aspect signal unit in FRP body without Lenses and transformer as per RDSO spec. No. RDSO/SPN/194/2006. Inspection Rep. of Sr. DSTE/Co./NGP.							
12	12	16.00	Numbers	2857.00	45712.00	AT Par	45712.00	
	Description:- Supply of Tubular post for CLS 5.5 Mtr. Spec.IRS.S-6/81. Inspection by Rep. of Sr. DSTE/Co./NGP.							
13	13	16.00	Numbers	7134.00	114144.00	AT Par	114144.00	
	Description:- Supply of Signal base 140mm.dia(type tube) Drg.No.S-2011/M. Inspection by Rep. of Sr. DSTE/Co./NGP.							
14	14	16.00	Numbers	4082.00	65312.00	AT Par	65312.00	
	Description:- Supply of Ladder 5.5Mtr for CLS Drg.No.SA-23156(Adv)Alt-1.Spec.No.IRS-S-10. Inspection by Rep. of Sr. DSTE/Co./NGP.							
15	15	16.00	Numbers	974.00	15584.00	AT Par	15584.00	
	Description:- Supply of Off set bracket for colour light 140 mm. outside dia post Drg. No. SA-23080(Adv) Alt-1.IRS-S- 10-78. Inspection by Rep. of Sr. DSTE/Co./NGP.							
16	16	4.00	Numbers	6078.00	24312.00	AT Par	24312.00	
	Description:- Supply of Shunt signal position light type complete with post base Drg No. SA 23840 Adv.Alt.1, S-23203 Adv., with 90 mm dia mounting socket Drg No S-23845 (Adv.). Inspection by Rep. of Sr. DSTE/Co./NGP.							
17	17	8.00	Numbers	16567.00	132536.00	AT Par	132536.00	
	Description:- Supply of Route Indicator junction direction 5 lamp type with Arms and drum complete but without lens and lamps, 3 way RH/LH.Drg.No.SA23403(Adv) for 3 way.Spec.No.IRS:S-66/84 with latest amd, IRS:S- 23/88, IRS:S-10/78, IRS:S-26-64. Inspection by Rep. of Sr. DSTE/Co./NGP.							
18	18	4.00	Numbers	2732.00	10928.00	AT Par	10928.00	

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

	Description:- Supply of Calling on signal (CLS Type) Drg.No: SA-24351(Adv.), Spec.No.IRS-S-10/78, IRS :S-26/64. Inspection by Rep. of Sr. DSTE/Co/NGP.						
19	19	8.00	Numbers	4498.00	35984.00	AT Par	35984.00
	Description:- Supply of Shunt signal dependent type Drg.No.SA-23840(Adv) Alt.1 & S-23845 Adv. with off-set bracket to Drg. No. SA23080 Adv. Alt. 1 & specn. No. IRS:S-10/78 to suit 140mm. Outside dia post complete. Inspection by Rep. of Sr. DSTE/Co/NGP.						
20	20	45.00	Each	308.00	13860.00	AT Par	13860.00
	Description:- Supply of retro reflective signal/shunt signal enameled number legend board of size-300mm X 200mm X 3mm (minimum) made up of alluminium composite - 4 panel (ACP) with white back ground and alphabets/numbers in black along with fixing clamps. Inspection by Rep. of Sr. DSTE/Co/NGP.						
21	21	6.00	Numbers	10395.00	62370.00	AT Par	62370.00
	Description:- Supply of Composite Relay Rack as per drg.No.SK/DRG/OL/SER/192- SH1/2.The relay racks must be powder coated of stone grey colour. Inspection by Rep. of Sr. DSTE/Co/NGP.						
22	22	48.00	Numbers	15782.00	757536.00	AT Par	757536.00
	Description:- Supply of Steel Apparatus Case(Large) as per SECR Typical no. SECR/LB-Drg-79/2023 , with E type lock on both side having ward No.32. Inspection by RITES.						
23	23	49.00	Numbers	1213.00	59437.00	AT Par	59437.00
	Description:- Supply of Earth Electrodes to Drg. No: Con/SK/8/3/84. Inspection by Rep. of Sr. DSTE/Co/NGP.						
24	24	14.00	Numbers	23526.00	329364.00	AT Par	329364.00
	Description:- Supply of Earthing and bonding system as per RDSO Spec. No. RDSO/SPN/197/2008, RDSO Drg. No. SDO/RDSO/E&B/001 dt. 19.09.08 and RDSO Drg. No. SDO/RDSO/E&B/002 dt. 19.09.08 and as per latest TAN STS/E/TAN/3006 version 3.0. Earthing and bonding system for Relay Room , IPS Room ,SPD Box, Operator panel in SM's room, signalling equipments in Station building, Block circuit, SSDAC, etc. Inspection by RDSO						
25	25	2000.00	Numbers	361.00	722000.00	AT Par	722000.00
	Description:- Supply of 6 Way (ARA terminal) Drg No.SA-23756 Alt3, Specn No. IRS-S-75/2006 (Rev.-2) with latest amd. for Signalling Installation with PBT materials .Inspection by RDSO.						
26	26	200.00	Numbers	76.00	15200.00	AT Par	15200.00
	Description:- "Wago / phoneix terminal blocks (Part no.280-874). 4 conductor disconnect terminal block. It includes : (i) 4 conductor disconnect terminal block for test and measurement; 0.08 mm.sq.-2.5mm.sq., Center marking with slot test for test plug dia 2mm/0.079 In and dia 2.3mm/0.091 in; Carrier rail din 35: front-entry; with knife disconnect large cage clamp connection, grey (ii) End and intermediate plate, 2.5 Mm/0.394 in wide carrier rail din 35, grey (Wago part no. 249-117) (iii) Screw end stop for carrier rail (iv) steel carrier rail;35 X 7.5 mm, 1 mm /0.039 in thick; unslotted (Part no. 210-229/PW11-0000). (v) WSB quick marking system; horizontal; 1 ... 10 (10x); for width 5-17.5 Mm; 10 strips of 10 marker per strip (100) per card; consecutive numbers white (Part no. 209 - 502S).(vi) Adjacent jumper nominal current 24A; Insulated Grey. Inspection by Rep. of Sr. DSTE/Co/NGP."						
27	27	200.00	Numbers	79.00	15800.00	AT Par	15800.00
	Description:- Supply of Non-deteriorating type low voltage electric fuse for Railway signalling, rated voltage 240 V AC/DC fuse with cylindrical cap without indication size :14x 51 mm.- 16 Amp fuse catridge. Inspection by RDSO.						
28	28	200.00	Numbers	81.00	16200.00	AT Par	16200.00
	Description:- Supply of Non-deteriorating type low voltage electric fuse for Railway signalling, rated voltage 240 V AC/DC fuse with cylindrical cap without indication size :14x 51 mm.- 4 Amp fuse catridge. Inspection by RDSO.						
29	29	600.00	Numbers	189.00	113400.00	AT Par	113400.00
	Description:- Supply of Fuse Block for above fuse catridge, Spec. no: IRS-S-75/2006(rev-2) with latest amendment if any. Inspection by RDSO.						
30	30	3.00	Each	6530.00	19590.00	AT Par	19590.00
	Description:- Supply of Hand Operated Insulation tester with test lead, carrying case and manufacturer calibration test certificate, Nippen make or similar, Range : 500 Volt , 200 M Ohms. Inspection by Rep. of Sr. DSTE/Co/NGP.						
31	31	3.00	Numbers	58502.50	175507.50	AT Par	175507.50
	Description:- Supply of Digital Multi Meter TRMS (Fluke Model No. 287 or higher version) complete with all necessary attachments Test leads, Carrying Case. Inspection by Rep. of Sr. DSTE/NGP						
32	32	3.00	Each	7330.00	21990.00	AT Par	21990.00
	Description:- Supply of Hand Operated Earth tester 4 terminal type with complete testing kit, carrying case and manufacturer calibration test certificate, Nippen make or similar, Range : 0-10 Ohms. Inspection by Rep. of Sr. DSTE/Co/NGP.						
	33	80.00	Numbers	5015.00	401200.00	AT Par	401200.00

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

33	Description:- Supply of Universal relay, plug in type, style AC/LED all aspects AC lamp proving relay unit with in built current transformer type, slow release neutral line relay 4F/4B contacts, front and back contacts metal to carbon, shall be suitable for working in series with the 110AC LED signal lamp rated at 15W conforming to RDSO specn. no. BRS:941A , STS/E/RELAYS/AC LIT/LED Signal/09-2002, Amdt-1 with latest. Inspection by RDSO.						
34	34	30.00	Numbers	4032.00	120960.00	AT Par	120960.00
	Description:- Supply of Relay, AC Immune, plug-in type, Style "QNAI", Neutral line, 24V DC 8F.8B contacts, front and back contacts metal to carbon with plug board, retaining clip & connectors conforming to BRS:931A, IRS:S 60, IRS:S 34 & IRS:S 23.The interlocking code for this unit shall be ABDGH. Inspection by RDSO.						
35	35	30.00	Numbers	4032.00	120960.00	AT Par	120960.00
	Description:- Supply of Relay, AC Immune, plug-in type, Style "QNAI", Neutral line, 24V DC 12F. 4B contacts, front and back contacts metal to carbon with plug board, retaining clip & connectors conforming to BRS:931A, IRS:S 60, IRS:S 34 & IRS:S 23. The interlocking code for this unit shall be ABDFH . Inspection by RDSO.						
36	36	25.00	Numbers	3821.00	95525.00	AT Par	95525.00
	Description:- Supply of Relay, Non-AC Immune, plug-in type, Style "QN1", Neutral line, 24V DC 12F.4B contacts, front and back contacts metal to carbon with plug board, retaining clip & connectors conforming to BRS:930, IRS:S 34 & IRS:S 23. The interlocking code for this unit shall be ABCDE. Inspection by RDSO.						
37	37	30.00	Numbers	3821.00	114630.00	AT Par	114630.00
	Description:- Supply of Relay, Non-AC Immune, plug-in type, Style "QN1", Neutral line, 24V DC 8F.8B contacts, front and back contacts metal to carbon with plug board, retaining clip & connectors conforming to BRS:930, IRS:S 34 & IRS:S 23. The interlocking code for this unit shall be ABCDF. Inspection by RDSO.						
38	38	20.00	Numbers	4804.00	96080.00	AT Par	96080.00
	Description:- Supply of Relay, AC Immune, plug-in type, Style "QNA1K", Neutral line, 24V DC 1000 ohms 6F.6B contacts, front and back contacts metal to carbon with plug board, retaining clip & connectors conforming to BRS:931A, IRS:S 60, IRS:S 34 & IRS:S 23 & RDSO Spec. no. STS/E/Relay/UEA(PI). The interlocking code for this unit shall be CDEKY. Inspection by RDSO.						
39	39	2.00	Numbers	27468.00	54936.00	AT Par	54936.00
	Description:- Supply of disitilled water plant/Demineralised palnt of (10-50-100 liter per hour) make Laptech/shivam or indicated by Railways. Inspection by Rep. of Railway Engineer.						
40	40	30.00	Numbers	3891.00	116730.00	AT Par	116730.00
	Description:- Supply of Relay, Non AC Immune, plug-in type, Style 'QTA2; Neutral track, 9 ohm, 2F.1B contacts, front and back contacts metal to carbon, complete with plug-board, retaining clip and connectors conforming to BRS:939A,BRS:966 (Appendix F2), IRS:S 34 & IRS:S 23. The interlocking code for this unit shall be FGHKX. Inspection by RDSO.						
41	41	15.00	Numbers	4944.00	74160.00	AT Par	74160.00
	Description:- Supply of Relay, AC Immune, plug-in type, Style 'QSPA1', Neutral line, slow to pickup, 24V DC, 8F.4B contacts, front and back contacts metal to carbon, complete with plug board, retaining clip & connectors conforming to BRS:933A, IRS:S 60, IRS:S 34 & IRS:S 23. The interlocking code for this unit shall be ABDEJ. Inspection by RDSO.						
42	42	10.00	Numbers	6489.00	64890.00	AT Par	64890.00
	Description:- Supply of Relay AC Immune, plug in type, style QBAT, DC Biased track, 9 Ohms, 2F-2B, Contacts, front and back contacts metal to carbon complete with plug -board, retaining clip and connectors conforming to RDSO/SPN/84-88, IRS:S 34 & IRSS:23. The interlocking code for for this unit shall be ABEJX. Inspection by RDSO.						
43	43	10.00	Numbers	39318.00	393180.00	AT Par	393180.00
	Description:- Supply of Relay, point contactor unit, Non-AC Immune plug-in type, 24V DC and capable of controlling Electric point machine operating on 110V DC conforming to IRS:S 46, IRS:S 34 & IRS:S 23. The unit shall consist of N/R relay (Neutral line relay with two coils), XR relay (24V DC Neutral relay), W(N)R/W(R)R- mechanically interlocked relay & WCR (Heavy duty contact or relay with 16 Ampere breaking capacity). All the above relays shall be mounted on pre-wired base plate. Inspection by RDSO.						
44	44	8.00	Numbers	9244.00	73952.00	AT Par	73952.00
	Description:- Supply of Key Lock Relay working with 24 V DC Non ACI type 4F/4B, Spec. no. IRS: S-23, IRS:S-34 & IRS: S-46. Inspection by RDSO.						
45	45	1800.00	Kg	59.00	106200.00	AT Par	106200.00
	Description:- Supply of Wire IG 8 SWG for Bonding. Insp. by : Rep. of Sr. DST/Co/NGP. Note:-This item will be issued to contractor from Railway store only for picking of existing track circuits during Pre-Pre-NI & Pre-NI work.						
46	46	2000.00	Numbers	1.00	2000.00	AT Par	2000.00

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

40	Description:- Supply of Channel pin 7 mm dia. Inspection by: Representative of Sr. DSTE/Co/NGP. Note: - This item will be issued to contractor from Railway store only for picking of existing track circuits during Pre-Pre-NI & Pre-NI work.						
47	47	4000.00	Metre	66.00	264000.00	AT Par	264000.00
	Description:- Supply of PVC insulated GI flexible wire for lead wire of track circuit used in Railway signalling. Dia 6mm (19 Sqmm cross sectional area) Constrction 7x7 core WSC. Lay Right Hand ordinary. Finish Galvanised. Tensile strength 125-140kgf/sqmm. Confirming to IRS S3-61. PVC thickness 1mm. O.D. 8mm. Colour of PVC Red- 50% & Black-50%. Make:Bharat or similar. Inspection by Rep. of Sr. DSTE/Co/NGP. Note:- This item will be issued to contractor from Railway store only for picking of existing track circuits during Pre-Pre-NI & Pre-NI work.						
48	48	40.00	Each	5172.00	206880.00	AT Par	206880.00
	Description:- Supply of Track feed Battery chargers 110V-AC 50 C/S with boost and trickle charging for 1 or 2 or 3 cells 80 A.H.Spec.No.IRS:S-89/2013 with latest amd. Inspection by RDSO.						
49	49	50.00	Numbers	171.00	8550.00	AT Par	8550.00
	Description:- Supply of Track feed resistance 30 ohms (2,4,8,16 Ohms) Drg. No. SA-20166 (Adv.) Spec. No: IRS. S/23. Inspection by RDSO						
50	50	85.00	Numbers	1039.00	88315.00	AT Par	88315.00
	Description:- Supply of Track lead Junction Box(4-way) made of fibre re-inforced plastic Drg. SI-10272 Alt. 'B'. as per Spec. No. IRS: SI0/78. This also includes 4 nos. of PBT terminals for the same. Inspection by Rep. of Sr. DSTE/Co/NGP.						
51	51	50.00	Numbers	4594.00	229700.00	AT Par	229700.00
	Description:- Supply of Choke coil 'B' Type as per spec. no:IRS:S-65/83 with latest amendment if any. Inspection by RDSO.						
52	52	6.00	Set	37882.00	227292.00	AT Par	227292.00
	Description:- Supply of fuse indication cum monitoring and automatic changeover system as per RDSO specification no. RDSO/SPN/209/2012 Rev. 0 or latest. The system shall be supplied along with all standby fuses placed in the system. In addition to it, spare quantity of 100% fuses of each type shall also be supplied along with the system. For 32 fuses per set (Up to 4 Amps). Inspection by RDSO.						
53	53	2.00	Numbers	291017.00	582034.00	AT Par	582034.00
	Description:- Supply,transportation,installation and commissioning of station monitoring panel/E I maintenance console: VDU 55"(make LG/Samsung/Sony or similar or higher) operator PC console with industrial grade embedded fan less PC's shall be used for monitoring panel.The industrial grade embedded fan less PC's shall have technical specification as per RDSO. Industrial grade embedded fan less PC's should be of rugged and reliable type like MOXA series V-2406 or similar higher with compact flash drives in non-AC and normal environment may be used. Those models are certified to EN50155 and are operable in very harsh condition. Inspection by Rep. of Sr.DSTE/Co./NAG. Note:- (I) For installing VDU at stations suitable size mounting stand as per the need and as advised by Railway representative to be provided by the firm. (II)Installation to be done as per Railway Guidelines.(III)Supplied VDU shall have warranty of 5 years.						
54	54	1.00	Numbers	14405.00	14405.00	AT Par	14405.00
	Description:- Supply of the following furnitures for SM / relay room Chair . Model PCH-5001T(Revolving) or latest. Make: Godrej . Inspection by Rep. of Sr. DSTE/Co/NGP.						
55	55	1.00	Numbers	14375.00	14375.00	AT Par	14375.00
	Description:- Supply of the following furnitures for SM / relay room Table of Godrej make. Model No. WT 718 + ERU or latest. Inspection by Rep. of Sr. DSTE/Co/NGP.						
56	56	2.00	Numbers	610.00	1220.00	AT Par	1220.00
	Description:- Supply of the following furniture's for SM / relay room Wooden stool height 2 feet. Inspection by Rep. of Sr. DSTE/NGP.						
57	57	1.00	Numbers	19770.00	19770.00	AT Par	19770.00
	Description:- Supply of the following furnitures for SM / relay room 2 drawer filling cabinet STVFXDM 2086 or latest. Make: Godrej . Inspection by Rep. of Sr. DSTE/Co/NGP.						
58	58	1.00	Numbers	367404.00	367404.00	AT Par	367404.00
	Description:- Supply of Cable Route locator, make- 3M Dynatel, Model no- 2250- U3P3 microprocessor based system or similar for tracing of path of underground cables, both copper & fibre optics having specification:- Coupler Size 3.00 Inch; Direct Connect Cable- Large Clips; Number of Frequencies- 4; Operating Temperature Range -20 to 50 Degree Celsius; Storage Temperature -40 to 70 Degree Celsius; Transmitter Output- 3 Watt. Inspection by RITES						
59	59	150.00	Metre	265.00	39750.00	AT Par	39750.00
	Description:- Supply of Wiring ladder of 25x25x3mm. Aluminum angle and 20x3mm.flat, 2 Mtr. Inspection by Rep. of Sr. DSTE/Co/NGP.						
60	60	84.00	Numbers	123.00	10332.00	AT Par	10332.00

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

	Description:- Supply of pipe lock signal unit (Handcuff lock)(Minimum one key for each lock). Inspection by Rep. of Sr. DSTE/Co/NGP.							
61	61	50.00	Litre	921.85	46092.50	AT Par	46092.50	
	Description:- Supply of Anti track coating - High arc resitance & dielectric stength having excellent insulating property, glossy coating protect against moisture,water & chemical, excellent adhesion & abrasion resistance,flexible in nature,air drying and excellent nail hardness.Having mix ration 4:1 by volume, pot life 30 minute,viscosity 45-60 sec,Tem.Range 40 to150°C. Make:Zodiac or similar. Insp. By Rep. of Sr.DSTE/Co/NGP							
62	62	2.00	Numbers	7194.00	14388.00	AT Par	14388.00	
	Description:- Supply of Track drill machine. Inspection by Rep. of Sr. DSTE/Co/NGP.							
63	63	30.00	Kg	5386.19	161585.70	AT Par	161585.70	
	Description:- Switch Plate lubricant - Cenolube 100or better NLGI 00 GRADE Black colored which should be non asphaltic Non bituminous blend ofvery heavy oils, inert thickeners and lubricating solids coupled with molybdenum disulfide and graphite with no traces of chlorinated solvent such as 1,1,1 trichloroethane which are flammable and harmful to the environment. Should have a blend of select high viscosity index solvent refined severely hydro finished paraffin base oils and synthetic base fluids. It should incorporate solid lubricants & organo molybdenum disulphide to fill & lubricate micronized asperities to provide & form many films on the contact surfaces to prevent metal-to-metal contact. It shall be designed to behand applied providing a tough adherent Lubricant film with Tackysemi-dry finish reducingcontaminant adhesion. The grease Should Not form a difficult to remove thick DRY film which requires scrapping & solvent cleaning of Switch Plate specially before reapplication The grease should Not need Cleaning or scrapping before Reapplication. The Grease should be formulated for tropical climates and should notcontain pour point depressants and should Not be too thin. The grease shall be Resistant to water wash off & dilution, water insoluble, non-meltand chemically resistant to exposed environment. The grease shall be formulated with Extreme Pressure additives, rust and corrosion inhibitors, anti-wear additives to protect external surfaces against the harsh elements in severe climates, thus reducing rust binding and adhesive wear on switch plates Four Ball Weld LOAD(ASTM- D2596) >600Kg, Copper corrosion 24 hrs @ 100c(ASTM D4048) 1a -2e packing Size 20 kg/25kg Drum.'(Inspection By Rep. of Sr.DSTE/CO./NGP							
64	64	50.00	Kg	67.54	3377.00	AT Par	3377.00	
	Description:- Supply of M.S. Flat 40x6 mm (IS-2062) for earthing. Inspection by Representative of Sr.DSTE/Co./NGP							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () C-Supply & Execution of MSDAC material.							4115670.80	Above/ Below/P ar
01	01	8.00	Per Detection Point (DP)	308151.90	2465215.20	AT Par	2465215.20	
	Description:- Supply of MSDAC DP including supply of MSDAC complete system with all accessories consisting of complete indoor and outdoo requipment. It should include remote diagnostic and monitoring system as per RDSO Specification no.RDSO/SPN/176/2013Ver.3 with the latest amendment/revision. This includes supply of all the track side junction boxes,detection points, track clearance relays (Preferably 'Q' series relays,reset panel and all other accessories, including multiplexures, modems, cards, modules if any) to make the system complete and fully equipped as design for. This also includes both manual and auto resetting system with co-operative type resetting features. All the multisection digital axle counters(MSDAC) equipment to be provided with efficient, lightning and surge protections along with earthing arrangement which also to be supplied along with the system. The supply will include all hardware accessories to run the system with above feature. Note: The supplied MSDAC should be compatible with existing MSDAC in the section/yard. Inspection by RDSO.							
02	02	4.00	Numbers	87921.80	351687.20	AT Par	351687.20	
	Description:- Supply of Modem for M/S siemens make MSDAC as per RDSO specification no. RDSO/SPN/176/2013 Ver. 3 or latest. Inspection by RDSO							
03	03	4.00	Numbers	190528.70	762114.80	AT Par	762114.80	
	Description:- Supply of input output card (BLEA card) for SIEMENS make MSDAC, RDSO, specification No. RDSO/SPN/176/20163, Ver. 3 of latest. Inspection by RDSO							
04	04	4.00	Numbers	129929.80	519719.20	AT Par	519719.20	
	Description:- Supply of VESBA Card for SIEMENS make Multi Section Digital Axle Counter as per RDSO Specification . No. RDSO/SPN/176/2013, Ver. 3 or latest. Inspection by RDSO							
	05	8.00	Per Detection Point (DP)	2116.80	16934.40	AT Par	16934.40	

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

05	Description:- Design, Transportation, Installation, testing and commissioning of MSDAC complete system with all accessories consisting of complet indoor and oput door equipement including remote diagnostic and monitoring system as per RDSO Specification no. RDSO/SPN/176/2013 Ver.3 with the latest amendment/revision of required Track Sections for entire main line with dual detection and complete segregation of main and standby MSDAC system and loop line MSDAC as standby of DC track circuit for all station(home to home signals to each station)							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () D-Supply and execution of VDU & Embedded PC							16204562.50	Above/ Below/P ar
01	01	35.00	Numbers	374987.50	13124562.50	AT Par	13124562.50	
	Description:- Supply and installation of industrial grade fan less Embedded PCs suitable for working with Electronic Interlocking system, should be of rugged and reliable type like VECOW, C&T, Advantech, MOXA series or similar and shall be used with compact flash drives in non- AC and in normal environment. Minimum requirement and specification of Embedded PC for EI shall be as per RDSO TAN no.STS/E/TAN/3007 Ver 2.0 dated 22.04.2026 and latest . Inspection by RDSO.							
02	02	35.00	Numbers	88000.00	3080000.00	AT Par	3080000.00	
	Description:- Supply of industrial grade operator VISUAL DISPLAY UNIT (VDU) of 55-inch Display Unit 24/7 application Resolution: 3840 x 2160 (UHD / 4K) Refresh Rate: 60 Hz, Input Ports: HDMI, DisplayPort (DP) DVI, LAN USB RS-232 IN RS-232 OUT, HDMI/DVI connectivity, in built speaker with additional DP cable of 5m length-1 no. etc with sutable accessories for control terminal/maintenance terminal & compatible to Electronic Interlocking (EI) as per RDSO specification : RDSO/SPN/192/2019 ver 2.0 and latest. Inspection by Rep. of Sr.DSTE/Co./NAG							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () E-Execution of Telecom Items							300942.00	Above/ Below/P ar
01	01	12.00	Numbers	1385.00	16620.00	AT Par	16620.00	
	Description:- Transportation & Execution of following kinds of joints on Quad Cable using thermoshrink jointing kit. This also includes excavation of cable joint pit of size 1.2m x 1.2m x 1.0m in all types of soil for jointing of copper cables, back filling and ramming after jointing.straight through joint on Quad cable/10-20-50 pairs PIJF Cable. The work is to be executed as per the instruction of railway site engineer.							
02	02	5.00	Kilometre	7762.00	38810.00	AT Par	38810.00	
	Description:- Transportation including loading/unloading of HDPE pipe from the stores of railway to the work site, laying of the same (with 4 mm nylon rope pre-inserted inside the HDPE pipe) in excavated trench/already laid GI/RCC pipes/tubes, jointing, levelling and end ealing e pipes. The work is to be executed as per the instruction of railway site engineer.							
03	03	5.00	Kilometre	18672.00	93360.00	AT Par	93360.00	
	Description:- Transportation, loading/unloading of OFC from the stores of railway to the work site with care, pushing/pulling OFC through the HDPE pipes, sealing of the duct by sealling /caps plugs. The cable is to be laid by mechanised means. At inaccessible places where mechanised laying is not possible, the cable is to be laid manually by pulling through pre inserted rope. This also includes testing of cable drums in the store premises before transportation and submissions of results thereof. Empty cable drums to be returned by the contractor. The cable drums with unused cable at site to be returned by the contractor o the stores depot .The work is to be executed as per the instruction of railway site engineer.							
04	04	8.00	Numbers	19019.00	152152.00	AT Par	152152.00	
	Description:- Transportation, installation of optical fibre joint closure and splicing of Optical fibre cable (2 x 24 fibres) and testing, Optical fibre cable splicing shall be done in the presence of Railway's representative. Only joint closure shall issued by the Railway. All other tools/test equipments required shall be arranged by the Contractor. This also includes excavation of earth for construction of masonary pit of bricks (inside complete plastered), the inner size of pit 1.2m x 1.2m (depth 0.75m) in all types of soils for keeping cable coils at the location of OFC joints, filling the pit with sand after jointing of cables, ramming nd covering with RCC slab as per Drg. and instructions of site incharge of Railway.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () F-Supply of Telecom Items.							1612172.18	Above/ Below/P ar

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

01	01	16.00	Numbers	3425.00	54800.00	AT Par	54800.00	
	Description:- Supply of Universal thermoshrink jointing kit for derivation/ transformer joint for Jelly filled Six quad cable conforming to RDSO Spec.No :IRS-TC-77/2006(Rev.1) (With latest amendment). Inspection: RDSO							
02	02	5.00	Kilometre	99200.00	496000.00	AT Par	496000.00	
	Description:- Supply of permanently lubricated HDPE pipe with outer dia 50mm, inner dia - 42mm thickness -4mm with suitable couplers, plugs, end caps etc. as per technical specification No. G/CDS-08/01 Dec. 1999. Supply to be made in length of 500 mtrs with + /-10% tolerance. Material Inspection: Consignee.							
03	03	20.00	Numbers	3483.00	69660.00	AT Par	69660.00	
	Description:- Supply of Optical fibre joint closure for straight through joint with modification for 24 fibre OFC as per Specification. No. RDSO/SPN/TC /68/ 2013 (with latest amendment) complete with all accessories (sealing with mechanical clamp facility) make Raychem or similar. Material Inspection: CONSIGNEE							
04	04	8.00	Numbers	6076.57	48612.56	AT Par	48612.56	
	Description:- Supply of Hand Operated Earth tester 4 terminal type with complete testing kit, carrying case and manufacturer calibration test certificate Nippen make or similar, Range : 0-100 Ohms. Material Inspection Consignee.							
05	05	8.00	Numbers	5121.56	40972.48	AT Par	40972.48	
	Description:- Supply of Hand Operated Insulation tester with test lead, carrying case and manufacturer calibration test certificate, Nippen make or similar, Range : 100 Volt , 100 M Ohms. Material Inspection Consignee							
06	06	2.00	Numbers	306063.57	612127.14	AT Par	612127.14	
	Description:- Supply of Fusion Splicing Machine Fujikura 88S/Stanlay LEMON 3 (L3) or similar with all standard accessories. Material Inspection: CONSIGNEE.							
07	07	2.00	Numbers	145000.00	290000.00	AT Par	290000.00	
	Description:- Supply of Optical Time Domain Reflectometer (OTDR), operating at 1550 nm and 1310 nm for working on single mode optical fibre as per TEC spec. TEC/GR/TX/OTD - 001/05 /SEP-19 or latest, of reputed. make: Yokogawa-AQ1210/ JDSU/Viavi or similar. Make: Indigenous (Warranty Period : Upto 30 months from the date of delivery.) Material Inspection: CONSIGNEE.							

3. ITEM BREAKUP

No item break up added

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	SGCC clause 10.2. Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' Whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

1	<p>SGCC clause 10.1 Technical Eligibility Criteria:(a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s)during last 07(seven) years,ending last day of month previous to the one in which tender is invited:(i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender,or(ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender,or(iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender.(b)(1) In case of tenders for composite works(e.g.works involving more than one distinct component,such as Civil Engg. works,S&T works,Electrical works,OHE works etc.and in the case of major bridges substructure, superstructure etc.),tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07(seven) years,ending last day of month previous to the one in which tender is invited:(i)Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender,or(ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender,or(iii)One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note forb(1):Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components.(b) (2)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity.(b)(3)To evaluate the technical eligibility of tenderer,only components of work as stipulated in tender documents for evaluation of technical eligibility,shall be considered.The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause7 of the Standard GCC through subcontractor fulfilling the requirements as per clause7 of the Standard GCC or jointly i.e.,partly himself and remaining through subcontractor,with prior approval of Chief Engineer in writing.However if required in tender documents by way of Special Conditions,a formal agreement duly notarised,legally enforceable in the court of law,shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s),and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility.Such subcontractor must fulfill technical eligibility criteria as follows:The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted,in last 5 years,ending last day of month previous to the one in which tender is invited through a works contract.Note:for subletting of work costing up to Rs 50lakh,no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor,the same shall be done with subcontractor(s) fulfilling the requirements as per clause7 of the Standard GCC with prior approval of Chief engineer in writing.</p>	No	No	Allowed (Mandatory)
1.1	<p>Note for Item 10.1: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Allowed (Mandatory)

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

1.2	The tenderer shall submit along with the tender document, documents in support of his / their claim to fulfil the eligibility criteria as mentioned in the tender document. Each page of the copy of documents / certificates in support of credentials, submitted by the tenderer, shall be self-attested / digitally signed by the tenderer or authorized representative of the tendering firm. Self- attestation shall include signature, stamp and date (on each page). Credentials required to be submitted by the tenderer mandatory along with tender document : 1) "The tenderers shall submit a Certificate stating that they are not liable to be disqualified and all their statements/ documents submitted alongwith bid are true and factual. Standard format of the Certificate to be submitted by the bidder as mentioned in Submission of Document Verification Certificate. Non submission of Certificate by the bidder shall result in summarily rejection of his / their bid. And it shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self-attested by which they / he is qualifying the Qualifying Criteria mentioned in the Tender Document. It will not be obligatory on the part of Railway to scrutinize beyond the submitted document of tenderer as far as his qualification for the tender is concerned." a) The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the railway there under. b) In case of any wrong information submitted by tenderer, the contract shall be terminated, Bid security, Performance Guarantee (PG) and Security Deposit (SD) of contract forfeited and agency barred for doing business on entire Indian Railways for 5 (five) years	No	No	Not Allowed
1.3	Defination of Similar Work :- (i) Installation or Modification of PI/RR/EI/IBS/ ABS/LC gate interlocking(OR)(ii) MACLS outdoor signaling works which includes one or more works like Cable trenching & laying/location erection and wiring/point machine installation or replacement (including power operated siding points)/signal foundation and erection/track circuiting/double distant/BPAC installation/Axle-counter installation/installation of sliding barrier/conventional earthing etc.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)
----	---

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
2	The tenderer has to opt for taking payment through letter of credit (LC) as per Railway Board's letter no. 2018/CE-I/CT/9 dated 4.6.18.	No	No	Not Allowed
3	Tenderers are required to quote their Permanent Account Number in the tender document.	No	No	Allowed (Optional)
4	Tenderers are required to upload their GST registration certificate	No	No	Allowed (Mandatory)
5	Tenderers are required to upload ESI & EPF registration certificate	No	No	Allowed (Mandatory)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must understand I.R. General condition of contract carefully before submission of the tender. Especially clause No.16.(1), 16.(2), 16.(3), 16.(4), 17, 17A, 17B, 17C, 19.(1), 19.(2), 19.(3), 19.(4), 23, 26, 26.1, 26.2, 26.3, 27.(1), 27.(2), 39.(1), 39.(2), 40, 41, 42.(1), 42.(2), 42.(3), 43.(1), 44, 45, 46.(1), 46.(2), 46.(3), 46.(4), 46.(5), 46A, 46A.1, 46A.2, 46A.3, 46A.4, 46A.5, 46A.6, 46A.7, 46A.8, 46A.9, 46A.10, 47, 48, 50.(1), 51, 54, 55, 55-A, 55-A.(1), 55-A.(2), 55-A.(3), 55-A.(4), 55-A.(5), 55-B, 55-C, 55-D, 56, 57, 58, 59.(1), 59.(2), 59.(3), 59.(4), 59.(5), 59.(6), 59.(7), 59.(8), 59.(9), 60.(1), 60.(2), 60.(3), 60.(4), 61, 62, 63, 64 etc. of IR GCC April-2022 must be understood fully.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

2	SGCC clause 1.01 Order of Precedence of Documents: In a contract agreement, in case of any difference,contradiction, discrepancy, with regard to conditions of tender/contract, specifications, drawings,Bill(s) of Quantities etc., forming part of the tender/contract, the following shall be the order of precedence: i. Letter of Award/Acceptance(LOA) ii. Bill(s) of Quantities iii. Special Conditions of Contract iv. Technical Specifications as given in tender documents v. Drawings vi. Indian Railways Standard General Conditions of Contract updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. vii. Indian Railways Unified Standard Specification (IRUSS-2019) updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract Viii CPWD Specifications 2019 Vol I & II updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract. ix. Indian Railways Unified Standard Specifications (Works and Material) 2010 updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract. x . IR Specifications/Guidelines updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. xi. Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.	No	No	Not Allowed
3	SGCC clause 1.1. Interpretation: These Instructions to Tenderers shall be read in conjunction with the Standard General Conditions of Contract which are referred to herein and shall be subject to modifications additions or suppression by Special Conditions of Contract and/or Special Specifications, if any, annexed to the Tender Forms.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

4	<p>SGCC clause 1.2. Definition: In these Instructions to Tenderers, the following terms shall have the meanings assigned hereunder except where the context otherwise requires: (a) "Railway" shall mean the President of the Republic of India or the administrative officers of the Railway or Successor Railway authorized to deal with any matter, which these presents are concerned on his behalf. (b) "General Manager" shall mean the Officer-in-Charge of the general superintendence and control of the Zonal Railway/Production Unit and shall also include Addl. General Manager, General Manager (Construction) and shall mean and include their successors of the Successor Railway. (c) "Chief Engineer" shall mean the Officer-in-Charge of the Engineering Department of Railway and shall also include Chief Engineer (Construction), Chief Electrical Engineer, Chief Electrical Engineer (Construction), Chief Signal & Telecom Engineer, Chief Signal & Telecom Engineer (Construction), Chief Mechanical Engineer and shall mean and include their successors of the Successor Railway. (d) "Divisional Railway Manager" shall mean the Officer-in-Charge of a Division of Zonal Railway and shall mean and include Divisional Railway Manager of the Successor Railway. (e) "Engineer" shall mean the Divisional Engineer or Executive Engineer, Divisional Signal & Telecom Engineer, Divisional Electrical Engineer, Divisional Mechanical Engineer in executive charge of the works and shall include the superior officers, both Open Line and Construction Organisations, of Engineering, Signal & Telecom, Mechanical and Electrical Departments, i.e. the Senior Divisional Engineer/Deputy Chief Engineer, Senior Divisional Signal & Telecom Engineer / Dy. Chief Signal & Telecom Engineer, Senior Divisional Electrical Engineer / Deputy Chief Electrical Engineer, Senior Divisional Mechanical Engineer and shall mean & include the Engineers of the Successor Railway. (f) "Tenderer" shall mean the person / firm / co-operative or company whether incorporated or not who tenders for the works with a view to execute the works on contract with the Railway and shall include their representatives, successors and permitted assigns. (g) "Limited Tenders" shall mean tenders invited from all or some contractors on the approved or select list of contractors with the Railway. (h) "Open Tenders" shall mean the tenders invited in open and public manner and with adequate notice. (i) "Works" shall mean the works contemplated in the drawings and Bill(s) of Quantities set forth in the tender forms and required to be executed according to the specifications. (j) "Specifications" shall mean the Specifications for Materials and Works of the Railway as specified under the authority of the Ministry of Railways or Chief Engineer or as amplified, added to or superseded by special specifications if any, appended to the Tender Forms.</p>	No	No	Not Allowed
---	--	----	----	-------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

4.1	(k) Standard Schedule of Rates (SSOR) shall mean the schedule of Rates adopted by the Railway, which includes- 1. "Unified Standard Schedule of Rates of the Railway (USSOR)" i.e. the Standard Schedule of Rates of the Railway issued under the authority of the Chief Engineer from time to time, updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents; 2. "Delhi Schedule Of Rates (DSR)" i.e. the Standard Schedule of Rates published by Director General/ Central Public Works Department, Government of India, New Delhi, as adopted and modified by the Railway under the authority of the Chief Engineer from time to time, Updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. (l) "Drawings" shall mean the maps, drawings, plans and tracings, or prints thereof annexed to the Tender Forms. (m) "Contractor's authorized Engineer" shall mean a graduate engineer or equivalent, having more than 3 years experience in the relevant field of construction work involved in the contract, duly approved by the Engineer. (n) Date of inviting tender shall be the date of publishing tender notice on IREPS website if tender is published on website or the date of publication in newspaper in case tender is not published on website. (o)"Bill of Quantities" shall mean Schedule of Item(s) included in the tender document along with respective quantities - Words importing the singular number shall also include the plural and vice versa where the context requires.	No	No	Not Allowed
5	SGCC clause 4 Omissions & Discrepancies: Should a tenderer find discrepancies in or omissions from the drawings or any of the Tender Forms or should he be in doubt as to their meaning, he should at once notify the authority inviting tenders. The tender inviting authority may, if deemed necessary, clarify the same to all tenderers. It shall be understood that every endeavour has been made to avoid any error which can materially affect the basis of tender and successful tenderer shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

6	<p>SGCC clause5.Bid Security:(1)(a)The tenderer shall be required to submit the Bid Security with the tender for the due performance with the stipulation to keep the offer open till such date as specified in the tender,under the conditions of tender.The Bid Security shall be as under: Value of the Work Bid Security For works estimated to cost up to 2% of the estimated cost of the work For all works estimated. (i)The Bid Security shall be rounded off to the nearest 100.This Bid Security shall be applicable for all modes of tendering.(ii)Any firmrecognized by Department of Industrial Policy and Promotion (DIPP)as'Startups' shall be exempted from payment of Bid Security detailed above.(iii)Labour Cooperative Societies shall submit only 50% of above Bid Security detailed above. (b)It shall be understood that the tender documents have been issued to the tenderer and the tenderer is permitted to tender in consideration of stipulation on his part,that after submitting his tender he will not resale from his offer or modify the terms and conditions thereof in a manner not acceptable to the Engineer.Should the tenderer fail to observe or comply with the said stipulation,the aforesaid amount shall be liable to be forfeited to the Railway.(c)If his tender is accepted,this Bid Security mentioned in sub para(a)above will be retained as part security for the due and faithful fulfilment of the contract in terms of Clause16 of the Standard General Conditions of Contract.The Bid Security ofotherTenderers shall,save as herein before provided,be returned to them,but the Railway shall not be responsible for any loss or depreciation that may happen thereto while in their possession, nor be liable to pay interest thereon.(2)The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or asmentioned in tender documents.The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period.</p>	No	No	Not Allowed
6.1	<p>(3) In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured: i. A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender. ii. The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids) iii. Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. iv. The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender. v. The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, failing which the bid will be rejected vi. The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope. vii. The envelope shall be addressed to the officer and address as mentioned in the tender document. viii. If the envelope is not sealed and marked as instructed above, the Railway assumes no responsibility for the misplacement or premature opening of the contents of the Bid submitted and consequent losses, if any, suffered by the Bidder.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

7	<p>SGCC clause 6. Care in Submission of Tenders: (a) (i) Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he enters in the tender forms are adequate and all inclusive to accord with the provisions in Clause-37 of the Standard General Conditions of Contract for the completion of works to the entire satisfaction of the Engineer. (a)(ii) Tenderers will examine the various provisions of The Central Goods and Services Tax Act, 2017(CGST)/ Integrated Goods and Services Tax Act, 2017(IGST)/ Union Territory Goods and Services Tax Act, 2017(UTGST)/ respective state's State Goods and Services Tax Act (SGST) also, as notified by Central/State Govt. & as amended from time to time and applicable taxes before bidding. Tenderers will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates. (a)(iii) The successful tenderer who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/UTGST/SGST Act to railway immediately after the award of contract, without which no payment shall be released to the Contractor. The Contractor shall be responsible for deposition of applicable GST to the concerned authority. (a) (iv) In case the successful tenderer is not liable to be registered under CGST/IGST/UTGST/ SGST Act, the railway shall deduct the applicable GST from his/their bills under reverse charge mechanism (RCM) and deposit the same to the concerned authority. (b) When work is tendered for by a firm or company, the tender shall be signed by the individual legally authorized to enter into commitments on their behalf. (c) The Railway will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of the contract. It may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.</p>	No	No	Not Allowed
8	<p>SGCC clause 6.1 . The tenderers shall submit a copy of certificate stating that all their statements/documents submitted alongwith bid are true and factual. Standard format of certificate to be submitted by the bidder is enclosed as Annexure-V. Non submission of above certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested/digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender Document.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

9	<p>SGCC clause 7. Right of Railway to Deal with Tenders: The Railway reserves the right of not to invite tenders for any of Railway work or works or to invite open or limited tenders and when tenders are called to accept a tender in whole or in part or reject any tender or all tenders without assigning reasons for any such action. In case if tender is accepted in part by Railway administration, Letter of Acceptance shall be issued as counter offer to the Tenderer, which shall be subject to acceptance by the Tenderer. 7A Two Packets System of Tendering: With a view to assess the tenders technically without being influenced by the financial bids, 'Two Packets System of tendering' shall be adopted wherein tender documents provide for the same. 7B. Pre Bid Conference: Intenders having advertised value more than Rs 50 Crore or as mentioned in the tender document, Railway shall conduct Pre Bid Conference(s) with the prospective bidders. 7C. Make in India Policy: Provisions of Make in India Policy 2017 issued by Govt. of India, as amended from time to time, shall be followed for consideration of tenders. 7D. Permission to Bid for a bidder from a country which shares Land boundary with India: Any bidder from the countries sharing a land border with India will be eligible to bid in any procurement of works (including turnkey projects) only if the bidder is registered with the Competent Authority. The Competent Authority for registration will be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT), Government of India. For interpretation of this para, Department of Expenditure, Ministry of Finance, Government of India letter F.No.6/18/2019-PPD dated 23/07/2020 shall be referred. 7E. Clarification of Bids: To assist in the examination, evaluation & comparison and prequalification of the Tender, the Railway may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the Railway shall not be entertained or considered. The Railway request for clarification and the response of the bidder in this regard shall be in writing. However, if a Bidder does not provide clarification of its bid by the date and time communicated in the Railway request for clarification, the bid shall be evaluated as per the documents submitted along with the bid.</p>	No	No	Not Allowed
10	<p>SGCC clause 8. Execution of Contract Document: The Tenderer whose tender is accepted shall be required to appear in person at the office of General Manager/General Manager (Construction), Chief Administrative Officer (Construction), Divisional Railway Manager or concerned Engineer, as the case may be, or if tenderer is a firm or corporation, a duly authorized representative shall appear (there would be no need for appear in person if agreement is signed digitally) and execute the contract agreement within seven days of notice from Railways that the Contract Agreement is ready. The Contract Agreement shall be entered into by Railway only after submission of valid Performance Guarantee by the Contractor. Failure to do so shall constitute a breach of the agreement affected by the acceptance of the tender. In such cases the Railway may determine that such tenderer has abandoned the contract and there upon his tender and acceptance thereof shall be treated as cancelled and the Railway shall be entitled to forfeit the full amount of the Bid Security and other dues payable to the Contractor under this contract. The failed Contractor shall be debarred from participating in the re-tender for that work.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

11	SGCC clause 9. Form of Contract Document: Every contract shall be complete in respect of the document it shall so constitute. Not less than 2 copies of the contract document shall be signed by the competent authority and the Contractor and one copy given to the Contractor. (there would be no need of signing two copies if agreement is signed digitally). (a) For Zone contracts, awarded on the basis of the percentage above or below the applicable chapter(s) of Standard Schedule of Rates (SSOR) for the whole or part of financial year, the contract agreement required to be executed by the tenderer whose tender is accepted shall be as per specimen form, Annexure-II. During the currency of the Zone Contract, work orders as per specimen form Annexures-III, for works not exceeding 5, 00,000 each, shall be issued by the Divisional Railway Manager / Executive Engineer under the agreement for Zone Contract. (b) For contracts for specific works, the contract document required to be executed by the tenderer whose tender is accepted shall be an agreement as per specimen form Annexure- IV.	No	No	Not Allowed
12	SGCC ANNEXURE-I 1. Instructions to Tenderers and Conditions of Tender: The following documents form part of Tender / Contract: (a) Tender Forms - First Sheet and Second Sheet (as per ANNEXURE-I of IR GCC April,2022) (b) Special Conditions/Specifications (enclosed) (c) Bill(s) of quantities (enclosed) (d) Standard General Conditions of Contract and Standard Specifications (Works and Materials) of Indian Railways as amended/corrected upto latest correction slips, copies of which can be seen in the office of Sr.Divl. Sig & Tele Engineer,Nagpur S.E.C.Railway on payment of prescribed charges. (e) S&T Standard Schedule of Rates (SSOR) issued by PCSTE/SECR as amended / corrected upto latest correction slips, copies of which can be seen in the office of Sr. Divisional Signal & Telecom Engineer, Nagpur or obtained from the office of the Chief Engineer, SEC Railway on payment of prescribed charges (f) All general and detailed drawings pertaining to this work which will be issued by the Engineer or his representatives (from time to time) with all changes and modifications. 2. Drawings for the Work: The Drawing for the work can be seen in the office of the Sr.Divl. Sig & Tele Engineer, Nagpur S.E.C.Railway at any time during the office hours. The drawings are only for the guidance of Tenderer(s). Detailed working drawings (if required) based generally on the drawing mentioned above, will be given by the Engineer or his representative from time to time. 3. The Tenderer(s) shall quote his / their rates as a percentage above or below the S&T Standard Schedule of Rates (SSOR) issued by PCSTE, if applicable , of SEC Railway as applicable to Nagpur Division except where he/they are required to quote item rates and must tender for all the items shown in the Bill(s) of Quantities attached. The quantities shown in the attached Bill(s) of Quantities are given as a guide and are approximate only and are subject to variation according to the needs of the Railway. The Railway does not guarantee work under each item of the Bill(s) of Quantities. The tenderer(s) shall quote rates / rebates only at specified place in Tender Form supplied by Railway. Any revision of rates / rebates submitted (quoted) through a separate letter whether enclosed with the bid (Tender Form) or submitted separately or mentioned elsewhere in the document other than specified place shall be summarily ignored and will not be considered.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.1	<p>4.Tenders containing erasures and / or alterations of tender documents are liable to be rejected. Any correction made by tender(s) in his/their entries must be attested by him / them. 5.The works are required to be completed within a period of_06(Six Months)_ months from the date of issue of acceptance letter. 6.Bid Security: (a) Subject to exemptions provided under para 5(1) (a) of Part-1 (ITT) of this document, the tender must be accompanied by a Bid Security as mentioned in tender documents, failing which the tender shall be summarily rejected. (b) The Tenderer(s) shall keep the offer open for a minimum period of 60 days (in case of two packet system of tendering 90days) from the date of closing of the Tender. It is understood that the tender documents have been issued to the Tenderer(s) and the Tenderer(s), is / are permitted to tender in consideration of the stipulation on his / their part that after submitting his / their tender subject to the period being extended further, if required by mutual agreement from time to time, he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to_S.E.C. Railway. Should the tenderer fail to observe or comply with the foregoing stipulation,the amount deposited or Bank guarantee bond submitted as Bid Security for the due performance of the above stipulation, shall be forfeited to the Railway. (c) If his tender is accepted,(i) the Bid Security mentioned in sub para(a) above deposited in cash through e-payment gateway will be retained as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract;(ii) the Bid Security mentioned in sub para(a) above submitted as Bank guarantee bond, will be encashed as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract.The Bid Security of other Tenderers shall, save as herein before provided, be returned to them, but the Railway shall not be responsible for any loss or depreciation to the Bid Security that may happen thereto while in their possession, nor be liable to pay interest thereon. (d) In case Contractor submits the Term Deposit Receipt/Bank Guarantee Bond towards either the Full Security Depositor the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security so retained as per sub para(c) above, to the Contractor. 7.Rights of the Railway to deal with Tender: The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders. 8.If the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage.</p>	No	No	Not Allowed
12.2	<p>9. If any partner(s) of a partnership firm expires after the submission of its tender or after the acceptance of its tender, the Railway shall deem such tender as cancelled/contract as terminated under clause 61 of the Standard General Conditions of Contract, unless the firm retains its character as per partnership agreement. If a sole proprietor expires after the submission of tender or after the acceptance of tender, the Railway shall deem such tender as cancelled / contract as terminated under clause 61 of the Standard General Conditions of Contract.</p>	No	No	Not Allowed
12.3	<p>10.3Bid Capacity: The tender/technical bid will be evaluated based on bid capacity formula detailed as Annexure-VI. 10.4 No Technical and Financial credentials are required for tenders having advertised value up to Rs 50 lakh.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.4	<p>Credentials if submitted in foreign currency shall be converted into Indian currency i.e., Indian Rupee as under: The conversion rate of US Dollars into Rupees shall be the daily representative exchange rates published by the Reserve Bank of India or entity authorized by RBI to do so for the relevant date or immediately previous date for which rates have been published. Where, relevant date shall be as on the last day of month previous to the one in which tender is invited. In case of any other currency, the same shall first be converted to US Dollars as on the last day of month previous to the one in which tender is invited, and the amount so derived in US Dollars shall be converted into Rupees at the aforesaid rate. The conversion rate of such currencies shall be the daily representative exchange rates published by the International Monetary Fund for the relevant date or immediately previous date for which rates have been published. [Explanation for Para 10 of the Tender Form (Second Sheet) including Para 10.1 to 10.5 - Eligibility Criteria: 1. Substantially Completed Work means an ongoing work in which payment equal to or more than 90% of the present contract value (excluding the payment made for adjustment of Price variation (PVC), if any) has been made to the contractor in that ongoing contract and no proceedings of termination of contract on Contractor's default has been initiated. The credential certificate in this regard should have been issued not prior to 60 days of date of invitation of present tender. 2. In case a work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials. 3. If a work is physically completed and completion certificate to this extent is issued by the concerned organization but final bill is pending, such work shall be considered for fulfillment of credentials 4. In case of completed work, the value of final bill (gross amount) including the PVC amount (if paid) shall be considered as the completion cost of work. In case final bill is pending, only the total gross amount already paid including the PVC amount (if paid) shall be considered as the completion cost of work. In case of substantially completed work, the total gross amount already paid including the PVC amount (if paid), as mentioned in the certificate, shall be considered as the cost of substantially completed work. 5. If a bidder has successfully completed a work as subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in Note for Item 10.1 Para 10 of the Tender Form (Second Sheet), the same shall be considered for the purpose of fulfillment of credentials. 6. In case a work is considered similar in nature for fulfillment of technical credentials, the overall cost including the PVC amount (if paid) of that completed work or substantially completed work, shall be considered and no separate evaluation for each component of that work shall be made to decide eligibility.</p>	No	No	Not Allowed
------	---	----	----	-------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.4.1	<p>7. In case of newly formed partnership firm, the credentials of individual partners from previous propriety firm(s) or dissolved previous partnership firm(s) or split previous partnership firm(s), shall be considered only to the extent of their share in previous entity on the date of dissolution / split and their share in newly formed partnership firm. For example, a partner A had 30% share in previous entity and his share in present partnership firm is 20%. In the present tender under consideration, the credentials of partner A will be considered to the extent of 0.3×0.2 * value of the work done in the previous entity. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc. 8. In case of existing partnership firm, if any one or more partners quit the partnership firm, the credentials of remaining partnership firm shall be re-worked out i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm(e.g. in a partnership firm of partners A, B & C having share 30%, 30% & 40% respectively and credentials of Rs 10 crore; in case partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc. 9. In case of existing partnership firm if any new partner(s) joins the firm without any modification in the name and PAN/TAN no. of the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s) on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc. 10. Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners. 11. In case a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor. 12. If the percentage share among partners of a partnership firm is changed, but the partners remain the same, the credentials of the firm before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, in case a partner of partnership firm retires without taking away any credentials from the firm, the credentials of partnership firm shall remain the same as it is without any change in their value.</p>	No	No	Not Allowed
12.4.2	<p>13. In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX", credentials of A in propriety firm "P" or in other partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB. 14. In case a tenderer is LLP, the credentials of tenderer shall be worked out on above lines similar to a partnership firm. 15. In case company A is merged with company B, then company B would get the credentials of company A also.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.5	<p>SGCC clause 11. Tenderer Credentials: Documents testifying tenderer previous experience and financial status should be produced along with the tender. Tenderer(s) who is / are not borne on the approved list of the Contractors of S.E.C. Railway shall submit along with his / their tender: (i) Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past. (ii) Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past. (iii) The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work. (iv) A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-V. In addition to Annexure-V, in case of other than Company/Proprietary Firm, Annexure-V(A) shall also be submitted by the each member of a Partnership Firm / Joint Venture (JV) / Hindu Undivided Family (HUF)/ Limited Liability Partnership (LLP) etc. as the case may be. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested / digitally signed by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document. (v) The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway there under. (vi) (a) In case of any information submitted by tenderer is found to be false, forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning of business for a period of upto two years. (b) In case of any information submitted by tenderer is found to be false, forged or incorrect after the award of contract, the contract shall be terminated. Bid Security, Performance Guarantee and Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto two years.</p>	No	No	Not Allowed
12.6	<p>12. Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected . 13. Execution of Contract Documents: The successful Tenderer(s) shall be required to execute an agreement with the President of India acting through the Sr. DSTE/NGP, S.E.C Railway for carrying out the work according to Standard General Conditions of Contract, Special Conditions / Specifications annexed to the tender and Standard Specifications for (Works and Materials) of Railway as amended/corrected upto latest correction slips, mentioned in tender form (First Sheet).</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.7	<p>14. Documents to be Submitted Along with Tender.: (i) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society /Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PANCard along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society,as the case may be. (ii) Following documents shall be submitted by the tenderer: (a) Sole Proprietorship Firm: (i) All documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022. (b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022. . (c) Partnership Firm: (i) All documents as mentioned in para18 of the Tender Form (Second Sheet) of GCC APRIL 2022. . (d) Joint Venture (JV): as per IR GCC April,2022 (e) Company registered under Companies Act2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) All other documents in terms Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022. . (f) LLP (Limited Liability Partnership): (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment /wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022. . (g) Registered Society & Registered Trust: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022.</p>	No	No	Not Allowed
------	---	----	----	-------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.7.1	(iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society /HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted. (v) A tender from JV / Partnership firm etc. shall be considered only where permissible as per the tender conditions. (vi) The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Not Allowed
12.8	15. The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender,submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued.However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Appostille certificate.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.9	<p>16. Employment/Partnership etc. of Retired Railway Employees: (a) Should a tenderer(i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR(ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners/members a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR(iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender THEN the tenderer will give full information as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender.. (b) In case, upon successful award of contract, should a tenderer depute for execution of the works under or to deal matters related with this contract, any retired Engineer of gazetted rank or retired gazetted officer working before his retirement in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, and now in his employment, then the tenderer will ensure that retired Engineer or retired gazetted officer had retired from government service at least 1 year. prior to the date of his employment with tenderer and in case he had retired from service within a year then he possesses the requisite permission from the President of India or any officer, duly authorized by him in this behalf, to get associated with the tenderer. (c) Should a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. Note:-If information as required as per 16.a), b), c) above has not been furnished, contract is liable to be dealt in accordance with provision of clause 62 of Standard General Condition of contract.</p>	No	No	Not Allowed
12.9.1	<p>16(4) (h) of Part-II of GCC-22: If a tender is accepted on the quoted rates of bidder which is below the advertised tender value. as additional performance security shall be submitted by the bidder as below: i) Bid quoted in % of advertised cost below 0-5% (Inclusive): Additional Performance Guarantee(%)-Nil. ii) Below 5% : Additional Performance Guarantee 5%.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.10	<p>18.Participation of Partnership Firms in works tenders: 18.1 The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act. 18.2 The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized prior to date of tender opening as per the Indian Partnership Act/ prior to submission of tender. 18.3 Separate identity / name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners. 18.4. Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified / altered / terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after submission opening of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full Bid security shall be forfeited. If any Partner/s withdraws from the firm after submission of the tender and before the award of the contract, the offer shall be rejected and Bid security of the tenderer will be forfeited . If any new partner joins the firm after submission of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of the standard General Conditions of Contract. 18.5. A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender. 18.6. The tender form shall be submitted only in the name of partnership firm. The Bid security shall be submitted by partnership firm through e-payment gateway or as mentioned in tender document. The Bid security submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered. 18.7 On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable.</p>	No	No	Not Allowed
-------	--	----	----	-------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12.10.1	<p>18.8 . On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner. 18.9 . In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement. (a) Joint and several liabilities: The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to non-execution of the contract or part thereof. (b) Duration of the partnership deed and partnership firm agreement: The partnership deed/partnership firm agreement shall normally not be modified/altered/ terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract. (c) Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws. (d) No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway. 18.10. The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar.. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022.</p>	No	No	Not Allowed
12.10.2	<p>18.10 One or more of the partners of the firm or any other person (s) shall be designated as the authorized person (s) on behalf of the firm, who will be authorized by all the partners to act on behalf of the firm through a "Power of Attorney", specially authorizing him / them to submit & sign the tender, sign the agreement, receive payment, witness measurements, sign measurement books, make correspondences, compromise / settle / relinquish any claim (s) preferred by the firm, sign "No Claim Certificate", refer all or any dispute to arbitration and to take similar such action in respect of the said tender / contract. Such "Power of Attorney" shall be notarized / registered and submitted along with the tender. 18.11 Evaluation of eligibility of a partnership firm: Technical and financial eligibility of the firm shall be adjudged based on satisfactory fulfilment of the eligibility criteria laid down in Para 10 of the Tender Form (Second Sheet) of GCC APRIL 2022.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

13	SGCC clause 26A. Deployment of Qualified Engineers at Work Sites by the Contractor: 26A.1 The Contractor shall also employ following Qualified Engineers during execution of the allotted work: (a)One qualified Graduate Engineer when cost of work to be executed is Rs.200 lakh and above, and (b)One qualified diploma Holder Engineer when cost of work to be executed is more than Rs.25 lakhs but less than Rs.200 lakh. Further, in case the contractor fails to employ the qualified Engineer, as aforesaid in above paras, he, in terms of provisions of Clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs.40,000/- and Rs.25,000/- for each month or part thereof for the default period for the provisions, as contained in above para (a) and (b) respectively. Provision for deployment of Qualified Engineers (Graduate Engineer or Diploma Holder Engineer) shall be for the values as prescribed above. (Railway Board's letter no. 2012/CE-I/CT/O/20, New Delhi, Dated 10.05.2013)	No	No	Not Allowed
14	Cost of Tender document is not refundable under any circumstances.	No	No	Not Allowed
15	The contract shall not be considered as complete until a maintenance certificate is issued by the Engineer that the contractor has maintained the work to the satisfaction of the Engineer for the period specified as maintenance period in the contract	No	No	Not Allowed
16	The rates are inclusive of all taxes /charges/royalty leviable by central/Government /state Government and local bodies as applicable including GST.	No	No	Not Allowed
17	The contractor shall take utmost care while carrying out the works including excavation so as not cause any damage to the existing Railway underground and other cables. In case cable is damaged by the contractor due to fault of his personal, he is liable for a penalty as per Railway Boards and SEC Railways policy in each case for the loss caused to the Railway . His work is also liable to be stopped till such time he takes measures which are certified to be satisfactory by the executing supervisors.	No	No	Not Allowed
18	Termination of Contract effect of non performance by the contractor within the validity. If contractor fails to apply for extension of time on valid and reasonable grounds as acceptable to the railway after expiry of the date of completion / extended of completion in such situation Railway reserves the right to terminate the contract agreement without issuing seven days and forty eight hours notices in terms of Railway Boards letter No.99/CE-1/CT/28(PT) dated 17.05.2004. It may be noted that for non fulfillment of the contract the railways reserves the right to claim the damage under clause 62 of GCC in addition to any other rights available to it under law.	No	No	Not Allowed
19	No garbage, dry leaves, paper grass bushes or any other items shall be burnt.They shall Only be disposed at nominated disposal point by prescribed methods duly observing the Municipal solid wastes(Management and Handling) Rules,2000 indicates under Schedule II- Management of Municipal Solid Wastes: Para I.I vii that Waste(garbage,dry leaves) shall not be burnt.Any violation of the provisions of the MSW rules,2000, attracts the penal provisions of Environment(protection) ACT,1986.CPCB and SPCBs have also issued various guidelines/orders against the practice of such open burning. If the contractor or anybody deployed by him for this work is found guilty of irregulated open burning of plastic, rubber, waste and similar substances a fine of Rs.5000/- on each occasion shall be imposed in addition to the other rights and remedies available in the contract. Decision of Engineer in-charge shall be final and binding in this regard.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

20	Execution of works in the vicinity of track:- i) The work is required to be executed on / under / near the running railway lines in electrified territory. The contractor is expected to ensure due precaution and safety arrangements for safety and protection of railway traffic and assets, labours and equipments working at site. ii) Necessary speed restrictions / caution orders, traffic blocks, indicator boards and man-power for protection of worksite as per provisions of IRPWN, LWR Manual and other relevant codes / manuals etc. shall be arranged by the railways. iii) No work on / near the track shall be commenced until and unless the authorized P. Way Inspector has imposed necessary caution order / speed restriction and / or has availed requisite traffic block. The work shall be taken up in presence of competent Railway supervisor authorized by the Engineer In Charge. Only after ensuring adequate protection of worksite. iv) The contractor shall be responsible for safety of his man-power, equipments etc. at his own cost. He shall deploy his lookout man with P.A. System to warn the labourers and machinery. v) For working of machinery near track necessary precautions and safety arrangements specified is the CE Circular No. 16, 31 & Revised CEs circular No.31 and IRPWM shall be followed strictly.	No	No	Not Allowed
21	Tenderers should ensure that they are GST compliant and their quoted tax structure / rates are as per GST law.	No	No	Not Allowed
22	The tender/contract will be governed by General Condition of contract GCC-April-22 (Upto date correction slips).	No	No	Not Allowed
23	Any special condition of contract however shall over rule provision of the GCC-April-22 unless otherwise stated.	No	No	Not Allowed
24	All the payment will be made through electronic funds transfer only through any of the nationalized /scheduled bank. For this the Proforma collect from this office before made first bill and is to be essentially filled up the tenderer and submit the same to accounts department for releasing the payment.	No	No	Not Allowed
25	In case of more than one L-1 bidders, tender may be awarded to tenderer having higher Bid Capacity. In case Bid Capacity is also the same, tenderer having done more value of similar work in last three previous financial years and the current financial year upto the date of opening of the tender, may be selected for the award.	No	No	Not Allowed
26	If tenderer submit/ upload Audited Balance sheet duly certified by the Chartered accountant to fulfill the Standard Financial Criteria, tenderer may also submit/ upload Form No.26AS /16A along with tender offer to certify the amount of contractual receipt.	No	No	Not Allowed
27	Date of inviting tender shall be the date of publishing tender notice on IREPS website if tender is published on website or the date of publication in newspaper in case tender is not published on website.	No	No	Not Allowed
28	Clause 10 (d) of aforesaid Public Procurement (Preference to Make in India), Order 2017 vide Order No. P-45021/2/2017-B.E.-II dated 15.06.2017 with latest revisions dated 29.05.2019, stipulates that "If a Nodal Ministry is satisfied that Indian suppliers of an item are not allowed to participate and /or compete in procurement by any foreign government, it may, if it deems appropriate ,restrict or exclude bidders from that country from eligibility for procurement of that item and /or other items relating to that Nodal Ministry.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

29	As per Railway Board's (Ministry of Finance) office memorandum No. F/9/4/2020-PPD dated. 12.11.2020 and dated.30.12.2021: The successful bidder shall submit the performance Guarantee (PG) in any of the above said forms, amounting to 3% of the contract value upto 31.03.23.After that P.G. shall be submitted 5% of contract value as per latest GCC-April-2022. Irrevocable Bank Guarantee. If performance guarantee(PG) in the form of Bank Guarantee is submitted , it should be sent directly by the respective bank to the concerned authority addressed to Sr. Divisional Signal & Telecom Engineer, SEC Railway Kingsway Nagpur 440001(MS) under registered post AD and the stamp duty for Bank guarantee (Non judicial stamp) applicable @ Rs.100/- or as applicable. The said stamp duty is also applicable for extension of bank guarantee.	No	No	Not Allowed
30	Tender form is not transferable under any circumstances. The tenderer/s are advised to furnish the details (i) Beneficiary Name (ii) Account No. (iii) Type of Account (iv) Bank (v) City (vi) Branch (vii) Remarks if any .	No	No	Not Allowed
31	Tender against PEMD / SEMD will not be accepted.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

32	<p>Railway board's letter No. 2018/CE-I/CT/9 Dated 04.06.2018 LETTER OF CREDIT (LC):(i)For all the tenders having advertised cost of Rs 10 lakh or above, the contractor shall have the option to take payment from Railways through a letter of credit (LC) arrangement. (ii)This option of taking payment through LC arrangement has to be exercised in IREPS (Indian Railway Electronic Procurement System - the e-application on which tenders are called by Railways) by the tenderer at the time of bidding itself and the tenderer shall affirm having read over and agreed to the terms and conditions of the LC option. (iii)The option so exercised, shall be an integral part of the bidder's offer. (iv)The above option of taking payment through LC arrangement, once exercised by tenderer at the time of bidding, shall be final and no change shall be permitted, thereafter, during execution of contract. (v)In case tenderer opts for payment through LC, following shall be the procedure to deal release of payment through LC. (a)The LC shall be a sight LC. (b)The contractor shall select his Advising/Negotiating bank for LC. The incidental cost towards issue of LC and its operation thereof shall be borne by the contractor. (c)SBI, New Delhi, Main Branch will be the nodal branch for issue of LCs based on online requests received from Railway Accounts Units for tenders opened in financial year. SBI branches where the respective Railway Accounts Office has its Account (local SBI branch) will be the insurance / reimbursing branch for LC issued under this arrangement. The Bank shall remain same for this tender till completion of contract. The incidental cost @ 0.023% per annum of LC value, towards issue of LC and operation thereof shall be borne by the contractor sand shall be recovered from his bills. (d)The LC shall be opened initially for duration of 180 to 365 days in consultation with contractor. The LC shall be extended time to time as per the progress of the contract, on the request of the contractor. The value of LC to be opened initially as well as extended thereafter shall be finalized by the engineer in consultation with the contractor on the basis of expected progress of work. (e)The LC terms and conditions shall inter-alia indemnify and save harmless the Railway from and against all losses, claims and demands of every nature and description brought or recovered against the Railways by reason of any act or omission of the contractor, his agents or employees, in relation to the Letter of Credit (LC). All sums payable/bone by Railways on this account shall be considered as reasonable compensation and paid by contractor. (f)The LC terms and conditions shall inter-alia provide that Railways will issue a Document of Authorisation (format enclosed as Annexure 2) after passing the bill for completed work, to enable contractor to claim the authorized amount from their bank. (g)The acceptable, agreed upon document for payments to be released under the LC shall be the Document of Authorisation. (h)The Document of Authorisation shall be issued by Railway Accounts Office against each bill passed by Railways. (i)On issuance of Document of Authorisation, a copy of Document of Authorisation shall be posted on IREPS for download by the contractor. A digitally signed copy of Document of Authorization shall also be sent by Railway Accounts Office to Railway's bank (Local SBI Branch).</p>	No	No	Not Allowed
----	--	----	----	-------------

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

32.1	(j)The contractor shall take print out of the Document of Authorisation available on IREPS and present his claim to his bank (advising Bank) for necessary payments as per LC terms and conditions. The claim shall comprise of copy of Document of Authorisation. Bill of Exchange and Bill. (k)The payment against LC shall be subject to verification from Railway's Bank (Local SBI Branch). (l)The contractor's bank (advising bank) shall submit the documents to the Railway's Bank (Local SBI Branch). (m)The railway's bank (issuing bank) shall, after verifying the claim so received w.r.t. the digitally signed Document of Authorisation received from Railway Accounts Office, release the payment to contractor's bank (advising bank) for crediting the same to contractor's account. (n)Any number of bills can be dealt within one LC, provided the sum total of payments to contractor is within the amount for which LC has been opened. (o)The LC shall be closed after the release of final payment including PVC amount, if any, to the contractor. (p)The release of performance guarantee or security deposit shall be dealt directly by railway with the contractor i.e., not through LC.	No	No	Not Allowed
33	As per Railway Board's letter No.2007/CE-I/CT/18/pt.13 dated.04.10.2010 : The aspect of vitiation of tender with respect to variation in quantities should be checked and avoided. In case of vitiation of the tender (both for increase as well as decrease of value of contract agreement), sanction of the competent authority should be obtained. A contract shall be considered "vitiating" only when, the following percentage variation in contract value between tenderers are noticed to have been exceeded. Value of contract: Percentage difference between present contractor and new L-1 as a result of variation. (Percentage shall be calculated with base as the revised contract quantities multiplied by the rates of the present contractor.) (1)Small value contracts (Tender Value less than Rs.50 lakh): 10 Percent (2) Other than small value contracts (Tender Value equal to or more than Rs.50 lakh) :5 Percent. When the percentage difference between present Contractor and new L-1 is noticed as becoming beyond the values specified above, the following action shall be taken. The Railway administration should immediately examine whether it is practicable to bring in a new agency to carry out the extra quantity of work keeping in view the progress of the work in accordance with the original contract and the nature and lay-out of the work. If it is found that there will be no serious practical difficulty in meeting the additional quantity of work done by another agency, then fresh tenders for the extra quantity may be invited otherwise negotiating the rate with the existing contractor for arriving at a reasonable rate for the additional quantities of work, may be adopted. The above shall be regulated as under. (a) The case shall be decided by the tender accepting authority (competent for the revised quantity) and shall not be treated as a case of single tender. (b) These instructions will be similarly applicable to earning contracts with H-1, H-2 substituted for L-1, L-2 and so on. (c) Executives while executing the work shall make all efforts to ensure that no vitiation takes place in normal circumstances. Vitiating should be an exception rather than a routine affair. Efforts should be made to invite bids on the basis of percentage above/below/at par. (d) Vitiating should always be computed with respect to the items, rates, quantities and conditions as available at the time of Tender Opening and subsequent changes / additions by way of new items will not be counted for computing Vitiating.	No	No	Not Allowed
34	LIST OF WORK COMPLETED :During last 07 (seven) years, ending last day of month previous to the one in which tender is invited 1.Sr. No.,2.Description of work, 3,Agreement no. and date.,4.Original Agreement Value,5.Date of award,6.Date of Work Actual Completed,7.Final contract value Received up-to, 8.Reason for delay in completion of work.	No	No	Not Allowed
35	LIST OF ONGOING WORKS 1.Sr. No.,2.Description of work, 3,Agreement no. and date.,4Original Agreement Value,5.Date of award.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

36	Contractors employees should be mandatorily provided with necessary safety gear such as luminous jackets crash helmets industrial boots safety belts safety jackets etc. and he has also to mandatorily provided hooters / megaphones at his own cost at all work site.	No	No	Not Allowed
37	Tenderers are required to upload their GST registration certificate	No	No	Not Allowed
38	Tenderers are required to upload ESI & EPF registration certificate	No	No	Not Allowed
39	The tenders submitted without valid Bid Security will summarily be rejected.	No	No	Not Allowed
40	The submitted e-tender will be considered as digitally signed by the tenderer as a confirmation from the tenderer that the tenderer has read, agreed and accepted all the conditions under laid down documents as well as Schedule of Tender, General and Special Conditions.	No	No	Not Allowed
41	Opening of e-tender: The e-tender will be opened online on the IREPS portal anytime after the tender closing date and time. Railways reserve the right to open the tender any time after the time of closing of tender.	No	No	Not Allowed
41.1	" For any query please visit office of Sr. Dste Nagpur , SECR and can contact on Mobile No.-9730078800. One can also contact via e-mail on following address - abhinav.jarolia@gov.in ".	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The maintenance period for the instant work tender shall be-12(Twelve months) -- months from the date of completion of the work.	No	No	Not Allowed
2	"For all supply items of the work tender Schedule, Inspection: (I) RDSO/RITES: If value of item in work is more than Rs.5 Lakhs. (II) Consignee: Subject to procurement from RDSO Approved venders (If any), If value of whole item in work is less than Rs. 5 Lakhs or as per extent policy. (III) Critical item as mentioned in RDSO vender directory will continue to be inspected by RDSO.	No	No	Not Allowed
3	" PVC clause not applicable" in all Work Tender documents of S&T Deptt. Open line Works Contracts."	No	No	Not Allowed
4	3. Certificate of satisfactory performance which is the basis of payment. The certificate of satisfactory performance will be issued by representative of Sr. DSTE/Nagpur/SECR.	No	No	Not Allowed
5	4.The repaired equipments will carry repairing warranty for a period of six months from the date of handing over of the sets to consignee. In case of same failure of the repaired cards within warranty period is noticed then firm has to repair again the same equipments/cards free of cost. with warranty for a period of another six months from the date of handing over of the set to consignee	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

6	<p>A)General : 1)The contract will be govern by the general conditions of the contract & special conditions of contract as applicable to S.E.C.Railway. 2)In case any contradiction between general condition of contract & special conditions of contract, special conditions of contract will prevail over general conditions of contract. 3)Consignee of the work:- SSE/SIG/Gondia/West (for signal part-Sch-A, B, C & D) And SSE/Tele/Gondia/West (for Telecom part- Sch-E & F). 4)Sr.DPO/NGP's Letter No. P/R/NGP/Policy/Contract Labour/09 Dated 02.09.2009 for implementation of contract Labour (R&A) Act should be observed. 5)The contractor has to submit two contact number for fault reporting & passing other necessary information's 6)The rate quoted by the Contractor should be inclusive of all types of taxes , duties etc. 7)The contractor to display the following information's on steel board of size not less than 1m x 1m at all project sites for better appreciation of the project to railway officials and to the public as well. Name of the organization / Railway. -(1)Name of the project.(2) Approx. cost of project. (3)Expected date of completion.(4) Name and address of the contractor.(5) Address of engineer-in -charge.(As per Railway Board's no:-2014/CE-I/CT//21/1,dt:-10.11.14.)</p>	No	No	Not Allowed
7	<p>B)Materials : 1The Railway may issue certain materials from the Railway store to expedite the work, if the contractor due to unavoidable circumstances will delay the same in supply or if the material is not included in the items to be supplied in this tender but required during execution of the work. 2)Materials to be supplied by the contractor are to be supplied to consignee at his depot. The contractor has to load, unload & transport the materials required for work from the store depots of the division to the work site . 3)The contractor shall furnish guarantee certificate of materials/equipment supplied by him for a period not less than one year after commissioning or as per policy of the OEM which ever is higher.</p>	No	No	Not Allowed
8	<p>C) Inspection : 1) Inspection of materials : The materials/equipments to be supplied by the tenderer shall be inspected by RDSO/RITES /Railway's Representative before dispatch of the materials as specified against each item in the schedule .The cost of inspection ,and transport to the respective work site shall be borne by the tenderer.If required by Railway Engineer,these materials/equipments shall be subjected to the further inspection at the work site also and the cost thereof shall be borne by tenderer .However inspection will be carried out by the representative of Sr. DSTE/NGP/SECR if specifically not mentioned against the item. 2) All the tools / instrument required for execution & inspection will have to brought by the contractor on his own cost. 3) The equipments/materials as per RDSO specifications are to be procured from the RDSO approved sources only. The guidelines stipulated for stores procurement will hold good for procuring these items from RDSO approved Part I and Part II sources, where both sources are available. The major/bulk procurement should be done from RDSO approved Part I and only educational orders should be placed on RDSO approved Part II. Present stipulations states that maximum 15% of the total quantities can be procured from RDSO approved Part II source. The items so procured from RDSO approved Part I and Part II firms in 17:3 proportions should strictly match in their specification, size, quality, configuration so that they are interchangeable/replaceable. The equipments/ materials as per RDSO specifications can be taken fully from RDSO Part II approved sources only if there are no Part I RDSO approved sources for the same.</p>	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

9	D) Payment & Penalty : Some items in which "Supply, installation,& commissioning....etc." are clubbed, the full payment of these type of items will be released after successful installation and commissioning. However ,(1)Supply , Installation, Testing Commissioning) shall be 70% payment will be released after supply of materials, Balance 10% will release after installation. 2) Balance 20% will be released after satisfactory installation & commissioning , if due to any circumstances (which are not on account of the contractor), the entire work is not getting completed and the Railway is satisfied that the balance work will be delayed due to some circumstances which are beyond the control of the contractor and the contractor is willing to close the contract, full payment against completed activities will be released irrespective of completion of entire work.3) Imposition of token penalty for delay in the completion of work :- The existing clause 17 (B) of GCC provides for recovery of liquidated damages from the contractor for delay in completion of work. It has now been decided that the competent authority while granting extension to the currency of contract under clause 17 (B) of GCC may also consider levy of token penalty as deemed fit based on the merit of case. 4) The contractor shall take utmost care while carrying out the works including excavation so as not to cause any damage to the existing railway underground cable. JPO no:- 17/2013, dt:- 24.6.2013 issued by SECR/HQ for "undertaking digging work in the vicinity of U/G signal, electrical & telecom cable" shall be followed strictly. In case the contractor due to damages cable fault of his personnel, then contractor is liable for penalty. Penalty to be imposed per location basis for damage to the cable. Imposition of penalty shall be as (i)For damage of Quad cable & signal cable Rs. 1.0 lac (ii) For damage of OFC cable Rs. 1.25 lacs (iii)For damage of both OFC & quad Rs.1.5 lacs (iv) For damage of electrical cable Rs. 1.0 lac (Railway Board's L.no:- 2003/tele/RCIL/I pt-ix,dt:-24.6.13).	No	No	Not Allowed
10	(E) Contract Labour (R&A) Act, 1970 ProvisionsThe following provisions of Contract Labour (R&A) Act- 1970 shall be followed strictly.(i) The payment to the contract labourers should be made through bank/cheque.(ii) Identity Card should be issued to all contract workers.(iii) Necessary steps should be taken to deduct Provident fund from the payment made to the contract labour and ensure that the same is credited to their Provident fund account.(iv) Medical facilities from ESI, if applicable	No	No	Not Allowed
11	(F) Coverage of all construction workers under the ambit of Employees Provident Funds & Miscellaneous provisions Act 1952The tenderer has to ensure the following:- 1.That all workers employed in the construction work in railways establishment are registered under UAN. 2.Compliance in respect of construction /other contractual workers deployed by them through contractors/sub contractors. 3.Compliance of construction workers engaged through contractors/sub contractors, it is necessary to not only ensure separate ECRs containing provident fund account number of their workers, but also copies of wages/salary register and attendance register. 4. Remittances of provident Fund and ECR should be verified from EPFO website before releasing the bills to avoid manipulation /misappropriation of provident fund dues by contractors /sub contractors. 5.Mention PF account number and UAN number on identity card of each worker including those engaged through contractors/sub contractors. 6.UAN number of all workers has to be activated by contractor so that the workers can get their e-passbook and even know about deposit of provident fund by the contractor last month along with PF balance just by giving a missed call from their registered mobile number.	No	No	Not Allowed
12	G.The Contractor shall cordon the working area in colony and station premises at the time of work.	No	No	Not Allowed
13	H. The Contractor shall clear the debris, left over material from site after completion of work,and then only final bill will be released.	No	No	Not Allowed

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

14	I. The contractor shall take utmost care while carrying out the works so as not to cause any damage to the existing Railway underground and other cables. In case Cable is damaged by the contractor due to fault of his personal, he is liable for a penalty as per SECR's JPO No. SECR/S&T/Policy/959 dt. 16.07.12, for the loss caused to the Railway. His work is also liable to be stopped till such time he takes measures which are certified to be satisfactory by the executing supervisors.	No	No	Not Allowed
15	J. (3) In terms of provisions of clause 26A.1 to the General conditions of contract (GCC) , and R.B. letter No. 2012/CE-I/CT/O/20 dt. 10.05.2013 contractor shall employ following Qualified Engineers during execution of the allotted work:- (a) One Qualified Graduate Engineer when cost of work to be executed is Rs. 200 lakh and above ,and (b) One Qualified Diploma Holder Engineer when cost of work to be executed is more than Rs. 25 Lakh, but less than Rs. 200 Lakh. (4). Further in case the contractor fails to employ the Qualified Engineer , as aforesaid in para 3 above, he ,in terms of provisions of clause 26A.2 to the General conditions of contract , shall be liable to pay an amount of Rs. 40,000 and Rs. 25,000 for each month or part thereof for the default period for the provisions ,as contained in para 3 (a) and 3(b) above respectively.	No	No	Not Allowed

Custom

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Bidder Must go through the special conditions of Railway Board's letter No. 2018/CE-I/CT/9 04.06.2018 attached herewith and submit an option to take payment from Railways through a letter of credit (LC) arrangement.	Yes	Yes	Not Allowed
2	Tenderer has to submit details of Employment/partnership etc of Retired Railway Employees as per Indian Railways Standard General Conditions of Contract- April- 2022 (GCC-April-2022) with all correction slips up-to-date and as given in para 16 of "General instructions to tenderer" attached with tender document. Tender without the information above referred to or a statement to the effect that no such retired engineer or retired Gazetted Officer is so associated with the tenderer, as the case may be, shall be rejected. Format given in Annexure-L in attached documents.	No	No	Allowed (Mandatory)
3	Tenderer has to submit an undertaking in prescribed format (Annexure 'M') that he is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.	No	No	Allowed (Mandatory)
4	Tenderer has to submit an undertaking in prescribed format (Attached in form of Annexure 'N') that the tenderer is exempted from submission of Bid Security/Earnest Money Deposition lieu of this Bid Security Declaration "I/We understand and accept that if I/We withdraw my/our bid within bid validity period or if awarded the tender and on being called upon to submit the Performance Guarantee /Performance Security fail to submit the same within the stipulated time period mentioned in tender documents or on being called upon to sign the contract agreement fail to sign the same within stipulated period mentioned in tender documents, I/We i.e., the bidder shall be banned from submission of bids in any Works/Service Tender issued by Indian Railway for a period of 12 months from the date of such banning done on e-platform IREPS" from participation in tender. Submission of wrong information, improperly filled in, or in a format other than the prescribed format shall lead to summarily rejection of your offer. Necessary supporting documents should be uploaded in this regard Non-submission of supporting documents shall lead to summarily rejection of your offer.	No	No	Allowed (Mandatory)

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

5	All the payment will be made through electronic fund transfer only through any of the nationalized/scheduled bank. For this the proforma given at Annexure-E enclosed is to be essentially filled up by the tenderer before submitting his tender. Scanned copy of cancelled cheque of bank account mentioned in Annexure-E to be attached by the tenderer also.	No	No	Allowed (Mandatory)
6	PAN details: - Along with EFT mandate the tenderer has to upload the self-attested copy of the PAN card.	No	No	Allowed (Mandatory)
7	The tenderer has to submit copy of Authority for him being authorized signatory. (Self-declaration may be submitted in case of Proprietor ship firm and in case of partnership firm and other type of Firms, Clause 6.1 of GCC April-2022 may be referred and required documents to be submitted) & upload as.pdf file.	No	No	Allowed (Mandatory)
8	Deed of Partnership or special power of attorney, if any for the work.	No	No	Allowed (Optional)
9	List of Personnel Organization available on hand and proposed to be engaged for the subject work as per format given in Annexure-A in attached document.	No	No	Allowed (Optional)
10	List of Plants and Machinery available on hand (own) and proposed to be inducted (own and hire, to be given separately for the subject work) as per format given in Annexure-B in attached document.	No	No	Allowed (Optional)
11	List of work on hand indicating description of work, contract value, approximate value of balance work yet to be done and date of award as per format given in Annexure-C in attached documents.	No	No	Allowed (Optional)
12	The tenderer should ensure that the information/documents, being submitted in support of claim of qualifying the laid down eligibility criteria, are prepared in prescribed formats only duly signed by an official authorized to do so. Documents issuing authority must furnish all relevant information in the prescribed format itself. Complete details of issuing authority should also be indicated in the document. Furnishing incomplete, illegible, vague information may lead to rejection of offer.	No	No	Not Allowed
13	If in any of the items/condition supporting documents are to be uploaded by the tenderer which is mentioned in the description. For such items the "Not Allowed" as mentioned document uploading column shall be ignored & desired document shall be uploaded as .pdf file in documents.	No	No	Not Allowed
14	Each page of the copy of the documents/ certificates in support of Special Technical Criteria, submitted by the tenderer, shall be duly self-attested/digitally signed by the tenderer (Self Attestation shall include signature, date & stamp of the tenderer.	No	No	Allowed (Mandatory)
14.1	As per SGCC clause 10.2. Financial Eligibility Criteria: Annexure-VIB uploading is mandatory.	No	No	Allowed (Mandatory)
15	The Bank Guarantee bond Annexure- VIA	No	No	Allowed (Mandatory)

6. Documents attached with tender

S.No.	Document Name	Document Description
1	CorrectedFinal_GCC_April-22140722_compressed.pdf	GCC 22
2	LetterofLC_compressed.pdf	Letter of LC
3	Annexure-VIB.pdf	Annexure VIB
4	BidSecurityFormVIA.pdf	Annexure VIA
5	AnnexureNBidsecuritydeclarationN.PDF	Annexure N
6	AnnexureM-BlacklistingM.pdf	Annexure M
7	AnnexureWExperienceW_1.PDF	Annexure W
8	DailymaintenanceRegisterforworkcontracts_0001.pdf	Daily work register
9	Annexure6samplenewGCC-22.pdf	Annexure 6
10	ImplementationofContractors-eBookMB_compressed.pdf	MB BOOK
11	GCCACS11_compressed.pdf	ACS 11

**NAGPUR-SECR-DIVISION-S AND T/SOUTH EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: ST-loopline-PMS-GJ-26R

Closing Date/Time: 16/07/2026 15:00

12	2025_03_04RBCE_CE-I-CTACS-10_compressed.pdf	ACS 10
13	2025_01_09ACS-9_compressed.pdf	ACS 09
14	ACS-8.pdf	ACS 08
15	ACS-07.pdf	ACS 07
16	ACS-6.pdf	ACS 06
17	ACS-05.pdf	ACS 05
18	ACS-04.pdf	ACS 04
19	2023_04_26RBCE_CE-I-CTACS-311_compressed.pdf	ACS 03
20	ACSNo_2.pdf	ACS 02
21	_ACS-1compressed.pdf	ACS 01

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: ABHINAV JAROLIA

Designation : Sr.DSTENGP