

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

DRM-W-KIR acting for and on behalf of The President of India invites E-Tenders against Tender No **01-KIR-Engg-26-2026** Closing Date/Time 20/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	ABSS:- Extension of high level platform with improvement to platform surface and provision of PP shed along with other ancillary works at Bhaluka Road.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	20/07/2026 15:00	Date Time Of Uploading Tender	25/06/2026 12:29
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	88136268.71	Tendering Section	DEN/1/KIR
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	1762700.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	06/07/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-DSR							83087636.49	Above/ Below/Par
1	Please see Item Breakup for details.				70317904.95	18.16	83087636.49	
	Description:- Execution of work as per Annexure I							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-USSOR							424309.30	Above/ Below/Par
2	Please see Item Breakup for details.				646123.50	(-) 34.33	424309.30	
	Description:- Execution of work as per Annexure I							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () C-NS							4624322.92	Above/ Below/Par
3	Please see Item Breakup for details.				4624322.92	AT Par	4624322.92	
	Description:- Execution of work as per Annexure I							

3. ITEM BREAKUP

Schedule	Schedule A-DSR						
Item- 1	Execution of work as per Annexure I						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount	
	2.0	EARTH WORK					

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	2.1S	General				
	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.				
1	2.6.1	All kinds of soil	cum	2620	177.5	465050
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
2	2.8.1	All kinds of soil.	cum	81	260.3	21084.3
	2.18	Close timbering over areas including strutting, shoring and packing cavities (wherever required) etc. complete. (Measurements to be taken of the face area timbered):				
3	2.18.2	Depth exceeding 1.5 m but not exceeding 3 m	Sqm	2281.6	144.1	328778.56
4	2.27	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	cum	317.5	2123.75	674290.63
5	2.31	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.	Sqm	1058	17.6	18620.8
	2.33	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material.				
6	2.33.1	Beyond 30 cm girth upto and including 60 cm girth	Each	8	532.35	4258.8
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
7	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	158.7	7294.7	1157668.89
8	4.1.8	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	57.6	6812	392371.2
	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
9	4.3.1	Foundations, footings, bases for columns	Sqm	60.8	392.15	23842.72
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
10	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	288	392.15	112939.2

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

11	5.9.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	25	842.5	21062.5
12	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	40	927.25	37090
13	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	50	736.4	36820
14	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	483.6	961.3	464884.68
	5.22S	STEEL REINFORCEMENT				
	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
15	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	34270	107.85	3696019.5
	5.33S	DESIGN MIX CONCRETE				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.:				
	5.33.1	All works upto plinth level				
16	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	5	9504.75	47523.75
17	5.33.1.4	Concrete of M40 grade with minimum cement content of 390 kg/cum	cum	339.4	9957.65	3379626.41
	5.33.2	All works above plinth level upto floor V level				
18	5.33.2.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	7	9860.4	69022.8
19	5.33.2.4	Concrete of M40 grade with minimum cement content of 390 kg /cum	cum	19.44	10313.3	200490.55
	6.0	MASONRY WORK				
	6.1S	General				
	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
20	6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	35	9105.95	318708.25
	6.12S	HALF BRICK MASONRY				
	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
21	6.13.2	Cement mortar 1:4 (1 cement :4 coarse sand)	Sqm	50	1123.8	56190
	8.0	CLADDING WORK				
	8.1S	General				

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.3	Granite stone slab all colour and texture except black, Cherry/Ruby red				
22	8.2.3.2	Area of slab over 0.50 sqm	Sqm	20	3848.7	76974
	8.3	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
23	8.3.2	Granite work	Metre	50	510.95	25547.5
	8.20S	STONE WORK DRY CLADDING				
24	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	50	1267.95	63397.5
	9.0	WOOD AND P.V.C. WORK				
	9.40S	MISCELLANEOUS-WOOD WORK				
	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
25	9.48.2	Fixed to openings /wooden frames with rawl plugs screws etc.	Kg	200	238.35	47670
	9.72S	BRASS FITTINGS				
26	9.84	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	Each	4	983.15	3932.6
	9.105S	GYPSUM BOARD PARTITIONS				
27	9.119	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5 mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer- in-Charge.	Metre	23	492.7	11332.1

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	9.120	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, panelling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing.				
28	9.120.2	30 mm thick pre laminated PVC door shutters	Sqm	8.5	3663.8	31142.3

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	9.147	Providing and fixing factory made uPVC glazed/wire mesh windows/ doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.				
	9.147.C2	Fixed window / ventilator with mullion / transom				
29	9.147.C2.2	Using R2 series with frame (39mm & above) x (39mm & above) & mullion (39mm & above) x (60mm & above). (Height upto 1.2 meter)	Sqm	10	8765.4	87654
	10.0	STEEL WORK				
	10.15	General				
30	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	32280	133.7	4315836
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
31	10.16.1	Hot finished welded type tubes	Kg	163700	194.4	31823280
32	10.19	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	Kg	3590	97.2	348948
33	10.20	Providing and fixing bolts including nuts and washers complete.	Kg	2525	159.35	402358.75

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

34	10.28	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, including fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	Kg	500	772.4	386200
	11.0	FLOORING				
	11.1S	General				
35	11.2	Dry brick on edge flooring in required pattern with bricks of class designation 7.5 on a bed of 12 mm mud mortar, including filling joints with Jamuna sand, with common burnt clay non modular bricks.	Sqm	1058	792.05	837988.9
36	11.7	Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete.	cum	158.7	8595.15	1364050.31
	11.16S	TILE FLOORING				
	11.20	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand).				
37	11.20.3	Dark shade pigment using ordinary cement	Sqm	150	1119.5	167925
	11.26S	KOTA STONE FLOORING				
	11.26	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
38	11.26.1	25 mm thick	Sqm	6545	1948.25	12751296.25
	11.41S	VITRIFIED FLOOR TILES				
	11.41A	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.				
	11.41A.3	Glazed Vitrified tiles Matt/Antiskid finish of size				
39	11.41A.3.1	Size of Tile 600 x 600 mm	Sqm	50	1464.85	73242.5

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	11.55	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge :				
40	11.55.1	Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	Sqm	20	3186.7	63734
	12.0	ROOFING				
	12.37S	RAIN WATER SPOUT AND PIPE				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
41	12.41.2	110 mm diameter	Metre	5	377.4	1887
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.5	Bend 87.5 degree				
42	12.42.5.2	110 mm bend	Each	1	150.35	150.35
	12.42.6	Shoe (Plain)				
43	12.42.6.2	110 mm Shoe	Each	1	131.85	131.85
	12.43	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
44	12.43.2	110 mm	Each	2	371.3	742.6
45	12.44	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	Each	40	54.7	2188

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

46	12.50	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	2730	738.65	2016514.5
	12.51	Providing and fixing precoated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :				
47	12.51.6	Gutter (600 mm over all girth)	Metre	240	1313.7	315288
	13.0	FINISHING				
	13.4S	CEMENT PLASTER (IN COARSE SAND)				
	13.4	12 mm cement plaster of mix :				
48	13.4.2	1:6 (1 cement: 6 coarse sand)	Sqm	50	343.65	17182.5
	13.5	15 mm cement plaster on rough side of single or half brick wall of mix:				
49	13.5.1	1:4 (1 cement: 4 coarse sand)	Sqm	50	411.75	20587.5
	13.16S	6 mm CEMENT PLASTER				
	13.16	6 mm cement plaster of mix :				
50	13.16.1	1:3 (1 cement : 3 fine sand)	Sqm	50	300.45	15022.5
51	13.18	Neat cement punning.	Sqm	10	79.95	799.5
	13.20S	PEBBLE DASH PLASTER				
52	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	100	262.7	26270
	13.37S	INTERIOR FINISHING				
	13.41	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour :				
53	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	Sqm	50	185.65	9282.5
	13.44S	EXTERIOR FINISHING				
	13.46	Finishing walls with Acrylic Smooth exterior paint of required shade :				
54	13.46.1	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	Sqm	100	160.6	16060

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	13.63	Painting with aluminium paint of approved brand and manufacture to give an even shade .				
55	13.63.1	Two or more coats on new work	Sqm	3560	146.8	522608
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
56	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	20	2434.25	48685
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
57	15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	7332	73.4	538168.8
58	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	183.3	263.95	48382.04
	16.0	ROAD WORK				
	16.49S	MISCELLANEOUS				
59	16.90	Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.	Sqm	378.6	2017.6	763863.36
	17.0	SANITARY INSTALLATIONS				
	17.1S	General				
	17.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :				
60	17.2.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	6	6515.55	39093.3
	17.4	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
61	17.4.1	One urinal basin with 5 litre white P.V.C. automatic flushing cistern	Each	4	6258.75	25035

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	17.6	Providing and fixing one piece construction white vitreous china squatting plate with an integral longitudinal flushing pipe, white P.V.C. automatic flushing cistern, with fittings, standard size G.I. / PVC flush pipe for back and front flush with standard spreader pipes with fittings, G.I clamps and C.P. brass coupling complete, including painting of fittings and cutting and making good the walls and floors etc. wherever required :				
62	17.6.1	Single squatting plate with 5 litre P.V.C. automatic flushing cistern	Each	4	9256.45	37025.8
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
63	17.7.3	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	6	2301.75	13810.5
64	17.8	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	Each	6	1683.35	10100.1
65	17.16A	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.	Each	6	349.15	2094.9
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.1	Semi rigid pipe				
66	17.28.1.1	32 mm dia	Each	32	103.9	3324.8
67	17.31	Providing and fixing 600x450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Each	6	1607.95	9647.7
68	17.33	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	Each	6	1083.5	6501
	17.35	Providing and fixing soil, waste and vent pipes :				
	17.35.1	100 mm dia				
69	17.35.1.1	Sand cast iron S&S pipe as per IS: 1729	Metre	36	1151.9	41468.4
	17.38	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
	17.38.1	100 mm dia				
70	17.38.1.1	Sand cast iron S&S as per IS - 1729	Each	32	598.5	19152
	17.73	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.				
71	17.73.2	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	Each	6	708.95	4253.7
	18.0	WATER SUPPLY				
	18.7S	C.P.V.C. PIPES				

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

	18.11	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, including making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :				
72	18.11.2	20 mm dia nominal bore	Metre	80	635.2	50816
	18.12	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work				
73	18.12.3	25 mm dia nominal bore	Metre	80	467.75	37420
74	18.12.5	40 mm dia nominal bore	Metre	400	617.05	246820
	18.23S	C.I./DUCTILE IRON PIPES & SPECIALS				
	18.25	Providing and laying S&S C.I. standard specials such as tees, bends, collars, tapers, caps etc. (Heavy class):				
75	18.25.1	Up to 300 mm dia	Quintal	15	6352.4	95286
	18.27	Providing and laying S&S centrifugally cast (spun) iron pipes (Class LA) conforming to IS - 1536 :				
76	18.27.3	150 mm dia pipe	Metre	400	2037	814800
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
77	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	1000	11	11000
	18.49S	C.P. BRASS FITTINGS				
	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
78	18.49.1	15 mm nominal bore	Each	64	506.8	32435.2
	18.50	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.				
79	18.50.1	15 mm nominal bore	Each	6	820.7	4924.2
	18.53	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
80	18.53.1	15mm nominal bore	Each	6	574.3	3445.8
	18.59S	AIR VALVE & WATER METER (BULK TYPE)				
81	18.65	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	Each	10	111.45	1114.5
	19.0	DRAINAGE				
	19.1S	STONE WARE PIPES AND FITTINGS				
	19.3	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand :10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design :				
82	19.3.2	150 mm diameter S.W. pipe	Metre	48	743.1	35668.8
					Total	70317904.95
Schedule	Schedule B-USSOR					
Item- 2	Execution of work as per Annexure I					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

		Earthwork in filling in embankment, guide bunds, around buried type abutments, bridge gaps, trolley refuges, platforms etc. with contractor's own earth conforming to Soil Quality Class SQ1/SQ2/SQ3, after preparation of foundations as applicable, benching in existing banks wherever required, spreading in layers with motor grader, bringing the moisture content to OMC, mechanical compaction to specified density and dressing of bank to final profile as per RDSO Specifications: RDSO/2020/GE: IRS-0004 with latest correction slips. Note: 1) Foundation preparation, Benching including additional earthwork on account of this, wherever required, shall be paid extra under relevant schedule item for benching. 2) Payment for Earthwork under this item shall be made based on the cross section measurements calculated (i) with original ground profile of existing bank based on initial ground levels before doing benching and (ii) final profile of the bank worked out with final levels as per prevailing guidelines.				
1	011031	Using Soil Class SQ1	cum	1650.00	391.59	646123.50
					Total	646123.50
Schedule	Schedule C-NS					
Item- 3	Execution of work as per Annexure I					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Manufacturing, supplying & fixing of pre-fabricated RCC coping stone of size 530mm x 1125mm x100mm thick as per top face designed and approved by site Engineer with M-30 grade RCC with 8 mm dia. tor steel at 150mm c/c both way sand manufactured by vibro compaction process using jointless FRP/GRP steel moulds of required size, shape & design. The item includes cost of cement, reinforcement, transportation etc. (Note :Under layer of cement mortar to be laid as per site conditions & should be paid for separately)	Each	2245.00	1351.96	3035150.20
2	2	Supplying manufacturing ,fitting and fixing in position of M-35 Grade precast RCC passengers platform wall as per NRHQE(P)s Drg number p-209-MS 2014 including the cost of cement Reinforcement (i.e cost also includes cutting ,hooking, bending and binding of reinforcement centering, shuttering, finishing, admixtures in recommended proportion to accelerate, retard, setting of concrete, cost of transportation loading unloading ,x-ing of track nallah etc. Rate also includes cost of hiring of Hydra crane fuels driver operator for unloading fixing of precast wall in true line and level as per direction of engineer in charge or authorised representative. No extra payment will be given for any kind of taxes,royalties etc.	Each	168.00	7392.94	1242013.92

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

3	3	Supplying, erecting and fixing precast concrete reinforced bench with back res. Bench shall consist of 2 nos. L shaped base support in natural cement colour of thickness 100 mm, back height 1000 mm, front height 450 mm, base width 620 mm and 5 nos. reinforced concrete planks in red colour and size of 1500 x 100 x 50mm and 1 no. reinforced concrete plank of 150 x 200 x 50mm; manufactured by using M-30 grade concrete & reinforced suitably; all parts to be joined with galvanised nuts and bolts of suitable size. All bolts to be sealed after assembly. Complete job to be done as per directions of Engineer Incharge.	Each	60.00	5785.98	347158.80
Total					4624322.92	

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-XIVA, of STD/June/22 along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Technical Eligibility Criteria as under (Document in support of Technical Eligibility Criteria should be submitted/uploaded as per Anneuxre-V of tender document) :	No	No	Allowed (Mandatory)
1.1	(a)The tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Not Allowed
1.2	(b)(i) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender.	No	No	Not Allowed
1.3	Note for para 1.2 above: Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components.	No	No	Not Allowed
1.4	(b) (ii) In such cases, what constitutes a component in a composite work shall be clearly predefined with estimated tender cost of it, as part of the tender documents without any ambiguity.	No	No	Not Allowed

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

1.4.1	Note for Standard Technical Criteria: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered atleast 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
1.5	(b)(iii) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing	No	No	Not Allowed
1.6	Definition Of Similar Work : - Any Civil Engineering work involving concrete and steel structure works.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	" No post tender correspondence will be done with the participant tenderer(s) for deficient credentials noted during scrutiny of tender/offer nor any credential will be accepted after opening of the tender and the offer shall be decided on the basis of submitted/Credentials downloaded with offer only"	No	No	Not Allowed
2	The tenderer whether sole proprietor/ a company or a partnership firm/ registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the power of Attorney is being issued. However, the power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate	No	No	Not Allowed
3	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender.	No	No	Not Allowed

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

4	After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society/HUF etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted	No	No	Not Allowed
---	---	----	----	-------------

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
2	Tender form (First Sheet) as per 'Annexure-I'	No	No	Allowed (Mandatory)
3	Firm details as per 'Annexure-II'	No	No	Allowed (Mandatory)
4	Self attested copy of Permanent Account Number (PAN) issued by Income Tax Department.	No	No	Allowed (Mandatory)
5	Documents to be submitted by tenderer as per status of their firms. These documents are listed below-	No	No	Not Allowed
5.1	For Sole Proprietorship firm:- (i) Affidavit as per 'Annexure -X'. (ii) Special power of Attorney as per proforma given in 'Annexure-XI' to be submitted by sole proprietor firm duly notarized. (Not required if tender documents are submitted by proprietor himself) (iii) An undertaking that he is not blacklisted or debarred by Railways or any other Ministry/Department of Govt. of India from Participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was/is a partner/member concealment/wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iv) All documents in terms of explanatory notes in clause 22 of STD/June/22.	No	No	Allowed (Mandatory)
5.2	For Partnership firm- (i) A notarized copy of partnership deed. (ii) A notarized or registered copy of special Power of Attorney (duly registered as per prevailing law) in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm as per proforma given in Annexure-XII (Not required if one or more partners are authorized in Partnership deed to sign on behalf of the firm.) (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India / any State Govt. from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iv) The tenderer shall submit documents as mentioned in clause 23.10 of the Tender Form (Second Sheet) of STD/June/22	No	No	Allowed (Mandatory)

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

5.3	HUF:- (i)A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) An undertaking that the HUF is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which HUF was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of explanatory notes in clause 22 of STD/June/22.	No	No	Allowed (Mandatory)
5.4	Company registered under Companies Act-2013: The tenderer shall submit :- (i) the copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company, as per proforma given in Annexure-XIII' (iii) A copy of Certificate of incorporation (iv) An under taking the Company is not blacklisted or debarred by Railway or any other Ministry/Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of explanatory notes in clause 22 of STD/June/22.	No	No	Allowed (Mandatory)
5.5	LLP (Limited Liability Partnership) Firm: If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit alongwith the tender- (i) a copy of LLP Agreement, (ii) a copy of Certificate of Incorporation; and (iii) a copy of Power of Attorney/Authorisation issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract.(v) All other documents in terms of explanatory notes in clause 22 of STD/June/22.	No	No	Allowed (Mandatory)
5.6	Registered Society & Registered Trust: The tenderer shall submit:- (i) a copy of the Certificate of Registration, (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society. (v) All other documents in terms of explanatory notes in clause 22 of STD/June/22.	No	No	Allowed (Mandatory)
6	As per Railway Board letter No. 2022/CE-I/CT/GCC Correspondence dated 14.05.2024 On IREPS Module, a facility has already been created for online submission of Annexure-III. (Annexure-V of GCC/2022) However, in addition to Annexure-III (Annexure-V of GCC/2022), in case of other than Company/Proprietary firm, Annexure -III(A) shall also be submitted by the each member of a Partnership Firm / Joint Venture (JV) / Hindu Undivided Family (HUH / Limited Liability Partnership (LLP) etc, as the case may be. Non submission of above certificate(s) by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested/digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender document.	No	No	Allowed (Mandatory)

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

7	BID Security (Bank Guarantee Bond from)-Annexure-XXII, The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e excluding the last date of submission of bids).	No	No	Allowed (Mandatory)
---	--	----	----	---------------------

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Mandatory updation of Labour data on Railway's Shramikkalyan portal by Contractor to payment of wages should be followed as per tender documents para-25.0.	No	No	Not Allowed
2	In case of any difficulty, help desk available on the website of IREPS may be approached.	No	No	Not Allowed
3	For those conditions for which standard formats have been given in the uploaded document titled-Formats for uploading of various format. The information should only be submitted in these standard formats.	No	No	Not Allowed
4	Rates are inclusive of all taxes/octroi, license fee, royalty charges etc. legally leviable by State, Central Govt. and/or any other local authority.	No	No	Not Allowed
5	General Conditions of Contract -2022 and Standard Specifications as laid down in the Indian Railways Unified Standard Specifications-2021/CPWD Specifications 2019 Vol I & II as amended by correction slips on or before the opening of tender.	No	No	Not Allowed
6	Sales tax/Business tax, Royalty etc. will be recovered as per extant instruction on the subject.	No	No	Not Allowed
7	Note for Commercial compliance :-	No	No	Not Allowed
7.1	Certificates from private individuals for whom such works are executed being executed is not acceptable.	No	No	Not Allowed
8	For Standard Financial criteria and Standard Technical criteria - Tenderers are required to submitted authenticated certificate along with the tenders from officers of government or semi-government/public sector undertakings under whom the work has been executed indicating there in the name of work executed, value of works/payment details and period during which completed. Such certificates should have signature and seal of the concerned officer. In the absence of such certificate the tender may not be considered.	No	No	Not Allowed
9	Due to roll out of GST with effect from 01.07.2017. The following additional terms and special condition are given below-	No	No	Not Allowed
9.1	For the tenders due to open before roll out of GST- All the bidders/tenderers while quoting the rates should clearly indicate the rate of applicable duties and taxes included in the prices quoted by them. Any variation in tax structure/rate due to introduction of GST, shall be dealt with under Statutory Variation Clause.	No	No	Not Allowed
9.2	For the tenders opening after roll out of GST- All the bidders/tenders should ensure that they are GST compliant and their quoted tax structure/rates are as per GST Law.	No	No	Not Allowed
10	Tender will be opened at the specified time and date. In case the specified date is declared a holiday, the tender would be opened at the same time on the next working day.	No	No	Not Allowed
11	The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway,make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification by the railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the railway thereunder.	No	No	Not Allowed

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

12	In case any wrong information submitted by tenderer, the contract shall be terminated, Bid Security, Performance Guarantee(PG) and Security Deposit(SD) of contract forfeited and agency barred for doing business of entire Indian Railways for 2(two) years. (Railway Board's L/No. 2017/Trans/01/Policy dated 08.02.2018)	No	No	Not Allowed
13	Price variation Clause (PVC) in Works Contract is dealt with in accordance with provisions of item 46A of GCC-2022 and Advance correction slip No. 1 dated 14.07.2022 & GM/W/MLG's letter dated 25.07.2022.(Section-III of tender documents clause No.5). Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores .Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustments (i.e. shall be excluded from the gross value of the work for the purpose of price variation)	No	No	Not Allowed
14	In partial modification to Railway Board's letter No. 2007/CE.1/CT/18 dated 05.07.2010 and 14.09.2017, it has been decided to extend the scope of PMC services for all works contracts costing more than Rs. 10 Crore in open line.	No	No	Not Allowed
15	JOINT VENTURE will not be permitted for the tender value upto Rs. 10 Crores.	No	No	Not Allowed
16	Any Conditional offer will be summarily rejected.	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The following documents should be specified for submission along with tender (all the annexure are attached in tender documents)	No	No	Not Allowed
1.1	List of Personnel, Organization available on hand and proposed to be engaged for the subject work as per 'Annexure-VIII'	No	No	Allowed (Optional)
1.2	List of plants & Machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work in 'Annexure-VII'.	No	No	Allowed (Optional)
1.3	List of works on hand as per proforma given in 'Annexure-VI'	No	No	Allowed (Optional)
1.4	List of works of similar nature physically completed in all respects as per clause No. 10 (Pt.I) of GCC/2022 and as per proforma given in 'Annexure-IV'	No	No	Allowed (Optional)
1.5	The tenderer(s) would fill up the check list, as per Annexure-XXV to ensure that they are submitting the complete tender offer.	No	No	Allowed (Optional)
1.6	Any other document in support of his/their credentials/scheme.	No	No	Allowed (Optional)
1.7	Model form of bank guarantee bond for PG as per 'Annexure-XVIII'	No	No	Allowed (Optional)
2	Request letter from Executive Branch to Accounts Office Opening of LC- 'Annexure-XX'	No	No	Allowed (Optional)
3	DOCUMENT OF AUTHORIZATION (for LC)-'Annexure-XXI'	No	No	Allowed (Optional)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	NoticeInvitingTender.pdf	Notice Inviting Tender
2	AdvanceCorrectionSlipNo_11_.pdf	Advance Correction Slip No 11
3	Tenderdocumentandannexures.pdf	Tender Documents and Annexures

**KATIHAR DIVISION-ENGINEERING/N F RLY
TENDER DOCUMENT**

Tender No: 01-KIR-Engg-26-2026

Closing Date/Time: 20/07/2026 15:00

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: SANKALP AGARWAL

Designation : DEN/I/KIR