

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

DRM-Works/Agra acting for and on behalf of The President of India invites E-Tenders against Tender No **2026-June-04-02** Closing Date/Time 08/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Agra Division- Provision of all balance facilities for divyangjans at RNKA, RBS, RDE, VRBD & SHLK Stations.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	08/07/2026 15:00	Date Time Of Uploading Tender	16/06/2026 19:20
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	20906558.26	Tendering Section	MTJ PWL
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	418100.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	24/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-Part-A CPWD DSOR 2021 Items for MTJ- PWL: Provision of Divyang facilities at RDE, SHLK and VRBD station in MTJ -PWL section							11036813.25	Above/ Below/Par
1	2.31	1000.00	Sqm	14.50	14500.00	AT Par	14500.00	
	Description:- EARTH WORK // Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.							
2	15.2.1	220.00	cum	2007.10	441562.00	AT Par	441562.00	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. // Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)							
3	2.8.1	40.00	cum	286.85	11474.00	AT Par	11474.00	
	Description:- EARTH WORK // Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. // All kinds of soil.							
4	4.1.2	50.00	cum	7783.65	389182.50	AT Par	389182.50	
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : // 1:1.5:3 (1 Cement: 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)							
5	4.1.6	125.00	cum	6670.25	833781.25	AT Par	833781.25	
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : // 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 40 mm nominal size derived from natural sources)							
	5.3	20.00	cum	10719.30	214386.00	AT Par	214386.00	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

6	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).						
7	5.22A.6	3000.00	Kg	89.65	268950.00	AT Par	268950.00
	Description:- REINFORCED CEMENT CONCRETE // STEEL REINFORCEMENT // Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. // Thermo-Mechanically Treated bars of grade Fe-500D or more.						
8	5.9.5	50.00	Sqm	608.35	30417.50	AT Par	30417.50
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Lintels, beams, plinth beams, girders, bressumers and cantilevers						
9	5.9.3	150.00	Sqm	766.55	114982.50	AT Par	114982.50
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Suspended floors, roofs, landings, balconies and access platform						
10	5.9.16.1	100.00	Metre	181.90	18190.00	AT Par	18190.00
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Edges of slabs and breaks in floors and walls // Under 20 cm wide						
11	6.1.1	60.00	cum	6882.00	412920.00	AT Par	412920.00
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: // Cement mortar 1:4 (1 cement : 4 coarse sand)						
12	6.4.1	75.00	cum	8512.10	638407.50	AT Par	638407.50
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : // Cement mortar 1:4 (1 cement : 4 coarse sand)						
13	9.20.2	22.00	Sqm	2818.50	62007.00	AT Par	62007.00
	Description:- WOOD AND P.V.C. WORK // Providing and fixing 25 mm thick shutters for cup board etc. : // Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. // 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws						
14	10.25.2	400.00	Kg	142.30	56920.00	AT Par	56920.00
	Description:- STEEL WORK // Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. // In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works						
15	10.30.1	12.00	Sqm	940.30	11283.60	AT Par	11283.60
	Description:- STEEL WORK // Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with : // 4.0 mm thick glass panes (weight not less than 10 kg/sqm)						
16	11.37	100.00	Sqm	935.60	93560.00	AT Par	93560.00
	Description:- FLOORING // CERAMIC GLAZED TILES // Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.						
17	13.1.1	550.00	Sqm	294.85	162167.50	AT Par	162167.50
	Description:- FINISHING // CEMENT PLASTER (IN FINE SAND) // 12 mm cement plaster of mix : // 1:4 (1 cement: 4 fine sand)						
18	13.80	150.00	Sqm	123.85	18577.50	AT Par	18577.50
	Description:- FINISHING // Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.						
19	13.41.1	150.00	Sqm	162.55	24382.50	AT Par	24382.50
	Description:- FINISHING // Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : // New work (two or more coats) over and including water thinnable priming coat with cement primer						
20	13.44.1	150.00	Sqm	97.60	14640.00	AT Par	14640.00
	Description:- FINISHING // EXTERIOR FINISHING // Finishing walls with water proofing cement paint of required shade : // New work (Two or more coats applied @ 3.84 kg/10 sqm)						

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

21	13.48.3	25.00	Sqm	140.05	3501.25	AT Par	3501.25	
	Description:- FINISHING // EXTERIOR FINISHING // Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications : // Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture							
22	15.60	250.00	cum	219.35	54837.50	AT Par	54837.50	
	Description:- DISMANTLING AND DEMOLISHING // Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.							
23	17.7.1	6.00	Each	2275.00	13650.00	AT Par	13650.00	
	Description:- SANITARY INSTALLATIONS // Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: // White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps							
24	17.1.1	3.00	Each	5781.35	17344.05	AT Par	17344.05	
	Description:- SANITARY INSTALLATIONS // Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: // White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests							
25	17.2.1	3.00	Each	5540.55	16621.65	AT Par	16621.65	
	Description:- SANITARY INSTALLATIONS // Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : // W.C. pan with ISI marked white solid plastic seat and lid							
26	17.16A	3.00	Each	299.35	898.05	AT Par	898.05	
	Description:- SANITARY INSTALLATIONS // Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.							
27	17.23	6.00	Each	1382.30	8293.80	AT Par	8293.80	
	Description:- SANITARY INSTALLATIONS // Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.							
28	18.7.3	50.00	Metre	408.55	20427.50	AT Par	20427.50	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.-Internal work - Exposed on wall // 25 mm nominal dia Pipes							
29	18.8.2	45.00	Metre	513.75	23118.75	AT Par	23118.75	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge, Concealed work, including cutting chases and making good the wall etc. // 20 mm nominal dia Pipes							
30	18.48	2000.00	Litre	9.70	19400.00	AT Par	19400.00	
	Description:- WATER SUPPLY // C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES // Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.							
31	18.62.1	6.00	Each	161.55	969.30	AT Par	969.30	
	Description:- WATER SUPPLY // AIR VALVE & WATER METER (BULK TYPE) // Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball. // 15 mm nominal bore, 105 mm long, weighing not less than 138 gms							
32	18.54.1	20.00	Each	109.85	2197.00	AT Par	2197.00	
	Description:- WATER SUPPLY // PTMT FITTINGS // Providing and fixing PTMT bib cock of approved quality and colour. // 15mm nominal bore, 86 mm long, weighing not less than 88 gms							
33	18.58.1.1	20.00	Each	33.20	664.00	AT Par	664.00	
	Description:- WATER SUPPLY // Providing and fixing PTMT grating of approved quality and colour. // Circular type // 100 mm nominal dia							

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

34	18.74.2	12.00	Each	107.90	1294.80	AT Par	1294.80	
	Description:- WATER SUPPLY // AIR VALVE & WATER METER (BULK TYPE) // Providing and fixing unplastised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour. // 15 mm nominal bore with 45 cm length							
35	12.42.5.2	25.00	Each	132.00	3300.00	AT Par	3300.00	
	Description:- ROOFING // Providing and fixing on wall face unplastised - PVC moulded fittings/ accessories for unplastised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Bend 87.5 degrees // 110 mm bend							
36	12.41.2	120.00	Metre	319.75	38370.00	AT Par	38370.00	
	Description:- ROOFING // Providing, fixing and embedding sand cast iron accessories for rain water pipes in the masonry surrounded with 12 mm thick cement mortar of the same mix, as that of masonry (lead caulking will be paid for separately): // Providing and fixing on wall face unplastised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. // 110 mm diameter							
37	16.90	2100.00	Sqm	1719.00	3609900.00	AT Par	3609900.00	
	Description:- ROAD WORK // MISCELLANEOUS // Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.							
38	11.19.2	300.00	Sqm	1312.10	393630.00	AT Par	393630.00	
	Description:- FLOORING // TILE FLOORING // Chequered terrazo tiles 22 mm thick with graded marble chips of size up to 6 mm in floors, jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing and polishing complete, on 20 mm thick bed of cement mortar 1:4 (1 cement :4 coarse sand) : // Medium shade pigment using 50% white cement, 50% ordinary cement							
39	18.57.1	250.00	Each	96.45	24112.50	AT Par	24112.50	
	Description:- WATER SUPPLY // PTMT FITTINGS // Providing and fixing PTMT, push cock of approved quality and colour. // 15 mm nominal bore, 98 mm long, weighing not less than 75 gms							
40	8.31	220.00	Sqm	1063.45	233959.00	AT Par	233959.00	
	Description:- CLADDING WORK // STONE WORK DRY CLADDING // Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.							
41	11.7	10.00	cum	7958.65	79586.50	AT Par	79586.50	
	Description:- FLOORING // Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete.							
42	16.91.2	500.00	Sqm	1011.20	505600.00	AT Par	505600.00	
	Description:- ROAD WORK // MISCELLANEOUS // Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. // 80 mm thick C.C. paver block of M-30 grade with approved color design and pattern.							
43	10.28	1000.00	Kg	612.25	612250.00	AT Par	612250.00	
	Description:- STEEL WORK // Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).							
44	10.2	2000.00	Kg	111.95	223900.00	AT Par	223900.00	
	Description:- STEEL WORK // Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.							
	12.4.1	40.00	Metre	822.15	32886.00	AT Par	32886.00	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

45	Description:- ROOFING // SHEET ROOFING // Providing ridges or hips of width 60 cm overall width plain G.S. sheet fixed with polymer coated J or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete. // 0.80 mm thick with zinc coating not less than 275 gm/sqm						
	12.1.2	200.00	Sqm	1135.45	227090.00	AT Par	227090.00
46	Description:- ROOFING // SHEET ROOFING // Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. // 0.80 mm thick with zinc coating not less than 275 gm/sqm						
	16.60.1	40.00	Sqm	5609.55	224382.00	AT Par	224382.00
47	Description:- ROAD WORK // MISCELLANEOUS // Manufacturing, supplying and fixing retro reflective overhead signage boards made up of 2 mm thick aluminium sheet, face to be fully covered with high intensity and encapsulated lens type heat activated retro reflective sheeting conforming to type - III of ASTM-D-4956-01 as approved by Engineer-in-charge, letters, borders etc. as per IRC : 67-2001 in silver white with blue colour back ground and with high intensity grade, pasted on substrate by pressure sensitive adhesive backing which shall be activated by applying pressure conforming to class II of ASTM-D-4956-01 and fixing the same to the plate of structural frame work by means of suitable sized aluminium alloys, rivets or bolts & nuts @ 300 mm centre to centre all along the periphery as well as in two vertical rows along with theft resistant measures, including the cost of painting with two or more coats of epoxy paint in grey colour on the back side of aluminium sheet including appropriate priming coat. The rate includes the cost of rounding off the corners, lowering down the structural frame work from the gantry, fixing and erecting the same in position all complete as per drawings, specification and direction of the engineer-in-charge.(Structural frame work including M.S. plate to be provided separately. Rectangular area of the sheet only shall be measured for payment). // Overhead informatory road signage						
	11.55.1	100.00	Sqm	2589.90	258990.00	AT Par	258990.00
48	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge : // Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.						
	16.81	80.00	Metre	2827.40	226192.00	AT Par	226192.00
49	Description:- ROAD WORK // MISCELLANEOUS // Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or 50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading shall not be removed without prior approval of Engineer-in-Charge.						
	9.141	50.00	Metre	462.25	23112.50	AT Par	23112.50
50	Description:- WOOD AND P.V.C. WORK // Providing and fixing wire gauge shutters using stainless steel grade 304 wire gauge with wire of dia 0.5 mm and average width of aperture 1.4 mm in both directions for doors, windows and clerestory windows with necessary screws : // Providing and fixing PVC Door Frame of size 50x47 mm with a wall thickness of 5 mm (+/- 0.2 mm), made out of single piece extruded PVC profile, with mitred cut joints and joint with 2 nos of PVC bracket of size 190 mm x 100 mm long arms of cross section size 35 x 15 mm & self driven self tapping screws, the vertical door profiles to be reinforced with 40x20 mm M.S. rectangular tube of 0.8 mm , including providing EPDM rubber gasket weather seal throughout the frame, including jointing 5 mm PVC frame strip with PVC solvent cement on the back of the profile. The door frame to be fixed to the wall using 8 x100 mm long anchor fasteners complete, all as per manufacturer's specification and direction of Engineer -in- charge.						
	9.142.1	20.00	Sqm	3467.20	69344.00	AT Par	69344.00

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

51	Description:- WOOD AND P.V.C. WORK // Providing and fixing wire gauge shutters using stainless steel grade 304 wire gauge with wire of dia 0.5 mm and average width of aperture 1.4 mm in both directions for doors, windows and clerestory windows with necessary screws : // 35 mm thick factory made Solid panel PVC Door shutter, made out of single piece extruded solid PVC profiles, 5 mm (+/- 0.2 mm) thick, having styles & rails (except lock rail) of size 95 mmx 35 mm x 5 mm, out of which 75 mm shall be flat and 20 mm shall be tapered (on both side), having one side thickness of 15 mm integrally extruded on the hinge side of the profile for better screw holding power, including reinforcing with MS tube of size 40 mm X 20 mm x 1 mm, joints of styles & rails to be mitred cut & joint with the help of PVC solvent cement, self driven self tapping screws & M.S. rectangular pipes bracket of size 190 mm X 100 mm of cross section size 35 mm x 17 mm x 1 mm at each corner. Single piece extruded 5 mm thick solid PVC Lock rail of size 115 mm x 35 mm, out of which 75 mm to be flat and 20 mm to be tapered at both ends, having 15 mm solid core in middle of rail section integrally extruded, fixing the styles & rails with the help of solvent and self driven self tapping screws of 125 mm x 11 mm, including providing 5 mm Single piece solid PVC extruded sheet inserted in the door as panel, all complete as per manufacturer's specification and direction of Engineer-in-charge. // Non decorative finish (matt finish)						
52	10.29.2	15.00	Sqm	971.55	14573.25	AT Par	14573.25
	Description:- STEEL WORK // Providing & fixing fly proof wire gauge to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete. // Stainless steel (grade 304) wire gauge of 0.5 mm dia wire and 1.4 mm aperture on both sides						
53	10.15.1	350.00	Kg	146.55	51292.50	AT Par	51292.50
	Description:- STEEL WORK // Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L-Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. // Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)						
54	9.62.1	12.00	Each	180.55	2166.60	AT Par	2166.60
	Description:- WOOD AND P.V.C. WORK // COPPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378) // Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete : (copper oxidized as per IS: 1378) // 300x16 mm						
55	9.66.1	12.00	Each	35.20	422.40	AT Par	422.40
	Description:- WOOD AND P.V.C. WORK // COPPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378) // Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : (copper oxidized as per IS: 1378) // 125 mm						
56	9.96.1	20.00	Each	260.30	5206.00	AT Par	5206.00
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : // 300x16 mm						
57	9.100.1	20.00	Each	60.05	1201.00	AT Par	1201.00
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : // 125 mm						
58	21.1.1.1	160.00	Kg	433.95	69432.00	AT Par	69432.00
	Description:- ALUMINIUM WORK // Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : // For fixed portion // Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)						
	21.1.2.1	170.00	Kg	531.80	90406.00	AT Par	90406.00

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

59	Description:- ALUMINIUM WORK // Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : // For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) // Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-Part-B CPWD DSOR 2021 Items for Provision of 02 nos passengers lift at RNKA Station and all balance facilities for divyangjans .							5183912.95	Above/ Below/P ar
1	2.8.1	65.00	cum	286.85	18645.25	AT Par	18645.25	
	Description:- EARTH WORK // Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. // All kinds of soil.							
2	2.28.1	200.00	Sqm	28.15	5630.00	AT Par	5630.00	
	Description:- EARTH WORK // Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. // All kinds of soil							
3	16.74.3	350.00	Sqm	167.25	58537.50	AT Par	58537.50	
	Description:- ROAD WORK // MISCELLANEOUS // 75 mm thick back filling for pitching including supplying of required materials and consolidation etc. complete with : // Stone aggregate 40 mm nominal size							
4	16.75	135.00	cum	8277.55	1117469.25	AT Par	1117469.25	
	Description:- ROAD WORK // MISCELLANEOUS // Providing and laying C.C. pavement of mix M-25 with ready mixed concrete from batching plant. The ready mixed concrete shall be laid and finished with screed board vibrator , vacuum dewatering process and finally finished by floating, brooming with wire brush etc. complete as per specifications and directions of Engineer-in-charge. (The panel shuttering work shall be paid for separately). (Note:- Cement content considered in this item is @ 330 kg/cum. Excess/less cement used as per design mix is payable/ recoverable separately).							
5	2.25A	150.00	cum	368.65	55297.50	AT Par	55297.50	
	Description:- EARTH WORK // Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.							
6	2.25	10.12	cum	253.95	2569.97	AT Par	2569.97	
	Description:- EARTH WORK // Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.							
7	4.1.5	30.00	cum	6833.40	205002.00	AT Par	205002.00	
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : // 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)							
8	4.2.3	3.00	cum	9375.20	28125.60	AT Par	28125.60	
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: // 1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)							
	5.12	2.25	cum	9673.50	21765.38	AT Par	21765.38	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

9	Description:- REINFORCED CEMENT CONCRETE // PRE-CAST RCC // Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).						
10	5.22.6	4200.00	Kg	89.65	376530.00	AT Par	376530.00
	Description:- REINFORCED CEMENT CONCRETE // STEEL REINFORCEMENT // Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. // Thermo-Mechanically Treated bars of grade Fe-500D or more.						
11	6.1.1	15.00	cum	6882.00	103230.00	AT Par	103230.00
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: // Cement mortar 1:4 (1 cement : 4 coarse sand)						
12	6.4.1	20.00	cum	8512.10	170242.00	AT Par	170242.00
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : // Cement mortar 1:4 (1 cement : 4 coarse sand)						
13	13.1.1	230.00	Sqm	294.85	67815.50	AT Par	67815.50
	Description:- FINISHING // CEMENT PLASTER (IN FINE SAND) // 12 mm cement plaster of mix : // 1:4 (1 cement: 4 fine sand)						
14	10.2	100.00	Kg	111.95	11195.00	AT Par	11195.00
	Description:- STEEL WORK // Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.						
15	10.25.2	100.00	Kg	142.30	14230.00	AT Par	14230.00
	Description:- STEEL WORK // Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. // In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works						
16	10.16.1	500.00	Kg	154.90	77450.00	AT Par	77450.00
	Description:- STEEL WORK // Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. // Hot finished welded type tubes						
17	10.28	50.00	Kg	612.25	30612.50	AT Par	30612.50
	Description:- STEEL WORK // Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).						
18	15.23.1	100.00	Sqm	60.50	6050.00	AT Par	6050.00
	Description:- DISMANTLING AND DEMOLISHING // Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. // For thickness of tiles 10 mm to 25 mm						
19	15.60	100.00	cum	219.35	21935.00	AT Par	21935.00
	Description:- DISMANTLING AND DEMOLISHING // Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.						
20	15.19	650.00	Kg	3.20	2080.00	AT Par	2080.00
	Description:- DISMANTLING AND DEMOLISHING // Dismantling steel work manually/ by mechanical means in built up sections without dismembering and stacking within 50 metres lead as per direction of Engineer-in-charge.						
21	15.58	2.00	cum	2328.55	4657.10	AT Par	4657.10
	Description:- DISMANTLING AND DEMOLISHING // Demolishing R.C.C. work by mechanical means and stockpiling at designated locations and disposal of dismantled materials up to a lead of 1 kilometre, stacking serviceable and unserviceable material separately including cutting reinforcement bars.						
22	15.2.1	5.00	cum	2007.10	10035.50	AT Par	10035.50
	Description:- DISMANTLING AND DEMOLISHING // Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. // Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)						

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

23	15.7.4	3.00	cum	1698.45	5095.35	AT Par	5095.35	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. // In cement mortar							
24	12.41.2	25.00	Metre	319.75	7993.75	AT Par	7993.75	
	Description:- ROOFING // Providing, fixing and embedding sand cast iron accessories for rain water pipes in the masonry surrounded with 12 mm thick cement mortar of the same mix, as that of masonry (lead caulking will be paid for separately): // Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. // 110 mm diameter							
25	12.42.5.2	5.00	Each	132.00	660.00	AT Par	660.00	
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Bend 87.5 degrees // 110 mm bend							
26	12.42.1.2	5.00	Each	119.95	599.75	AT Par	599.75	
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Coupler // 110 mm							
27	11.55.1	500.00	Sqm	2589.90	1294950.00	AT Par	1294950.00	
	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge : // Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.							
28	8.2.2.2	3.00	Sqm	4425.35	13276.05	AT Par	13276.05	
	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Granite stone slab of colour black, Cherry/Ruby red // Area of slab over 0.50 sqm							
29	8.3.2	6.00	Metre	418.85	2513.10	AT Par	2513.10	
	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. // Granite work							
30	12.50	15.00	Sqm	671.55	10073.25	AT Par	10073.25	
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.							
31	13.46.1	100.00	Sqm	166.85	16685.00	AT Par	16685.00	
	Description:- FINISHING // EXTERIOR FINISHING // Finishing walls with Acrylic Smooth exterior paint of required shade : // New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)							
32	13.41.1	150.00	Sqm	162.55	24382.50	AT Par	24382.50	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

	Description:- FINISHING // Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : // New work (two or more coats) over and including water thinnable priming coat with cement primer						
33	13.61.1	50.00	Sqm	131.45	6572.50	AT Par	6572.50
	Description:- FINISHING // Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : // Two or more coats on new work						
34	13.111.1	500.00	Sqm	111.60	55800.00	AT Par	55800.00
	Description:- FINISHING // Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. // Finishing walls with Acrylic Smooth exterior paint of required shade : // Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface						
35	13.99.1	100.00	Sqm	86.55	8655.00	AT Par	8655.00
	Description:- FINISHING // Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. // Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : // One or more coats on old work						
36	13.81.1	500.00	Sqm	54.75	27375.00	AT Par	27375.00
	Description:- FINISHING // Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. // One coat						
37	11.41.2	25.00	Sqm	1416.65	35416.25	AT Par	35416.25
	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. // Size of Tile 600x600 mm						
38	8.31	25.00	Sqm	1063.45	26586.25	AT Par	26586.25
	Description:- CLADDING WORK // STONE WORK DRY CLADDING // Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.						
39	11.38	50.00	Sqm	1107.05	55352.50	AT Par	55352.50
	Description:- FLOORING // CERAMIC GLAZED TILES // Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete.						
40	16.90	150.00	Sqm	1719.00	257850.00	AT Par	257850.00
	Description:- ROAD WORK // MISCELLANEOUS // Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.						
41	16.60.1	10.00	Sqm	5609.55	56095.50	AT Par	56095.50
	Description:- ROAD WORK // MISCELLANEOUS // Manufacturing, supplying and fixing retro reflective overhead signage boards made up of 2 mm thick aluminium sheet, face to be fully covered with high intensity and encapsulated lens type heat activated retro reflective sheeting conforming to type - III of ASTM-D-4956-01 as approved by Engineer-in-charge, letters, borders etc. as per IRC : 67-2001 in silver white with blue colour back ground and with high intensity grade, pasted on substrate by pressure sensitive adhesive backing which shall be activated by applying pressure conforming to class II of ASTM-D-4956-01 and fixing the same to the plate of structural frame work by means of suitable sized aluminium alloys, rivets or bolts & nuts @ 300 mm centre to centre all along the periphery as well as in two vertical rows along with theft resistant measures, including the cost of painting with two or more coats of epoxy paint in grey colour on the back side of aluminium sheet including appropriate priming coat. The rate includes the cost of rounding off the corners, lowering down the structural frame work from the gantry, fixing and erecting the same in position all complete as per drawings, specification and direction of the engineer-in-charge.(Structural frame work including M.S. plate to be provided separately. Rectangular area of the sheet only shall be measured for payment). // Overhead informatory road signage						
	9.21.2	5.00	Sqm	1881.95	9409.75	AT Par	9409.75

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

42	Description:- WOOD AND P.V.C. WORK // Providing and fixing 25 mm thick shutters for cup board etc. : // Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: // 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws						
43	9.97.3	5.00	Each	90.80	454.00	AT Par	454.00
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : // 200x10 mm						
44	9.97.4	8.00	Each	75.55	604.40	AT Par	604.40
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : // 150x10 mm						
45	9.100.2	8.00	Each	53.25	426.00	AT Par	426.00
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : // 100 mm						
46	9.100.1	8.00	Each	60.05	480.40	AT Par	480.40
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : // 125 mm						
47	9.101.1	5.00	Each	35.50	177.50	AT Par	177.50
	Description:- WOOD AND P.V.C. WORK // ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED) // Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. // Single rubber stopper						
48	9.7.7.1	7.00	Sqm	1897.10	13279.70	AT Par	13279.70
	Description:- WOOD AND P.V.C. WORK // Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid separately) // Float glass panes // 4 mm thick glass pane (weight not less than 10kg/sqm).						
49	9.51.1	12.00	Sqm	1164.90	13978.80	AT Par	13978.80
	Description:- WOOD AND P.V.C. WORK // MISCELLANEOUS-WOOD WORK // Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete. // With 2nd class teak wood beading 62X19 mm						
50	17.1.1	1.00	Each	5781.35	5781.35	AT Par	5781.35
	Description:- SANITARY INSTALLATIONS // Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: // White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests						
51	17.2.1	1.00	Each	5540.55	5540.55	AT Par	5540.55
	Description:- SANITARY INSTALLATIONS // Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : // W.C. pan with ISI marked white solid plastic seat and lid						
52	18.54.1	4.00	Each	109.85	439.40	AT Par	439.40
	Description:- WATER SUPPLY // PTMT FITTINGS // Providing and fixing PTMT bib cock of approved quality and colour. // 15mm nominal bore, 86 mm long, weighing not less than 88 gms						
53	18.63	5.00	Each	136.60	683.00	AT Par	683.00
	Description:- WATER SUPPLY // AIR VALVE & WATER METER (BULK TYPE) // Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms						
54	18.56.1	4.00	Each	180.80	723.20	AT Par	723.20
	Description:- WATER SUPPLY // PTMT FITTINGS // Providing and fixing PTMT pillar cock of approved quality and colour. // 15 mm nominal bore, 107 mm long, weighing not less than 110 gms						

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

55	18.62.2	4.00	Each	223.50	894.00	AT Par	894.00	
	Description:- WATER SUPPLY // AIR VALVE & WATER METER (BULK TYPE) // Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball. // 20 mm nominal bore, 120 mm long, weighing not less than 198 gms							
56	18.8.2	10.00	Metre	513.75	5137.50	AT Par	5137.50	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge, Concealed work, including cutting chases and making good the wall etc. // 20 mm nominal dia Pipes							
57	18.8.3	20.00	Metre	626.05	12521.00	AT Par	12521.00	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge, Concealed work, including cutting chases and making good the wall etc. // 25 mm nominal dia Pipes							
58	18.9.6	16.00	Metre	811.85	12989.60	AT Par	12989.60	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.-External work // 50 mm nominal dia Pipes							
59	18.9.5	15.00	Metre	559.20	8388.00	AT Par	8388.00	
	Description:- WATER SUPPLY // C.P.V.C. PIPES // Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.-External work // 40 mm nominal dia Pipes							
60	5.1.2	15.00	cum	8364.20	125463.00	AT Par	125463.00	
	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : // 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)							
61	5.2.2	35.00	cum	10185.05	356476.75	AT Par	356476.75	
	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : // 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)							
62	5.9.5	250.00	Sqm	608.35	152087.50	AT Par	152087.50	
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Lintels, beams, plinth beams, girders, bressumers and cantilevers							
63	5.9.2	35.00	Sqm	669.55	23434.25	AT Par	23434.25	
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc.							
64	5.9.3	30.00	Sqm	766.55	22996.50	AT Par	22996.50	
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Suspended floors, roofs, landings, balconies and access platform							
65	5.9.6	120.00	Sqm	804.25	96510.00	AT Par	96510.00	
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Columns, Pillars, Piers, Abutments, Posts and Struts							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () C-Part-C CPWD DSOR 2021 Items for Provision of 02 nos passengers lift at RBS station as left over work for divyangjan.							4685832.06	Above/ Below/P ar

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

1	15.2.1	5.00	cum	2007.10	10035.50	AT Par	10035.50	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. // Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)							
2	15.7.4	5.00	cum	1698.45	8492.25	AT Par	8492.25	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. // In cement mortar							
3	15.2.2	5.00	cum	1239.60	6198.00	AT Par	6198.00	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. // Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)							
4	15.17.1	180.00	Kg	2.80	504.00	AT Par	504.00	
	Description:- DISMANTLING AND DEMOLISHING // Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in: // R.S. Joists							
5	15.17.2	180.00	Kg	1.90	342.00	AT Par	342.00	
	Description:- DISMANTLING AND DEMOLISHING // Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in: // Channels, angles, tees and flats							
6	15.18	180.00	Kg	4.65	837.00	AT Par	837.00	
	Description:- DISMANTLING AND DEMOLISHING // Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.							
7	15.25	24.00	Sqm	219.75	5274.00	AT Par	5274.00	
	Description:- DISMANTLING AND DEMOLISHING // Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.							
8	15.28.1	24.00	Sqm	136.00	3264.00	AT Par	3264.00	
	Description:- DISMANTLING AND DEMOLISHING // Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of: // G.S. Sheet							
9	15.58	2.50	cum	2328.55	5821.38	AT Par	5821.38	
	Description:- DISMANTLING AND DEMOLISHING // Demolishing R.C.C. work by mechanical means and stockpiling at designated locations and disposal of dismantled materials up to a lead of 1 kilometre, stacking serviceable and unserviceable material separately including cutting reinforcement bars.							
10	2.8.1	48.00	cum	286.85	13768.80	AT Par	13768.80	
	Description:- EARTH WORK // Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. // All kinds of soil.							
11	2.26.1	48.00	cum	104.50	5016.00	AT Par	5016.00	
	Description:- EARTH WORK // Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials. // All kinds of soil							
12	2.10.1.1	20.00	Metre	255.55	5111.00	AT Par	5111.00	
	Description:- EARTH WORK // Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : // All kinds of soil // Pipes, cables etc, not exceeding 80 mm dia.							
13	4.3.3	50.00	Sqm	804.25	40212.50	AT Par	40212.50	
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Centering and shuttering including strutting, propping etc. and removal of form work for : // Columns, piers, abutments, pillars, posts and struts							
14	5.9.5	20.00	Sqm	608.35	12167.00	AT Par	12167.00	
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Lintels, beams, plinth beams, girders, bressumers and cantilevers							
15	13.1.1	250.00	Sqm	294.85	73712.50	AT Par	73712.50	
	Description:- FINISHING // CEMENT PLASTER (IN FINE SAND) // 12 mm cement plaster of mix : // 1:4 (1 cement: 4 fine sand)							
16	13.61.1	250.00	Sqm	131.45	32862.50	AT Par	32862.50	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

16	Description:- FINISHING // Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : // Two or more coats on new work						
17	12.42.6.2	20.00	Each	115.95	2319.00	AT Par	2319.00
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Shoe (Plain) // 110 mm Shoe						
18	12.42.5.2	2.00	Each	132.00	264.00	AT Par	264.00
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Bend 87.5 degrees // 110 mm bend						
19	12.42.1.2	2.00	Each	119.95	239.90	AT Par	239.90
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Coupler // 110 mm						
20	11.55.1	20.00	Sqm	2589.90	51798.00	AT Par	51798.00
	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge : // Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.						
21	11.26.1	25.00	Sqm	1706.60	42665.00	AT Par	42665.00
	Description:- FLOORING // KOTA STONE FLOORING // Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : // 25 mm thick						
22	11.39	40.00	Sqm	1142.80	45712.00	AT Par	45712.00
	Description:- FLOORING // CERAMIC GLAZED TILES // Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.						
23	4.2.3	5.00	cum	9375.20	46876.00	AT Par	46876.00
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: // 1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)						
24	2.25A	5.00	cum	368.65	1843.25	AT Par	1843.25
	Description:- EARTH WORK // Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.						
25	15.60	45.00	cum	219.35	9870.75	AT Par	9870.75
	Description:- DISMANTLING AND DEMOLISHING // Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.						
26	2.25	18.00	cum	253.95	4571.10	AT Par	4571.10
	Description:- EARTH WORK // Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.						
27	4.1.5	7.20	cum	6833.40	49200.48	AT Par	49200.48
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : // 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)						
28	10.19	250.00	Kg	88.50	22125.00	AT Par	22125.00

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

	Description:- STEEL WORK // Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.						
29	5.1.2	18.00	cum	8364.20	150555.60	AT Par	150555.60
	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : // 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)						
30	5.2.2	16.00	cum	10185.05	162960.80	AT Par	162960.80
	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : // 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)						
31	5.3	8.00	cum	10719.30	85754.40	AT Par	85754.40
	Description:- REINFORCED CEMENT CONCRETE // CAST IN SITU // Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).						
32	5.9.3	25.00	Sqm	766.55	19163.75	AT Par	19163.75
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Suspended floors, roofs, landings, balconies and access platform						
33	4.3.1	6.00	Sqm	307.95	1847.70	AT Par	1847.70
	Description:- CONCRETE WORK // CEMENT CONCRETE (CAST IN SITU) // Centering and shuttering including strutting, propping etc. and removal of form work for : // Foundations, footings, bases for columns						
34	5.9.2	76.00	Sqm	669.55	50885.80	AT Par	50885.80
	Description:- REINFORCED CEMENT CONCRETE // FORM WORK // Centering and shuttering including strutting, propping etc. and removal of form for // Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.						
35	5.22.6	4500.00	Kg	89.65	403425.00	AT Par	403425.00
	Description:- REINFORCED CEMENT CONCRETE // STEEL REINFORCEMENT // Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. // Thermo-Mechanically Treated bars of grade Fe-500D or more.						
36	6.1.1	10.00	cum	6882.00	68820.00	AT Par	68820.00
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: // Cement mortar 1:4 (1 cement : 4 coarse sand)						
37	6.4.1	15.00	cum	8512.10	127681.50	AT Par	127681.50
	Description:- MASONRY WORK // Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : // Cement mortar 1:4 (1 cement : 4 coarse sand)						
38	11.5	100.00	Sqm	928.65	92865.00	AT Par	92865.00
	Description:- FLOORING // 62 mm thick cement concrete flooring with concrete hardener topping, under layer 50 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) and top layer 12mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate, 6mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacture's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.						
39	11.56.1	140.00	Sqm	3908.80	547232.00	AT Par	547232.00
	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. // Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent						
	8.2.2.1	28.00	Sqm	4679.35	131021.80	AT Par	131021.80

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

40	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Granite stone slab of colour black, Cherry/Ruby red // Area of slab upto 0.50 sqm						
41	8.2.2.2	28.00	Sqm	4425.35	123909.80	AT Par	123909.80
	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Granite stone slab of colour black, Cherry/Ruby red // Area of slab over 0.50 sqm						
42	8.3.2	100.00	Metre	418.85	41885.00	AT Par	41885.00
	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. // Granite work						
43	8.4	40.00	Metre	475.55	19022.00	AT Par	19022.00
	Description:- CLADDING WORK // Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. // Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.						
44	8.8.1.1	70.00	Each	30.75	2152.50	AT Par	2152.50
	Description:- CLADDING WORK // Providing and fixing expansion hold fasteners on C.C./R.C.C./Brick masonry surface backing including drilling necessary holes and the cost of bolt etc complete. // Wedge expansion type // Fastener with threaded dia 6 mm						
45	8.8.1.2	70.00	Each	33.80	2366.00	AT Par	2366.00
	Description:- CLADDING WORK // Providing and fixing expansion hold fasteners on C.C./R.C.C./Brick masonry surface backing including drilling necessary holes and the cost of bolt etc complete. // Wedge expansion type // Fastener with threaded dia 10 mm						
46	8.32	100.00	Sqm	4474.20	447420.00	AT Par	447420.00
	Description:- CLADDING WORK // STONE WORK DRY CLADDING // Designing, fabricating, testing, installing and fixing in position Curtain Wall with Aluminium Composite Panel Cladding, with open grooves for linear as well as curvilinear portions of the building , for all heights and all levels etc. including: (a) Structural analysis & design and preparation of shop drawings for pressure equalisation or rain screen principle as required, proper drainage of water to make it watertight including checking of all the structural and functional design. (b) Providing, fabricating and supplying and fixing panels of aluminium composite panel cladding in pan shape in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two Aluminium sheets (each 0.5mm thick). The aluminium composite panel cladding sheet shall be coil coated, with Kynar 500 based PVDF / Lumiflon based fluoropolymer resin coating of approved colour and shade on face # 1 and polymer (Service) coating on face # 2 as specified using stainless steel screws, nuts, bolts, washers, cleats, weather silicone sealant, backer rods etc. (c) The fastening brackets of Aluminium alloy 6005 T5 / MS with Hot Dip Galvanised with serrations and serrated washers to arrest the wind load movement, fasteners, SS 316 Pins and anchor bolts of approved make in SS 316, Nylon separators to prevent bi-metallic contacts all complete required to perform as per specification and drawing The item includes cost of all material & labour component, the cost of all mock ups at site, cost of all samples of the individual components for testing in an approved laboratory, field tests on the assembled working curtain wall with aluminium composite panel cladding, cleaning and protection of the curtain wall with aluminium composite panel cladding till the handing over of the building for occupation. Base frame work for ACP cladding is payable under the relevant aluminium item.s The Contractor shall provide curtain wall with aluminium composite panel cladding, having all the performance characteristics all complete , as per the Architectural drawings, as per item description, as specified, as per the approved shop drawings and as directed by the Engineer-in-Charge. However, for the purpose of payment, only the actual area on the external face of the curtain wall with Aluminum Composite Panel Cladding (including width of groove) shall be measured in sqm. up to two decimal places.						

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

47	21.1.1.1	500.00	Kg	433.95	216975.00	AT Par	216975.00	
	Description:- ALUMINIUM WORK // Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : // For fixed portion // Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)							
48	10.1	250.00	Kg	93.05	23262.50	AT Par	23262.50	
	Description:- STEEL WORK // Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.							
49	10.2	6000.00	Kg	111.95	671700.00	AT Par	671700.00	
	Description:- STEEL WORK // Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.							
50	10.16.1	2500.00	Kg	154.90	387250.00	AT Par	387250.00	
	Description:- STEEL WORK // Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. // Hot finished welded type tubes							
51	10.20	200.00	Kg	140.15	28030.00	AT Par	28030.00	
	Description:- STEEL WORK // Providing and fixing bolts including nuts and washers complete.							
52	10.25.2	1000.00	Kg	142.30	142300.00	AT Par	142300.00	
	Description:- STEEL WORK // Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. // In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works							
53	10.26.3	60.00	Kg	180.20	10812.00	AT Par	10812.00	
	Description:- STEEL WORK // Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. // G.I. pipes							
54	10.28	250.00	Kg	612.25	153062.50	AT Par	153062.50	
	Description:- STEEL WORK // Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).							
55	12.50	50.00	Sqm	671.55	33577.50	AT Par	33577.50	
	Description:- ROOFING // Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. // Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.							
56	10.22	40.00	cm	3.40	136.00	AT Par	136.00	
	Description:- STEEL WORK // Welding by gas or electric plant including transportation of plant at site etc. complete.							
57	11.46.3	20.00	Sqm	1932.75	38655.00	AT Par	38655.00	

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

	Description:- FLOORING // VITRIFIED FLOOR TILES // Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete. // Size of Tile 800x800 mm
--	---

3. ITEM BREAKUP

No item break up added

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or V which ever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VI-B attached with tender document, along with copies of Audited Balance Sheets duly certified by the Chartered accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)
1.1	The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover	No	No	Not Allowed

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	a) The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited:: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	(b) (1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii) One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components.	No	No	Not Allowed
1.1.1	(b)(2)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

1.1.2	(b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contract or through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing.	No	No	Not Allowed
1.2	Note for technical eligibility criteria: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
1.3	Credentials if submitted in foreign currency shall be converted into Indian currency i.e., Indian Rupee as under: The conversion rate of US Dollars into Rupees shall be the daily representative exchange rates published by the Reserve Bank of India or entity authorized by RBI to do so for the relevant date or immediately previous date for which rates have been published. Where, relevant date shall be as on the last day of month previous to the one in which tender is invited. In case of any other currency, the same shall first be converted to US Dollars as on the last day of month previous to the one in which tender is invited, and the amount so derived in US Dollars shall be converted into Rupees at the aforesaid rate. The conversion rate of such currencies shall be the daily representative exchange rates published by the International Monetary Fund for the relevant date or immediately previous date for which rates have been published.	No	No	Not Allowed
1.4	Explanation for Eligibility Criteria:	No	No	Not Allowed
1.4.1	Substantially Completed Work means an ongoing work in which payment equal to or more than 90% of the present contract value (excluding the payment made for adjustment of Price variation (PVC), if any) has been made to the contractor in that ongoing contract and no proceedings of termination of contract on Contractor's default has been initiated. The credential certificate in this regard should have been issued not prior to 60 days of date of invitation of present tender.	No	No	Not Allowed
1.4.2	In case a work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

1.4.3	If a work is physically completed and completion certificate to this extent is issued by the concerned organization but final bill is pending, such work shall be considered for fulfillment of credentials	No	No	Not Allowed
1.4.4	In case of completed work, the value of final bill (gross amount) including the PVC amount (if paid) shall be considered as the completion cost of work. In case final bill is pending, only the total gross amount already paid including the PVC amount (if paid) shall be considered as the completion cost of work. In case of substantially completed work, the total gross amount already paid including the PVC amount (if paid), as mentioned in the certificate, shall be considered as the cost of substantially completed work.	No	No	Not Allowed
1.4.5	If a bidder has successfully completed a work as subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in Note for Item 10.1 Para 10 of the Tender Form (Second Sheet), the same shall be considered for the purpose of fulfillment of credentials.	No	No	Not Allowed
1.4.6	In case a work is considered similar in nature for fulfillment of technical credentials, the overall cost including the PVC amount (if paid) of that completed work or substantially completed work, shall be considered and no separate evaluation for each component of that work shall be made to decide eligibility	No	No	Not Allowed
1.4.7	In case of existing partnership firm, if any one or more partners quit the partnership firm, the credentials of remaining partnership firm shall be re-worked out i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm (e.g. in a partnership firm of partners A, B & C having share 30%, 30% & 40% respectively and credentials of Rs 10 crore; in case partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc.	No	No	Not Allowed
1.4.8	In case of existing partnership firm if any new partner(s) joins the firm without any modification in the name and PAN/TAN no. of the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s) on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc.	No	No	Not Allowed
1.4.9	Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners.	No	No	Not Allowed
1.4.10	In case a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor.	No	No	Not Allowed
1.4.11	If the percentage share among partners of a partnership firm is changed, but the partners remain the same, the credentials of the firm before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, in case a partner of partnership firm retires without taking away any credentials from the firm, the credentials of partnership firm shall remain the same as it is without any change in their value.	No	No	Not Allowed
1.4.12	In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX", credentials of A in propriety firm "P" or in other partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB.	No	No	Not Allowed
1.4.13	In case a tenderer is LLP, the credentials of tenderer shall be worked out on above lines similar to a partnership firm.	No	No	Not Allowed
1.4.14	In case company A is merged with company B, then company B would get the credentials of company A also.]	No	No	Not Allowed
1.5	Defination of Similar Work :- Any civil Engineering work.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please submit your bank details i.e. Name of the Bank along with Bank Branch Code, Account Number, IFSC Code, and PAN Number.	No	No	Allowed (Mandatory)
2	Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past.	No	No	Allowed (Mandatory)
2.1	Audited Balance Sheet duly certified by the Chartered Accountant etc regarding contractual payments received in the past.	No	No	Allowed (Mandatory)
2.2	The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work	No	No	Allowed (Optional)

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

2.3	A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-V. In addition to Annexure-V, in case of other than Company/Proprietary Firm, Annexure-V (A) shall also be submitted by each member of a Partnership Firm/Joint Venture (JV)/Hindu Undivided Family (HUF)/Limited Liability Partnership (LLP) etc as the case may be. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested / digitally signed by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document.	No	No	Allowed (Mandatory)
2.3.1	The tenderers shall submit a copy of certificate stating that all their statements/ documents submitted along with bid are true and factual. Standard format of certificate to be submitted by the bidder is enclosed as Annexure-V. In addition to Annexure-V, in case of other than Company/Proprietary Firm, Annexure-V (A) shall also be submitted by each member of a Partnership Firm/Joint Venture (JV)/Hindu Undivided Family (HUF)/Limited Liability Partnership (LLP) etc as the case may be. Non submission of above certificate (s) by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested/digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender Document.	No	No	Allowed (Mandatory)
2.4	The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway there under.	No	No	Not Allowed
2.5	(a) In case of any information submitted by tenderer is found to be false, forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender bid security besides banning of business for a period of upto two years.	No	No	Not Allowed
2.5.1	(b) In case of any information submitted by tenderer is found to be false, forged or incorrect after the award of contract, the contract shall be terminated. Bid security, Performance Guarantee and Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto two years.	No	No	Not Allowed
2.6	Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected.	No	No	Not Allowed
3	The accepted rates shall be deemed to include and cover all fees, taxes, duties, royalties, rent etc.	No	No	Not Allowed
4	Income Tax, Surcharge thereof, Goods & Service Tax (GST Act, 2017) and any other applicable tax shall be recovered from contractor's bill as per rule in force.	No	No	Not Allowed
5	Implementation of GST Act, 2017 - Procedure for payment of Contractual bill is given in General Instructions attached in document. Please go through the procedure before submission of the offer.	No	No	Not Allowed
6	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

7	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Allowed (Mandatory)
7.1	The tenderer whether sole proprietor / a company or a partnership firm /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.	No	No	Allowed (Mandatory)
8	The tenderer will give full information (in annexure-1) as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender,if a tenderer is - i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners/members a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender	No	No	Allowed (Mandatory)
8.1	If a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. (in annexure-1)	No	No	Allowed (Mandatory)

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	All documents related to Joint venture/ Consortium/ MOU, duly notarized should be uploaded at the time of submission of bid.	No	No	Not Allowed
2	Applicability of JVs/ CONSORTIUM/ MOUs: JVs/ Consortium/ MOUs shall be considered for the tenders of value more than Rs. 10 crore (Ten crore).	No	No	Not Allowed
3	Applicability: Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores. Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustments (i.e. shall be excluded from the gross value of the work for the purpose of price variation) : a) Materials supplied by Railway to the Contractors, either free or at fixed rate; b) Any extra item(s) included in subsequent variation falling outside the purview of the Bill(s) of Quantities of tender, under clause 39(1)(b) of these Standard General Conditions, unless applicability of PVC and 'Base Month' has been specially agreed, while fixing the rates of such extra item(s). Base Month: The Base Month for 'Price Variation Clause' shall be taken as the one month prior to closing of tender, unless otherwise stated elsewhere. The quarter for applicability of PVC shall commence from the month following the Base month. The Price Variation shall be based on the average Price Index of the quarter under consideration. Validity: Rates accepted by Railway Administration shall hold good till completion of work and no additional individual claim shall be admissible except: (a) Payment/recovery for increase/decrease in GST on works contract or imposition/removal of any tax/cess on Works Contract as per Clause 37, (b) Payment/recovery for overall market situation as per Price Variation Clause given hereunder. Components of various items in a contract on which variation in prices be admissible, shall be steel, cement, ferrous material, non-ferrous material, insulators, zinc and other materials, labour, plant & machinery, fuel, explosives, detonators etc. Adjustment for variation in prices of these items shall be determined in the manner prescribed. As per Rly Bd's letter No.2013/CE-I/CT/O/10/PVC/Pt.I dated 27.01.15 Price Variation Clause (PVC) of General Conditions of Contract (GCC) shall not apply to such a works contract which is either an Annual Maintenance Contract (AMC) or a Zonal Contract.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

4	Security Deposit: The Security Deposit shall be 5% of the contract value. The Bid Security submitted by the Contractor with his tender will be retained/encashed by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. Provided further that, if Contractor submits the Cash or Term Deposit Receipt issued from a Scheduled commercial bank of India or irrevocable Bank Guarantee Bond from a Scheduled commercial bank of India, either towards the Full Security Depositor the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security, to the Contractor. Balance of Security Deposit may be deposited by the Contractor in cash or Term Deposit Receipt issued from Scheduled commercial bank of India or irrevocable Bank Guarantee bond issued from Scheduled commercial bank of India, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract. The Irrevocable Bank Guarantee submitted towards Security deposit shall be initially valid up to the stipulated date of Maintenance period plus 60 days and shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17A and 17B of the Standard General Conditions of Contract. Note: Security Deposit deposited in cash by the Contractor or recovered from the running bills of a Contractor or submitted by contractor as Term Deposit Receipt(s) can be refunded/returned to the contractor, in lieu of irrevocable Bank Guarantee bond issued from scheduled commercial bank of India, to be submitted by him, for an amount equal to or more than the already available Security Deposit, provided however that, in a contract of value less than Rs. 50 Crore, such refund/ return of the already available Security Deposit is permitted up to two times and in a contract of value equal to or more than Rs. 50 Crore, such refund / return of the already available Security Deposit is permitted up to three times.	No	No	Not Allowed
4.1	Refund of Security Deposit: Security Deposit mentioned in sub clause (1) above shall be returned to the Contractor along with or after, the following: (a) Final Payment of the Contract as per clause 51.(1)of GCC and (b) Execution of Final Supplementary Agreement or Certification by Engineer that Railway has No Claim on Contractor and (c) Maintenance Certificate issued, on expiry of the maintenance period as per clause 50.(1)GCC in case applicable.	No	No	Not Allowed
4.1.1	(ii) Forfeiture of Security Deposit: Whenever the contract is rescinded as a whole under clause 62 (1) of these conditions, the Security Deposit already with railways under the contract shall be forfeited. However, in case the contract is rescinded in part or parts under clause 62 (1) of these conditions, the Security Deposit shall not be forfeited.	No	No	Not Allowed
4.2	No interest shall be payable upon the Bid Security and Security Deposit or amounts payable to the Contractor under the Contract, but Government Securities deposited in terms of Sub-Clause 16.(4)(b) of this clause will be payable with interest accrued thereon.	No	No	Not Allowed
5	PERFORMANCE GUARANTEE (PG)	No	No	Not Allowed
5.1	If a tender is accepted on the quoted rate of bidder which is below the advertised tender value, an additional performance security shall be submitted by the bidder as per para 16(4)(h) of Part-II of GCC 2022 as mentioned in ACS 11 of GCC.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

5.2	The procedure for obtaining Performance Guarantee is outlined below: (a) The successful bidder shall have to submit a Performance Guarantee (PG) and additional Performance Guarantee within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22ndday after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work.	No	No	Not Allowed
5.2.1	b) The successful bidder shall submit the Performance Guarantee (PG) amounting to 5% of the original contract value and additional Performance Guarantee as per clause 16(4)(h) in any of the following forms:- (i) A deposit of Cash; (ii) Irrevocable Bank Guarantee; (iii) Insurance Surety Bond as per Annexure XVII Note:- In case of extension of Date of completion, selected bidder needs to submit extended Insurance Surety, Bond/Fresh Insurance Surety Bond/fresh Performance security, in any form as given above, before expiry of existing Insurance Surety Bond. (iv) Government Securities including State Loan Bonds at 5% below the market value; (v) Pay Orders and Demand Drafts tendered by any Scheduled Commercial Bank of India; (vi) Guarantee Bonds executed or Deposits Receipts tendered by any Scheduled Commercial Bank of India; (vii) Deposit in the Post Office Saving Bank; (viii) Deposit in the National Savings Certificates; (ix) Twelve years National Defence Certificates; (x) Ten years Defence Deposits; (xi) National Defence Bonds and (xii) Unit Trust Certificates at 5% below market value or at the face value whichever is less. Also, FDR in favour of Sr. DFM/NCR/Agra (free from any encumbrance) may be accepted.	No	No	Not Allowed
5.2.2	The Performance Guarantee and Additional Performance Guarantee shall be submitted by the successful bidder after the Letter of Acceptance (LOA) has been issued, but before signing of the contract agreement. This P.G. and additional P.G. shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion of work gets extended, the Contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days.	No	No	Not Allowed
5.2.3	The value of PG to be submitted by the Contractor is based on original contract value and shall not change due to subsequent variation(s) in the original contract value.	No	No	Not Allowed
5.2.4	The Performance Guarantee (PG) and Additional Performance Guarantee shall be released after physical completion of the work based on 'Completion Certificate' issued by the competent authority stating that the Contractor has completed the work in all respects satisfactorily.	No	No	Not Allowed
5.2.5	Whenever the contract is rescinded, the Performance Guarantee and Additional Performance Guarantee already submitted for the contract shall be encashed in addition to forfeiture of Security Deposit available with railway.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

5.2.6	The Engineer shall not make a claim under the Performance Guarantee and Additional Performance Guarantee except for amounts to which the President of India is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of: (i) Failure by the Contractor to extend the validity of the Performance Guarantee and Additional Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee and Additional Performance Guarantee. (ii) Failure by the Contractor to pay President of India any amount due, either as agreed by the Contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer. (iii) The Contract being determined or rescinded under clause 62 of the GCC.	No	No	Not Allowed
6	VARIATION IN EXTANT OF CONTRACT : Modification to Contract to be in Writing: In the event of any of the provisions of the contract required to be modified after the contract documents have been signed, the modifications shall be made in writing and signed by the Railway and the Contractor and no work shall proceed under such modifications until this has been done. Any verbal or written arrangement abandoning, modifying, extending, reducing or supplementing the contract or any of the terms thereof shall be deemed conditional and shall not be binding on the Railway unless and until the same is incorporated in a formal instrument and signed by the Railway and the Contractor, and till then the Railway shall have the right to repudiate such arrangements. Powers of Modification to Contract: The Engineer on behalf of the Railway shall be entitled by order in writing to enlarge or extend, diminish or reduce the works or make any alterations in their design, character position, site, quantities, dimensions or in the method of their execution or in the combination and use of materials for the execution thereof or to order any additional work to be done or any works not to be done and the Contractor will not be entitled, to any compensation for any increase/reduction in the quantities of work but will be paid only for the actual amount of work done and for approved materials supplied against a specific order.	No	No	Not Allowed
6.1	Unless otherwise specified in the special conditions of the contract, the accepted variation in quantity of each individual item of the contract would be upto 25% of the quantity originally contracted, except in case of foundation work (in which no variation limit shall apply). However, the rates for the increased quantities shall be as per sub- para (iii) below.	No	No	Not Allowed
6.2	(ii) The Contractor shall be bound to carry out the work at the agreed rates and shall not be entitled to any claim or any compensation whatsoever upto the limit of 25% variation in quantity of individual item of works.	No	No	Not Allowed
6.3	(iii) In case an increase in quantity of an individual item by more than 25% of the agreement quantity is considered unavoidable, then same shall be executed at following rates	No	No	Not Allowed
6.3.1	(a)Quantities operated in excess of 125% but upto 140% of the agreement quantity of the concerned item, shall be paid at 98% of the rate awarded for that item in that particular tender;	No	No	Not Allowed
6.3.2	(b)Quantities operated in excess of 140% but upto 150% of the agreement quantity of the concerned item shall be paid at 96% of the rate awarded for that item in that particular tender;	No	No	Not Allowed
6.3.3	(c)Variation in quantities of individual items beyond 150% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

6.3.4	(d)Variation to quantities of Minor Value Item: The limit for varying quantities for minor value items shall be 100% (as against 25% prescribed for other items). A minor value item for this purpose is defined as an item whose original agreement value is less than 1 % of the total original agreement value. d.(i) Quantities operated upto and including 100% of the agreement quantity of the concerned minor value item, shall be paid at the rate awarded for that item in that particular tender; d.(ii)Quantities operated in excess of 100% but upto 200% of the agreement quantity of the concerned minor value item, shall be paid at 98% of the rate awarded for that item in that particular tender; d.(iii) Variation in quantities of individual minor value item beyond 200% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.	No	No	Not Allowed
6.4	(iv) In case of earthwork items, the variation limit of 25% shall apply to the gross quantity of earthwork items and variation in the quantities of individual classifications of soil shall not be subject to this limit.	No	No	Not Allowed
6.5	(v) As far as Standard Schedule of Rates (SSOR) items are concerned, the variation limit of 25% would apply to the value of SSOR schedule(s) as a whole and not on individual SSOR items. However, in case of Non Standard Schedule of Rates (SSOR) items, the limit of 25% would apply on the individual items irrespective of the manner of quoting the rate (single percentage rate or individual item rate).	No	No	Not Allowed
6.6	Valuation of Variations: The enlargements, extensions, diminution, reduction, alterations or additions referred to in Sub-Clause (2) of this Clause shall in no degree affect the validity of the contract; but shall be performed by the Contractor as provided therein and be subject to the same conditions, stipulations and obligations as if they had been originally and expressly included and provided for in the Specifications and Drawings and the amounts to be paid therefor shall be calculated in accordance with the accepted Bill(s) of Quantities. Any extra item(s)/quantities of work falling outside the purview of the provisions of Sub-Clause (2) above shall be paid for at the rates determined under Clause-39 of these Conditions.	No	No	Not Allowed
7	Provision of Efficient and Competent Staff at Work Sites by the Contractor:	No	No	Not Allowed
7.1	The Contractor shall place and keep on the works at all times efficient and competent staff to give the necessary directions to his workmen and to see that they execute their work in sound & proper manner and shall employ only such supervisors, workmen & labourers in or about the execution of any of these works as are careful and skilled in the various trades.	No	No	Not Allowed
7.1.1	The contractor shall at once remove from the works any agents, permitted sub contractor, supervisor, workman or labourer who shall be objected to by the engineer and if and whenever required by the engineer, he shall submit a correct return showing the names of all staff and workman employed by him.	No	No	Not Allowed
7.1.2	In the event of the engineer being of the opinion that the contractor is not employing on the works a sufficient number of staff and workman as is necessary for proper completion of the works within the time prescribed, the contractor shall forthwith on receiving intimation to this effect deploy the additional number of staff & labour as specified by the engineer within seven days of being so required and failure on the part of contractor to comply with such instructions will entitle the railway rescind the contract under clause 62 of the conditions.	No	No	Not Allowed
8	Clause 26A to GCC - Deployment of qualified Engineers at work site by the contractor:	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

8.1	The Contractor shall also employ Qualified Graduate Engineer or Qualified Diploma Holder Engineer, based on value of contract prescribed by the ministry of railways as under: (a) One Qualified Graduate Engineer when cost of work to be executed is Rs.200 lakh & above and, (b) One Qualified Diploma Holder Engineer when cost of work to be executed is more than Rs. 25Lakh, but less than Rs.200Lakh.	No	No	Not Allowed
8.2	In case the contractor fails to employ the engineer, as aforesaid in Para 26A.1, he shall be liable to pay a penalty at the rate of Rs.40000/- and Rs.25000/- for each month or part thereof for the default period for the provisions, as contained in Para 26.A.1 (a) & (b) above respectively.	No	No	Not Allowed
8.3	No. of qualified engineers required to be deployed by the contractor for various activities contained in the works contract shall be specified in the tender document as 'special condition of contract' by the tender inviting authority.	No	No	Not Allowed
9	Maintenance Of Works : The Contractor shall at all times during the progress and continuance of the works and also for the period of maintenance specified in the Tender Form after the date of passing of the certificate of completion by the Engineer or any other earlier date subsequent to the completion of the works that may be fixed by the Engineer be responsible for and effectively maintain and uphold in good substantial, sound and perfect condition all and every part of the works and shall make good from time to time and at all times as often as the Engineer shall require, any damage or defect that may during the above period arise in or be discovered or be in any way connected with the works, provided that such damage or defect is not directly caused by errors in the contract documents, act of providence or insurrection or civil riot, and the Contractor shall be liable for and shall pay and make good to the Railway or other persons legally entitled thereto whenever required by the Engineer so to do, all losses, damages, costs and expenses they or any of them may incur or be put or be liable to by reasons or in consequence of the operations of the Contractor or of his failure in any respect.	No	No	Not Allowed
9.1	Maintenance period of this work is one year from date of physical completion of this work	No	No	Not Allowed
10	Care in Submission of Tenders:	No	No	Not Allowed
10.1	(a) (i) Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he enters in the tender forms are adequate and all inclusive to accord with the provisions in Clause-37 of the General Conditions of Contract for the completion of works to the entire satisfaction of the Engineer.	No	No	Not Allowed
10.1.1	(ii) Tenderers will examine the various provisions of The central Goods and services Tax Act, 2017(CGST)/Integrated Goods and Services Tax Act,2017(IGST)/Union Territory Goods and Services Tax Act,2017 (UTGST)/respective state's State Goods and Services Tax Act(SGST) also, as notified by Central/State Govt & as amended from time to time and applicable taxes before bidding. Tenderers will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates.	No	No	Not Allowed
10.1.2	(iii) The successful tenderer who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/UTGST/SGST Act to railway immediately after the award of contract, without which no payment shall be released to the contractor. The contractor shall be responsible for deposition of applicable GST to the concerned authority.	No	No	Not Allowed
10.1.3	(iv) In case the successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act, the railway shall deduct the applicable GST from his/their bills under reverse charge mechanism (RCM) and deposit the same to the concerned authority.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

10.2	(b) When work is tendered for by a firm or company of contractors, the tender shall be signed by the individual legally authorized to enter into commitments on their behalf.	No	No	Not Allowed
10.3	The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Not Allowed
11	Letter of Credit' as Mode of payment in Works Tenders or Service Tenders	No	No	Not Allowed
11.1	For all the tenders having advertised cost of Rs 10 lakh or above, the contractor shall have the option to take payment from Railways through a letter of credit (LC) arrangement. The detail guidelines along with Annexure-1 & Annexure-2 is attached with documents as 'Letter of Credit'.	No	No	Not Allowed
12	clause 55 B to GCC: Provision of employees provident fund and Miscellaneous provisions act 1952: The Contractor shall comply with the provisions of Para 30 & 36-B of the Employees Provident Fund Scheme, 1952; Para 3 & 4 of Employees' Pension Scheme, 1995; and Para 7 & 8 of Employees Deposit Linked Insurance Scheme, 1976; as modified from time to time through enactment of "Employees Provident Fund & Miscellaneous Provisions Act, 1952", wherever applicable and shall also indemnify the Railway from and against any claims under the aforesaid Act and the Rules.	No	No	Not Allowed
13	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society /Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Not Allowed
13.1	Following documents shall be submitted by the tenderer:(a) Sole Proprietorship Firm: (i) An undertaking that he is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a member of the partnership firm or JV in which he was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (ii) All other documents in terms of explanatory notes in clause 10 mentioned in eligibility criteria.	No	No	Not Allowed
13.2	(b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) An undertaking that the HUF is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a member of the partnership firm or JV in which HUF was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of explanatory notes in clause 10 mentioned in eligibility criteria.	No	No	Not Allowed
13.3	Participation of Partnership Firms in works tenders: The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act.	No	No	Not Allowed
13.3.1	The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized as per the Indian Partnership Act, prior to submission of tender.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

13.3.2	Separate identity / name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners.	No	No	Not Allowed
13.3.3	Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified / altered / terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after submission of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full Bid Security shall be forfeited. If any Partner/s withdraws from the firm after submission of the tender and before the award of the contract, the offer shall be rejected and Bid Security of the tenderer will be forfeited. If any new partner joins the firm after submission of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract	No	No	Not Allowed
13.3.4	A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender.	No	No	Not Allowed
13.3.5	The tender form shall be submitted only in the name of partnership firm. The Bid Security shall be submitted by partnership firm. The Bid Security submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered	No	No	Not Allowed
13.3.6	One or more of the partners of the firm or any other person (s) shall be designated as the authorized person (s) on behalf of the firm, who will be authorized by all the partners to act on behalf of the firm through a "Power of Attorney", specially authorizing him / them to submit & sign the tender, sign the agreement, receive payment, witness measurements, sign measurement books, make correspondences, compromise / settle / relinquish any claim (s) preferred by the firm, sign "No Claim Certificate", refer all or any dispute to arbitration and to take similar such action in respect of the said tender / contract. Such "Power of Attorney" shall be notarized / registered and submitted along with the tender.	No	No	Not Allowed
13.3.7	On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable.	No	No	Not Allowed
13.3.8	On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

13.3.9	In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement. (a) Joint and several liabilities: The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to non execution of the contract or part thereof. (b) Duration of the partnership deed and partnership firm agreement: The partnership deed/partnership firm agreement shall normally not be modified/altered/terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract. (c) Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws. (d) No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway.	No	No	Not Allowed
13.3.10	The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. (iv) All other documents in terms of Para 10 of explanatory notes in clause 10 mentioned in eligibility criteria.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

13.4	<p>Documents to be enclosed by the JV along with the tender: In case one or more of the members of the JV is/are partnership firm(s), following documents shall be submitted: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. (ii) A copy of consent of all the partners or individual authorized by partnership firm, to enter into the Joint Venture Agreement on a stamp paper, (iii) A notarized or registered copy of Power of Attorney in favour of the individual to sign the MOU/JV Agreement on behalf of the partnership firm and create liability against the firm. (iv) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. 2) In case one or more members is/are Proprietary Firm or HUF, the following documents shall be enclosed: (i) A copy of notarized affidavit on Stamp Paper declaring that his Concern is a proprietary Concern and he is sole proprietor of the Concern OR he who is signing the affidavit on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (3) In case one or more members of the JV is/are companies, the following documents shall be submitted: (i) A copy of resolutions of the Directors of the Company, permitting the company to enter into a JV agreement, (ii) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (iii) A copy of Certificate of Incorporation (iv) A copy of Authorization/copy of Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual, to sign the tender, sign MOU/JV Agreement on behalf of the company and create liability against the company (4) In case one or more members of the JV is/are LLP firm/s, the following documents shall be submitted: (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation of LLP (iii) A copy of resolution passed by partners of LLP firm, permitting the Firm to enter into a JV agreement (iv) A copy of Authorization /copy of Power of Attorney issued by the LLP firm (backed by resolution passed by the Partners) in favour of the individual, to sign the tender and/or sign the MOU/ JV agreement on behalf of the LLP and create liability against the LLP. (v) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/ members. Any Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (5) In case one or more members of the JV is/are Society/s or Trust/s, the following documents shall be submitted: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of S</p>	No	No	Not Allowed
------	---	----	----	-------------

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

13.5	Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) An undertaking that the Company is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of explanatory notes in clause 10 mentioned in eligibility criteria	No	No	Not Allowed
13.6	LLP (Limited Liability Partnership): (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of explanatory notes in clause 10 mentioned in eligibility criteria	No	No	Not Allowed
13.7	Registered Society & Registered Trust: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society (v) All other documents in terms of explanatory notes in clause 10 mentioned in eligibility criteria	No	No	Not Allowed
13.8	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender.	No	No	Not Allowed
13.9	After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society /HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.	No	No	Not Allowed
13.10	A tender from JV / Partnership firm etc. shall be considered only where permissible as per the tender conditions.	No	No	Not Allowed
13.11	The Railway will not be bound by any change in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

13.12	The tenderer whether sole proprietor / a company or a partnership firm /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.	No	No	Not Allowed
14	Employment/Partnership etc. of Retired Railway Employees:	No	No	Not Allowed
14.1	(a) Should a tenderer i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender THEN the tenderer will give full information as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender.	No	No	Not Allowed
14.2	b) In case, upon successful award of contract, should a tenderer depute for execution of the works under or to deal matters related with this contract, any retired Engineer of gazette rank or retired gazetted officer working before his retirement in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, and now in his employment, then the tenderer will ensure that retired Engineer or retired gazetted officer had retired from government service at least 1 year prior to the date of his employment with tenderer and in case he had retired from service within a year then he possesses the requisite permission from the President of India or any officer, duly authorized by him in this behalf, to get associated with the tenderer.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

14.3	(c) Should a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons.	No	No	Not Allowed
14.4	Note:-If information as required as per a), b), c) above has not been furnished, contract is liable to be dealt in accordance with provision of clause 62 of Standard General Condition of contract.	No	No	Not Allowed
15	Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement: The Contractor shall not, if he is a retired Government Engineer of Gazetted rank, himself engage in or employ or associate a retired Government Engineer of Gazetted rank, who has not completed one year from the date of retirement, in connection with this contract in any manner whatsoever without obtaining prior permission of the President and if the Contractor is found to have contravened this provision it will constitute a breach of contract and administration will be entitled to terminate the contract and forfeit his Performance Guarantee and additional Performance Guarantee as well as Security Deposit.	No	No	Not Allowed
16	The provision of Construction and Demolition Waste Management Rule 2016 issued by Ministry of Environment Forest and Climate Change dated 29.03.2016 and published in the Gazette of India, Part - II, Section -3, Sub-section (ii) are binding upon the Contractor. Contractor shall implement these provisions at worksites, for which no extra payment will be payable	No	No	Not Allowed
17	Bid Security	No	No	Not Allowed
17.1	The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA (attached in document tab) and shall be valid for a period of 90 days beyond the bid validity period.	No	No	Not Allowed
17.2	In case, submission of Bid Security in the form of Bank Guarantee, tenderer shall ensure following compliance, otherwise the offer will be summarily rejected	No	No	Not Allowed
17.3	(i)A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender	No	No	Not Allowed
17.4	(ii)The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids. (i.e. excluding the last date of submission of bids)	No	No	Not Allowed
17.5	(iii) Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid.	No	No	Not Allowed
17.6	(iv)The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender	No	No	Not Allowed
17.7	(v)The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, failing which the bid will be rejected.	No	No	Not Allowed
17.8	(vi)The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope	No	No	Not Allowed
17.9	The envelope shall be addressed to the officer and address as mentioned in the tender document.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

17.10	If the envelope is not sealed and marked as instructed above, the Railway assumes no responsibility for the misplacement or premature opening of the contents of the Bid submitted and consequent losses, if any, suffered by the Bidder.	No	No	Not Allowed
17.11	Bid security, if submitted in the form of Bank Guarantee, the original bank guarantee shall be submitted to concerned SSE(Drg.)/Rates section of DRM(Works) Office, Agra before closing date for submission of bids (i.e. excluding the last date of submission of bids). The beneficiary of Bank guarantee should be Sr. DFM/N.C. Rly./ Agra.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Guidance for filling of annexure-VA : Formats for guidance for filling annexure-VA by the partnership firm/JV/HUF/LLP is attached as documents. Before filling the annexure-VA, please go through the formats for guidance. In case of any disputes, the provision contained in GCC will prevail.	No	No	Not Allowed
2	Offer will be evaluated on the basis of tender schedule & special conditions mentioned in tender document. Conditional offer submitted by the tenderer is liable to be rejected at the discretion of Railways.	No	No	Not Allowed
3	Contractor will clear/clean the work site after completion of the work, to the satisfaction of site engineer.	No	No	Not Allowed
4	All false work, staging etc. should be so erected, clamped and secured that these should not infringe / moving dimension and obstruct the railway traffic.	No	No	Not Allowed
5	In terms of clause 26A.3 of GCC, the Contractor shall deploy atleast one Graduate Engineers at site during the execution of work.	No	No	Not Allowed
6	Special Conditions of contract for mandatory updation of Labour Data on Railway's Srakimkalyan Portal by Contract. Clause 54 & 55 of Indian Railway General Conditions of Contract deals with Wages to labour and action in case of default of contractor to payment of wages. In order to increase transparency in payment of Contract Labour wages and other payments, a web based e-application has been developed and hosted on website www.shramikkalyan.indianrailway.gov.in . All contractors are required to upload details of their LoAs, engaged workmen, wage payment details, PF/ESI details, bonus details etc., on monthly basis. This details so uploaded shall be available in public domain. In order to ensure prompt and proper uploading of details related to LoAs, engaged workmen, wage & other payment details. The special condition is as under:	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

6.1	A. Contactor is to abide by the provisions of Payment of Wages act & Minimum Wages act in terms of clause 54 and 55 of Indian Railway General Condition of Contract. In order to ensure the same, an application has been developed and hosted on website 'www.shramikkalyan.indianrailways.gov.in'. Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/ updation of Portal shall be done as under: (a) Contractor shall apply for onetime registration of his company/firm etc. in the Shramikkalyan portal with requisite details subsequent to issue of Letter of Acceptance. Engineer shall approve the contractor's registration on the portal within 7 days of receipt of such request. (b) Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all LoAs issued in his favour. (c) The contractor once registered on the portal, shall provide details of his Letter of Acceptances (LoA)/Contract Agreement on shramikkalyan portal within 15 days of issue of any LoA for approval of concerned engineer. Engineer shall update (if required and approve the details of LoA filled by contractor within 7 days of receipt of such request. (d) After approval of LoA by Engineer, contractor shall fill the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on shramikkalyan portal on monthly basis. (e) It shall be mandatory upon the contractor to ensure correct and prompt uploading of all salient details of engaged contractual labour & payments made thereof after each wage period.	No	No	Not Allowed
6.2	B. While processing payment of any 'On Account bill' or 'Final bill' or release of 'Advances' or 'Performance Guarantee/Security deposit', contractor shall submit a certificate to the Engineer of Engineer's representatives that " I have uploaded the correct details of contract labours engaged in connection with this contract and payment made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in' till _____ Month, _____ year."	No	No	Not Allowed
7	Old GCC has been changed and replaced with new General Conditions of Contract-2022, which has been added in tender document. Please go through this new General Condition of Contract-2022 before bidding. In case of any discrepancy, contradiction with regard to GCC (except special condition of contract) in that case GCC- 2022 will be applicable.	No	No	Not Allowed
7.1	GCC-April'2022 is to be read with Advance Correction Slip no. 1 to 11 of GCC April'2022, issued by Railway Board time to time (ACS 1 to 8 are incorporated in GCC-2022 document and ACS 9, 10 & 11 are attached separately).	No	No	Not Allowed
8	An exhaustive list of Specifications/Branded materials, which are to be used in the tenders of Works contract, is attached with tender document for implementation. This Branded items of list will invariably be applicable in all the tenders (Authority: HQ's letter no.291-W/O/QC/policy dated 22.03.22)	No	No	Not Allowed

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/We have read the various conditions / special conditions attached/ referred / an exhaustive list of Specifications/Branded materials, which are to be used in the tenders of Works contract which is attached with tender document as "List of Branded material" and agree to abide by the said conditions	No	No	Not Allowed
2	I/We also hereby agree to abide by the Indian Railways Standard General Conditions of Contract, with all correction slips up-to-date and to carry out the work according to the Specifications of materials and works and Special Conditions of Contract as laid down by Railway in the annexed Special Conditions/Specifications with all correction slips up-to-date for the present contract.	No	No	Not Allowed

**AGRA DIVISION-ENGINEERING/NORTH CENTRAL RLY
TENDER DOCUMENT**

Tender No: 2026-June-04-02

Closing Date/Time: 08/07/2026 15:00

3	I/We hereby Confirm that the rates, rebates and/or other financial terms, if any, quoted by us in the relevant fields of the Financial Bid page will only be the ruling terms for deciding the inter-se ranking, and any such condition having financial repercussions, if quoted by us anywhere else including attached documents shall not be considered for deciding inter-se ranking. However, Railways shall have the right to incorporate any such condition quoted by us, in the contract, at their discretion, if contract is placed on us.	No	No	Not Allowed
4	Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.	No	No	Not Allowed
5	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed
6	I/We have submitted full information in prescribed format regarding membership / employment of retired Gazetted officer and family members working in gazetted capacity in the Engineering or any other department of the railways. If no information is provided in this regard or if Annexure-1 is not submitted then the information shall be treated as nil. If found that information in this regard as required as per clause 16 a), b), c) of GCC-2022 has been concealed, contract is liable to be dealt in accordance with provision of clause 62 of Standard General Condition of contract.	No	No	Not Allowed
7	I/We have carefully gone through the clause no.10 to 18 of GCC'2022 and understood that due to non-compliance of commercial compliance mandatory requirement of these clauses given in tender document, my/our offer will be rejected.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Splcondn_merged.pdf	Special conditions
2	Listofbrand.pdf	List of brands
3	LetterofCredit.pdf	letter of credit
4	annexure-1.pdf	Annexure-1
5	Annexure-VIA.pdf	Annexure-VIA
6	CS11toGCC2022.pdf	ACS 11 of GCC
7	Annexure-VA.pdf	Annexure VA
8	GuidanceforfillingofAnnexure-VA.pdf	Guidance for filling of Annexure-VA
9	AnnexureV.pdf	Annexure V
10	GCC-2022uptoACS8.pdf	GCC 2022 up to ACS-8
11	ACS10ofGCC_1.pdf	ACS 10 of GCC
12	Annexure-VIB.pdf	annexure-VIB
13	CS9ofGCC2022.pdf	ACS-9 to GCC

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: VIVEK KUMAR BAJAJ

Designation : Sr.DENI