

पृष्ठ संख्या/Page No 3 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
---------------------------------	-----------------------------------	--	--------------------

SMALL STEEL CASTING ITEMS REQUIRED FOR 3-PHASE ELECTRIC LOCOMOTIVES: -

(This STR supersedes STR NO. CLW/2015/ELDO/M/STR/0020 Rev. '0' issued in Oct. 2015)

1.0 NAME OF THE ITEM:

(a) Axle Box Complete (WAG-9/9H/9HC/WAP-7), (b) Axle Guide Bearing (WAP-5),
(c) Holder for TM Suspension (WAG-9/9H/9HC/WAP-7), (d) Housing, (e) Pivot
(f) Spring Guide, (g) Torque Arm, (h) Wheel Set Guide.

2.0 APPLICATION:

Used in 3-Phase Electric Locomotives type WAG-9/9H/9HC/WAP-7 in Indian Railways. The items are to be manufactured as per relevant drawings and specifications.

3.0 SCOPE:

The Schedule of Technical Requirements (STR) is issued to serve as a guide to manufactures (called the “firm” hereafter) and should be read in conjunction with the relevant drawings and specifications with latest Revisions / Alterations. The technical requirements are meant to serve as guidelines only and are not exhaustive. The firm should satisfy themselves having complied with the requirements of drawings and STR. List of relevant Drawings/Specifications is listed as per Annexure –I.

Wherever lacking, existing CLW approved sources must also upgrade their facilities to fulfill the requirements of this STR within a period of one year from date of issue of this STR.

4.0 GENERAL REQUIREMENTS:

The firm should have currently valid ISO-9000 certification issued by an approved agency of the International Accreditation Forum (IAF) with the activity desired clearly mentioned in the scope of certification

4.1 The firm should have currently valid ISO-9000 certification issued by an approved agency of the International Accreditation Forum (IAF) with the activity

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE SSE/DRG.	PANKAJ KUMAR AEE/D-I	RAVI YADAV DY.CEE/D-I

पृष्ठ संख्या/Page No 6 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
---------------------------------	-----------------------------------	--	--------------------

official along with their qualification and experience should be furnished.

- 5.1.2 The quality control organization should be headed by a senior level official having degree in engineering who shall directly report to plant in-charge.

5.2 INCOMING MATERIAL

- 5.2.1 A complete bill of material indicating all input material items required for manufacturing of the products, governing specification and their sources of supplies as approved by the firm should be furnished.

- 5.2.2 Raw material shall be procured from CLW/RDSO approved sources wherever applicable or from reputed suppliers if no CLW/RDSO source is specified. Documentary proof of purchase and test certificate of each component shall be maintained and produced.

- 5.2.3 Record of each sub-supplier clearly showing the quantity purchased and rejected as well as cases of late delivery, if any shall be kept.

- 5.2.4 Incoming raw material shall be 100% inspected by Quality Control Department of the firm for any defect and deviation. The test results of incoming raw material with references to test certificate issued by the supplier and the results of internal tests carried out by the firm for verification may be submitted as part of QAP.

5.3 PROCESS OF MANUFACTURING:

- 5.3.1 Complete process flow chart covering all steps of process of manufacture for an individual product (or for a family of product if the process is same), including the process flow of outsourced activities along with its integration with main process, shall be clearly enlisted as part of QAP.

- 5.3.2 The following details of machine used for all the steps of machining operations should be included.

- Make, model and commissioning date of the machine.
- Accuracy.

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE <small>Digitally signed by JOY CHATTERJEE DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20+00ac3a30a6598788a5841427db6c37a11a67053b 1c20344b17f6a4a262, postalCode=713331, st=WEST BENGAL, serialNumber=90277A658511A8E7D078F9FA8D12AAE9108CC, oYAF30AB80F8F8F428B13, cn=JOY CHATTERJEE Date: 2024.05.31 16:40:52 +05'30'</small>	PANKAJ KUMAR <small>Digitally signed by PANKAJ KUMAR DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20+00ac3a30a6598788a5841427db6c37a11a67053b 1c20344b17f6a4a262, postalCode=713331, st=WEST BENGAL, serialNumber=2F687B84423E8B8A8F3D8A41402BAE886 2354070870772AB0821F8A, cn=PANKAJ KUMAR Date: 2024.05.30 17:02:34 +05'30'</small>	RAVI YADAV <small>Digitally signed by RAVI YADAV DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20+00ac3a30a6598788a5841427db6c37a11a67053b 1c20344b17f6a4a262, postalCode=713331, st=WEST BENGAL, serialNumber=454C8116567F91013C08E4C382085481E497 6535C2A9CA25843383C0C28C, cn=RAVI YADAV Date: 2024.05.31 10:28:27 +05'30'</small>
SSE/DRG.	AEE/D-I	DY.CEE/D-I

पृष्ठ संख्या/Page No 8 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
---------------------------------	-----------------------------------	--	--------------------

Vague language like available or will install is not acceptable.

- 5.4.4 The accuracy and capacity of the testing and measuring equipments shall be adequate to meet the requirements of the specification and drawing.
- 5.4.5 Stage inspection detailing inspection procedure, inspection parameters and method of testing / test procedure including sample sizes for destructive and non- destructive testing. Record of test results of stage inspection should be available and furnished.
- 5.4.6 List of typical Testing and measuring instruments required for manufacture is mentioned in Annexure – III. The list is for general guidance only. However, the specific Testing & measuring instruments, gauges used by the firm will also form part of QAP and shall be submitted.

5.5 **FORMAT TO BE SUBMITTED WITH QAP**

Format to be submitted with QAP is enclosed as Annexure-IV. Firms shall fill these formats keeping in view para 5.0.

5.6 **STORAGE FACILITY**

- Adequate dust free, clean and non-humid environment for storage of raw material and finished product separately.
- Adequate dust free, clean and non-humid environment for product assembly area.
- Adequate stacking / handling tables and racks in above storage area.

ANNEXURE – I

LIST OF DRAWINGS, SPECIFICATIONS AND STANDARDS

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE SSE/DRG.	PANKAJ KUMAR AEE/D-I	RAVI YADAV DY.CEE/D-I

पृष्ठ संख्या/Page No 10 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
----------------------------------	-----------------------------------	--	--------------------

Sl. No.	Name of Machinery & Plant	Capacity/ Rating	Purpose	Essential/ Optional**
1.	Casting Facility (Steel Casting)	Standard	Casting should be from Class 'A' Foundry as per IS: 12117:1996 or latest.	Optional**
2.	CNC Milling Machine	700 mm x 500	For machining as per drawing	Essential
3.	CNC Drilling Machine	Standard	For making hole at different location as per drg.	Essential
4.	CNC Boring Machine	Standard	For Axle Box boring	Essential
5.	Grinding Machine	Standard	For surface finishing	Essential
6.	Heat treatment Furnace/Chamber	Standard	For surface or sub-surface treatment	Optional**
7.	Painting	Suitable size	For primary painting as per drg.	Essential

** Optional activity or machinery and plant facility may be outsourced. However, the sub-vendor is also to be assessed.

Annexure-III

List of Measuring & Testing Equipments

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE <small>Digitally signed by JOY CHATTERJEE DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20=9BAC26956558738B034614276B6C7A416A70531612024B81259A203, postalCode=713331, st=WEST BENGAL, serialNumber=4E077A80571ABD7D79F915A012A4B119C2C07A2F30DA80FFBFB7423B13, cn=JOY CHATTERJEE Date: 2024.05.30 16:41:38 +05'30'</small> SSE/DRG.	PANKAJ KUMAR <small>Digitally signed by PANKAJ KUMAR DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20=9BAC26956558738B034614276B6C7A416A70531612024B81259A203, postalCode=713331, st=WEST BENGAL, serialNumber=4E077A80571ABD7D79F915A012A4B119C2C07A2F30DA80FFBFB7423B13, cn=PANKAJ KUMAR Date: 2024.05.30 17:04:32 +05'30'</small> AEE/D-I	RAVI YADAV <small>Digitally signed by RAVI YADAV DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20=9BAC26956558738B034614276B6C7A416A70531612024B81259A203, postalCode=713331, st=WEST BENGAL, serialNumber=4E04CB16587F91013C5D0B64DE3320B3481E4976535C2J0KCA2B43B83CCE2B6, cn=RAVI YADAV Date: 2024.05.31 10:34:02 +05'30'</small> DY.CEE/D-I

पृष्ठ संख्या/Page No 11 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
----------------------------------	-----------------------------------	--	--------------------

Sl. No.	Name of Measuring & Testing Equipments	Capacity / Rating	Essential/ Optional **
1.	Inside Micrometer	Measuring up to 600mm	Essential
2.	Vernier Caliper	Different sizes	Essential
3.	Depth Gauge	Standard	Essential
4.	Surface Table	For Leveling	Essential
5.	Steel tape	3m	Essential
6.	Dial Gauge	To check Parallelism	Essential
7.	Surface Roughness testing M/c	Standard	Essential
8.	Physical & Chemical Testing Lab	Standard	Optional **
9.	MPT Machine	Standard	Essential
10.	Ultrasonic Testing	Standard	Optional **
11.	Radiography Test	Standard	Optional **

** Testing Laboratory (Whether outsourced or in-house) should be NABL approved laboratory.

ANNEXURE - IV

FORMATS TO BE SUBMITTED WITH QAP:

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE <small>Digitally signed by JOY CHATTERJEE DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=MECHANICAL, 2.5.4.20=90a2c30f0c058758b03d461427b0c37a1da7053 b1c202348b12f8a2302, postalCode=713331, st=WEST BENGAL, serialNumber=90277A55B511A81D79F9F9FA012A4E9108C 2037A2F39DAB09F8F8F7A23813, cn=JOY CHATTERJEE Date: 2024.05.30 16:42:13 +05'30'</small>	PANKAJ KUMAR <small>Digitally signed by PANKAJ KUMAR DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20=4337962189b6a4a2164702b7b1ab390373b3928 079624a67b1684a, postalCode=713331, st=WEST BENGAL, serialNumber=2F748738441282B3A02F32B4A1402BAE986 559AD740D7977248D3E5F4A, cn=PANKAJ KUMAR Date: 2024.05.30 17:04:55 +05'30'</small>	RAVI YADAV <small>Digitally signed by RAVI YADAV DN: c=IN, o=CHITTARANJAN LOCOMOTIVE WORKS, ou=ELECTRICAL, 2.5.4.20=7F6c1da727a21a0a7e9f2606800c175da04dbf32124f 334da7e7f6a7a7e537, postalCode=713331, st=WEST BENGAL, serialNumber=8E4C816556F81075C2D8E4C8303B3461E4976 53C2A9CA22B433B3CCE28C, cn=RAVI YADAV Date: 2024.05.31 11:34:27 +05'30'</small>
SSE/DRG.	AEE/D-I	DY.CEE/D-I

पृष्ठ संख्या/Page No 12 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
----------------------------------	-----------------------------------	--	--------------------

1. Organization specific to the product:

Description	Name of person with contact no.	Qualification	Experience	
			Field	Year
(a)	(b)	(c)	(d)	(e)
Design in – charge				
Production in – charge				
Quality Inspection in–charge				

2. Incoming Material Control:

Subject / Product / Process	Sample size & its frequency of Inspection	Parameter for inspection	Mode of Inspection / Equipments used	Acceptance Limit/criteria/specified value as per Drg/Spec.
(a)	(b)	(c)	(d)	(e)

Document Reference	Record No.	Format	Action in case of rejection
(f)	(g)		(h)

3. Process Control:

(i) Proposed M&P

Sl. No.	Process/ Activity	Work Instruction Ref.	Machine Details					In– house / Out source
			Lead parameter	Make	Model	Comm. Dt.	Accuracy	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)

4. Stage Inspection /Test Plan:

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE SSE/DRG.	PANKAJ KUMAR AEE/D-I	RAVI YADAV DY.CEE/D-I

पृष्ठ संख्या/Page No 13 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
----------------------------------	-----------------------------------	--	--------------------

Subject / Product / Process	Instrument / Jig & Fixture test bench used	Inspection stage	Parameter for inspection	Sample size & its frequency of Inspection	Document Reference
(a)	(b)	(c)	(d)	(e)	(f)

Acceptance Limit/criteria/specified value as per Drg./Spec	Inspection Agency	Record Format No	Action in case of rejection
(g)	(h)	(i)	(j)

5. Product Control:

Subject Product / Process	Instrument / Jig & Fixture test bench used	Parameter for inspection	Sample size & its frequency of Inspection	Document Reference	Acceptance Limit/criteria/speci fied value as per Drg./Spec.
(a)	(b)	(c)	(d)	(e)	(f)

Inspection Agency	Record Format No.	Action in case of rejection
(g)	(h)	(i)

6. Calibration Plan:

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE SSE/DRG.	PANKAJ KUMAR AEE/D-I	RAVI YADAV DY.CEE/D-I

पृष्ठ संख्या/Page No 14 of 14	प्रकाशित/ issued on (MAY-2024)	एस.टी.आर.सं./STR No.. CLW/2020/ELDO/M/STR/020	पुनरावृत्ति /Rev.2
----------------------------------	-----------------------------------	--	--------------------

Instrument Description	Serial No.	Make	Model	Year of procurement	Capacity / Range	Accuracy	Periodicity of Calibration
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)

Calibration Agency	Record Format No.
(i)	(j)

7. Approved Sources for Raw Materials / Consumables

Raw Material / Consumable	Specification / Standard	Source Address	Whether Source controlled by CLW / RDSO / Others
(a)	(b)	(c)	(d)

बनाया गया (के द्वारा)/ Prepared By	जांचा गया (के द्वारा)/ Checked By	जारी किया गया / ISSUED BY
JOY CHATTERJEE SSE/DRG. <div>Digitally signed by JOY CHATTERJEE DN: cn=JOY CHATTERJEE, o=CLW, ou=CLW, email=joy.chatterjee@clw.co.in, c=IN, st=West Bengal, serialNumber=20776458511A87D79F9F6A012A4E910BC, cn=JOY CHATTERJEE Date: 2024.05.30 16:42:12 +05'30'</div>	PANKAJ KUMAR AEE/D-I <div>Digitally signed by PANKAJ KUMAR DN: cn=PANKAJ KUMAR, o=CLW, ou=CLW, email=pankaj.kumar@clw.co.in, c=IN, st=West Bengal, serialNumber=20776458511A87D79F9F6A012A4E910BC, cn=PANKAJ KUMAR Date: 2024.05.30 17:00:24 +05'30'</div>	RAVI YADAV DY.CEE/D-I <div>Digitally signed by RAVI YADAV DN: cn=RAVI YADAV, o=CLW, ou=CLW, email=ravi.yadav@clw.co.in, c=IN, st=West Bengal, serialNumber=20776458511A87D79F9F6A012A4E910BC, cn=RAVI YADAV Date: 2024.05.31 10:35:44 +05'30'</div>