

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

**DRM/ENGG/RNC** acting for and on behalf of The President of India invites E-Tenders against Tender No **DRMENGGRNC-50-2026** Closing Date/Time 22/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Construction/extension of Goomtys, water booths and platforms at Ranchi and Construction/extension of Goomtys, water booths, military ramps and platforms at Tatisilwai (TIS).		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Two Packet System
<b>Tender Closing Date Time</b>	22/07/2026 15:00	<b>Date Time Of Uploading Tender</b>	30/06/2026 16:20
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	145910402.52	<b>Tendering Section</b>	GENERAL
<b>Bidding Style</b>	[ Decision at Schedule level ]	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	2918200.00	<b>Validity of Offer ( Days)</b>	90
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	12 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	08/07/2026		
<b>Are JV allowed to bid</b>	Yes	<b>Number of JV Member Allowed</b>	3
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule ()</b> A-Execution of all Works of CPWD DSR 2023-Ver-1 with all correction slips up to date.							141353975.52	Above/ Below/Par
1	Please see Item Breakup for details.				127345923.89	11.00	141353975.52	
	<b>Description:-</b> Please see Item Breakup for details.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule ()</b> B-Execution of all works as per NS Items (Special Items)							4556427.00	
1	Please see Item Breakup for details.				4556427.00	AT Par	4556427.00	Above/ Below/Par
	<b>Description:-</b> Please see Item Breakup for details.							

**3. ITEM BREAKUP**

<b>Schedule</b>	Schedule A-Execution of all Works of CPWD DSR 2023-Ver-1 with all correction slips up to date.					
<b>Item- 1</b>	Please see Item Breakup for details.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	1.0	CARRIAGE OF MATERIALS				
	1.1	By Mechanical Transport including loading, unloading and stacking				
	1.1.1	Lime, moorum, building rubbish				
1	1.1.1.2	2km	cum	80	196.66	15732.8

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

2	1.1.18	Disposal of moorum/building rubbish/malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge.	cum	151	494.1	74609.1
	2.0	<b>EARTH WORK</b>				
	2.15	<b>General</b>				
	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.				
3	2.6.1	All kinds of soil	cum	178	177.5	31595
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
4	2.8.1	All kinds of soil.	cum	2821.4	260.3	734410.42
5	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	1860	196	364560
6	2.25A	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.	cum	12093	700.5	8471146.5
7	2.27	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	cum	1393	2123.75	2958383.75
	4.0	<b>CONCRETE WORK</b>				
	4.15	<b>CEMENT CONCRETE (CAST IN SITU)</b>				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
8	4.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	2307.1	7878.5	18176487.35
9	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	509	7294.7	3713002.3
10	4.1.6	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	63.9	7178.75	458722.13

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
11	4.2.3	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	35	9895.2	346332
	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
12	4.3.1	Foundations, footings, bases for columns	Sqm	2397	392.15	939983.55
	4.5S	<b>CEMENT CONCRETE PRECAST</b>				
	4.5	Providing and fixing up to floor five level precast cement concrete string or lacing courses, copings, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, stair cases, etc., including hoisting and setting in position with cement mortar 1:3 (1 Cement : 3 coarse sand), cost of required Centering complete.				
13	4.5.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20mm nominal size derived from natural sources)	cum	660	10105.1	6669366
	4.10S	<b>DAMP-PROOF COURSE</b>				
14	4.10	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources)	Sqm	99	410.85	40674.15
	4.14S	<b>MISCELLANEOUS</b>				
	4.20	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete.				
	4.20.1	All works upto plinth level :				
15	4.20.1.4	Concrete of M25 grade with minimum cement content of 300 kg /cum	cum	58	9439.05	547464.9
	5.0	<b>REINFORCEMENT CEMENT CONCRETE</b>				
	5.1S	<b>CAST IN SITU</b>				
	5.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

16	5.1.2	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	1.7	9045.75	15377.78
	5.9S	<b>FORM WORK</b>				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
17	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	681	392.15	267054.15
18	5.9.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	1737	842.5	1463422.5
19	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	1095	927.25	1015338.75
20	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	1497	736.4	1102390.8
21	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	784	961.3	753659.2
22	5.9.19	Weather shade, Chajjas, corbels etc., including edges	Sqm	150	951.1	142665
	5.22S	<b>STEEL REINFORCEMENT</b>				
	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
23	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	72880	107.85	7860108
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
24	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	32079	107.85	3459720.15
	5.33S	<b>DESIGN MIX CONCRETE</b>				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.:				
	5.33.1	All works upto plinth level				
25	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	196	9504.75	1862931
26	5.33.1.2	Concrete of M30 grade with minimum cement content of 350 kg /cum	cum	256	9655.7	2471859.2
	5.33.2	All works above plinth level upto floor V level				
27	5.33.2.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	268	9860.4	2642587.2
28	5.33.2.2	Concrete of M30 grade with minimum cement content of 350 kg /cum	cum	263	10011.35	2632985.05

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

29	5.35	Add for using extra cement in the items of design mix over and above the specified cement content therein.	Quintal	128.9	733.5	94548.15
	6.0	<b>MASONRY WORK</b>				
	6.1S	<b>General</b>				
	6.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
30	6.1.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	1045.7	7132.25	7458193.83
	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
31	6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	216.7	9105.95	1973259.37
32	6.8	Brick work 7 cm thick with common burnt clay F.P.S. (non modular) brick of class designation 7.5 in cement mortar 1:3 (1 cement: 3 coarse sand) in superstructure above plinth level and upto floor five level.	Sqm	108	865.65	93490.2
	8.0	<b>CLADDING WORK</b>				
	8.1S	<b>General</b>				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
33	8.2.2.1	Area of slab upto 0.50 sqm	Sqm	50	5413.5	270675
34	8.2.2.2	Area of slab over 0.50 sqm	Sqm	40	5136.3	205452
	9.0	<b>WOOD AND P.V.C. WORK</b>				
	9.1S	<b>FRAMES AND TRUSSES</b>				
	9.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
35	9.1.1	Second class teak wood	cum	2.2	142949.7	314489.34
	9.21	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
36	9.21.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	56	2392.65	133988.4
	9.22	Extra for Providing and fixing flush doors with decorative veneering instead of non decorative ISI marked flush door shutters conforming to IS: 2202 (Part I)				
37	9.22.1	On one side only	Sqm	26	478	12428

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	9.57S	COPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378)				
	9.62	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete (Copper oxidised as per IS 1378)				
38	9.62.1	300x16 mm	Each	20	216.55	4331
39	9.62.2	250x16 mm	Each	20	193.7	3874
	9.63	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete (Copper oxidised as per IS 1378)				
40	9.63.1	250x10 mm	Each	20	83.9	1678
41	9.63.3	150x10 mm	Each	20	59.45	1189
	9.66	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete (Copper oxidised as per IS 1378)				
42	9.66.1	125 mm	Each	20	39.95	799
43	9.66.3	75 mm	Each	20	29.7	594
	9.105S	GYPSUM BOARD PARTITIONS				
	9.135	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.				
44	9.135.2	With 12 mm mild steel U beading	Sqm	79	1228	97012
	10.0	STEEL WORK				
	10.1S	General				
45	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	2500	133.7	334250
	10.25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
46	10.25.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	Kg	12476	172.6	2153357.6
	11.0	FLOORING				
	11.1S	General				
	11.1	Brick on edge flooring with bricks of class designation 7.5 on a bed of 12 mm cement mortar, including filling the joints with same mortar, with common burnt clay non modular bricks:				
47	11.1.2	1:6 (1cement : 6 coarse sand)	Sqm	937.4	965.55	905106.57
	11.6	Cement plaster skirting up to 30 cm height, with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement.				
48	11.6.1	18 mm thick	Sqm	54	662.05	35750.7
49	11.7	Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete.	cum	114	8595.15	979847.1
	11.16S	TILE FLOORING				

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	11.20	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand).				
50	11.20.3	Dark shade pigment using ordinary cement	Sqm	6226	1119.5	6970007
	11.21	Providing and fixing 10 mm thick acid and/or alkali resistant tiles of approved make and colour using acid and/or alkali resisting mortar bedding, and joints filled with acid and/or alkali resisting cement as per IS : 4457, complete as per the direction of Engineer-in- Charge.				
	11.21.1	In flooring on a bed of 10 mm thick mortar 1:4 (1 acid proof cement : 4 coarse sand)				
51	11.21.1.1	Acid and alkali resistant tile	Sqm	79	1738.15	137313.85
	11.21.2	In dado/skirting on 12 mm thick mortar 1:4 (1 acid proof cement : 4 coarse sand)				
52	11.21.2.1	Acid and alkali resistant tile	Sqm	79	1884.9	148907.1
	11.26S	KOTA STONE FLOORING				
	11.26	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
53	11.26.1	25 mm thick	Sqm	700	1948.25	1363775
	11.41S	VITRIFIED FLOOR TILES				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
54	11.41.2	Size of Tile 600x600 mm	Sqm	641	1553.45	995761.45
	11.46	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.				
55	11.46.2	Size of Tile 600x600 mm	Sqm	92	1623.05	149320.6



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
56	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	5244	4481.3	23499937.2
	12.0	ROOFING				
	12.37S	RAIN WATER SPOUT AND PIPE				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
57	12.41.2	110 mm diameter	Metre	108	377.4	40759.2
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.1	Coupler				
58	12.42.1.2	110 mm	Each	22	136.15	2995.3
	12.42.3	Single tee with door				
59	12.42.3.2	110x110x110 mm	Each	22	234.15	5151.3
	12.42.5	Bend 87.5 degree				
60	12.42.5.2	110 mm bend	Each	42	150.35	6314.7
	12.42.6	Shoe (Plain)				
61	12.42.6.2	110 mm Shoe	Each	22	131.85	2900.7
	12.43	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
62	12.43.2	110 mm	Each	64	371.3	23763.2
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
63	13.1.2	1:6 (1 cement: 6 fine sand)	Sqm	1781	333.35	593696.35
	13.2	15 mm cement plaster on the rough side of single or half brick wall of mix :				
64	13.2.2	1:6 (1 cement: 6 fine sand)	Sqm	4054	383	1552682
	13.3	20 mm cement plaster of mix :				
65	13.3.2	1:6 (1 cement: 6 fine sand)	Sqm	55	450	24750
	13.16S	6 mm CEMENT PLASTER				
	13.16	6 mm cement plaster of mix :				
66	13.16.1	1:3 (1 cement : 3 fine sand)	Sqm	819	300.45	246068.55
	13.20S	PEBBLE DASH PLASTER				



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

67	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	2603	262.7	683808.1
	13.37S	INTERIOR FINISHING				
	13.41	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour :				
68	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	Sqm	2603	185.65	483246.95
	13.44S	EXTERIOR FINISHING				
	13.44	Finishing walls with water proofing cement paint of required shade :				
69	13.44.1	New work (Two or more coats applied @ 3.84 kg/10 sqm)	Sqm	2770	116.9	323813
	13.46	Finishing walls with Acrylic Smooth exterior paint of required shade :				
70	13.46.1	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	Sqm	1284	160.6	206210.4
	13.47	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:				
71	13.47.1	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	Sqm	90	171.1	15399
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
72	13.48.2	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture	Sqm	29	176.25	5111.25
	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
73	13.61.1	Two or more coats on new work	Sqm	60	155.9	9354
	13.62	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :				
74	13.62.1	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	Sqm	249	226.25	56336.25
75	13.80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	1284	156.05	200368.2
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
76	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	115	2434.25	279938.75

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

77	15.3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	cum	72	3551.25	255690
	15.7	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
78	15.7.4	In cement mortar	cum	35	2060.2	72107
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
79	15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	6954	73.4	510423.6
	16.0	<b>ROAD WORK</b>				
	16.49S	<b>MISCELLANEOUS</b>				
80	16.90	Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.	Sqm	968	2017.6	1953036.8
	17.0	<b>SANITARY INSTALLATIONS</b>				
	17.1S	<b>General</b>				
	17.1	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231,with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
81	17.1.1	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	Each	3	6767.4	20302.2
	17.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :				
82	17.2.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	3	6515.55	19546.65
	17.4	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
83	17.4.1	One urinal basin with 5 litre white P.V.C. automatic flushing cistern	Each	3	6258.75	18776.25

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
84	17.7.3	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	6	2301.75	13810.5
85	17.22B	Providing and fixing CP Brass Single lever telephonic wall mixer of quality and make as approved by Engineer in charge.(a) 15 mm nominal dia	Each	6	6940.75	41644.5
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2	Flexible pipe				
86	17.28.2.2	40 mm dia	Each	15	119.55	1793.25
87	17.29	Providing and fixing 100 mm sand cast Iron grating for gully trap.	Each	39	53.25	2076.75
	17.32	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :				
88	17.32.2	Rectangular shape 453x357 mm	Each	6	1361.8	8170.8
	17.35	Providing and fixing soil, waste and vent pipes :				
	17.35.1	100 mm dia				
89	17.35.1.1	Sand cast iron S&S pipe as per IS: 1729	Metre	120	1151.9	138228
	17.39	Providing and fixing plain bend of required degree.				
	17.39.1	100 mm dia				
90	17.39.1.1	Sand cast iron S&S as per IS - 1729	Each	20	470.45	9409
91	17.72	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	Each	6	231.95	1391.7
	18.0	WATER SUPPLY				
	18.4S	PP-R PIPES				
	18.6	Providing and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes confirming to IS:15801 UV stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply, including all PP - R plain & brass threaded polypropylene random fittings, including trenching, refilling & testing of joints complete as per direction of Engineer-in-Charge. External work				
92	18.6.3	PN - 16 Pipe, 32 mm OD (SDR-7.4)	Metre	120	316.25	37950
93	18.6.6	PN - 10 Pipe, 63 mm OD (SDR-11)	Metre	500	597.75	298875
	18.7S	C.P.V.C. PIPES				
	18.7	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. ( Internal work - Exposed on wall )				

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

94	18.7.2	20 mm nominal dia Pipes	Metre	50	335	16750
95	18.7.3	25 mm nominal dia Pipes	Metre	30	401.55	12046.5
96	18.7.4	32 mm nominal dia Pipes	Metre	90	518.75	46687.5
	18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.				
97	18.8.2	20 mm nominal dia Pipes	Metre	120	537.6	64512
98	18.8.3	25 mm nominal dia Pipes	Metre	30	627.25	18817.5
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
99	18.9.4	32 mm nominal dia Pipes	Metre	30	438.6	13158
100	18.9.6	50 mm nominal dia Pipes	Metre	60	794.25	47655
101	18.9.7	65 mm nominal dia Pipes	Metre	30	1674.4	50232
	18.15S	<b>BRASS FITTINGS</b>				
	18.15	Providing and fixing brass bib cock of approved quality :				
102	18.15.2	20 mm nominal bore	Each	40	379.2	15168
	18.17	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :				
103	18.17.1A	20 mm nominal bore	Each	20	539.95	10799
104	18.17.2	32 mm nominal bore.	Each	9	689.6	6206.4
105	18.17.4	50 mm nominal bore	Each	10	1026.65	10266.5
	18.31S	<b>C.I. SLUICE VALVES/ FIRE HYDRANTS &amp; FIXTURES</b>				
106	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	6000	11	66000
	18.49S	<b>C.P. BRASS FITTINGS</b>				
	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
107	18.49.1	15 mm nominal bore	Each	6	506.8	3040.8
	18.50	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.				
108	18.50.1	15 mm nominal bore	Each	6	820.7	4924.2
	18.53	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
109	18.53.1	15mm nominal bore	Each	6	574.3	3445.8

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

110	18.53A	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge.	Each	9	74.8	673.2
	18.54S	PTMT FITTINGS				
	18.58	Providing and fixing PTMT grating of approved quality and colour.				
	18.58.1	Circular type				
111	18.58.1.1	100 mm nominal dia	Each	9	37.6	338.4
	18.59S	AIR VALVE & WATER METER (BULK TYPE)				
112	18.65	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	Each	6	111.45	668.7
	18.76	Cutting holes up to 30x30 cm in walls including making good the same:				
113	18.76.1	With common burnt clay F.P.S. (non modular) bricks	Each	9	416.8	3751.2
	21.0	ALUMINIUM WORK				
	21.1S	General				
	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) :				
	21.1.1	For fixed portion				
114	21.1.1.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kg	892	495.05	441584.6
	21.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
115	21.1.2.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kg	1070	598.6	640502
	21.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
116	21.3.1	With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	Sqm	79	1176.8	92967.2

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

	21.8	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
117	21.8.1	Upto 5mm depth and 5 mm width	Metre	392	96.75	37926
					<b>Total</b>	<b>127345923.89</b>
<b>Schedule</b>	Schedule B-Execution of all works as per NS Items (Special Items)					
<b>Item- 1</b>	Please see Item Breakup for details.					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
1	1	Providing hand packed dry flat brick flooring , class designation 7.5 (FPS Bricks), excluding pointing with joints filled with sand over a bed of dry sand of average thickness 25 mm including ramming sub grade , Flat brick	Sqm	14850.00	229.82	3412827.00
2	2	Supply and installation of 04 seater stainless steel bench of 304 grade stainless steel as per Drg No. RDSO/WKS/2018/3	Set	30.00	38120.00	1143600.00
					<b>Total</b>	<b>4556427.00</b>

**4. ELIGIBILITY CONDITIONS**

**Important :** All documents uploaded and remarks / confirmation entered by the bidders against any eligibility condition shall be opened as part of technical bid only

**Standard Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees, N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. SPECIAL NOTE:- The balance sheet and all other financial documents attested/certified by CAs to substantiate fulfilment of Financial Eligibility Criteria should be with UDIN, failing which the offer is likely to be rejected without any further reference. (Authority: CE's letter No.- CE/G/Arb& Cont. Mgt./Tender Circular/Pt.1/317, Dated: 11:03.2025)	No	No	Allowed (Mandatory)
1.1	Financial Eligibility Criteria for JOINT VENTURE (JV): - The JV shall satisfy the requirement of "Financial Eligibility" mentioned at para 10.2 of GCC April - 2022. The "financial capacity" of the lead member of JV shall not be less than 51% of the financial eligibility criteria mentioned at para 10.2 of GCC April - 2022. The arithmetic sum of individual "financial capacity" of all the members shall be taken as JV's "financial capacity" to satisfy this requirement. Note: Contractual payment received by a Member in an earlier JV shall be reckoned only to the extent of the concerned member's share in that JV for the purpose of satisfying compliance of the above-mentioned financial eligibility criteria in the tender under consideration.	No	No	Allowed (Mandatory)

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.2	Bid Capacity: The tender/technical bid will be evaluated based on bid capacity formula detailed as Annexure-VI (available in document tab). Bid Capacity for JV: The JV shall satisfy the requirement of "Bid Capacity" requirement mentioned at para 10.3 of GCC April - 2022 and its correction slip. The arithmetic sum of individual "Bid capacity" of all the members shall be taken as JV's "Bid capacity" to satisfy this requirement. SPECIAL NOTE:- The Bid Capacity attested/certified by CAs to substantiate fulfilment of Bid Capacity should be with UDIN, failing which the offer is likely to be rejected without any further reference.	No	No	Allowed (Mandatory)
-----	---	----	----	---------------------

**Standard Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Technical Eligibility Criteria: (a) The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii) One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2) In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing.	No	No	Allowed (Mandatory)



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.1	<p>However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing. Note for Technical Eligibility Criteria: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Not Allowed
1.2	<p>Credentials if submitted in foreign currency shall be converted into Indian currency i.e., Indian Rupee as under: The conversion rate of US Dollars into Rupees shall be the daily representative exchange rates published by the Reserve Bank of India or entity authorized by RBI to do so for the relevant date or immediately previous date for which rates have been published. Where, relevant date shall be as on the last day of month previous to the one in which tender is invited. In case of any other currency, the same shall first be converted to US Dollars as on the last day of month previous to the one in which tender is invited, and the amount so derived in US Dollars shall be converted into Rupees at the aforesaid rate. The conversion rate of such currencies shall be the daily representative exchange rates published by the International Monetary Fund for the relevant date or immediately previous date for which rates have been published.</p>	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.3	<p>[Explanation for Eligibility Criteria: 1. Substantially Completed Work means an ongoing work in which payment equal to or more than 90% of the present contract value (excluding the payment made for adjustment of Price variation (PVC), if any) has been made to the contractor in that ongoing contract and no proceedings of termination of contract on Contractor's default has been initiated. The credential certificate in this regard should have been issued not prior to 60 days of date of invitation of present tender. 2. In case a work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials. 3. If a work is physically completed and completion certificate to this extent is issued by the concerned organization but final bill is pending, such work shall be considered for fulfillment of credentials. 4. In case of completed work, the value of final bill (gross amount) including the PVC amount (if paid) shall be considered as the completion cost of work. In case final bill is pending, only the total gross amount already paid including the PVC amount (if paid) shall be considered as the completion cost of work. In case of substantially completed work, the total gross amount already paid including the PVC amount (if paid), as mentioned in the certificate, shall be considered as the cost of substantially completed work. 5. If a bidder has successfully completed a work as subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in Note for Item 10.1 Para 10 of the Tender Form (Second Sheet) of GCC April - 2022, the same shall be considered for the purpose of fulfillment of credentials.</p>	No	No	Not Allowed
1.4	<p>6. In case a work is considered similar in nature for fulfillment of technical credentials, the overall cost including the PVC amount (if paid) of that completed work or substantially completed work, shall be considered and no separate evaluation for each component of that work shall be made to decide eligibility. 7. In case of newly formed partnership firm, the credentials of individual partners from previous propriety firm(s) or dissolved previous partnership firm(s) or split previous partnership firm(s), shall be considered only to the extent of their share in previous entity on the date of dissolution /split and their share in newly formed partnership firm. For example, a partner A had 30% share in previous entity and his share in present partnership firm is 20%. In the present tender under consideration, the credentials of partner A will be considered to the extent of <math>0.3 \times 0.2</math> * value of the work done in the previous entity. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc. 8. In case of existing partnership firm, if any one or more partners quit the partnership firm, the credentials of remaining partnership firm shall be re-worked out i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm(e.g. in a partnership firm of partners A, B &amp; C having share 30%, 30% &amp; 40% respectively and credentials of Rs 10 crore; in case partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc.</p>	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.4.1	9. In case of existing partnership firm if any new partner(s) joins the firm without any modification in the name and PAN/TAN no. of the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s) on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc. 10. Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners. 11. In case a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor. 12. If the percentage share among partners of a partnership firm is changed, but the partners remain the same, the credentials of the firm before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, in case a partner of partnership firm retires without taking away any credentials from the firm, the credentials of partnership firm shall remain the same as it is without any change in their value. 13. In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX", credentials of A in propriety firm "P" or in other partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB. 14. In case a tenderer is LLP, the credentials of tenderer shall be worked out on above lines similar to a partnership firm. 15. In case company A is merged with company B, then company B would get the credentials of company A also.]	No	No	Not Allowed
1.5	Technical Eligibility Criteria for JOINT VENTURE (JV) ('a' or 'b' mentioned hereunder): (a) For Works without composite components The technical eligibility for the work as per para 10.1 of GCC April - 2022, shall be satisfied by either the 'JV in its own name & style' or 'Lead member of the JV'. Each other (non-lead) member(s) of JV, who is/ are not satisfying the technical eligibility for the work as per para 10.1 of GCC April - 2022, shall have technical capacity of minimum 10% of the cost of work i.e., each non-lead member of JV member must have satisfactorily completed or substantially completed during the last 07 (seven) years, ending last day of month previous to the one in which tender is invited, one similar single work for a minimum of 10% of advertised value of the tender. (b) For works with composite components The technical eligibility for major component of work as per para 10.1 a of GCC April - 2022, shall be satisfied by either the 'JV in its own name & style' or 'Lead member of the JV' and technical eligibility for other component(s) of work as per para 10.1 above, shall be satisfied by either the 'JV in its own name & style' or 'any member of the JV'. Each other (non-lead) member(s) of JV, who is/ are not satisfying the technical eligibility for any component of the work as per para 10.1 of GCC April - 2022, shall have technical capacity of minimum 10% of the cost of any component of work mentioned in technical eligibility criteria. i.e., each other (non-lead) member of must have satisfactorily completed or substantially completed during the last 07 (seven) years, ending last day of month previous to the one in which tender is invited, one similar single work for a minimum of 10% of cost of any component of work mentioned in technical eligibility criteria. Note for Technical Eligibility Criteria: a) The Major component of the work for this purpose shall be the component of work having highest value. In cases where value of two or more component of work is same, any one work can be classified as Major component of work. b) Value of a completed work done by a Member in an earlier JV shall be reckoned only to the extent of the concerned member's share in that JV for the purpose of satisfying his/her compliance to the above-mentioned technical eligibility criteria in the tender under consideration.	No	No	Not Allowed
1.6	Defination of Similar Work :- Any civil engineering works.	No	No	Not Allowed

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

## 5. COMPLIANCE

**Important :** All documents uploaded and remarks / confirmation entered by the bidders against any compliance condition shall be opened as part of technical bid only.

### Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Checklists for submission of documents while submitting the tender. : It shall be mandatory to submit the following documents (relevant to the nature of the firm) along with offer.	No	No	Not Allowed
1.1	If the accepted tender value is more than 5% below the advertised tender value, the contractor shall submit an additional Performance Guarantee at the rate of 5% of the contract value. (Authirity : Advance Correction Slip No. 11 to IRS GCC April-2022)	No	No	Not Allowed
1.2	For Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.: - Please submit a Self-certificate by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. in the prescribed format as Annexure-V(A). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer.	No	No	Not Allowed
1.3	Fulfillment of Standard Technical and Financial Criteria as per tender documents.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.4	(a) Sole Proprietorship Firm: (i) All documents in terms of Para 10 of the Tender Form (Second Sheet) IRSGCC April-2022.	No	No	Not Allowed
1.5	(b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) IRSGCC April-2022.	No	No	Not Allowed
1.6	(c) Partnership Firm: The following documents shall be submitted by the partnership firm, with the tender: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Not Allowed
1.7	(d) Joint Venture (JV) (If applicable): The tenderer shall submit all documents as mentioned in para 17 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Not Allowed
1.8	(e) Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) All other documents in terms Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Not Allowed
1.9	(f) LLP (Limited Liability Partnership): (i)A copy of LLP Agreement (ii)A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Not Allowed
1.10	(g) Registered Society & Registered Trust: (i)A copy of Certificate of Registration (ii)A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Not Allowed
1.11	Declaration regarding Retd Railway Employee.	No	No	Not Allowed
1.12	PAN	No	No	Not Allowed
1.13	GST REGISTRATION	No	No	Not Allowed
1.14	EPF REGISTRATION (IF APPLICABLE)	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.15	Bid Security as Bank Guarantee Bond from a scheduled commercial bank of India . The Bank Guarantee Bond shall be as per Annexure VIA (AVAILABLE IN GCC APRIL 2022 WHICH IS UPLOADED IN DOCUMENT TAB) and shall be valid for a period of 90 days beyond the bid validity period. The original Bank Guarantee should be delivered to officials of Engineering Tender cell/ RNC, before closing date for submission of bids (i.e. excluding the last date of submission of bids). Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. Bank Guarantee Bond should be with following details:-	No	No	Not Allowed
1.15.1	Acting through - DRM(Engg.), South Eastern Railway, Ranchi.	No	No	Not Allowed
1.15.2	Beneficiary: FA & CAO, South Eastern Railway, Garden Reach, Kolkata.	No	No	Not Allowed
1.16	Duly filled and signed Annexure VIB (AVAILABLE IN GCC APRIL 2022 WHICH IS UPLOADED IN DOCUMENT TAB) ) duly supported by Audited Balance Sheet duly certified by the Chartered Accountant. (for work costing more than 50 lakhs )	No	No	Not Allowed
1.17	Technical Eligibility Criteria (for work costing more than 50 lakhs).	No	No	Not Allowed
1.18	BID CAPACITY:- For tenders having advertised value more than Rs 10 crore.	No	No	Not Allowed
1.19	Joint Venture (JV):- For tenders having advertised value more than Rs 10 crore.	No	No	Not Allowed

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Commercial-Compliance:-	No	No	Not Allowed
1.1	Tenderer must have valid PF code number. Tenderer should upload document with respect to valid PF code number . Bill will be cleared only after verification of PF challan paid for previous month among all other statutory dues by the contractor/establishment.	No	No	Allowed (Mandatory)
1.2	Tenderers are required to upload copy of Permanent Account Number & GST.	No	No	Allowed (Mandatory)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	General Instruction:-	No	No	Not Allowed
1.1	Multiple L-1: - In case of more than one L-1 bidders, tender may be awarded to tenderer having higher Bid Capacity. In case Bid Capacity is also the same, tenderer having done more value of similar work in last three previous financial years and the current financial year upto the date of opening of the tender, may be selected for the award. Instructions with respect to Bid Capacity will follow. (Railway Board Letter No.2017/Trans/01/Policy New Delhi, dated: 08.02.2018)	No	No	Not Allowed
1.2	SPECIAL NOTE: The balance sheet and all other financial documents attested/certified by CAs to substantiate fulfilment of Financial Eligibility Criteria should be with UDIN, failing which the offer is likely to be rejected without any further reference. (Authority: CE's letter No.-CE/G/Arb& Cont. Mgt./Tender Circular/Pt.1/317, Dated: 11/03.2025)	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.3	If the accepted tender value is more than 5% below the advertised tender value, the contractor shall submit an additional Performance Guarantee at the rate of 5% of the contract value. (Authority : Advance Correction Slip No. 11 to IRS GCC April-2022)	No	No	Not Allowed
1.4	South Eastern Railway Schedule of Labour and Materials Rates, SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) for relevant items and IRSGCC April-2022 with upto date correction slip will be applicable in this contract.	No	No	Not Allowed
1.5	Right of Railway to Deal with Tenders: The Railway reserves the right of not to invite tenders for any of Railway work or works or to invite open or limited tenders and when tenders are called to accept a tender in whole or in part or reject any tender or all tenders without assigning reasons for any such action.	No	No	Not Allowed
1.6	Drawings for the Work: The Drawing for the work can be seen in the office of the DRM(Engg)/S.E. Railway/Ranchi Railway at any time during the office hours. The drawings are only for the guidance of Tenderer(s). Detailed working drawings (if required) based generally on the drawing mentioned above, will be given by the Engineer or his representative from time to time.	No	No	Not Allowed
1.7	1.Rights of the Railway to deal with Tender: The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders. 2.If the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage. 3.If any partner(s) of a partnership firm expires after the submission of its tender or after the acceptance of its tender, the Railway shall deem such tender as cancelled/contract as terminated under clause 61 of the Standard General Conditions of Contract, unless the firm retains its character as per partnership agreement. If a sole proprietor expires after the submission of tender or after the acceptance of tender, the Railway shall deem such tender as cancelled / contract as terminated under clause 61 of the Standard General Conditions of Contract.	No	No	Not Allowed
1.8	Should a tenderer find the discrepancies in, or omissions from the drawings or any of the tender forms or should be in doubt as to their meaning, he should at once notify the authority inviting tenders who may issue a corrigendum. It shall be understood that every endeavor has been made to avoid any error which can materially affect the basis of the tender and the successful tenders shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.	No	No	Not Allowed
1.9	Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he entered in the tender form are adequate and all inclusive to accord with the provisions in clause-37 of the General Conditions of Contract for the completion of work to the entire satisfaction of the engineer.	No	No	Not Allowed
1.10	For settlements of disputes, Arbitration and Conciliation Act 1996 and provision made in relevant clauses of GCC April-2022 with up-to-date correction slip will be binding.	No	No	Not Allowed
1.11	All these conditions and specifications should carefully be studied by the tenderer / tenderers before submitting his/their tender. He/they should in his/their own interest be well acquainted with the site of work.	No	No	Not Allowed



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.12	26A.Deployment of Qualified Engineers at Work Sites by the Contractor: 26A.1The Contractor shall also employ qualified Graduate Engineer(s) or equivalent, or qualified Diploma Engineer(s),as prescribed in the tender documents. 26A.2 In case the Contractor fails to employ the Engineer, as aforesaid in Para 26A.1, he shall be liable to pay liquidated damages at the rates, as prescribed in the tender documents. 26A.3 No. of qualified Engineers required to be deployed by the Contractor for various activities contained in the works contract shall be specified in the tender documents as 'Special Condition of Contract'. a.Cost of work Rs.200 Lakhs and above- One Graduate Engineer. b.Cost of work more than Rs.25 Lakhs but less than Rs.200 Lakhs- One Diploma Holder Engineer. Note:- Track related contractual works of values as specified in para-b, individuals having Diploma in Railway Engineerig awarded by IPWE- India shall also be considered as qualified Diploma Holder Engineers and contractors for track contract works can employ such individuals at their worksite on Indian Railway vide Rly. Bds letter No. 2012-CE-I-CT-O-20, Dt- 12.07.2013. In case the contractor fails to employ the Qualified Engineer, as aforesaid in para above, he or him in terms of provisions of clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs.40,000 and Rs.25,000 for each month or part thereof for the default period for the provisions as mentioned in para-a and b above respectively.	No	No	Not Allowed
1.13	Provisions of Make in India Policy 2017 issued by Govt. of India, as amended from time to time, shall be followed for consideration of tenders.	No	No	Not Allowed
1.14	Security Deposit: The Security Deposit shall be 5% of the contract value. The Bid Security submitted by the Contractor with his tender will be retained/encashed by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. Provided further that, if Contractor submits the Cash or Term Deposit Receipt issued from a Scheduled commercial bank of India or irrevocable Bank Guarantee Bond from a Scheduled commercial bank of India, either towards the Full Security Depositor the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security, to the Contractor. Balance of Security Deposit may be deposited by the Contractor in cash or Term Deposit Receipt issued from Scheduled commercial bank of India or irrevocable Bank Guarantee bond issued from Scheduled commercial bank of India, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract. The Irrevocable Bank Guarantee submitted towards Security deposit shall be initially valid up to the stipulated date of Maintenance period plus 60 days and shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17A and 17B of the Standard General Conditions of Contract. Note: Security Deposit deposited in cash by the Contractor or recovered from the running bills of a Contractor or submitted by contractor as Term Deposit Receipt(s) can be refunded/returned to the contractor, in lieu of irrevocable Bank Guarantee bond issued from scheduled commercial bank of India, to be submitted by him, for an amount equal to or more than the already available Security Deposit, provided however that, in a contract of value less than Rs. 50 Crore, such refund/ return of the already available Security Deposit is permitted up to two times and in a contract of value equal to or more than Rs. 50 Crore, such refund / return of the already available Security Deposit is permitted up to three times.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.14.1	(i) Refund of Security Deposit: Security Deposit mentioned in sub clause (1) above shall be returned to the Contractor along with or after, the following: (a) Final Payment of the Contract as per clause 51.(1) and (b) Execution of Final Supplementary Agreement or Certification by Engineer that Railway has No Claim on Contractor and (c) Maintenance Certificate issued, on expiry of the maintenance period as per clause 50.(1), in case applicable. (ii) Forfeiture of Security Deposit: Whenever the contract is rescinded as a whole under clause 62 (1) of these conditions, the Security Deposit already with railways under the contract shall be forfeited. However, in case the contract is rescinded in part or parts under clause 62 (1) of these conditions, the Security Deposit shall not be forfeited. (iii) No interest shall be payable upon the Bid Security and Security Deposit or amounts payable to the Contractor under the Contract, but Government Securities deposited in terms of Sub-Clause 16.(4)(b) of this clause will be payable with interest accrued thereon.	No	No	Not Allowed
1.15	Performance Guarantee: The procedure for obtaining Performance Guarantee is outlined below: (a) The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22ndday after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work. (b) The successful bidder shall submit the Performance Guarantee (PG) in any of the following forms, amounting to 5% of the original contract value:- (i) A deposit of Cash; (ii)Irrevocable Bank Guarantee; (iii) Government Securities including State Loan Bonds at 5% below the market value; (iv) Pay Orders and Demand Drafts tendered by any Scheduled Commercial Bank of India; (v) Guarantee Bonds executed or Deposits Receipts tendered by any Scheduled Commercial Bank of India; (vi) Deposit in the Post Office Saving Bank; (vii) Deposit in the National Savings Certificates; (viii) Twelve years National Defence Certificates; (ix) Ten years Defence Deposits; (x) National Defence Bonds and (xi) Unit Trust Certificates at 5% below market value or at the face value whichever is less. Also, FDR in favour of FA&CAO (free from any encumbrance) may be accepted.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.15.1	<p>(c) The Performance Guarantee shall be submitted by the successful bidder after the Letter of Acceptance (LOA) has been issued, but before signing of the contract agreement. This P.G. shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion of work gets extended, the Contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days. (d) The value of PG to be submitted by the Contractor is based on original contract value and shall not change due to subsequent variation(s) in the original contract value. (e) The Performance Guarantee (PG) shall be released after physical completion of the work based on 'Completion Certificate' issued by the competent authority stating that the Contractor has completed the work in all respects satisfactorily. (f) Whenever the contract is rescinded, the Performance Guarantee already submitted for the contract shall be encashed. (g) The Engineer shall not make a claim under the Performance Guarantee except for amounts to which the President of India is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of: (i) Failure by the Contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee. (ii) Failure by the Contractor to pay President of India any amount due, either as agreed by the Contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer. (iii) The Contract being determined or rescinded under clause 62 of these conditions.</p>	No	No	Not Allowed
1.16	<p>1. Powers of Modification to Contract: The Engineer on behalf of the Railway shall be entitled by order in writing to enlarge or extend, diminish or reduce the works or make any alterations in their design, character position, site, quantities, dimensions or in the method of their execution or in the combination and use of materials for the execution thereof or to order any additional work to be done or any works not to be done and the Contractor will not be entitled, to any compensation for any increase/reduction in the quantities of work but will be paid only for the actual amount of work done and for approved materials supplied against a specific order (2)(i) Unless otherwise specified in the special conditions of the contract, the accepted variation in quantity of each individual item of the contract would be upto 25% of the quantity originally contracted, except in case of foundation work (in which no variation limit shall apply). However, the rates for the increased quantities shall be as per sub- para (iii) below. (ii) The Contractor shall be bound to carry out the work at the agreed rates and shall not be entitled to any claim or any compensation whatsoever upto the limit of 25% variation in quantity of individual item of works. (iii) In case an increase in quantity of an individual item by more than 25% of the agreement quantity is considered unavoidable, then same shall be executed at following rates (a)Quantities operated in excess of 125% but upto 140% of the agreement quantity of the concerned item, shall be paid at 98% of the rate awarded for that item in that particular tender; (b)Quantities operated in excess of 140% but upto 150% of the agreement quantity of the concerned item shall be paid at 96% of the rate awarded for that item in that particular tender; (c)Variation in quantities of individual items beyond 150% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.</p>	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.16.1	(d)Variation to quantities of Minor Value Item: The limit for varying quantities for minor value items shall be 100% (as against 25% prescribed for other items). A minor value item for this purpose is defined as an item whose original agreement value is less than 1 % of the total original agreement value. d.(i) Quantities operated upto and including 100% of the agreement quantity of the concerned minor value item, shall be paid at the rate awarded for that item in that particular tender; d. (ii)Quantities operated in excess of 100% but upto 200% of the agreement quantity of the concerned minor value item, shall be paid at 98% of the rate awarded for that item in that particular tender; d.(iii) Variation in quantities of individual minor value item beyond 200% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.	No	No	Not Allowed
1.16.2	(iv) In case of earthwork, the variation limit of 25% shall apply to the gross quantity of earthwork items and variation in the quantities of individual classifications of soil shall not be subject to this limit. (v) As far as Standard Schedule of Rates (SSOR) items are concerned, the variation limit of 25% would apply to the value of SSOR schedule(s) as a whole and not on individual SSOR items. However, in case of Non Standard Schedule of Rates (SSOR) items, the limit of 25% would apply on the individual items irrespective of the manner of quoting the rate (single percentage rate or individual item rate).	No	No	Not Allowed
1.17	General Conditions of Contract April-2022 shall be applicable for all the tenders and contracts of railways for execution of works as defined in GFR 2017.	No	No	Not Allowed
1.18	Date of inviting tender shall be the date of publishing tender notice on IREPS website if tender is published on website or the date of publication in newspaper in case tender is not published on website.	No	No	Not Allowed
1.19	Omissions & Discrepancies: Should a tenderer find discrepancies in or omissions from the drawings or any of the Tender Forms or should he be in doubt as to their meaning, he should at once notify the authority inviting tenders. The tender inviting authority may, if deemed necessary, clarify the same to all tenderers. It shall be understood that every endeavour has been made to avoid any error which can materially affect the basis of tender and successful tenderer shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.	No	No	Not Allowed
1.20	Provisions of Contract Labour (Regulation and Abolition) Act, 1970, Provisions of Employees Provident Fund and Miscellaneous Provisions Act, 1952, Provisions of "The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996" and "The Building and Other Construction Workers' Welfare Cess Act, 1996", shall be binding to the tenderer.	No	No	Not Allowed
1.21	Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement: The Contractor shall not, if he is a retired Government Engineer of Gazetted rank, himself engage in or employ or associate a retired Government Engineer of Gazetted rank, who has not completed one year from the date of retirement, in connection with this contract in any manner whatsoever without obtaining prior permission of the President and if the Contractor is found to have contravened this provision it will constitute a breach of contract and administration will be entitled to terminate the contract and forfeit his Performance Guarantee as well as Security Deposit.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.22	Care in Submission of Tenders: (a) (i)Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he enters in the tender forms are adequate and all inclusive to accord with the provisions in Clause-37 of the Standard General Conditions of Contract for the completion of works to the entire satisfaction of the Engineer. (a)(ii)Tenderers will examine the various provisions of The Central Goods and Services Tax Act, 2017(CGST)/ Integrated Goods and Services Tax Act, 2017(IGST)/ Union Territory Goods and Services Tax Act, 2017(UTGST)/ respective state's State Goods and Services Tax Act (SGST) also, as notified by Central/State Govt.& as amended from time to time and applicable taxes before bidding. Tenderers will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates. (a)(iii)The successful tenderer who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/UTGST/SGST Act to railway immediately after the award of contract, without which no payment shall be released to the Contractor. The Contractor shall be responsible for deposition of applicable GST to the concerned authority. (a)(iv)Incase the successful tenderer is not liable to be registered under CGST/IGST/UTGST/ SGST Act, the railway shall deduct the applicable GST from his/their bills under reverse charge mechanism (RCM) and deposit the same to the concerned authority. (b)When work is tendered for by a firm or company, the tender shall be signed by the individual legally authorized to enter into commitments on their behalf. (c)The Railway will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of the contract. It may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Not Allowed
1.23	The Contract Agreement shall be entered into by Railway only after submission of valid Performance Guarantee by the Contractor. Failure to do so shall constitute a breach of the agreement affected by the acceptance of the tender. In such cases the Railway may determine that such tenderer has abandoned the contract and there upon his tender and acceptance thereof shall be treated as cancelled and the Railway shall be entitled to forfeit the full amount of the Bid Security and other dues payable to the Contractor under this contract. The failed Contractor shall be debarred from participating in the re tender for that work.	No	No	Not Allowed
1.24	The Tenderer(s) shall keep the offer open for a minimum period of 60 days (in case of two packet system of tendering 90days) from the date of closing of the Tender. It is understood that the tender documents have been issued to the Tenderer(s) and the Tenderer(s), is / are permitted to tender in consideration of the stipulation on his / their part that after submitting his / their tender subject to the period being extended further, if required by mutual agreement from time to time, he will not resale from his offer or modify the terms and conditions thereof in a manner not acceptable to _____ Railway. Should the tenderer fail to observe or comply with the foregoing stipulation, the amount deposited or Bank guarantee bond submitted as Bid Security for the due performance of the above stipulation, shall be forfeited to the Railway.	No	No	Not Allowed
1.25	If any discrepancy arises between special conditions of contract and SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) and IRSGCC April-2022 with updated correction slips, in such case the decision of DRM-Engg or PCE, SER will be final and binding.	No	No	Not Allowed

**Special Conditions**

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Maintenance Period/Defect Liability Period (DLP): - The Maintenance Period/Defect Liability Period (DLP) is 02 (Two) years for this work.	No	No	Not Allowed
2	The General Arrangement Drawings (GAD) shall be provided by the Railway. The contractor shall be responsible for the design and preparation of drawings for the foundation and all structural components of the buildings that are not available within the Division. No additional payment shall be made for the preparation of these designs and drawings. All additional (which are not available with Ranchi Division) designs and drawings shall be submitted within one (01) month from the date of handing over of the GAD. In case of delay, a penalty of 30,000/- per month shall be imposed and recovered from the contractor's bills. The contractor shall also carry out the soil testing required for the preparation of the structural design at their own cost, and no additional payment shall be made for this work.	No	No	Not Allowed
2.1	In cases where the design of foundation and structural components of the building is not available with the Division, the design shall be prepared by the contractor through a qualified structural engineer and got vetted/approved by the competent authority of the Railway before commencement of the work. The contractor shall be responsible for the safety and stability of the structure, and no extra payment shall be made on this account.	No	No	Not Allowed
2.1.1	The agency shall carry out the complete detailed structural design and prepare working drawings of the building. The structural design shall be executed in a professional manner, ensuring a safe, economical, and viable solution. The contractor shall comply with the latest relevant Indian Railways Standard Codes, BIS Codes, and IRC Codes while preparing the design. Due consideration shall also be given to aesthetics.	No	No	Not Allowed
2.1.2	The agency shall undertake value engineering to achieve an economical and viable design in accordance with Railway specifications. Proof checking of the detailed design and drawings shall be carried out by any Indian Institute of Technology (IITs) before execution of the work with prior approval of the Railway. The drawings shall be signed by any IITs along with a brief and precise proof-checking report.	No	No	Not Allowed
2.1.3	The agency shall submit one (01) copy of the proof-checked design calculation sheets and two (02) hard copies of the drawings for Railway's scrutiny. The agency shall ensure the availability of its representative in the concerned office whenever required. If substantial modifications are suggested during site or office verification, the agency shall resubmit the revised design and drawings accordingly.	No	No	Not Allowed
2.1.4	After scrutiny and site verification, and upon satisfactory review, the agency shall submit the proof-checked design in book form and the drawings on tracing paper. The tracing paper shall be of minimum 90/100 GSM quality with original ink printing.	No	No	Not Allowed
2.1.5	The agency shall promptly clarify any observations or doubts raised by the proof consultant or the Railways without delay.	No	No	Not Allowed
2.1.6	All drawings shall be prepared on the AutoCAD platform. The final submission shall include three (03) copies of reproducible tracing paper drawings, soft copies in USB storage, three (03) sets of ferro prints, and three (03) sets of the final design booklet.	No	No	Not Allowed
2.1.7	Any minor modifications required in the design during execution due to site difficulties shall be carried out by the agency without any additional cost to the Railways.	No	No	Not Allowed
2.1.8	The approved designs and drawings shall remain the property of South Eastern Railway, which shall have the exclusive right to use or reuse them elsewhere. The contractor shall have no claim in this regard.	No	No	Not Allowed
3	Execution of the work shall commence only after approval of the drawings.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

4	DETAILED SCOPE OF WORKS: Tatisilwai: 600 m x 11 m wide High level Island PF, 700 m x 11 m wide High-level PF, construction of Goomty (24 m x 8.5 m), Military loading platform with ramp and water booth (6) Ranchi: 152 m x 8.5 m wide PF & resurfacing of PF No. 1A, 2 & 3, construction of Goomty (11 m x 6.0 m) , construction of Goomty (4 m x 6.0 m) and water booth (4)	No	No	Not Allowed
5	Conditions for the P. Way work:-	No	No	Not Allowed
5.1	The work may have to be done under traffic block to be arranged by PWI concerned however the railway will not be responsible for compensation towards contractor's idle labour in case traffic block cannot be arranged due to unforeseen circumstances.	No	No	Not Allowed
5.2	The contractor will have to make his own arrangement to transport his welding plant and other equipment to the work site and back at his own cost.	No	No	Not Allowed
5.3	The contractor will hand over the track in a safe condition to the satisfaction of Engineer-in-charge or PWI at the end of work. If the track is not considered safe by the Engineer-in-charge or PWI the track will be attended by the PWIs concerned with Rly's labour. The expenditure to be incurred by Rly. for this purpose will be recovered from the contractor's dues. No formal notice to the contractor will be necessary for deputing Rly. Labour.	No	No	Not Allowed
5.4	All works will be done as per programme fixed by the Engineer-in-charge or his representative.	No	No	Not Allowed
5.5	Maintenance of dip lorry will be done by the contractor at his own cost during execution of work.	No	No	Not Allowed
5.6	The work should be executed in the workmen like manner to the satisfaction of the Engineer-in-charge. The contractor will be primarily responsible for the safety of traffic that moved on the opened up track not without the presence of the railway supervisor at site. In the event of any accident at the work spot, a departmental enquiry will be held by the Railway. If it is established that accident occurred wholly or partially due to any act which tantamount to negligence on the part of the contractor he shall render himself liable for all damages and also legal prosecution if loss of life is involved.	No	No	Not Allowed
5.7	The responsibility of safe running of track at work site rests entirely with all departmental supervisory staff. No contractor should be permitted to carry out any activity affecting the safety of track without presence of an Engg. Supervisory staff of appropriate level. No work should be executed by the contractor without authorization being available (i.e. permit to work).	No	No	Not Allowed
5.8	Whenever renewal of sleepers with PSC sleepers is done by the contractor under relevant items of SOR, greasing of legs of all pandrol clips and eyes of inserts of concrete sleepers must be done with Railway's grease conforming to IS-408 before fixing as per Para 1411 (5) (b) of IRPWM. The GR pads should be fixed at the rail seat of concrete sleepers with approved quality contractor's adhesive. No extra payment will be made to the contractor for the said works.	No	No	Not Allowed
6	Conditions for all work:	No	No	Not Allowed
6.1	As per Railway Board letter No. 2017/CE-UCT/9 New Delhi, dated 31.05.2023, for all contracts costing more than Rs. 5 Crore, Contractor's e-MB is mandatory.	No	No	Not Allowed
6.2	Guidelines for protection of cables while doing work its vicinity (Telecommunication Circular No. 09/2023) uploaded in document tab shall be applicable.	No	No	Not Allowed
6.3	You are also required to submit labour laws compliance certificate (After issued of LOA) from the Regional Labour Enforcement Officer P.O. - Dhurwa, Distt. - Ranchi and Asstt. Labour Commissioner (Central), P.O. - Dhurwa, Distt. - Ranchi to OS/Bill, Sr. DEN's Office/Ranchi where required.	No	No	Not Allowed



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

6.4	NOTE FOR submission of Bank Guarantee (BG):- As per (i) Rly Board's letter No. 2025/F(X)-II/10/14 dated 17.10.2025 and Sr. DFM/RN's Letter No. Sr. DFM/RNC/Exp-I/Account, dated: 29.10.2025, Following details must be entered in to SFMS while issuing Bank Guarantee (BG) by Bank submitted by tenderer in favour of Railway. (1)IFSC CODE: SBIN000RAIL, (2) IFSC TYPE: BRANCH, (3) BANK NAME: STATE BANK OF INDIA, (4) BRANCH NAME: RAIL, (5) CITY NAME: NAVI MUMBAI, (6) ADDRESS: SECTOR-11, CBD BELAPUR, NAVI MUMBAI, (7) DISTRICT: NAVI MUMBAI, (8) STATE: MAHARASHTRA, (9) BG ENABLED: YES. Prescribed format for the same are attached in document Tab may kindly go through them before submitting the bid.	No	No	Not Allowed
6.5	IS CODE AND CONDITIONS REGARDING MATERIALS:	No	No	Not Allowed
6.5.1	REINFORCEMENT: Reinforcement steel shall conform to: (a) TMT Bars Fe-500/Fe-500D/Fe-550D etc. - IS: 1786 (b) Structural Steel - IS: 2062 (c)Steel Tubes/Sections - Relevant applicable IS Codes.	No	No	Not Allowed
6.5.2	CEMENT : Cement shall conform to the latest relevant IS Codes and relevant Specifications, including: (a) OPC Grade 43 - IS: 8112 (b) OPC Grade 53 - IS: 12269 (c) PPC - IS: 1489 (Part-1) (d) PSC - IS: 455 (e) Testing of Cement - Relevant provisions of IS: 4031 series.	No	No	Not Allowed
6.5.3	PIPE : Pipe materials Type (a) GI Pipe (galvanized Iron)- IS: 1239 (b) HDPE Pipe - IS: 4984 (c) PVC/UPVC- IS: 4985 (d) DI Pipe (Ductile Iron)- IS: 8329 (e) MS Pipe: IS: 3589.	No	No	Not Allowed
6.5.4	CODE OF PRACTICE : IS-456-2000 Indian standard code of practice for plain and reinforced concrete,IS: 1199 Method of sampling and analysis of concrete, IS: 516 Method of test for strength of concrete,Standard Specification for structural steel/standard quality-Fifth revision,IS: 226 Specification for structural steel/Standard quality-Fifth revision,IS 2062-1984 Specifications for Weldable structural steel,IS: 383-1970 Code of practice for fine and coarse aggregate.	No	No	Not Allowed
6.5.5	PAINTING WORK: All painting works are to be done following the special conditions for painting which are attached herewith. (I) Paints to be used: Paints for the primer and finishing coats shall preferably be procured from reputed manufacturers to achieve better results. The contractor shall submit the manufacturer's test certificate along with necessary purchase vouchers and related documents. The painter engaged for the work should possess adequate experience in painting works, or the painting activity shall be carried out by an authorized applicator approved by the manufacturer/Supplier. (II) Thickness of paint layer should be strictly followed as given as given below:- i. 1st coat primer Zinc chromate IS :104 . ii. 2nd coat primer before Red oxide IS 2074. iii. 1st finishing coat of Aluminium IS : 2339. iv.2nd finishing coat of Aluminium IS : 2339.	No	No	Not Allowed
6.5.6	All contractor's materials including fittings should conform to IS specifications and of reputed manufacturers as approved by the concerned ENGINEER-IN-CHARGE before use in the work.	No	No	Not Allowed
6.5.7	NOTE: (a)The contractor shall produce manufacturer's test certificates and proof of conformity to relevant IS Specifications whenever demanded by the Engineer-in-Charge. (b) Materials failing to satisfy prescribed specifications/tests shall be rejected immediately and removed from site at contractor's cost. (c) Wherever specific IS Codes are not indicated in item descriptions, the relevant latest BIS/CPWD Specifications shall be deemed applicable. (d) The decision of concerned Engineer-in-Charge regarding suitability and acceptance of all materials shall be final and binding. (e) Any dispute arising in specification or relevant IS code of any items, the relevant IS code and latest BIS/CPWD specifications shall be final and binding to the contractor if not included in items. (f) All materials shall conform to the relevant IS Codes with all correction slips issued up to date of inviting of tender. (g) The above list of IS Codes is not exhaustive. Any other relevant IS, Latest revisions, correction slips and specifications issued up to date of inviting of tender shall also be considered as part of the contract.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

6.6	PROTECTIVE GEAR AND SAFTY EQUIPMENT: Use of Personal Protective Equipments (PPE), safety signage and safety demarcation at work site: - Contractors' personnel should wear PPEs like safety shoes, helmet, high visibility vests, air filter masks, hand gloves etc. as required for personal protection at site. Wherever required, the worksite should be demarcated by suitable means and suitable prominent signage should be provided as approved by Engineer-in-charge.	No	No	Not Allowed
6.7	South Eastern Railway Schedule of Labour and Materials Rates, SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) for relevant items and IRSGCC April-2022 with up to date correction slips will be applicable in this contract.	No	No	Not Allowed
6.8	The rates to be quoted are inclusive of all lead, lift, loading, unloading, and handling, all taxes (including GST, commercial tax, con. Cess) levied by the State as well as Central Govt. from time to time.	No	No	Not Allowed
6.9	The items of works to be executed by the contractor against SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) mentioned above in tender schedule are approx. These quantities may vary and new items may be executed against SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) items.	No	No	Not Allowed
6.10	Income tax, Con.cess , Royalty etc. where applicable will be deducted at source as per permissible rate.	No	No	Not Allowed
6.11	No compensation whatsoever towards any accident will be paid by the Railway.	No	No	Not Allowed
6.12	All items of works are required to be carried out with contractor's labour and tools.	No	No	Not Allowed
6.13	In case of accidents/natural calamities involving human lives, Railway shall have the right to use Contractors vehicles and equipment for rescue and restoration work, as per requirement. Necessary payment for such utilization of contractor's resources shall be made by inclusion of suitable additional non-schedule items in the contract at rates and conditions mutually agreed. However, utilization of contractor's resources shall not be held up for finalization of rates and conditions or any other reason whatsoever.	No	No	Not Allowed
6.14	No extra lead, lift or any other charges will be paid to the contractor.	No	No	Not Allowed
6.15	The materials to be supplied/used should be as per IS specification and must be got approved by the Engineer-in-charge before supply/use.	No	No	Not Allowed
6.16	The work is to be executed with contractor's own tools and plants, labour etc. under the supervision and direction of the Engineer-in-charge or his authorised representative.	No	No	Not Allowed
6.17	The contractor shall purchase season tickets as per the extant procedure for his labour for travel by train in order to ensure adequate facilities of their transportation from their place of living to the place of work and back. However, no free Railway passes shall be issued by the Railway to the Contractor or any office Employee/Worker. No claim on account of purchase of season tickets on the part of the Contractor will be entertained by the Railway Administration.	No	No	Not Allowed
6.18	For the purpose of calculation of Income Tax U/S 194-C of the Income Tax Act-1961. The Income Tax would be deducted as per the rates prescribed by Govt.of India.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

6.19	Employment of Diploma holder/Engg. Graduate In terms of provisions of new Clause 26A.1 to the GCC: Contractor shall also employ following qualified Engineers during execution of the allotted work:- (a) 200 Lakhs and above-One qualified Graduate Engineer (Civil or equivalent)during the period of currency of contract.(b) Above 25 Lakhs but less than 200 Lakhs-One qualified Diploma holder Engineer (civil or equivalent)during the period of currency of contract. In case the contractor fails to employ the qualified Engineer, as aforesaid above, he in terms of provisions of clause 26A.2 to the GCC, shall be liable to pay an amount of 40,000 and 25,000 for each month or part thereof for the default period for the provisions, as contained in (a) and (b) above respectively.	No	No	Not Allowed
6.20	Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores. Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustments (i.e. shall be excluded from the gross value of the work for the purpose of price variation) : a) Materials supplied by Railway to the Contractors, either free or at fixed rate; b) Any extra item(s) included in subsequent variation falling outside the purview of the Bill(s) of Quantities of tender, under clause 39. (1)(b) of these Standard General Conditions, unless applicability of PVC and 'Base Month' has been specially agreed, while fixing the rates of such extra item(s).	No	No	Not Allowed
6.21	Any special conditions given by the tenderer in the tender schedule will be liable to be rejected.	No	No	Not Allowed
6.22	Bill will be cleared only after verification of PF challan paid for previous month among all other statutory dues by the contractor/establishment.	No	No	Not Allowed
6.23	If the contract of any agency is terminated solely on account of non-performance by them , the same agency will be debarred for participation in any of the tender in Ranchi Division for 02 years from the date of termination .	No	No	Not Allowed
6.24	Royalty clearance certificate for minerals to be submitted by the contractor. E-challan for minerals to be submitted by the contractor.	No	No	Not Allowed
6.25	All the items of work should be completed as per direction of Engineer-in -charge as per drawing & as per specification.	No	No	Not Allowed
6.26	A copy of the license shall be displayed prominently at the premises where the contract work is being carried out.	No	No	Not Allowed
6.27	The contractor will depute his own labours with all requisite tools during the work.	No	No	Not Allowed
6.28	The tenderer for carrying out any construction work in Jharkhand/ West Bengal must get themselves registered from the registering Officer under section-7 of the building and other construction works Act, 1996 and rules made thereto by the Jharkhand West Bengal State Govt. and submit certificate of registration issued from the registering Officer of the Jharkhand Govt. (Labour Deptt). For enactment of this act the tenderer shall be required to pay cess @ 1% of cost of construction work to be deducted from each bill.	No	No	Not Allowed
6.29	All labour(Skilled , Semi-skilled , Unskilled ) shall, at all times be equipped with safety gear including helmets, safety jackets, safety shoes, harness etc. (as dictated by the nature of work ) barring which no work shall be allowed . Apart from that, facemask, face shield, sanitizers shall be made available to all labour at all times.	No	No	Not Allowed
6.30	The agency should depute one or more trained and certified supervisor duly certified by ADEN as per instruction of Engineer - in- charge.	No	No	Not Allowed
6.31	The contractor shall be responsible for all released materials and materials handed over to him for laying and fixing in position until and unless handed over to Rly. No extra payment will be made on this account.	No	No	Not Allowed
6.32	In case the contractor fails to return the un-used or excess materials the cost of such materials will be deducted from the contractor's dues as per extant rules.	No	No	Not Allowed

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

6.33	Works will have to be carried out as per Rly.'s specification, various manual, codes and as directed by ADEN or his representatives at site.	No	No	Not Allowed
6.34	Contractor's materials to be used in this work should be got approved by the Engineer-in-charge well before use of the materials. This will be the responsibility of the contractor to get the materials approved and if the contractor uses the material without approval, the repercussion will have to be shouldered by the contractor.	No	No	Not Allowed
6.35	Contractor is to abide by the provisions of various labour laws in terms of above clause 54, 55, 55-A and 55-B of Indian Railways Standard General Conditions of Contract. In order to ensure the same, an application has been developed and hosted on website 'www.shramikkalyan.indianrailways.gov.in'. Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/ updation of Portal shall be done as under: (a)Contractor shall apply for onetime registration of his company/firm etc. in the Shramik Kalyan portal with requisite details subsequent to issue of Letter of Acceptance. Engineer shall approve the contractor's registration in the portal within 7 days of receipt of such request. (b)Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all Letter of Acceptances (LOAs) issued in his favour. (c)The contractor once registered on the portal, shall provide details of his Letter of Acceptances (LOAs) / Contract Agreements on Shramik Kalyan portal within 15 days of issue of any LOA for approval of concerned Engineer. Engineer shall update (if required) and approve the details of LOA filled by contractor within 7 days of receipt of such request. (d)After approval of LOA by Engineer, contractor shall fill the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on Shramik Kalyan portal on monthly basis.	No	No	Not Allowed
6.36	If any discrepancy arises between special conditions of contract and SER USSOR -2021, Specification-IRUSS-2021, CPWD SOR DSR Vol.-1 & 2 (2023), CPWD Specification Vol.-1 & 2 (2019), CPWD Specification-Horticulture & Landscaping (2020) and IRSGCC April-2022 with updated correction slips, in such case the decision of DRM-Engg or PCE, SER will be final and binding.	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Documents to be Submitted Along with Tender The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. (ii) It shall be mandatory for the tenderer to submit documents mentioned below in sl no. 1.1 to 1.7 depending on the nature of firm(i.e, para 1.1 for sole proprietorship, 1.2 for HUF, 1.3 for Partnership firms,1.4 for Joint venture 1.5 for companies registered under companies act 2013, 1.6 for Limited liability partnerships and 1.7 for registered societies and registered trusts.) Non-submission of relevant documents shall lead to summarily rejection of the offer.	No	No	Allowed (Mandatory)
1.1	(a) Sole Proprietorship Firm: (i) All documents in terms of Para 10 of the Tender Form (Second Sheet) IRSGCC April-2022.	No	No	Allowed (Optional)

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.2	(b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) IRSGCC April-2022.	No	No	Allowed (Optional)
1.3	(c) Partnership Firm: (i) The tenderer shall submit documents as mentioned in clause 18 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Allowed (Optional)
1.3.1	18. Participation of Partnership Firms in works tenders: 18.1 The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act. 18.2 The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized as per the Indian Partnership Act, prior to submission of tender. 18.3 Separate identity / name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners. 18.4 Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified / altered / terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after submission of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full Bid Security shall be forfeited. If any Partner/s withdraws from the firm after submission of the tender and before the award of the contract, the offer shall be rejected and Bid Security of the tenderer will be forfeited. If any new partner joins the firm after submission of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract. 18.5 A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender. 18.6 The tender form shall be submitted only in the name of partnership firm. The Bid Security shall be submitted by partnership firm. The Bid Security submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered.	No	No	Allowed (Optional)

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.3.2	18.7 On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable. 18.8 On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner. 18.9 In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement. (a) Joint and several liabilities: The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to nonexecution of the contract or part thereof. (b) Duration of the partnership deed and partnership firm agreement: The partnership deed/partnership firm agreement shall normally not be modified/alterd/ terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract. (c) Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws. (d) No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway.	No	No	Allowed (Optional)
1.3.3	18.10 The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022. 18.11 Evaluation of eligibility of a partnership firm: Technical and financial eligibility of the firm shall be adjudged based on satisfactory fulfilment of the eligibility criteria laid down in Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Allowed (Optional)
1.4	(d) Joint Venture (JV)(If applicable): The tenderer shall submit all documents as mentioned in para 17 of the Tender Form (Second Sheet) of IRSGCC April-2022..	No	No	Allowed (Optional)

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.4.1	<p>FOR JOINT VENTURE (JV) (If applicable) :- 17.14 Documents to be enclosed by the JV alongwith the tender: 17.14.1 In case one or more of the members of the JV is/are partnership firm(s), following documents shall be submitted: (i) A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. (ii) A copy of consent of all the partners or individual authorized by partnership firm, to enter into the Joint Venture Agreement on a stamp paper, (iii) A notarized or registered copy of Power of Attorney in favour of the individual to sign the MOU/JV Agreement on behalf of the partnership firm and create liability against the firm. (iv) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. 17.14.2 In case one or more members is/are Proprietary Firm or HUF, the following documents shall be enclosed: (i) A copy of notarized affidavit on Stamp Paper declaring that his Concern is a proprietary Concern and he is sole proprietor of the Concern OR he who is signing the affidavit on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. 17.14.3 In case one or more members of the JV is/are companies, the following documents shall be submitted: (i) A copy of resolutions of the Directors of the Company, permitting the company to enter into a JV agreement, (ii) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (iii) A copy of Certificate of Incorporation (iv) A copy of Authorization/copy of Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual, to sign the tender, sign MOU/JV Agreement on behalf of the company and create liability against the company.</p>	No	No	Allowed (Optional)
1.4.2	<p>17.14.4 In case one or more members of the JV is/are LLP firm/s, the following documents shall be submitted: (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation of LLP (iii) A copy of resolution passed by partners of LLP firm, permitting the Firm to enter into a JV agreement (iv) A copy of Authorization /copy of Power of Attorney issued by the LLP firm (backed by resolution passed by the Partners) in favour of the individual, to sign the tender and/or sign the MOU/ JV agreement on behalf of the LLP and create liability against the LLP. (v) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. 17.14.5 In case one or more members of the JV is/are Society/s or Trust/s, the following documents shall be submitted: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Rules &amp; Regulations of the Society (iv) A copy of Power of Attorney, in favour of the individual to sign the tender documents and create liability against the Society/Trust. 17.14.6 All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.</p>	No	No	Allowed (Optional)



**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

1.5	(e) Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) All other documents in terms Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Allowed (Optional)
1.6	(f) LLP (Limited Liability Partnership): (i)A copy of LLP Agreement (ii)A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Allowed (Optional)
1.7	(g) Registered Society & Registered Trust: (i)A copy of Certificate of Registration (ii)A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of IRSGCC April-2022.	No	No	Allowed (Optional)
1.8	(iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted. (v) A tender from JV / Partnership firm etc. shall be considered only where permissible as per the tender conditions. (vi) The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Allowed (Optional)
1.9	UPLOADING OF DOCUMENTS IN PARA 1.1 TO 1.7 HAS BEEN KEPT AS OPTIONAL SO THAT ALL PARTICIPATING TENDERERS ARE NOT COMPELLED TO UNNECESSARILY UPLOAD DOCUMENTS AGAINST ALL ITEMS. HOWEVER AS MENTIONED IN PARA-1, IT IS MANDATORY TO UPLOAD DOCUMENT AGAINST RELEVANT PARA 1.1-1.7 DEPENDING ON NATURE OF FIRM. OFFERS SUBMITTED WITHOUT THESE MANDATORY DOCUMENTS SHALL BE SUMMARILY REJECTED.	No	No	Allowed (Mandatory)

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

2	<p>The tenderer whether sole proprietor / a company or a partnership firm / registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Appostille certificate. (As per letter No. 2022/CE-1/CT/GCC-2022/Policy New Delhi, Dated.26.04.2023.)</p>	No	No	Allowed (Mandatory)
---	---	----	----	------------------------

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

3	<p>Employment/Partnership etc. of Retired Railway Employees: (a) Should a tenderer i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners/members a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender THEN the tenderer will give full information as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender. b) In case, upon successful award of contract, should a tenderer depute for execution of the works under or to deal matters related with this contract, any retired Engineer of gazette rank or retired gazetted officer working before his retirement i n the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, and now in his employment, then the tenderer will ensure that retired Engineer or retired gazetted officer had retired from government service at least 1 year prior to the date of his employment with tenderer and in case he had retired from service within a year then he possesses the requisite permission from the President of India or any officer, duly authorized by him in this behalf, to get associated with the tenderer. c) Should a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1%in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. Note: -If information as required as per (a), (b), (c) above has not been furnished, contract is liable to be dealt in accordance with provision of clause 62 of the Standard General Condition of contract.</p>	No	No	Allowed (Mandatory)
4	<p>For Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.: - Please submit a Self-certificate by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. in the prescribed format as Annexure-V(A). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer.</p>	No	No	Allowed (Mandatory)

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	2018_CE-I_CT_9Date04_06_2018.pdf	Letter of Credit
2	ANNEXURE-VA.pdf	Annexure V A Format
3	TelecomCircular9-2023-New.pdf	Telecom Circular 9-2023-New
4	FORMATEOFMOUOFJVupdated.pdf	FORMATE OF MOU OF JV Updated
5	BidCapacity.pdf	Bid Capacity

**RANCHI DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** DRMENGGRNC-50-2026

**Closing Date/Time:** 22/07/2026 15:00

6	SystemimprovementforqualitycontrolforPCC-RCC-PSCWorks.pdf	System improvement for quality control for PCC RCC PSC Works
7	BidSecurity-BGformat.pdf	Bid Security - BG format
8	PGFormat-Engg.RanchiNew-21.11.2025.pdf	PG Format - Engg Ranchi New - Update
9	GCCACS11_CompressPdf.pdf	Correction Slip No.11 of GCC 2022
10	GCC-2022-ACS10UpdatedC.pdf	GCC - 2022 - ACS 10 - Updated

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** BHASKER SONBER

**Designation :** DEN/EAST