



**KONKAN RAILWAY CORPORATION LIMITED**  
(A Government of India Undertaking)

**TENDER DOCUMENT - 2026**

**OPEN – E - TENDER**

**TENDER FOR**

**“CONSTRUCTION OF P. WAY STORES AND OFFICE TO JE/MMG/UD UNDER SSE/W/UD SECTION IN KARNATAKA STATE”.**

**(SINGLE BID SYSTEM)**

<b>CORPORATE OFFICE/REGISTERED OFFICE</b>	<b>REGIONAL OFFICE</b>
<b>KONKAN RAILWAY CORPORATION LTD, BELAPUR BHAVAN, SECTOR 11, CBD – BELAPUR, NAVI MUMBAI (MAHARASHTRA) 400 614</b>	<b>REGIONAL RAILWAY MANAGER, KONKAN RAILWAY CORPORATION LTD SHIRWAD, KARWAR-581 306</b>

## E-TENDER NOTICE

	<p>KONKAN RAILWAY CORPORATION LTD. (A Government of India Undertaking) <b>OFFICE OF THE DEPUTY CHIEF ENGINEER WORKS,</b> <b>KONKAN RAILWAY CORPORATION LTD,</b> <b>BADGANI BUILDING, COLONY ROAD, SHIRWAD, KARWAR, KARNATAKA 581 306</b> Tel: + 08382- 283121685, Fax: + 08382- 283125, <a href="http://www.konkanrailway.com">www.konkanrailway.com</a></p>
---	--

### e-Tender Notice No: KR/KW/W/2026/19/CB

**1.0** Regional Railway Manager, Konkan Railway Corporation Ltd, Shirwad, Karwar –581 306 invites online bids in single packet system on prescribed form from bonafide firms/companies having requisite experience and financial capacity for execution of the work of **“Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State”**. The bidder is advised to examine carefully all instructions including addendum/ corrigendum(s), condition of contract data, forms, terms, technical specifications, bill of quantities in the bid document.

**2.0** **Approximate Cost of Work: Rs. 14,98,571.07 (Rupees Fourteen Lakh Ninety Eight Thousand Five Hundred Seventy One and Seven paise only) excluding GST.**

**3.0** **Eligibility Criteria:** Eligibility of the applicants shall be assessed based on the Essential Qualifying Criteria as given in clause no. 5 of Instructions to Tenderer.

#### **4.0 Payment of Bid Security and Tender Document Cost**

**Bid Security:** 4.1 Payment of Bid Security of ₹ 30,000/- . in respect of e-tendering, should be submitted through online payment modes available on IREPS portal or Bank Guarantee along with requisite documents as per GCC-July-2022 only.

**Tender Document Cost : Nil (As per Konkan Railways Standard General Conditions of Contract , July-2022)**

#### **5.0 Accessing/ Purchasing of Bid Documents**

5.1 The complete Bid Document can be viewed / downloaded from the e-Procurement portal i.e. <https://www.ireps.gov.in>

5.2 It is mandatory for all the bidders to have Class-III Digital Signature Certificate (DSC) from any of the licensed Certifying Agency in the name of person having Power of Attorney to sign the bid. The list of licensed Certifying Agency is available on website [www.cca.gov.in](http://www.cca.gov.in).

5.3 It is also required for the bidder to get firm/company registered with IREPS. The detailed IREPS manuals & procedure for E-tendering is available on Indian Railway's website - <https://www.ireps.gov.in>.

5.4 Tender documents will be available online on website <https://www.ireps.gov.in> which can be downloaded free of cost till the last date and time of submission of tender.

5.5 Website <https://www.ireps.gov.in> may be referred for detailed terms and conditions of the bidding documents, which is available on line. Amendments/ Corrigendum/Addendum, if any would be hosted on the website only.

**6. Bidding Start Date: From 23.06.2026**

**7. Date & time for submission of Bid : 07.07.2026 up to 15:00 hrs (IST)**

**8. Date & time for opening of Bids : 07.07.2026 @ 15:30Hrs (IST)**

**9. Completion period: 4 months from the date of issue of acceptance letter including monsoon**

**10. Validity of the offer: 60 days from the date of opening of Tender.**

**KONKAN RAILWAY  
TENDER FORM (First Sheet)**

**ANNEXURE - I**

**Tender No: KR/KW/W/2026/19/CB** ( Open tender on IREPS)

**Name of Work: “Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State”.**

To

**OFFICE OF THE DEPUTY CHIEF ENGINEER WORKS,  
KONKAN RAILWAY CORPORATION LTD,  
BADGANI BUILDING, COLONY ROAD,  
SHIRWAD, KARWAR, KARNATAKA 581 306**

1. Acting through the KONKAN Railway I/We \_\_\_\_\_ have read the various conditions to tender attached hereto and agree to abide by the said conditions. I/We also agree to keep this tender open for acceptance for a period of **60 (Sixty days)** days from the date fixed for opening the same and in default thereof, I/We will be liable for forfeiture of my/our “Earnest Money”. I/We offer to do the work for Konkan Railway, at the rates quoted in the attached schedule and hereby bind myself/ourselves to complete the work in all respects within **4 months** from the date of issue of letter of acceptance of the tender including monsoon.
2. I/We also hereby agree to abide by the Konkan Railway Standard General Conditions of Contract, with all correction slips up-to-date and to carry out the work according to the Special Conditions of Contract and Specifications of materials and works as laid down by Railway in the annexed Special Conditions/Specifications, Standard Schedule of Rates (SSOR) with all correction slips up-to-date for the present contract
- 3 A Bid Security of ₹ **30,000/-** has already been deposited online /submitted as Bank Guarantee Bond. Full value of the Bid Security shall stand forfeited without prejudice to any other right or remedies in case my/our Tender is accepted and if:
  - (a) I/We do not submit the Performance Guarantee within the time specified in the Tender document;
  - (b) I/We do not execute the contract documents within seven days after receipt of notice issued by the Railway that such documents are ready; and
  - (c) I/We do not commence the work within fifteen days after receipt of orders to that effect.
4. (a) I/We am/are a Startup firm registered by ..... Department of Industrial Policy and Promotion (DIPP) and my registration number is ..... valid upto ..... (Copy enclosed) and hence exempted from submission of Bid Security.
- (7) We are a Labour Cooperative Society and our Registration No. is ..... with .....and hence required to deposit only 50% of Bid Security.

6. Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.

Signature of Witnesses:

(1) \_\_\_\_\_  
(2) \_\_\_\_\_

Signature of Tenderer(s)  
Date \_\_\_\_\_  
Address of the Tenderer(s)

**TENDER FORM (Second Sheet)**

**1. Instructions to Tenderers and Conditions of Tender:** The following documents form part of Tender / Contract:

(a) Tender Forms – First Sheet and Second Sheet

(b) Special Conditions/Specifications (enclosed)

(c) Bill(s) of quantities (enclosed)

(d) Standard General Conditions of Contract and Standard Specifications (Works and Materials) of Indian Railways as amended/corrected upto latest correction slips, copies which can be seen in the office of Sr.Regional Engineer or obtained from the office of the Chief Engineer, General Manager/Projects, Chief Project Manager, Konkan Railway on payment of prescribed charges.

(e) Standard Schedule of Rates (SSOR) as amended / corrected upto latest correction slips, copies of which can be seen in the office of Sr.Regional Engineer or obtained from the office of the Chief Engineer, General Manager/Projects, Chief Project Manager, Konkan Railway on payment of prescribed charges.

(f) All general and detailed drawings pertaining to this work which will be issued by the Engineer or his representatives (from time to time) with all changes and modifications.

**2. Drawings for the Work:** The Drawing for the work can be seen in the office of the Sr.Regional Engineer and / or Chief Engineer, General Manager/Projects, Chief Project Manager, Konkan Railway at any time during the office hours. The drawings are only for the guidance of Tenderer(s). Detailed working drawings (if required) based generally on the drawing mentioned above, will be given by the Engineer or his representative from time to time.

**3.** The Tenderer(s) shall quote his / their rates as a percentage above or below the Standard Schedule of Rates (SSOR) as applicable, except where he/they are required to quote item rates and must tender for all the items shown in the Bill(s) of Quantities attached. The quantities shown in the attached Bill(s) of Quantities are given as a guide and are approximate only and are subject to variation according to the needs of the Railway. The Railway does not guarantee work under each item of the Bill(s) of Quantities. The tenderer(s) shall quote rates / rebates only at specified place in Tender Form supplied by Railway. Any revision of rates / rebates submitted (quoted) through a separate letter whether enclosed with the bid (Tender Form) or submitted separately or mentioned elsewhere in the document other than specified place shall be summarily ignored and will not be considered.

**4.** Tenders containing erasures and / or alterations of tender documents are liable to be rejected. Any correction made by tender(s) in his/their entries must be attested by him / them.

**5.** The works are required to be completed within a period of **Four** months (including monsoon) from the date of issue of acceptance letter.

## **6. Bid Security:**

(a) Subject to exemptions provided under para 5(1) (a) of Part-1 (ITT) of this document, the tender must be accompanied by a Bid Security as mentioned in tender documents, failing which the tender shall be summarily rejected.

(b) The Tenderer(s) shall keep the offer open for a minimum period of 60 days (in case of two packet system of tendering 90 days) from the date of closing of the Tender. It is understood that the tender documents have been issued to the Tenderer(s) is / are permitted to tender in consideration of the stipulation on his / their part that after submitting his / their tender subject to the period being extended further, if required by mutual agreement from time to time, he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to Konkan Railway. Should the tenderer fail to observe or comply with the foregoing stipulation, the amount deposited or Bank Guarantee bond submitted as Bid Security for the due performance of the above stipulation, shall be forfeited to the Railway.

(c) If his tender is accepted,

(i) the Bid Security mentioned in sub para (a) above deposited in cash through e-payment gateway will be retained as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract;

(ii) the Bid Security mentioned in sub para(a) above submitted as Bank guarantee bond, will be encashed as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract.

The Bid Security of other Tenderers shall, save as herein before provided, be returned to them, but the Railway shall not be responsible for any loss or depreciation to the Bid Security that may happen thereto while in their possession, nor be liable to pay interest thereon.

(d) In case Contractor submits the Term Deposit Receipt/Bank Guarantee Bond towards either the Full Security Depositor the Part Security Deposit equal to or more than Bid Security the Railway shall return the Bid Security so retained as per sub para (c) above, to the Contractor.

**7. Rights of the Railway to deal with Tender:** The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders.

8. If, the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage.

9. If any partner(s) of a partnership firm expires after the submission of its tender or after the acceptance of its tender, the Railway shall deem such tender as cancelled/contract as terminated under clause 61 of the Standard General Conditions of Contract, unless the firm retains its character as per partnership agreement. If a sole proprietor expires after the submission of tender or after the acceptance of tender, the Railway shall deem such tender as cancelled / contract as terminated under clause 61 of the Standard General Conditions of Contract

#### **10.0 Tenderer Credentials:**

Documents testifying tenderer's previous experience and financial status should be produced along with the tender.

Tenderer(s) who is / are not borne on the approved list of the Contractors of Konkan Railway shall submit along with his / their tender:

(i) Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past.

(ii) Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past.

(iii) The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work.

(iv) A copy of Certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the Certificate to be submitted by the bidder is enclosed as Annexure-V. Non submission of a copy of Certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self-attested / digitally signed by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document.

(v) The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway there under.



(vi) (a) In case of any information submitted by tenderer is found to be false forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning of business for a period of upto five years.

(b) In case of any information submitted by tenderer is found to be false forged or incorrect after the award of contract, the contract shall be terminated. Bid Security, Performance Guarantee and Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto five years.

**11.** Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected.

**12. Execution of Contract Documents:** The successful Tenderer(s) shall be required to execute an agreement with the President of India acting through the Konkan Railway for carrying out the work according to Standard General Conditions of Contract, Special Conditions / Specifications annexed to the tender and Standard Specifications (Works and Materials) of Railway as amended/corrected upto latest correction slips, mentioned in tender form (First Sheet)

SEAL AND SIGNATURE  
OF THE TENDERER

Place:  
Dated

## INSTRUCTIONS TO TENDERER/S

### A. GENERAL

1. **Introduction:** Konkan Railway Corporation Ltd (KRCL) is a Central Public Sector Enterprise under the Ministry of Railways. KRCL has Registered office and Corporate Office at CBD Belapur, Navi Mumbai. Hereinafter, KRCL may also be referred as Corporation or Employer.

2. **Description of the Project:**

**“Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State”.**

3. **Brief Scope of work:**

**“Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State”.**

4. **Brief about Bid:**

1. **General:** The Tenderer/s shall submit the bid in full compliance of the requirements stipulated in the Tender Document.

2. **Completion Period:**

The total time for completion of above work is **4 months** inclusive of monsoon from date of issue of letter of acceptance to successful tenderer.

3. **The clause numbers** cross referred to in the text of the clauses, unless otherwise indicated shall mean the clauses of the same chapter.

4. The system of e-tendering will be of **“Single packet system”**. The technical eligibility criteria will be considered for the evaluation of technical suitability. If the technical bid of a tenderer is found suitable, then only its financial offer will be evaluated.

5. The tenderer has to submit bid online only in the prescribed format given in the e-procurement portal.

5. **Eligibility Criteria**

1. **General:** No Technical and Financial credentials are required for tenders having advertised value up to ₹ 50 lakh

6. **Availability of Bid Documents**

1. Tender documents will be available online on website <https://www.ireps.gov.in> which can be downloaded free of cost till the last date and time of submission of tender.

2. Master copy of the tender document will be available in the Office of the Senior Regional Engineer, Konkan Railway Corporation Ltd., Shirwad, Karwar , 581 306. In case of any discrepancy between the tender documents downloaded from internet and the master copy, later shall prevail and will be binding on the tenderers. No claim on this account will be entertained.

7. **One bid per Tenderer**

1. Each Tenderer shall submit only one bid for a tender.

8. **Cost of Bidding**

1. The Tenderer shall bear all costs associated with the preparation and submission of the bid including site visit and the Employer will in no case be responsible or liable for these costs regardless of the conduct or the outcome of the bidding process.

**9. Site visit.**

1. The Tenderer shall obtain all information that may be necessary for preparing the bid and entering in to the contract for construction of the works.

2. DELETED

3. Not Applicable

**B. BIDDING DOCUMENTS**

**10. Content of Bidding Documents**

1. The bidding documents include the following:

1. E-Tender Notice
2. Tender Form (Form of Bid)
3. Instructions to tenderer/s
4. General Conditions of Contract
5. Special Conditions of Contract - Part A and Part B
6. Appendices - 1 to 25
7. Annexure – 1 to 3
8. Schedule of Rates, Items & Quantities

2. Except where specifically stated otherwise in the tender documents, the work is to be carried out in accordance with Konkan Railways Standard General Conditions of Contract – July-2022 with latest correction slips, Special Conditions of Contract Part A and Part B, Appendices 1 to 25, Annexure-1 to 3.

3. Copies of the Konkan Railways Standard General Conditions of Contract- July 2022 can be obtained from the Office of the Chief Engineer/General Manager / Projects, Konkan Railway Corporation Limited, Belapur Bhavan, Plot No.6, Sector-11, CBD Belapur, Navi Mumbai 400614, Tel: +91-22-27572015-18, on payment as under:

i)	Konkan Railways Standard General Conditions of Contract – July 2022	Rs.354/- (including GST @ 18%)
----	---	--------------------------------

**11. Pre-bid meeting - NOT APPLICABLE**

**Amendment of Tender Documents**

1. At any time prior to the deadline for submission of bids, Employer may for any reason whether at its own initiative or in response to any request by any prospective Tenderer amend the bidding documents by issuing addendum or/and Corrigendum on IREPS portal only, which shall become an integral part of the Tender documents. All tenderers especially the tenderer/s downloading the tender documents from website shall make an endeavor to recheck and track down the corrigendums if any. No claim of lack of intimation or knowledge of the corrigendum will be entertained. The tenderer/s shall take due care in submission.

2. The following terms as and where referred to in this tender document shall mean the same.

- a) Addendum slip
- b) Correction slip
- c) Amendment slip
- d) Addendum and Corrigendum slip

These slips are issued in consecutive serial numbers.

## C. PREPARATION OF BID

### 12. Language of Bid

1. The bid prepared by the Tenderer and all documents related to the bid shall be written in English language.

### 13. Bid prices

1. The contract shall be for the complete scope of works as described in clause 3.0 and further elaborated in special conditions of contract Part B and based on the priced Bill of Quantities submitted by the Tenderer and as accepted by KRCL.

2. All duties, taxes and other levies excluding Goods & Service Tax payable by the Contractors under the contract, or for any other cause shall be included in the rates, prices and total bid price submitted by the Tenderer.

3. The tenderer/s shall quote single percentage rate above/below/at par for the Schedule in the space provided in schedule.

4. Along with single percentage rate quoted, the tenderer should also quote either "Above" or "below" or "At par", failing which the offer shall be **summarily rejected**.

5. Corrections, if any, shall be made by crossing out the wrong entry, rewriting and signing with date.

### 14. Currencies of bid and payment

1. The unit rates and the prices shall be quoted by the Tenderer entirely in Indian Rupees.

### 15. Period of validity of the tender

1. The validity of the offer shall be **60 days (Sixty Days)** from the date of opening of the tender.

2. Notwithstanding the above clause, Employer may solicit the tenderers consent to an extension of the validity period of the tender. The request and the response shall be made in writing.

### 16. Bid Security :

(a) Subject to exemptions provided under para 5(1) (a) of Part-1 (ITT) of this document, the tender must be accompanied by a Bid Security as mentioned in tender documents, failing which the tender shall be summarily rejected.

(b) The Tenderer(s) shall keep the offer open for a minimum period of **60 days** (in case of two packet system of tendering 90 days) from the date of closing of the Tender. It is understood that the tender documents have been issued to the Tenderer(s) is / are permitted to tender in consideration of the stipulation on his / their part that after submitting his / their tender subject to the period being extended further, if required by mutual agreement from time to time, he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to Konkan Railway. Should the tenderer fail to observe or comply with the foregoing stipulation, the amount deposited or Bank Guarantee bond submitted as Bid Security for the due performance of the above stipulation, shall be forfeited to the Railway.

(c) If his tender is accepted,

(i) the Bid Security mentioned in sub para (a) above deposited in cash through e-payment gateway will be retained as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract;

(ii) the Bid Security mentioned in sub para(a) above submitted as Bank guarantee bond, will be encashed as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract.

The Bid Security of other Tenderers shall, save as herein before provided, be returned to them, but the Railway shall not be responsible for any loss or depreciation to the Bid Security that may happen thereto while in their possession, nor be liable to pay interest thereon.

(d) In case Contractor submits the Term Deposit Receipt/Bank Guarantee Bond towards either the Full Security Depositor the Part Security Deposit equal to or more than Bid Security the Railway shall return the Bid Security so retained as per sub para (c) above, to the Contractor.

#### **17. Forfeiture of Bid Security :**

1. The Bid Security of the tenderer is liable to be forfeited if:

- i) the tenderer withdraws his tender during the period of tender validity specified in Clause No.16.0 of Instruction to Tenderers or extended validity period as agreed to in writing. It shall be understood that the tenderer is permitted to tender in consideration of stipulation on his part, that after submitting his tender he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to the Corporation, or
- ii) the tenderer has furnished misleading/wrong or fraudulent information/documents, or
- iii) the successful tenderer fails to sign the Contract Agreement in accordance with the terms of the tender, or
- iv) the successful tenderer fails to furnish Performance Guarantee in accordance with the terms of the tender, or
- v) the successful tenderer fails to commence the work within the time period stipulated in the tender (Tender Form (Form of Bid) , or

(6)The successful tenderer, in case of JV fails to comply with provisions of clause no. 21.1.5, 33.1 and 35.4.

#### **18. Return of Bid Security**

- 1. The Bid Security of the unsuccessful tenderers shall be returned as promptly as possible.
- 2. The Bid Security of the successful tenderer shall be retained by KRCL and adjusted as a part of Security deposit.

#### **19. Identity of tenderer**

- 1. Tenderer/s should specifically and fully disclose in their respective tenders, their respective constitutions and submit along with tender, attested Photostat copies of documents like partnership deed, Articles and Memorandum of Association, Certificate of incorporation etc. If a tenderer is a Sole Proprietary firm, HUF, it should be specifically mentioned so. In case of partnership firm and limited company, it should be stated

whether the same is registered under the Indian Partnership Act 1932 or Company Act 1956 respectively. The name and address of all the partners of the firm should be fully disclosed. Konkan Railway Corporation Limited shall always have the liberty to demand production of the original of the said documents and also to make such further and other requisitions regarding the constitution of the tenderer as may be considered necessary.

20. Joint Venture – **Not Applicable.**

**D. SUBMISSION OF BIDS**

**21. Signing of all Bid papers and Completing Bill of Quantities**

1. The tenderer has to submit the tender through E-tendering mode only. No manual offers will be accepted and any such manual offer shall be ignored. It shall be deemed that e-bid uploaded by the tenderer is digitally signed by his authorized representative holding the Power of Attorney.
2. Tenderers are advised not to make any corrections, additions or alterations in the original tender documents. If tenderer makes any correction in his own entries, the same shall be initialed and stamped by him. If this condition is not complied with, tender is liable for rejection.
3. Offers shall not be qualified with any conditions. Conditional offers **shall be summarily rejected** without giving any reasons.

**22. Understanding and Care in Submission of tender**

1. Before submitting the tender, the tenderer will be deemed to have satisfied himself by his actual inspection of the site, climatic condition records from state government and/or Indian Meteorological Department and the locality of the works that all conditions liable to be encountered during execution of the works are taken into account. The tenderer should visit the sites and assess by himself the availability and rates of resources such as steel, cement, aggregates, water, electricity, fuel, land for disposal and skilled, unskilled manpower etc. The tenderer shall assess the geological/geo-technical conditions by his own field survey, alignment details and interpretation of all geological/geo-technical information available including information (if any) provided in the tender documents for guidance. A plea of the Tenderer of inability to acquaint himself as above or any reason whatsoever will not be permissible. Tenderer should ensure that the percentage rates quoted by the tenderer in the tender schedule are adequate and all inclusive for the completion of works to the entire satisfaction of the Engineer-in-charge.
2. The tenderer must obtain for himself on his own responsibility and his own cost all the information including risks, contingencies & all other circumstances in execution of the work which may influence or affect the tender. He shall also carefully read and understand all his obligations & liabilities given in tender documents.
3. The tenderer should clearly read and understand all the terms and conditions, specifications, drawings and other information, etc. mentioned in the original tender documents. If the tenderer has any observations, the same may be brought up in pre-bid meeting. If the Tenderer does not place any issue for clarification or otherwise in the pre-bid meeting or raise it before the pre-bid meeting it would be presumed that the Tenderer has clearly read and understood contents of all the tender documents.
4. It shall be understood that every endeavor has been made to avoid any error which can materially affect the basis of the tender and the successful tenderer shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.
5. Submission of a tender by a tenderer implies that he had read all the tender documents including amendments if any, visited the site and made himself aware of the scope and specifications of the work to be done, local conditions and other factors having any bearing on the execution of the work.
6. The tenderer/s is/are advised to submit all necessary authentic data with necessary supporting certificates for the various items of evaluation criteria in one go with the tender. For incomplete submission, tenderer/s shall remain responsible and the offer is liable for rejection. The Tenderer is expected to examine all instructions, terms, conditions, forms, specifications and other information in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the

bidding documents (Refer clause 29.0) in every respect will be at the Tenderer's risk and his bid is liable for rejection.

7. Bidders will examine the various provisions of The Central Goods and Services Tax Act, 2017 (CGST)/ Integrated Goods and Services Tax Act, 2017 (IGST)/ Union Territory Goods and Services Tax Act, 2017 (UTGST)/ respective states State Goods and Service Tax Act (SGST) also, as notified by Central/State Government and as amended from time to time and applicable taxes before bidding. Bidders will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates.
8. The successful bidder who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/UTGST/SGST Act to KRCL immediately after the award of contract, without which no payments shall be released to the Supplier. The Supplier shall be responsible for deposition of applicable GST to the concerned authority.
9. In case the successful bidder is not liable to be registered under CGST/IGST/UTGST/SGST Act, KRCL shall deduct the applicable GST from his/their bills under Reverse Charge Mechanism (RCM) and deposit the same to the concerned authority.
10. If the tax details of inward supply tax invoice does not reflect in GSTN Portal of KRCL for availing credit, KRCL reserves right to withhold/ recover GST component on such inward supply. The supplier should raise the invoice against the respective State's GSTN of KRCL wherever the supply has been made.
11. Any reduction in rate of tax on any of the supply or services or the benefit of input tax credit shall be passed on to the recipient.

### **23. Documents to be submitted by tenderer/s**

1. Tenderer/s shall note that original tender documents (all pages including drawings), addendum, corrigendum issued (if any) should be submitted intact without detaching any pages at the time of submission of tender.
2. Tenderer/s has to submit all the documents required as per tender conditions at the time of submission of Tender. Documents submitted for any other tender(s) or submitted for any other purpose and available with KRCL will not be entertained or considered against present tender.

### **24. Submission of Tender**

1. The bid should be submitted online only in the prescribed format given in the IREPS portal before the date and time as mentioned in the e-procurement Notice (including corrigendum if any). No other mode of submission is accepted. The Tender shall be digitally signed by the authorized signatory of the bidder & submitted "online" only. No hard copy of bid is required to be submitted.
2. Tenderers must upload the good scanned copy of relevant documents required to be submitted on e-Procurement website as mentioned in the tender documents. The document which is not readable or legible will not be given cognizance. e-Bids which are not supported by relevant documents shall not be considered during evaluation of bid.
3. The documents required under the tender conditions for submission along with tender are listed below. The tenderer/s are advised to examine the various conditions and submit their offer with following details

### **25. Deadline for submission of tender**

1. The bid should be submitted online not later than the date and time mentioned in the e-procurement notice. Late and delayed tenders shall not be accepted and will be **summarily rejected**.
2. Employer may at its discretion extend the deadline for submission of the bids at any time before the time of submission of the bids lapses.

## **E. BID OPENING AND EVALUATION**

### **26. Opening of the tender**

1. Tenders shall be opened at the date and time as mentioned in the e-procurement Notice (including corrigendum if any) **on IREPS portal** at the address mentioned in e-procurement notice in the presence of the tenderer/s or their authorized representatives intending to attend the opening.
2. In case the date of tender opening happens to be a holiday, the tender will be opened on next working day at the same time and place.
3. Tenderers or their authorized representatives who are present shall sign in register for their evidence of attendance.
4. Tenderer's name, presence or absence of requisite Bid Security (not applicable), total cost of work quoted or any other details as Employer may consider appropriate will be announced and recorded at the time of bid opening.

#### **27. Withdrawal of tender.**

1. No tender can be withdrawn after submission and during tender validity period. Please note the provisions of clause No. 18.0 above.

#### **28. Preliminary Examination of Bids**

1. Prior to the detailed evaluation, Employer shall determine whether each bid is of acceptable quality, is generally complete and is substantially responsive to the bidding documents. For purposes of this determination, a substantially responsive bid is one that conforms to all the terms, conditions and specifications of the bidding documents without material deviations, objections, conditionality or reservation. A material deviation, objections, conditionality or reservation is one;
  1. that affects in any substantial way the scope, quality or performance of the contract.
  2. that limits in any substantial way, inconsistent with the bidding documents, the Employer's rights or the successful Tenderer's obligations under the contracts; or
  3. whose rectification would unfairly affect the competitive position of other Tenderer/s who are presenting substantially responsive bids.

#### **29. Clarification of the Bids**

1. To assist the examination, evaluation and comparison of the tenders, Employer may at his discretion ask the tenderers for any clarifications as considered essential. All such correspondence shall be in writing and no change in price or substance of the tender shall be sought or permitted. The above clarification for submission of the details shall form part of the tender and shall be binding on tenderer.

#### **30. Negotiations**

1. KRCL reserves the right to negotiate the offer submitted by the tenderer to bring down the rates to a reasonable level. The tenderer called for negotiations shall be required to furnish the following form of declaration before commencement of negotiation:  
 "I \_\_\_\_\_ do declare that in the event of failure of contemplated negotiations relating to Tender No. \_\_\_\_\_ dated \_\_\_\_\_ my original tender shall remain open for acceptance on its original terms and conditions".
2. The tenderer/s must note that during negotiations, percentage (%) rate can only be reduced and not increased by the tenderer. In case the tenderer introduces any new condition or increases percentage (%) rate, his negotiated offer is liable for rejection and the original offer shall remain valid and binding on him.

#### **31. Disqualification**

1. Tenderer/s may note that even if they meet the eligibility criteria as given above they are liable for disqualification, if the tenderer have:
  1. given misleading or false information in the forms, statements and attachments submitted; or



2. financial failure due to bankruptcy etc.
2. If the tenderer, as individual or as a partner of partnership firm, expires after the submission of his tender but before award of work, the KRCL shall deem such tender as invalid.
3. If it is found at any time after finalization of tender, that any tenderer/s had furnished misleading/wrong or fraudulent information/documents, such case will attract criminal proceedings and work will be terminated. Security Deposit shall be forfeited and the Performance Guarantee shall be encashed. Balance work will be carried out independently.

### **32.Canvassing**

1. No tenderer is permitted to canvass to Employer on any matter relating to this tender or create illegal circumstances for the acceptance of this tender. The bid of any tenderer doing so, is liable for rejection at any stage. KRCL reserves the right to forfeit their Bid Security as **clause 18.0**.

### **33.Right of KRCL to deal with tenderers**

1. The authority for acceptance of the tenders shall rest with the Corporation. KRCL reserves the right to postpone the tender submission/opening date and to accept/reject any or all tenders without assigning any reasons thereof without any compensation to the tenderer/s or cancel the entire tender process without assigning any reasons and without compensation to the Tenderers.
2. KRCL's assessment of suitability as per eligibility criteria shall be **final and binding**.
3. It shall not be obligatory on the Corporation to accept the lowest tender or any other tender / tenders.
4. The Corporation reserves the right to discharge the tender/s in full or in part without assigning any reason for the same.
5. Corporation also reserves the right to accept the tender in whole or in part or to divide the tender amongst more than one tenderer if deemed necessary.

**Note:** The tenderers shall have no claim for damages / compensation in the event of such non-acceptance as the case may be.

## **F. AWARD OF CONTRACT**

### **34.Award of Contract**

1. Employer/Engineer shall notify the successful tenderer in writing by a Letter of Acceptance (LOA) sent by Registered Letter/Courier/Speed Post or per bearer that his tender has been accepted. The date of issue of letter of acceptance by Konkan Railway Corporation Limited shall be construed as date of award of contract.
2. Employer shall send two copies of Letter of Acceptance (LOA) out of which one shall be returned by the Contractor to the employer with clear endorsement of "***Unconditionally Accepted***" with signature of Authorized Signatory of Contractor on each page of LOA with Company/firm's stamp/seal.
3. Letter of Acceptance, after it is signed by the Contractor in token of his acceptance shall constitute a legal and binding contract between Employer/Engineer and the contractor till such time the contract agreement is signed.

### **35.Execution of Contract Agreement**

1. After award of work, an agreement will be drawn up. The agreement shall be prepared based on the master copy available in the office of Chief Engineer/Co-ordination and not based on the tender documents submitted by the tenderer. The Parties shall enter into Contract Agreement within seven days after receipt of notice issued by the KRCL that such documents are ready, unless they agree otherwise. The costs of stamp duties by entry into the Contract Agreement shall be borne by KRCL.

2. Necessary number of copies of the contract documents shall be signed by the competent authority of KRCL and authorized representative of contractor and one copy given to the contractor.

### **36. Form of Contract Documents**

Contract shall be complete in respect of the documents it shall constitute. These instructions to the tenderers shall be deemed to form a part of the tender documents.

## **GENERAL CONDITIONS OF CONTRACT**

The Contract will be governed by the Konkan Railways Standard General Conditions of Contract – July-2022 with latest correction slips.

The Konkan Railways Standard General Conditions of Contract – July-2022, along with latest correction slips, will form part of the tender/contract documents even though they are not attached to the same.

# **SPECIAL CONDITIONS OF CONTRACT – PART - A**

## A. DEFINITIONS

### 1 Definitions

2 “**Approval or Approved**” means approval in writing of the Competent Authority.

3 A **Defect** is any part of the Works not executed/completed in accordance with the requirements under the Contract.

4 A **Sub-contractor** is a person/firm/company or corporate body who with the express permission in writing by KRCL has a Contract with the Contractor to carry out a part of the work in the Contract.

5 **BIS** : Bureau of Indian Standards

6 **BOQ**: Bill Of Quantity

7 **CMD**: Chairman and Managing Director of Konkan Railway Corporation Ltd.

8 **Chief Engineer**: Shall mean the officer in-charge of the open line of Engineering Department of the Konkan Railway.

9 **General Manager/Projects**: Shall mean the Officer in-charge of the Engineering Department of the Konkan Railway in the Project Division of Corporate Office and shall also include Chief Engineer (Construction), General Manager (Infra), Chief Project Manager or equivalent rank.

10 **Competent Authority**: An officer/official of Employer’s organization vested with requisite administrative authority or designated by the Corporation as the Competent Authority.

11 **Construction Machinery**: It shall mean all appliances or equipments of whatsoever nature required for the execution, completion or maintenance of the work or temporary work (as hereinafter defined) which requires RTO registration and does not include materials or other things intended to form or forming part of the permanent work.

12 **Construction Plant**: It shall mean all appliances or equipments of whatsoever nature required for the execution, completion or maintenance of the work or temporary work (as hereinafter defined) and does not require RTO registration and does not include materials or other things intended to form or forming part of the permanent work.

13 **Contract** shall mean and include the Agreement or Letter of acceptance, the accepted Schedule of Items, Rates and Quantities, the Konkan Railways Standard General Conditions of Contract- July-2022 along with latest correction slips, the Special Conditions of Contract, the drawings, the specifications, the special specifications if any, tender forms, instructions to tenderers, Notice Inviting Tender, Addendum(s), Corrigendum(s) and other tender documents.

14 **Contractor**: shall mean the person or firm or company or joint venture/Consortium who enters into contract with the Corporation as a consequence of acceptance of his bid by the Corporation and shall include their executors, administrators, and assigns expressly permitted under the terms of the contract.

15 **Contractor’s vehicles**: The vehicles for carriage of manpower/labour, staff etc. owned/engaged by Contractor, in connection with the work.

16 **The Completion Date is the Date of Completion (DOC) of the Works** as certified by the Engineer-in-charge under the contract between the Corporation and the Contractor to execute, complete and maintain the Works.

17 **The Contract Data** means information and data contained in the documents comprising the Contract.

18 **The Contractor’s Bid** is the completed Bidding documents submitted by the Contractor to the Employer.

19 **The Contract Price** is the price stated in the letter of acceptance (LOA) and thereafter as arrived at in accordance with the provisions of the Contract.

20 **D (W&W)** : Director (Way & Works) of Konkan Railway Corporation Ltd.

21 **DDC** :- Detailed Design Consultant

22 **Drawing(s)** shall mean the maps, drawings, plans and tracings or prints thereof annexed to the tender/contract (including drawings prepared by contractor & consultant) and shall include any modifications of such drawings and any further drawings as may be issued by the Engineer-in-charge from time to time.

23 **Days** are English calendar days, months are English calendar months.

24 **D/S**: Down Stream.

25 **BS**: Bid Security

- 26 Employer** means the **KONKAN RAILWAY CORPORATION LIMITED**, A Govt. of India Undertaking (KRCL in abbreviation) acting through its Chairman and Managing Director or any other authorized officer and shall include their legal successors in title and permitted assignees.
- 27 Engineer/Engineer-in-charge (EC):** shall mean the Regional Engineer or the Senior Engineer, Regional Signal & Telecom Engineer, Regional Electrical Engineer, Regional Mechanical Engineer in executive charge of the works and shall include the superior officers of Open Line and Construction organisations on the Railway of the Engineering, Signal & Telecom, Mechanical and Electrical Departments, i.e. the Senior Regional Engineer/Deputy Chief Engineer/Chief Engineer, Senior Regional Signal & Telecom Engineer / Dy. Chief Signal & Telecom Engineer, Senior Regional Electrical Engineer / Deputy Chief Electrical Engineer, Senior Regional Mechanical Engineer and shall mean & include the Engineers of the Successor Railway.
- 28 Engineer's Representative:** shall mean the Assistant Engineer / Senior Engineer in direct charge of the works and shall include Inspector of the Civil Engineering, Electrical or Signal & Telecommunication Department of the Corporation.
- 29 GCC:** Konkan Railways Standard General Conditions of Contract- July-2022 along with latest correction slips.
- 30 GST:** Goods & Services Tax
- 31 Headings & Marginal Headings:** The top headings and marginal headings/notes in the tender or contract documents are solely for the purpose of facilitating reference and shall not be deemed to be part thereof and shall not be taken into consideration in the interpretation or consideration thereof.
- 32 The Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.
- 33 The Intended Completion Date** means the Completion Date specified in the Contract.
- 34 IRC :** Indian Roads Congress
- 35 IREPS:** Indian Railways E-Procurement System
- 36 IRS :** Indian Railway Standards
- 37 IS Code :** Indian Standard Codes issued by BIS
- 38 JV:** Joint Venture
- 39 KRCL / Corporation / Railway :** Konkan Railway Corporation Limited
- 40 LOA :** Letter of Acceptance
- 41 LPS :** Litre Per Second
- 42 The Maintenance period or Defects Liability Period** means such period as stipulated in the relevant clauses of the Contract and calculated from the Completion Date.
- 43 Materials** are all supplies, including consumables, used by the contractor in the Works under the Contract.
- 44 NIT:** Notice Inviting Tender.
- 45 OD:** Outer Diameter
- 46 PSU:** Public Sector Undertaking
- 47 RDSO:** Research Designs and Standards Organisation
- 48 RTO:** Regional Transport Office of State Govt.
- 49 Schedule of Items, Rates & Quantities/Bill of Quantities** means the Schedule to the contract containing Items, Rates & Quantities.
- 50 Singular and Plural:** The singular includes the plural, the masculine includes the feminine, and vice versa where the context requires.
- 51 Site** shall mean the land and/or structures or places on, under, in or through which the works are carried out and any other lands or places provided by the Corporation for the purposes of the contract.
- 52 Specification** means the Specification for materials and Works described in the Contract and any modification or addition under written instructions and **approval of** the Engineer-in-charge or his nominee as per the terms of the Special Conditions'
- 53 Temporary Works** are works which are required for temporary and not permanent use by the Contractor, for construction or installation or maintenance of the Works under the Contract.
- 54 Tender or Bid** means the offer (Technical and/or Financial) made by tenderer for the execution of the works in response to the Corporation's Invitation to Tender.

**55 Tenderer** : means, the person/the firm or company, entity or joint venture whether incorporated or not who in response to the Invitation of Tender issued by the KRCL, submits or tenders an offer in the prescribed form, to execute the works and sign contract with KRCL and shall include their representatives, and permitted assignees.

**56 U/S:** Up Stream

**57 The Works** are what the Contract requires the contractor to execute, construct, install, commission handover to the Employer and maintain under the terms of the Contract

## **B. GENERAL OBLIGATIONS**

### **1 Safety Procedures**

**Health, Safety & Environment (HSE):** The contractor shall formulate a **Health, Safety & Environment (HSE)** manual, using the services of competent and experienced consultants and submit to KRCL for approval. The provisions of approved manual in addition to statutory regulations shall be complied with by the Contractor.

The contractor has to submit Health Safety and Environment (HSE) manual within **21 days** from the date of issue of LOA to the Engineer-in charge for approval. The rates quoted shall deem to include above expenses to be incurred under this clause.

In addition to clause 30, 34 and such other clauses of GCC, regarding safety, the contractor/Tenderer shall be bound to carry out the other instructions of Engineer-in-charge, as he may, deem necessary, for Safety arrangements. The contractor shall at all time be responsible to take all precautions and adopt such safe methods of working as will ensure safety of public, structures, equipment and workers.

If at any time KRCL finds the safety arrangements as inadequate or unsafe, the contractor shall take immediate corrective action as directed by KRCL's representative.

The contractor's responsibility for safe working shall not be restricted to the discharge of instructions if any of the Engineer-in-charge and the contractor/tenderer shall on his own adopt all necessary precautions.

The contractor shall provide all necessary safety appliances such as safety goggles, helmets, gumboots, safety belts, ear plugs, masks etc. to the workers, staff and also for consultants, employer, visiting officers/guests etc.

The cost of all Safety arrangements including cost of all labour and material is deemed to have been included in the item rates given and percentage rate quoted by the tenderer in Schedule of Items, Rates and Quantities and nothing extra shall be payable under this contract.

While working near to or along side existing power line crossing or telephone / telegraph line crossing, the tenderer / contractor shall be responsible for ensuring that no interference or obstruction is caused by their men or machinery under any circumstances. He shall ensure safety to life for his own men and machinery duly maintaining distance from power line crossing.

Any temporary arrangements for maintaining continuous flow through the sewer/water mains will have to be made by the contractor if the existing mains are affected during excavation of foundations, duly realigning the sewer/water mains, underground cables etc. at no extra cost. Permanent diversions of any underground sewerage or water pipe line system, if required to be done by the contractor, shall, however, be paid for separately at rates to be mutually agreed.

The tenderer / contractor will be responsible for any loss or damage to KRCL (Corporation), and public property or third party, if it occurs during the course of execution of work and corporation reserves its right to have damages made good by tenderer / Contractor at his own cost.

In case an accident occurs at the work site and the findings of the Enquiry Committee set up by the Corporation to investigate the cause of the accident shall be final and binding on the Contractor. If Contractor is held responsible for the accident, the contract shall liable to be terminated forthwith notwithstanding the provisions of the General Conditions of Contract.

Irrespective of invoking provisions of clause 2.2.9 as above-mentioned or otherwise, penalty upto an upper limit of 10% of the total cost of the work may be imposed in case an accident occurs due to Contractor's negligence as decided by the Corporation whose decision shall be final and binding on the contractor. The Contractor is also liable for prosecution if loss of life is involved. The contractor will specifically note that in case any accident takes place due to the carelessness of the tenderer/s then the Railway administration may terminate the present contract, and Railway reserve the right to recover to cost of damages due to such accident from the contractor. Payment of compensation to labour as per extent Government rules and Legal Acts will be sole responsibility of the contractor failing this Railway

shall be entitled to recover the compensation amount from dues payable to the contractor to discharge compensation liabilities.

The work shall be so carried out that there is no infringement to the Railway's Schedule of Dimensions.

The Contractor's technical supervisor / Engineer shall be present at work site, at all times, when the work is being executed. The contractor shall employ adequate number of workers to give consistent and desired progress per day.

The tenderer / contractor must ensure the safety of labourers and other people at site engaged by him during the course of execution of work and the KRCL (Corporation) shall not be responsible for any injury sustained by the labourer and or any fatal accident and the tenderer / contractor should bear all loss and expenditure involved. The tenderer / contractor must indemnify the KRCL from any liability arising out of such cases. The contractor should deal and settle all legal cases / court cases arising out from them at his own cost.

All the Safety precautions for open and underground excavation shall be observed & followed as per relevant statutory regulations IS Codes as well as 'HSE Manual'.

## **2 Quality Assurance Plan -NOT APPLICABLE**

## **3 Publicity**

The contractor or his sub-contractor or his consultant shall not publish or otherwise circulate, alone or in conjunction with any person, any paper/booklet/sketch/ any articles, photographs or other materials relating to the Contract, the Site, the Works, the Project or any part thereof, nor impart to any third party any information relating thereto, nor allow any representative of the media access to the Site, contractor's Works Areas, or off-Site place of manufacture, or storage except with the permission, in writing, of the Employer. The contractor shall ensure that his sub-contractors of any tier shall be bound by a like obligation and shall, if so required by the Corporation, enforce the same at his own expense. The provisions of this Clause shall not exempt the contractor from complying with any statutory provision in regard to the taking and publication of photographs.

## **4 Official Secrets Act 1923**

Indian Official Secrets Act 1923 (XIX of 1923) shall apply to the contractor and persons employed by him for this contract.

## **5 Royalties and Patent Rights**

Unless otherwise stated in the special conditions, the contractor shall defray the cost of all royalties, fees and other payments in respect of patent rights and licenses which may be payable to any patentee, licensee or any other person or corporation and shall obtain all necessary licenses. In case of any breach (whether willfully or inadvertently) by the contractor of this provision, the contractor shall, indemnify the Railway/KRCL and their officers, staff, representatives against all claims, proceedings, damages, cost, charges, pecuniary loss and liability which they or any of them sustain, incur or be put by reason or in consequence directly or indirectly for any such breach and against payment of any royalties, damages and other monies which the Railway/KRCL may have to make to any person for any machine, instruments, process, articles, matters, or thing constructed, manufactured, supplied or delivered by the contractor to his order under this contract.

## **6 Dissolution of Contractor's Firm**

If the contractor's firm is dissolved due to the death or retirement of any partner or for any reasons whatsoever before fully completing the whole work under the Contract or any part thereof, the remaining partners shall remain jointly, severally and personally liable to complete the entire work under the Contract to the satisfaction of KRCL.

If after acceptance of the offer and / or signing of the Works Contract, the Contractor expires, or in case of a Firm, any partner expires or in case of a firm or a corporate entity, the composition changes, the KRCL shall have an option to either treat the contract / acceptance as cancelled or treat the same as subsisting. The Contractor whether a person, firm or a corporate entity shall be liable to discharge its obligations under the contract unless the KRCL exercises its option to treat the Contract / Acceptance as cancelled. No compensation / loss / damages shall be payable on account of such cancellation.

## **7 Documentation of Works and Final Submissions:**

Site inspection register will be maintained by the Engineer-in-charge or his representative in which the contractor or his agent will be bound to sign day to day entries made by the Engineer-in-charge or his representative. The contractor is required to take note of the instructions given to him in site inspection



register and should comply within a reasonable time. The contractor will also arrange to receive all the letters etc. issued to him at the site of work. The Contractor is deemed to have due and adequate notice of all the entries made in the Register by the Engineer in Charge or his Representative and failure on the part of the Contractor to counter sign the Register shall not exonerate the contractor from complying with the noting.

Contractor shall purchase at his own cost all the registers required at site for various purposes. All the registers required to be maintained at work sites for recording various measurements, daily activities or for other purposes, shall be authenticated by the Engineer-in-charge. Before making use of any register, Engineer-in-charge will authenticate the same by signing first and last page with his stamp. The Contractor shall ensure that all the pages have been machine numbered serially. The register(s) which have not been authenticated by Engineer-in-charge should not be used at site.

The contractor shall submit to the Corporation, through online measurement book for final bill as per directives of Engineer-in-charge, containing all the relevant details of up to date work done, typed in electronic media, using an office software and printed, jointly signed by contractors and engineers or his representatives. The submitted booklets will be property of the Corporation. Contractor shall also submit the same in electronic storage device of adequate capacity. No additional payment shall be made for submitting such submissions.

All the original registers, files, level books, balance measurement sheets, abstract sheets, drawings, tracings or any other records maintained at site during construction shall be submitted by contractor to KRCL forthwith after completion /termination of work.

### **8 Change in Address**

Any change in the address of the Contractor shall be forthwith intimated in writing to KRCL and KRCL's acknowledgement in writing should be obtained. Unless the change has been duly intimated to KRCL and acknowledged by KRCL all correspondence shall be addressed on the address specified in the Contract and shall be deemed to be due and complete service of the same on the Contractor. KRCL will not be responsible for any loss or inconvenience suffered by the contractor on account of his failure to comply with this.

## **C. EXECUTION OF WORKS**

### **1 Site Clearance at start of work**

The contractor shall clear all the grass, shrubs, garbage, deadwood, fallen wood and other such materials etc., to the extent needed for the works and as directed by the Engineer-in-charge.

### **2 Occupation and Use of Land**

Use or occupation of land as per clause 6 of GCC, shall not confer upon the contractor any rights whatsoever including tenancy / easements / license over the land.

### **3 Land**

The land for the commencement of work is available. The extent of land available may be noted during site visit. Any additional requirement of land by the contractor for their own purpose may be arranged by its own resources. Any assistance required in this regard may be requested to KRCL. KRCL may provide such assistance if possible, without any liability or responsibility on the corporation.

### **4 Felling of trees**

Work site is already clear of trees. In normal circumstances the felling of trees will be done by the concerned State Forest Corporation/ Authorities. However, if the State Forest Corporation/ Authorities do not cut the tree and in turn permits KRCL to cut the tree, the felling of tree will be done by the contractor and will stack and handover the tree logs to KRCL. The cost incurred in tree cutting and stacking etc., by the contractor will be reimbursed as per joint record and measurement. The Contractor shall have no claim due to delay on above account.

### **5 Working Hours**

If the Engineer-in-charge is satisfied that under the circumstances, round the clock working is expedient, he may permit the contractor(s) to carry out the works accordingly. No extra payment shall be payable to the Contractor for working round the clock. The rate quoted and accepted by KRCL shall be inclusive of night shift work.

If the Engineer-in-Charge is satisfied that the work is not likely to be completed in time except by resorting to night work, he may order without confirming any right on the contractor for claiming any extra payment for the same.

The work is to be done during day and night and contractor has to make adequate arrangement for work during night time. Various component of works like Earthwork, bridge work, other works, etc., should be started simultaneously.

The contractor shall organize his work ensuring safety of traffic, Railway property and contractor's men and materials at all times. This is absolutely necessary.

It shall be clearly understood that the contractor is personally responsible for any omissions and commissions on the part of men engaged by him. In case of any damages to Railway/ Public property or injuries to the public on account of failure of contractor to adhere safety resulting in an accident, the cost of damages will be recovered from the dues to the contractor for this work or other ongoing works. In addition to the above, the contractor shall be liable for criminal prosecution, if applicable.

The contractor shall take all precautions for ensuring safety and he shall also implement the safety precautions advised by Engineer In charge or his representative from time to time.

## **6 Survey**

The contractor shall, from time to time and before interfering with the surface of any portion or the site or before the work thereon begins, take and record such levels as the Engineer-in-charge may direct in his presence or any person authorized by him in writing. Such levels approved and checked by him or such authorized persons shall be recorded in writing and signed by the contractor and shall form the basis of the measurements. Immediately before any portion of the work below water level is started, the existing water levels are to be taken and recorded in a similar manner.

## **7 Setting out works**

The initial reference points to start the work shall be provided by Engineer-in-charge. Thereafter, contractor will proceed in terms of clause 19 (4) of GCC.

The contractor has to make arrangement for numbering the sleepers for identification and easy locating the attended patches as instructed by Engineer-in-charge without any extra cost.

## **8 Enabling Works**

Unless otherwise specified in the tender documents, rates given in the schedule to the Contract and percentage rate quoted in the contract shall be inclusive of all enabling works. The Contractor shall have no claim on above account.

## **9 Urgent Work**

If any Urgent work in the event of accident or failure occurring in or about the work or arising out of or in connection with the construction becomes necessary in the opinion of the Engineer in Charge, and the contractor is unable or unwilling at once to carry it out, the Engineer-in-charge may through another agency or on his own, carry it out as he may consider necessary. If the urgent work shall be such as the contractor is liable under the contract to carry out at his expenses, all expenses incurred on it by KRCL shall be recoverable from the contractor and be adjusted or set off against any sum payable to him. The decision of the Engineer in Charge as regards the existence and nature of urgency and necessity of work shall be **final and binding** on the Contractor.

## **10 Duties and Powers of Engineer-in-charge's Representative**

The duties of the representative of the Engineer-in-charge are to watch and supervise the works and to test and examine any materials to be used and the workmanship in connection with the works. He shall have no authority to order any work involving any extra payment by KRCL or make any variation in the works.

The Engineer-in-charge may from time to time delegate to his representative any of the powers and authorities vested in the Engineer-in-charge. A copy of all such delegation of powers and authorities shall be furnished to the contractor, by him.

For supervision of all the works pertaining under this contract KRCL may engage Engineers on contract basis. They may be deployed to assist for supervision of works. The Contractor shall facilitate such supervision.

KRCL reserves the right to deploy an agency for providing Project Management Consultancy (PMC) to augment its supervision capabilities.

Contractors shall provide facilities for inspection of works to Engineers as in Clause 19.3 above and agency of PMC as in Clause 19.4 above as provided in GCC clause 28.

## 11 Priority of Documents and specifications.

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents within the contract document shall be in accordance with the following sequence:

- 1 The Agreement for the works executed on stamp paper.
- 2 The Letter of Award / Acceptance.
- 3 Schedule of Items, Rates and Quantities/Bill of Quantities (BOQ)
- 4 Special Conditions of Contract
- 5 Technical Specifications as given in Tender Documents.
- 6 Drawings
- 7 Konkan Railways Standard General Conditions of Contract updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.
- 8 CPWD Specifications 2021 Vol I & II updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract.
- 9 Indian Railways Unified Standard Specification (IRUSS-2019/2021) updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract.
- 10 Indian Railways Unified Standard Specifications (Works and Material) 2010/2021 updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract.
- 11 IR Specifications/Guidelines updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.
- 12 Relevant B.I.S Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.

### 12 Instructions to tenderer/s

Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.

If there are varying or conflicting provisions made in any documents forming part of the Contract or in the event of a conflicting view as to the interpretation of the contents thereof; the documents shall take priority in accordance with the list given in clause 20.1 above. When there is any conflict between the specifications given in this contract and the IRS, BIS, IRC specifications or specifications of any other body/Institution/Authority as the case may be, the specifications given in this contract shall prevail over the other specifications. However, in case of any ambiguity, the decision of the Engineer-in-charge in this regard shall be **final and binding**.

## 13 Programme of Construction

In partial modification to clause 19 (3) of GCC, the contractor shall submit detailed programme of work not later than 30 days after the date of receipt of Letter of Acceptance. All other provisions of Clause 19 (3) of GCC shall remain the same.

The contractor shall prepare and submit a **“Detailed Method Statement”** based on the method statement within 20 days from the issue of LOA to KRCL for approval. The contractor shall carry out the works as per this methodology approved by KRCL.

Progress shall be maintained strictly with the programme given by Engineer-in-charge from time to time and as per accepted CPM network /PERT charts.

## 14 Drawings for works

The drawings attached with the tender are indicative only and the work will be carried out as per approved drawings. Contractor will have no claim on account of deviation in approved drawing with reference to tender drawing.

The Corporation reserves the right to modify the plans and drawings referred to in the tender documents without assigning any reasons as and when considered necessary by the Corporation. The Contractor shall have no claim on account of such modifications.

It should be specifically noted that some of the detailed drawings may not have been finalized by the Corporation and will, therefore, be supplied to the contractor, progressively as per site requirements. No compensation whatsoever on this account shall be payable. No claim shall be entertained in this regard by KRCL.

#### **15 Delay and Extension of Contract Period**

The delay and extension of Contract Period shall be dealt as per relevant Clauses of Konkan Railways Standard General Conditions of Contract – July-2022.

#### **16 Maintenance/Defects Liability Period – Six months from actual date of completion of work.**

### **D. INSURANCE**

#### **1 Insurance**

Before commencement of works, it shall be obligatory for the Contractor to obtain, at his own cost, **third party liability insurance cover** in the joint name of the contractor and employer from reputed companies.

The Contractor shall provide documentary evidence to the Employer/Engineer-in-charge before commencement of work at site that the third party liability insurance have been effected and shall within 30 days of the commencement date, provide the insurance policy to the Employer/Engineer-in-charge. The Contractor shall, whenever, called upon, produce to the Engineer-in-charge or his representative the evidence of payment of premiums paid by him to ensure that the policy indeed continue to be in force.

On the event of any damage to the property/life of third party, the contractor has to make immediate payment and relief measures as per the directions of the Engineer-in-charge. The decision of Engineer-in-charge is **final and binding**.

If the Contractor fails to effect or keep in force or provide adequate cover as acceptable to the Engineer-in-charge in the third party liability insurance policy mentioned above, then in such cases, the Engineer-in-charge may effect and keep in force any such insurance or further insurance on behalf of the Contractor. The **recovery** shall be made at the **rate of 1.5 times** the premium / premiums paid by the Engineer-in-charge in this regard from the payment due to the Contractor or from the Contractor's Security Deposit / Performance Security. However, the Contractor shall not be absolved from his responsibility and / or liability in this regard.

Contractor at his own cost and without involving any obligations on part of Corporation, shall take necessary insurance policies for his men, materials, construction plants, machineries, equipments or any other insurance cover as may be required by the law of land.

The Employer / Engineer-in-charge shall not be liable for or in respect of any damages to construction **Plant, Machinery and Equipment** brought to site by the contractor or compensations payable to any workman or other person in the employment of the Contractor or his sub-contractor or petty contractor. The Contractor shall indemnify and keep indemnified the Employer / Engineer-in-charge against all such damages and compensation for which the Contractor is liable.

### **E. PRICE VARIATION**

**Price Variation Clause (PVC): As per KRCL's Policy Circular No. KR/CO/Contract Policy/Cell/KR GCC -2022 Dated: 26.08.2022 Price variation shall be applicable only in tender having advertised value above Rs.2 Crores. Hence PVC is not applicable for this tender.**

### **F. ADVANCES AND PAYMENTS**

Mobilization Advance (Applicable for Tenders having value exceeds Rs 25 crore) – **Not Applicable**.

Plant & Machinery Advance- (Applicable for Tenders having value exceeds Rs 25 crore) – **Not Applicable**.

Stage Payment on Supply of Steel – **Not Applicable**.

**Payment of Bills through “online measurement book” – As per GM/P-I letter No. KR/CO/Contract Policy Cell/2021/4, Date: 28.12.2021**

The measurements for payment of 'on account', 'pre-final' and 'final' bills have to be taken by the contractor's Engineer in the presence of the Engineer-in-charge or his representative. Joint measurements shall be taken continuously and need not be connected with billing stage. Based on the above measurements, the contractor has to submit his 'on-account' / 'pre-final' / 'final' bills along with the details of measurement and calculation of quantities in "online measurement book" approved by the Engineer-in-charge duly certified by the qualified Engineer or quantity surveyor of the contractor authorized in this behalf.

**The "on account bills" should be submitted monthly through "online measurement book". In case, of insufficient progress, contractor shall submit "Nil" bill.**

The payment of "on account" bills will be regulated as under:

On submission of "on account" bills by the contractor, the Corporation shall arrange for 75% payment of such "on account" bills within 7 working days, and

The balance due will be paid after scrutiny (technical check) and acceptance of the bill within next 15 working days.

If it is found that the Contractor has at any point of time submitted bills of exaggerated or wrong amounts without prejudice to any other right or remedy available to KRCL, the facility of such ad-hoc payment shall be discontinued and subsequent payments towards the Bills shall be made only after scrutiny and technical check.

The payment of pre-final and final bills will be made only after scrutiny (technical check) of the bills and after obtaining a certificate from the Engineer-in-charge for satisfactory completion of work. Final bill will be paid after submission of unconditional and unequivocal No Claim Certificate by the Contractor.

## **57 Performance Guarantee**

The successful tenderer shall be liable to pay performance guarantee as governed by clause 16.(4) of Konkan Railways Standard General Conditions of Contract – July-2022 along with latest correction slips upto invitation of Tender.

The Performance Guarantee shall be furnished by the successful tenderer after the letter of acceptance (LOA) has been issued, but before signing of the agreement. The agreement shall normally be signed within seven days after receipt of notice issued by the Railway that such documents are ready. The Performance Guarantee arranged by any entity other than successful tenderer shall not be accepted.

The contractor shall give a Performance Bank Guarantee in the form of an irrevocable bank guarantee amounting to **5%** of the Contract value. These forms of Performance Guarantee could be either of the State Bank of India or of any of the Nationalized Banks. This Guarantee shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion for work gets extended, the contractor shall get the validity of Performance Guarantee extended to cover such extended time for completion of work plus 60 days.

The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22nd day after the date of issue of LOA. Further, if the 60th day happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day.

In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Earnest Money Deposit and other dues payable against that contract. In case a tenderer has not submitted Earnest Money Deposit on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect.

The failed Contractor shall be debarred from participating in re-tender for that work.

(a) The successful bidder shall submit the Performance Guarantee (PG) in any of the following forms, amounting to 5% of the original contract value and **Additional performance Guarantee as per clause 16 (4) (h) in any of the following forms:**

- (i) A deposit of Cash;
- (ii) Irrevocable Bank Guarantee;
- (iii) insurance surety bond as per Annexure-XVII

**Note:-**

**In case of extension of date of completion, selected bidder needs to submit extended insurance surety Bond/ fresh insurance surety bond/fresh performance security, in any form as given above, before expiry of existing insurance surety bond.**

- (iv) Government Securities including State Loan Bonds at 5% below the market value;
- (v) Pay Orders and Demand Drafts tendered by any Scheduled Commercial Bank of India;
- (vi) Guarantee Bonds executed or Deposits Receipts tendered by any Scheduled Commercial Bank of India;
- (vii) Deposit in the Post Office Saving Bank;
- (viii) Deposit in the National Savings Certificates;
- (ix) Twelve years National Defence Certificates;
- (x) Ten years Defence Deposits;
- (xi) National Defence Bonds and
- (xii) Unit Trust Certificates at 5% below market value or at the face value whichever is less. Also, FDR in favour of FA&CAO (free from any encumbrance) may be accepted.

(b) New para 16(4) (h) of Part-II of GCC'22 If a tender is accepted on the quoted rates of bidder which is below the advertised tender value, an additional performance security shall be submitted by the bidder as below:

<b>Bid quoted in % of advertised cost</b>	<b>Additional Performance Guarantee (%)</b>
<b>Below 0-5% (inclusive)</b>	<b>Nil</b>
<b>Below 5%</b>	<b>5%</b>

(c) The Performance Guarantee shall be submitted by the successful bidder after the Letter of Acceptance (LOA) has been issued, but before signing of the contract agreement. This P.G. shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion of work gets extended, the Contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days.

(d) The value of PG to be submitted by the Contractor is based on original contract value and shall not change due to subsequent variation(s) in the original contract value.

(e) The Performance Guarantee (PG) shall be released after physical completion of the work based on 'Completion Certificate' issued by the competent authority stating that the Contractor has completed the work in all respects satisfactorily.

(f) Whenever the contract is rescinded, the Performance Guarantee already submitted for the contract shall be encashed.

(g) The Engineer shall not make a claim under the Performance Guarantee except for amounts to which the Railway is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:

(i) Failure by the Contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee.

(ii) Failure by the Contractor to pay to the Railway any amount due, either as agreed by the Contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer.

(iii) The Contract being determined or rescinded under clause 62 of these conditions.

## **58 Security Deposit**

Security Deposit payable for the work will be governed by clause 16.(1), 16.(2) and 16.(3) of Konkan Railways Standard General Conditions of Contract – July-2022 along with latest correction slips upto invitation of Tender.

The Security Deposit shall be 5% of the contract value. The Bid Security submitted by the Contractor with his tender will be retained/encashed by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. Provided further that, if Contractor submits the Cash or Term Deposit Receipt issued from a Scheduled commercial bank of India or irrevocable Bank Guarantee Bond from a Scheduled commercial bank of India, either towards the Full Security Deposit or the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security to the Contractor. Balance of Security Deposit may be deposited by the Contractor in cash or Term Deposit Receipt issued from Scheduled commercial bank of India or irrevocable Bank Guarantee bond issued from Scheduled commercial bank of India, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract.

**(i) Refund of Security Deposit:** Security Deposit mentioned in sub clause

(1) above shall be returned to the Contractor along with or after, the following:

**(a)** Final Payment of the Contract as per clause 51. (1) **and**

**(b)** Execution of Final Supplementary Agreement or Certification by Engineer that Railway has

No Claim on Contractor **and**

**(c)** Maintenance Certificate issued, on expiry of the maintenance period as per clause

50.(1), in case applicable.

The certificate, inter alia, should mention that the work has been completed in all respects and that all the contractual obligations have been fulfilled by the contractors and that there is no due from the contractor to Corporation against the contract concerned. Before releasing Security Deposit, an unconditional and unequivocal no claim certificate from the contractor concerned should be obtained.

After the work is physically completed as certified by competent authority, Security Deposit recovered from the running bills of a Contractor can be returned to him, if he so desires, in lieu of Term Deposit Receipt/irrevocable Bank Guarantee for equivalent amount from Scheduled Bank, to be submitted by him.

**Forfeiture of Security Deposit:** Whenever the contract is rescinded **as a whole** under clause 62 (1) of these conditions, the Security Deposit already with railways under the contract shall be forfeited. However, in case the contract is rescinded in part or parts under clause 62 (1) of these conditions, the Security Deposit shall not be forfeited.

No interest shall be payable upon the Bid Security and Security Deposit or amounts payable to the Contractor under the Contract, but Government Securities deposited in terms of Sub-Clause 16.(4)(b) of this clause will be payable with interest accrued thereon.

## **59 Taxes and Duties**

The rates quoted by the tenderer shall be exclusive of the Goods and Service Tax (GST) as applicable in the State of Maharashtra, Goa and Karnataka or other applicable State, as the case may be. GST shall be paid subject to reflection of the same in KRCL's GST No as per GSTIN portal.

Corporation shall deduct the any other tax from the Contractor's bill at the rate as applicable as per rules framed by concerned Govt./ Local bodies from time to time and remit it to concerned department and shall issue a certificate regarding Tax/Duties/Levies so deducted on demand by the Contractor.

Implementation of – The Building and Other Construction Workers (RECS) Act, 1996 and The Building and Other Construction Workers Welfare Cess Act, 1996 in Railway Contracts:

“The tenderer for carrying out any construction work in the respective State Government (Karnataka) must get themselves registered from the Registering Officer under Section-7 of the Building and other Construction Workers Act, 1996 and rules made thereto by the respective State Government and submit certificate of Registration issued from the Registering Officer of the respective State Government (name of the State) (Labour Dept.). **For enactment of this Act, the tenderer shall be required to pay cess at the rate of 1% of the cost of construction work to be deducted from each bill. The same shall be considered to have been included in the percentage rates quoted by tenderer/s in the Schedule of Items, Rates & Quantities.**

In terms of section 194 C inserted by the Finance Act 1972 in the Income Tax Act 1961, KRCL shall at the time of arranging payments to the contractor, be entitled to deduct income tax at source. The deductions towards income tax to be made at source from the payments due to the non-residents shall continue to be governed by Section 195 of the Income Tax Act, 1961.

## **G. VARIATION & MISCELLANEOUS**

### **Variation in Quantities**

The quantities of item(s) including foundations in the Schedule of Items, Rates & Quantities for the work to be executed are only approximate. The quantities have been as far as possible assessed correctly, but the same are likely to vary during the execution of work. Variation in quantities will be dealt as per clause 41, 42.(1), 42.(2) and 42.(3) of Konkan Railways Standard General Conditions of Contract – July-2022 along with latest correction slips. Few of them are brought out below.

The Contractor shall be bound to carry out the work at the agreed rates and shall not be entitled to any claim or any compensation whatsoever upto the limit of 25% variation in quantity of individual item of works.

In case an increase in quantity of an individual item by more than 25% of the agreement quantity is considered unavoidable, then same shall be executed at following rates

Quantities operated in excess of 125% but upto 140% of the agreement quantity of the concerned item, shall be paid at 98% of the rate awarded for that item in that particular tender;

Quantities operated in excess of 140% but upto 150% of the agreement quantity of the concerned item shall be paid at 96% of the rate awarded for that item in that particular tender;

Variation in quantities of individual items beyond 150% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.

For minus variation of agreemental value, the contractor shall not be entitled to any compensation but shall be paid only for the actual quantity of work at accepted rate.

In case of earthwork, the variation limit of 25% shall apply to the gross quantity of earthwork and variation in the quantities of individual classifications of soil shall not be subject to this limit.

In case of foundation work, no variation limit shall apply and the work shall be carried out by the Contractor on agreed rates irrespective of any variation.

The contractor shall not be entitled for any compensation or claims whatsoever on account of non-operation of any BOQ item during execution of work.

**Rates for Extra Items of Works:** will be dealt as per clause 39 (1) of Konkan Railways Standard General Conditions of Contract – July-2022 along with latest correction slips.

## **H. MATERIALS, TOOLS, PLANTS & MACHINERY, & POWER SUPPLY**

### **1 Transport, Custody and Storage of Material**

The contractor shall be responsible for the safe transport custody and storage of all materials issued to/arranged by him and he will be liable to make good the loss due to any cause whatsoever that may be suffered by the Corporation on this account. Special precautions should be taken in respect of cement while



transporting cement. Steps should be taken to safeguard against cement becoming damp or wet due to moisture or rain. The contractor will also be responsible for storing cement in damp proof conditions at site of work at his own cost in accordance with the standard specifications. The Engineer-in-charge shall decide whether the cement stored in the godowns is fit for the work and his decision shall be **final and binding** on the contractor/s.

No petroleum spirit within the meaning of the Indian Petroleum Spirit (Motor-Vehicles etc.) Regulation 1929 shall be stored at site or adjacent to it, until the approval of the KRCL and necessary license under the Act has been obtained by the contractor.

Contractor shall store explosives if any as per rules & standards.

The nominated depot for issue of Corporation's materials to the contractor and for return of unused material by the contractor is the Corporation's store depot at Ratnagiri/Madgaon. The cost of transportation of material from and to this nominated depot would be borne by contractor.

The contractor shall make his own arrangements at the site of work for the safe storage and custody of Corporation's materials issued to him. Such Corporation's materials issued to the contractor and stored at the site of work shall be open for inspection by the Engineer-in-charge at all reasonable time.

## **2 Material Procurement and Reconciliation Statement**

The contractor can procure the materials from any source except as provided otherwise in the contract. The material shall conform to laid down specifications. The contractor shall furnish requisite test certificates as per approved Quality Assurance Plan / Inspection and Testing Plan (QAP / ITP).

The contractor shall submit material reconciliation statement duly verified by representative of Engineer-in-charge, with every "on account bills" duly showing consumption & balance of all materials either purchased by contractor or issued by Corporation (if any) and used during construction.

## **3 Materials used or issued in excess of requirement**

The contractor shall be responsible for using the correct quantity of materials required for the work and return the balance, if any issued by the Corporation, after the completion of the work.

In case of materials under relevant clause are issued to the contractor for the work under terms of contract, the supply thereof shall be made in stages limited to the quantity/quantities computed by the Corporation according to the prescribed specification and approved drawings as per the agreement.

If work is suffering due to shortage of material and if KRCL makes the arrangement for the same for smooth functioning of the work, the cost of such material shall be recovered at the rate of two times of the landing cost to KRCL.

Any materials, if issued by the Corporation, used in excess over the correct quantity arrived at as per specification will be charged against the contractor at twice the market rate or twice the book value whichever is higher.

The materials issued in excess of the requirement(s) as above shall be returned perfectly in good condition by the contractor to the Corporation immediately after completion or determination of the contract. If the contractor fails to return the said stores, then the cost of the materials issued in excess of the requirement computed by the Corporation according to the specification and approved drawings will be recovered from the contractor at twice the market rate or twice the book rate whichever is higher.

The recovery is stipulated in clause 37.3 to 37.5 will be without prejudice to the rights of the Corporation to take action against the contractor under the conditions of the contract for not doing/completing the work according to the prescribed specification and approved drawing.

## **4 Materials used less than the requirement**

Any material either issued by the Corporation or arranged by contractor at his own cost and used in less than the correct quantity arrived at as per specification and approved drawings will be viewed as improper work and dealt in accordance clause 27(2) of GCC. In addition, the cost of material issued by Corporation and used in improper work may be recovered from the contractor at twice the market rate or twice the book rate whichever is higher. Decision of the Engineer-in-charge in this regard will be **final and binding** on the contractor.

## **5 Tools, Plants and Machinery**

The contractor will be entirely responsible to arrange on his own cost all necessary machinery, tools and plants and their spare parts required for efficient and methodical execution of the work and transport them to the site of work. Delay in procurement of such items due to their non-availability on account of import difficulties or any other cause whatsoever will not be entertained for slow or non-performance of the work.

The initial and periodical calibration of all instruments, equipment's, devices, gauges etc., shall be ensured as per the manufacturer's specifications **by the contractor at his own cost** and the certificate shall be available at site for inspection on demand.

## **6 Deployment of Plant and Machinery**

The deployment of all plant and machinery including moving machines by the contractor shall be such as not to infringe or cause damage to railway track, Corporation's or any other Government or private properties. Operation of such equipment involving infringement to moving dimensions prescribed in the handbook of the Schedule of Dimensions of the Railway shall not be undertaken without the prior approval of the Engineer-in-charge. For any loss or damage resulting from violation of this clause, the contractor(s) shall be wholly responsible and pay the amount of compensation as decided by Engineer-in-charge.

## **Workmanship and Testing**

The whole of the works and/or supply of materials specified and provided in the contract or that may be necessary to be done in order to form and complete any part thereof shall be executed in the best and most substantial workman like manner with materials of the best and most approved quality of their respective kinds, agreeable to the particulars contained in or implied by the specifications and as referred to in and represented by the drawings or in such other additional particulars, instructions and drawings may be found requisite to be given during the carrying on of the works and to the entire satisfaction of engineer according to the instructions and directions which the Contractors may from time to time receive from the engineer. The materials may be subjected to tests by means of such machines, instruments and appliances as the engineer may direct and wholly at the expense of the contractor.

## **7 Removal of Improper Works, Materials and plant & Machinery:**

The Engineer or Engineer's Representative shall be entitled to order from time to time:

- 1 the removal from the site, within the time specified in the order of any materials which in his opinion are not in accordance with the specifications or drawings.
- 2 the substitution of proper and suitable materials, and
- 3 the removal and proper re-execution, notwithstanding any previous tests thereof or "on account" payments therefor, of any work which in respect of materials or workmanship is not in his opinion in accordance with the specifications and in case of default on the part of the Contractor in carrying out such order the Railway shall be entitled to rescind the contract under the clause 62 of GCC.
- 4 the removal from the site of any plant and machinery which in his opinion are not in accordance with the specifications and site requirements.

## **8 Sufficiency of Construction Plants and Equipment's**

It will entirely be the responsibility of the contractor to mobilize sufficient construction plant and construction machinery in very good working condition and to the satisfaction of Engineer-in-charge. All the machinery, tools and plant including spare parts, fuel, consumable stores and labour that are required for the efficient and methodical execution of the works. However, the main construction equipment must be accepted by the Engineer in Charge before they are deployed on the project for the start of the construction works.

Any delay resulting from improper selection of equipment by the Contractor, their rejection of the Service and resubmission with new data will not constitute grounds for the Contractor to an extension of the contractual deadline for completion of the Project, or any compensation thereof.

If during the course of execution of works, it is found that such plant and machinery mobilized by the contractor are inadequate for the timely completion of works, the contractor shall undertake to augment the plant and equipment to the satisfaction of Engineer- in- charge.

The contractor should also make sure that he has ready access to expert manpower to operate these plant and machinery efficiently and effectively.

## **9 Power Supply**

The responsibility to procure adequate power supply is that of the Contractor. Corporation may only assist contractor to get grid power for their bonafide use at works from State Government but without any liability or responsibility on Corporation. The requirement of power shall be substantial to operate all electrical equipments. Standby D.G. Sets will also be provided by the contractor at his own cost to have uninterrupted power for 24 hours a day for 100% connected load and contractor's facilities.

Contractor shall provide adequate lighting facilities during execution of work and special lighting for inspection.

## **10 Site Laboratory: (Not Applicable)**

The contractor shall be required to set up at his own cost a properly equipped and furnished laboratory of appropriate dimensions at or near the site, which should be always open for use and inspection by Railway/Corporation. All the equipment and machinery etc. shall be kept in good working conditions. The contractor shall be required to have the gauges and equipment calibrated from a reputed laboratory on a regular basis as required by the manufacturer and as and when directed by Engineer-in-charge.

The site laboratory must be equipped with:

1. Complete file of all data associated with the Quality Assurance Plan (QAP) and the Inspection and Testing Plan (ITP);
2. Library with the latest edition of all relevant codes and specifications on the basis of which the QC testing is carried out;

The site laboratory shall be managed, during the entire period of construction of the project, by a full time experienced QC Engineer approved by the Engineer in charge. He shall be assisted by qualified technical personnel in the required fields of expertise and in sufficient numbers. These personnel shall be exclusively dedicated to the Quality Control testing works of the project.

The laboratory shall be equipped with the equipment needed for tests connected with this tender work and as per latest relevant codes. The Engineer-in-charge can also instruct to conduct any other related test at site and Contractor should have the testing equipment to follow the instruction of Engineer-in-charge. No extra payment will be made for conducting lab / field tests.

The cost of setting up the laboratory, equipping the same, maintaining, conducting all tests on materials and cubes shall be borne by the contractors and shall be deemed to have been included in the item rates for various items of work and percentage rate tendered. Nothing extra is payable.

The contractor shall also be required to have the material used in the project tested and certified by an independent agency or laboratory at his own cost as per the frequency prescribed by the Engineer-in-charge from time to time.

## **TELECOMMUNICATION – Not Applicable**

### **J. PROTECTION OF ENVIRONMENT**

#### **Protection of Environment**

##### **General**

**All the provisions of environmental protection law of State & Central Govt. shall be followed.**

During execution of works, the Contractor and permitted his sub-contractors, petty contractors shall abide at all times by all existing enactment on environmental protections and rules made thereunder, regulations, notifications and bye-laws of the State or Central Government or local authorities and any other law, bye-law, regulation that may be issued in this respect in future by the State or Central Government or local authority. Salient features of some of the laws that are applicable are given below:

##### **The Water (Prevention and Control of Pollution) Act, 1974**

This provides for the prevention and control of water pollution and maintaining and restoring of wholesomeness of water. "Pollution" means such contamination of water or such alteration of the physical, chemical or biological properties of water or such discharge of any sewage or trade effluent or of any other liquid, gaseous or solid

substance into water (whether directly or indirectly) as may, or is likely to, create a nuisance or render such water harmful or injurious to public health or safety, or to domestic, commercial, industrial, agricultural or other legitimate uses, or to the life and health of animals or plants or of aquatic organisms.

#### **The Air (Prevention and Control of Pollution) Act, 1981**

This provides for prevention, control and abatement of air pollution. "Air Pollution" means the presence in the atmosphere of any "air pollutant", which means any solid, liquid or gaseous substance (including noise) present in the atmosphere in such concentration as may be or tend to be injurious to human beings or other living creatures or plants or property or environment.

#### **The Environment (Protection) Act, 1986**

This provides for the protection and improvement of environment and for matters connected therewith, and the prevention of hazards to human beings, other living creatures, plants and property. Environment includes water, air and land and the inter-relationship which exists among and between water, air and land, other living creatures, plants, micro-organism and property.

#### **The Public Liability Insurance Act, 1991**

This provides for public liability insurance for the purpose of providing immediate relief to the persons affected by accident occurring while handling hazardous substances and for matters connected herewith or incidental thereto. Hazardous substance means any substance or preparation, which is defined as hazardous substance under the Environment (Protection) Act, 1986, and exceeding such quantity as may be specified by notification by the Central Government.

#### **Environmental & Forest clearances**

Environmental & Forest clearances for the project will be obtained by the Railways. The contractor must organize his work in such a way that the ecology of the area is least affected adversely. The instructions issued in this regard will have to be carefully followed. Particular attention is required in case of making the pits for taking out the earth from the quarries and also in the dumping of cut spoils, etc.

**Environmental Management Plan during construction:** Contractor shall take adequate care at his own cost for the following measures:

Avoid generation of dust due to construction activities. Construction site should be watered adequately and periodically to minimize fugitive dust generation.

All possible and practicable measures to control dust emission during drilling operations.

Exhaust emissions from all construction equipments shall adhere to vehicle emission norms laid out by Central Pollution Control Board.

Chassis, engine and body of all vehicles used at site shall be clean, free from surplus oil and grease. Regular maintenance of all vehicles shall be ensured. Fuel tank, feed lines, lights, brakes, steering mechanism, other parts shall be in good working order. Damaged silencers of construction vehicles shall be promptly replaced. Vehicles shall be in proper maintained condition in all respects for the safe driving, transportation and working.

No lubricants, oil, solvents or paint products should be allowed to discharge into water courses, either by direct discharge, or as contaminants carried in surface water runoff from construction site.

Domestic sewage generated from site toilets and washing facilities provided for construction workers should be collected separately and disposed off or appropriately treated to comply with statutory requirements and as per instructions of Engineer-In-Charge.

Labour force in the labour camps should use LPG cylinders to avoid encroachment on forest area during construction phase.

The contractor is required to comply with all precautions as required for the safety of workmen as per the applicable labour law.

Adequate precautions shall be taken to prevent danger from electrical equipments.

All machines/ equipments used shall conform to the standards / codal provisions and shall be regularly inspected and calibrated.

The electric wirings shall be well insulated and firmly secured.

A readily available first aid unit including an adequate supply of sterilized dressing material and appliances shall be provided as per the requirements under the Factory Act. Depending upon the number, the health facilities shall be arranged as WHO Norms.

Anti-malarial measures shall be complied. Regular cleaning of drains carrying waste water shall be ensured.

## K. MANPOWER

### Employment of Qualified Engineers :

The contractor shall employ at site sufficient number of technical staff such as qualified Construction Leader/Project Manager, Site Engineers and Site Supervisor etc. as mentioned in clause 48.2.4 below. The minimum number required to be deployed for these positions is stated in Clause No. 47.2.4 below.

### Organisation:

The contractor shall submit to the Engineer in charge, not later than 30 days from the date of award of contract, the organization chart showing following key positions, and CV's of the incumbents and the brief job descriptions. The Engineer shall issue Notice of "No-objection" or otherwise for the appointment of "key positions" within 5 working days of such submission.

The performance of personnel shall be under observation by Engineer-in-charge. In case the performance of any personnel is not upto the mark, as decided by Engineer-in-charge, a report shall be put up by him to Chief Engineer and the decision of Chief Engineer shall be final and binding. In case replacement is required, contractor shall be responsible for replacement of such personnel; duly following the procedure as in clause 47.2.1.

If KRCL finds that any of the Personnel has committed serious misconduct or has been charged with having committed a criminal offense, then KRCL shall order in writing for replacement of such personnel. Contractor shall, provide the replacement with the procedure prescribed in clause no. 47.2.1

The number of key positions and their eligibility criteria are as below:

S.No.	Contract Value	Deployment of qualified personal
1.	When cost of work to be executed is Rs. 200 lakh and above	One qualified Graduate Engineer in Civil Engineering
2.	When cost of work to be executed is more than Rs. 25 lakh but less than Rs.200 lakh.	One qualified Diploma holder Engineer in Civil Engineering

**Note :** KRCL may increase the minimum requirement mentioned as above.

The contractor shall submit the list of personnel (clause 47.4) available at site with every "on account" monthly bills.

No objection by Engineer to the Contractor's organization, shall not absolve the contractor of his responsibility, in any way, under the contract.

Failure to deploy the minimum technical staff as brought out above will make contractor liable for penalty as under for default period:

1. No Diploma Engineer - Rs. 25,000 per month or part thereof
2. No Graduate Engineer – Rs. 40,000 per month or part thereof

The Contractor's technical staff should be available at site to take instructions from the Engineer-in-charge.

The list of names, qualification and experience of these personnel should be furnished along with the tender documents.

## L. LABOUR

### 1 Payment of Wages act & Minimum wages

Contractor is to abide by the provisions of Payment of Wages act & Minimum Wages act in terms of clause 54 and 55 of Konkan Railways General Conditions of Contract. In order to ensure the same, an application has been developed and hosted on website [www.shramikkalyan.indianrailways.gov.in](http://www.shramikkalyan.indianrailways.gov.in). Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/updation of Portal shall be done as under:

- 1 Contractor shall apply for onetime registration of his company/firm etc. in the Shramikkalyan portal with requisite details subsequent to issue of Letter of Acceptance. Engineer shall approve the contractor's registration on the portal within 7 days of receipt of such request.
- 2 Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all LoAs issued in his favour.
- 3 The contractor once registered on the portal, shall provide details of his Letter of Acceptances (LoA)/Contract Agreements on shramikkalyan portal within 15 days of issue of any LoA for approval of concerned engineer. Engineer shall update (if required) and approve the details of LoA filled by contractor within 7 days of receipt of such request.
- 4 After approval of LoA by Engineer, contractor shall fill the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on shramikkalyan portal on monthly basis.
- 5 It shall be mandatory upon the contractor to ensure correct and prompt uploading of all salient details of engaged contractual labour & payments made thereof after each wage period.

While processing payment of any 'On Account bill' or 'Final bill' or release of 'Advances' or 'Performance Guarantee/Security deposit', contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at [www.shramikkalyan.indianrailways.gov.in](http://www.shramikkalyan.indianrailways.gov.in) till \_\_\_\_\_ Month, \_\_\_\_\_ Year.

## **2 Contractor to indemnify Corporation**

The Contractor shall keep the Corporation indemnified in case any action is taken against the Corporation by the competent authority on account of contravention of any of the provisions of any Act or rules made thereunder, regulations or notifications including amendments. If the Corporation is caused to pay or reimburse such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the Engineer-in-charge or his representative/Corporation shall have the right to deduct any money due to the Contractor including his amount of performance security. The corporation/Engineer-in-charge or his representative shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the corporation.

The contractor shall engage local labourers for unskilled works as far as practicable.

## **3 Claims on account of violation of labour laws**

If any money shall as a result of any instructions, directions or decisions from the authorities or claim or application made under any of the labour laws or regulations be directed to be paid by the Engineer-in-charge because of any failure of the Contractor, such money shall be deemed to be money payable to the Engineer-in-charge by the Contractor and on failure of the Contractor to repay the Engineer-in-charge any money paid or to be paid as aforesaid within seven days after the same shall have been demanded, the Engineer-in-charge shall be entitled to recover the amount from any money due or becoming due to the Contractor under this or any other contract with the Employer. The Engineer-in-charge shall not be bound to contest any such claim or demand unless the Contractor makes a written request for it, and Contractor's reasons for contesting are considered reasonable by the Engineer-in-charge and the Contractor deposits the full cost that the Engineer-in-charge may have to incur in contesting the case.

The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Corporation at any point of time.

Some major laws applicable to establishments engaged in building and other construction work are given hereunder for reference. These shall be applicable within the latest statutory amendment as on the date of cause of action.

- I) Workmen Compensation Act 1923
- ii) Payment of Gratuity Act 1972
- iii) Employees P.F and Miscellaneous Provision Act 1952
- iv) Maternity Benefit Act 1951
- v) Provision of Contract Labour (Regulation & Abolition) Act 1970.
- vi) The Building & other Construction workers welfare cess Act, 1996.
- vii) Minimum Wages Act 1948
- viii) Payment of Wages Act 1936
- ix) Equal Remuneration Act 1979
- X) Payment of Bonus Act 1965
- xi) Industrial Disputes Act 1947
- xii ) Industrial Employment's (Standing Orders) Act 1946
- xiii) Trade Unions Act 1926
- xiv) Child Labour (Prohibition & Regulation) Act 1986
- xv ) Inter-State Migrant workmen's (Regulation of Employment and Conditions of service) Act 1979.
- xvi) The Bonded labour system (Abolition) Ordinance, 1975.
- xvii ) Any other Act applicable which is not mentioned above.

#### **4 Employees Provident Fund**

The Contractor shall comply with the provisions of Para 30 & 36-B of the Employees Provident Fund Scheme, 1952; Para 3 & 4 of Employees' Pension Scheme, 1995; and Para 7 & 8 of Employees Deposit Linked Insurance Scheme, 1976; as modified from time to time through enactment of "Employees Provident Fund & Miscellaneous Provisions Act, 1952", wherever applicable and shall also indemnify the Railway from and against any claims under the aforesaid Act and the Rules.

As Per Section 36(b) of the Employee Provident Fund Scheme 1952, every contractor shall within seven days of the close of every month, submit to the principal employer a statement showing the recoveries of contributions in respect of employees employed by or through him and shall also furnish to him such information as the principal employer is required to furnish under the provisions of the scheme to the Provident Fund Commissioner.

The Contractor shall be liable to pay before the due date his contribution, employee's contribution and other administrative charges as per provisions of the Employees Provident Fund Act as amended from time to time, in respect of all the staff and labour employed by him for the execution of the contract. In the event of his failure to follow the above provisions, the Corporation has to pay the said amount of contribution as assessed to the Provident Fund Commissioner and the Corporation will recover from the Contractor the amount paid to the Provident Fund Commissioner, out of the sums due and payable to the Contractor.

In such case of failure on the part of Contractor, Contractor shall indemnify and save harmless the Corporation from and against all actions, suits, proceedings, losses, costs, damages, charges, claims and demands of every nature and description brought or recovered against the Corporation by reasons of any act or omission of the Contractor, his agents or employees in connection with complying the provisions of the Employees Provident Fund & Miscellaneous Provisions Act, 1952 as amended from time to time. All sums payable by way of compensation / penalty / damages / interest on the outstanding amounts payable by the Contractor shall be considered as reasonable and be payable by the Contractor to the Corporation immediately and if the Contractor does not pay the amount immediately the same will be

deducted from the security deposit or earnest money or any other amount available with the Corporation or any money payable to the Contractor by the Corporation.

Contractor should submit a Compliance Certificate along with the details of employees and recoveries made to the Konkan Railway Corporation as per the proforma (**Appendix-6D**) mentioned every month within seven days of the close of every month as per the provisions of the Employees Provident Fund and Miscellaneous Provisions Act, 1952 as amended from time to time.

If the contractor is a co-operative Labour Contract Society/Vendor Co- operative Society, there shall be no element of contractor or ex-contractor in that society in any capacity nor contractor associating with the society as an office bearer. In case of any breach of these provisions, the corporation reserves its right to terminate the contract with the Society at any time, without assigning reasons, after giving notice of a month to the society.

## **5 Employees Pension Scheme**

As per section 22 of the Employees Pension Scheme, 1995, every contractor shall submit to the principal employer within seven days of the close of every month a statement showing the particulars in respect of employees employed by or through him in respect of whom contributions to the Employees Pension Fund are payable and shall also furnish to him such information as the principal employer is required to furnish under the provisions of this scheme to the Commissioner.

## **6 Engagement of local labour, land oustees, transporter and other service facilitators**

As far as possible, local vehicles to be hired and employment shall be given to local youths for skilled, unskilled categories of workmen like drivers, cooks, computer operators, labours etc. by the contractor as per their requirement. Contractor shall regularly clear the payment of employees, transporters, sub-contractors etc.

# **M. ARBITRATION**

## **1 Settlement of Disputes**

For settlement of disputes with central PSUs, the procedure as per extant orders of Permanent Machinery for Arbitration (PMA), Bureau of Public Enterprises, Government of India shall be followed.

In addition to list of excepted matters provided in clause No. 63 of GCC the following clauses of Special Conditions shall also be treated as "excepted matters".

### **Special Conditions of Contract Part A**

- (4) Clause No. 18.1
- (5) Clause No. 20.2
- (6) Clause No. 23.1
- (7) Clause No. 23.2
- (8) Clause No. 25.2
- (9) Clause No. 35.1
- (10) Clause No. 38.1
- (11) Clause No. 48.2

### **Special Conditions of Contract Part B**

- (1) Clause No. 12.3
- (2) Clause No. 12.4
- (3) Clause No. 12.9

## **2 Settlement through Court**

**CONTRACTOR**



It is a term of this contract that the Contractor shall not approach any Court of Law for settlement of such disputes or differences unless an attempt has first been made by the parties to settle such disputes or differences through **clause No.63 & 64** of Konkan Railways Standard General Conditions Contract – July-2022.

The contract shall be governed by the law for the time being in force in the Republic of India. In case of any disputes/differences resulting in court case/s between contractor & KRCL, the jurisdiction shall be of Courts at Mumbai only.

\*\*\*\*\*

## Standard Special Conditions for track works

1. The Contractor shall not start any work on the track under traffic conditions without the presence of the corporation's representative at site. In case the Contractor or his representative starts any work in absence of the Engineer's representative it shall be treated as unauthorised and illegal tampering with the track and the contractor shall be liable for action under the Indian Railway Act.
2. In case any train is detained at the approach of work site or at a station on account of its passage being considered unsafe by Corporation's representative due to bad workmanship of contractor or the track parameters being unsatisfactory for safe passage of trains, or due to the contractor leaving the work unfinished or due to work being delayed by the contractor, the corporation shall be entitled to recover detention charges from contractor's bills or security deposit or any other dues etc. Detention to trains as determined by the corporation shall be final and binding upon the contractor.
3. In case an accident occurs at the work site and the findings of the Enquiry Committee set up by the Corporation to investigate the cause of the accident shall be **final and binding** on the Contractor. If Contractor is held responsible for the accident, the contract shall liable to be terminated forthwith not with standing the provisions of the General conditions of Contract.
4. Irrespective of invoking provisions of clause 3 as above-mentioned or otherwise, penalty upto an upper limit of 10% of the total cost of the work may be imposed in case an accident occurs due to Contractor's negligence as decided by the Corporation whose decision shall be **final and binding** on the contractor. The Contractor is also liable for prosecution if loss of life is involved.
5. The work shall be so carried out that there is no infringement to the Railway's Schedule of Dimensions.
6. Contractor should arrange for the look out men at both ends of work site to protect the track as well as to warn his labours working at site about movement of trains. If contractor fail to deploy labours for protecting the track, Corporation will arrange the look out men and recovery will be made as per extant rules. No compensation will be paid by the Corporation in case of injury or death to contractor's workers and the Contractor shall indemnify the Corporation of any responsibility in this regard. The contractor must obtain Group insurance in respect of his workers.
7. No ballast shall be wasted on the slopes of banks or in cuttings.
8. Notwithstanding the provisions of clause 62 of General Conditions of contract, the Corporation reserves the right to terminate the contract with immediate effect if the Contractor is found responsible for any breach of rule which affects the safe running of trains without giving any notice to the contractor.
9. The contractor shall proceed with the work in a systematic manner so as to ensure that stretch of track under speed restrictions and its duration are the minimum. The decision of the Engineer in this respect shall be **final and binding**.
10. The Contractor's technical supervisor shall be present at work site, at all times, when the work is being executed. The contractor shall employ adequate number of workers to give consistent and desired progress per day.
11. The contractor shall arrange for the safe custody of the Corporation's materials supplied/hired to him. In case of loss of Corporation's materials the Corporation will recover the cost as per extant rules.
12. Site order books, progress register material issue register and Hindrance register shall be maintained at site and entries will be recorded on day-to-day basis in the registers and signed jointly by Engineer's representative and by contractor or his authorized representative.
13. For executing the works the contractor has to arrange his own tools, plant and equipment, unless otherwise stated in the schedule. Corporation shall provide equipment which are specifically mentioned in the description/specification of items in the schedule. In all other cases, hire charges as per extant rules for the tools,

plant and equipment supplied by the Corporation to the contractor will be recovered from his bills/security deposit/or any other dues.

- 14 Provision of Temporary speed restriction boards, and their lighting etc. shall be arranged by the corporation
- 15 Rails, sleepers and permanent way fittings shall be handled carefully so as to avoid any damage rendering them unsuitable for use (concrete sleepers shall preferably be handled by mechanical equipments). The cost of damages if any will be recovered from the contractor's bills/security deposit/other dues.
- 16 Proper care should be taken to protect the track as well as OFC/Electrial cables from damage during the execution of works. If damage is occurred due to negligence of contractor penalty of Rs.1.0 lakh or actual cost which ever is more of each incidence should be levied and binding on the contractor.
- 17 Traffic blocks required to carry out certain track works will be arranged by the Corporation. Actual block will depend on flow of traffic and there may be variations in availability of block vis-à-vis those planned. The wastage of labour, if any, occurring on account of non availability of block would not be paid for. No claims on such account shall be entertained.
- 18 As for as feasibility, contractor may be intimated by the corporation 24 Hrs. in advance of the expected arrival of loaded/Empty wagons and its probable extent and the site of loading / unloading and the arrangements shall be made accordingly by the contractor.
- 19 When materials are being moved on track under relevent para of Indian Railway P.Way Manual by material trolley/diplorry, movement shall be permitted strictly under the control and supervision of Engineer's representative holding a competency certificate for working lorries/trollies in the section. When materials are moved on material trolley/diplorry under relevant para of IRPWM without block protection, unloading/loading of the material trolley/lorry to permit movement of trains may become necessary. Such incidental loading(s)/ unloading(s) shall not entail measurement for payment.
- 20 In the course of execution of any of the works specified in the schedule, if any damage occurs to rails, sleepers or other permanent way materials, rendering them unsuitable for use, cost of the materials damaged shall be recovered by the Corporation from the contractor as per extant rules.
- 21 All the tools, plants, equipments and other materials used by the contractor shall be of approved type only.
- 22 The work shall be carried out under traffic conditions. Block for carrying out the work will be arranged by KRCL without affecting the train services. Contractor has to organise his works in such a way that no activity is held up for want of adequate block or non availability block on any particular day. There shall be no detention of Railway traffic on account of any activity of the contractor or his men. Contractor will be penalised as under in case trains are detained due to his failure in clearing traffic block after ensuring track safety.
  - i) Rs.10,000/ per hour or part there of in case of mail / express trains.
  - ii) Rs.5,000/ per hour or part there of in case of goods train.
- 23 **For working in the Electrified area, additional safety requirements and precautions as provided in para 663 to 667 of Indian Railway Permanent Way Manual -2020 with updated correction slips if any) shall be adhered. Tenderer are required to keep in mind that the work is to be carried out in Electrified area.**

\*\*\*\*\*

## ADDITIONAL SPECIAL CONDITION OF CONTRACT PART-B

### 1. Scope of work :

Name Of Work “**Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State**”.

**Online Measurement Book application is implemented in KRCL . This will be applicable to this Tender. The contract in IFAS shall be registered with Online Measurement Book application and no physical Measurement sheet will be accepted.**

2. Contractor should carry out the work in a systematic manner and carefully nearer to a running railway line.
3. The quantity and locations provided in the tenders are approximate and may vary as per site condition for which no claim will be entertained.
5. Period of completion : **4 Months** from date of issue of acceptance letter including monsoon.
6. Time limit : Time is the essence of contract and tenderer /contractor is required to complete the work within the period of completion and to be completed on top priority.
7. Period of maintenance : **Six months from actual date of completion of work.**
8. After completion of work, the site shall be cleared of all muck and debris within period of 10 days from the date of completion of work. If contractor fails to do so, the muck/debris will be got removed by another agency and the cost will be recovered from the contractor.

### 1. Structural Steel Work

All structural steel work shall be executed in accordance with the latest Indian Railways specifications, relevant IRS codes, approved drawings, and applicable Indian Standards. Structural steel shall conform to **IS 2062 (latest revision)** and shall be procured only from approved primary producers or RDSO-approved manufacturers. The material shall be free from defects such as laminations, cracks, bends, and excessive corrosion, and shall be accompanied by manufacturer's test certificates for chemical and mechanical properties. The Engineer-in-Charge reserves the right to test materials at approved laboratories, and any non-conforming material shall be rejected and removed at the contractor's cost.

Fabrication shall be carried out in an approved workshop strictly as per approved drawings. Cutting, drilling, punching, and welding shall be executed with precision using suitable machinery. Welding shall conform to relevant IS and IRS provisions and shall be performed by qualified welders. All joints shall be sound, properly penetrated, and free from defects. Members shall be fabricated true to line, level, size, and shape.

All fabricated members shall be marked for identification prior to dispatch. Erection at site shall ensure correct alignment, levels, and plumb, with necessary temporary supports and bracing. Connections shall be made using bolts, nuts, washers, or welding as specified. High-strength friction grip bolts, wherever used, shall conform to relevant standards.

Steel surfaces shall be cleaned of rust, mill scale, grease, and other foreign matter by mechanical means. One coat of approved primer shall be applied before dispatch, followed by finishing coats of synthetic enamel or epoxy paint after erection, as specified.

Steel shall be stored on raised supports and protected from moisture and damage. Measurement shall be based on weight (kg/tonne) of fabricated and erected steel, including all fittings and fasteners, complete in position.

## **2. Pre-coated GI Sheet Roofing/Cladding**

The work shall consist of providing and fixing pre-coated galvanized iron (PPGI) sheets for roofing and cladding for railway structures such as platform shelters, FOBs, and service buildings, in accordance with Indian Railways specifications, RDSO guidelines, approved drawings, and relevant Indian Standards.

Base sheets shall conform to **IS 277 (latest revision)** with zinc coating (Z120 to Z275) and factory-applied polyester or equivalent coating of approved colour and thickness. Sheets shall be of specified thickness (generally 0.45 mm to 0.63 mm) and supplied in required lengths. Materials shall be free from defects such as dents, warping, or coating irregularities.

Fixing shall be carried out on steel purlins using approved fasteners with EPDM/neoprene washers to ensure water tightness. Sheets shall be laid true to line and slope. Side laps shall be minimum one corrugation and end laps not less than 150 mm, properly sealed.

Accessories such as ridges, flashings, gutters, and down-take pipes shall be provided in matching material and finish. Installation shall ensure proper alignment, uniform appearance, and leak-proof performance.

Sheets shall be handled and stored carefully on raised platforms, protected from moisture and damage.

Measurement shall be made in square metres based on flat area laid, without allowance for laps or wastage. No extra payment shall be made for fasteners and accessories unless specified.

**3 Cement Concrete** :The cement required for the work shall be procured by the contractor and the rates shall include the cost of cement and its transportation to site of work with all lead, lift and loading and unloading etc., complete.

- a) The cement concrete shall confirm to IS 456 with latest revision.
- b) The cement used for concrete work should be Ordinary Portland Cement 43/53 grade conform to IS -12269 -2013 with latest revision.
- c) The cement brought to site shall be approved by the Engineer-in-Charge or his representative before starting the work. Cement bags which are older than three months from the date of manufacturing shall be summarily rejected. Contractor shall submit a test certificate from the manufacturer regarding the quality of cement.
- d) The sand and aggregate for concreting shall conform to IS 383-1970.
- e) Testing of Cement Concrete : The rates for the concrete works shall be deemed to include all charges for testing of aggregates and the concrete as required to be done in accordance with the specification, including the cost of labour, materials, equipment, moulds, transport etc. The contractor shall prepare at his own cost standard cubes of concrete according to the direction of the Engineer-in-Charge both for the preliminary tests and the work tests. The criteria for acceptance of Concrete work shall be the result of tests carried out at 28 days age as per IS 456 with latest revision.

- f) The concreting for all works shall be machine mixed. The proportion of concrete mix either for concrete or masonry works may be altered by the Engineer-in-Charge at his discretion and no claim will be entertained on this account.
  - g) Curing of concrete work and masonry work shall be done by the contractor as specified in the respective codes. It should be noted that no additional payment would be made for curing concrete and masonry at different heights and the contractor should make his own arrangements for the provision of necessary staging etc., and carry out the curing at all levels as directed by the Engineer-in-Charge.
  - h) Curing of concrete work and masonry work shall be done by the contractor as specified in the respective codes. It should be noted that no additional payment would be made for curing concrete and masonry at different heights and the contractor should make his own arrangements for the provision of necessary staging etc., and carry out the curing at all levels as directed by the Engineer-in-Charge.
  - i) Contractor should make his own arrangements for vibrating concrete as specified in the relevant codes in all works where the Engineer-in-Charge required that such vibrations should be done. The rates for concreting and RCC works includes this also.
  - j) Any consignment of cement, which does not comply with specifications shall not be used in the works.
4. Cement shall be stored above the ground level in perfectly dry and watertight sheds and shall be stacked not more than 8 bags high. The contractor shall prepare and maintain proper records in respect of the cement brought to site and used in works and these records shall be available for inspection by the Engineer at all times.
  5. The steel reinforcement procured shall be stored in such a way so as to avoid distortion and to prevent deterioration by corrosion.
  6. The reinforcement steel used for the work shall be Mild steel – grade I and medium tensile steel bars conforming to IS : 432 (Part-I) with latest revision and High yield strength deformed steel bars Fe- 415 or Fe-500 conforming to IS : 1786 with latest revision.
  7. All reinforcement steel (TMT Bars) and structural steel shall be procured as per specifications mentioned in BIS's documents- IS: 1786 and IS: 2062 respectively. Independent tests shall be conducted, wherever required, to ensure that the materials procured confirm to the specifications.  
  
These steel shall be procured only from those firms, which are Established, Reliable, Indigenous & Primary Producers of Steel, having Integrated Steel Plants(ISP), using iron ore as the basic raw material and having in-house iron rolling facilities, followed by production of liquid steel and crude steel, as per Ministry of Steel's guidelines.  
  
However, only certain isolated sections of structural steel, not being rolled by ISPs, can be procured from the authorised re-rollers of ISPs or authorised licensee of BIS having traceability system and who use billets produced by ISPs. Traceability shall be ensured by an officer specially authorised by the concerned SAG officer of the Zonal Railway on case to case basis for this purpose.
  8. The contractor shall prepare and maintain proper records of steel reinforcement brought to site and used in the works and these records shall be available for inspection by the Engineer at all times.

9. Aggregates shall comply with the requirements of IS 383-1970 wherever required by the Engineer, aggregates shall be subjected to testes specified in IS 383-1970 in accordance with IS 2386 (Part I) – 1963 To IS 2386 (Part VIII) – 1963. Marine aggregates shall not be used. The total amount of chlorides ( as Cl) and the total amount of soluble Sulphates (SO<sub>3</sub>) in the concrete at the time of placing shall be limited to 0.06% by mass of cement and 4% by mass of concrete.
10. Flakiness index of coarse aggregates shall not exceed 20%. Silt content in fine aggregates shall not exceed 3% by weight which is approximately. Equal to 3% by volume (3 – hours reading) Coarse aggregates of different sizes shall be stacked in separate stack piles.
11. The contractor shall make his own arrangements for the supply of fresh water required for the execution of the work. The contractor should provide at his own cost a cistern or tank of sufficient size to be decided by the Engineer for the storage of fresh water at the work spot and shall fill it daily at such frequency as may be required by the Engineer. The water to be used for works has to be tested frequently in an approved laboratory for its fitness and necessary certificates have to be furnished by the contractor. The cost for the above Laboratory testes test has to be borne by the Contractor/tenderer.
12. Water supply from Corporation sources is not available for the work. The contractor shall make his own arrangements for water supply including leading from sources. Tenderer/contractor should specifically note that extension shall not be granted on the plea of non-availability of water.
13. Water shall conform to the following specifications: Water used for mixing and curing concrete shall be free from injurious amounts of oils, acids, alkalis, salt, sugar, organic materials or other substances that may be deleterious to concrete or steel. PH value of water shall not be less than 6. Water shall be tested as per IS 3025- 1964 and IS 3025-1964. Maximum permissible limit for solids shall be as follows:

Organic	200 mg/lit
Inorganic	3000 mg/lit
Sulphates (asSO <sub>4</sub> )	500 mg/lit
Chlorides (as Cl)	2000 mg/lit plain concrete.
	1000 mg/lit for RCC.
	500 mg/lit for PSC.
Suspended matter	2000 mg/lit.
14. To improve workability of concrete and cement grout, admixtures conforming to IS 9103 could be permitted by the Engineer at his discretion, subject to satisfactory and proven use. Nothing extra shall be payable in this account.
15. All materials to be used in the work by the contractor shall be subject to the prior approval of the Engineer-in-charge of the work. Before using in the works the tenderer/ contractor shall submit samples of materials and arrange for the supplies, only if the same are approved. All supplies shall be made as per approved samples.
16. All concrete, both plain as well as reinforced, shall be of machine mixed and vibrated unless otherwise permitted by the Engineer.
17. The materials issued to the contractor shall be properly secured and the contract or is responsible for its safe custody. The contractor shall take all the necessary precaution to

prevent its damage from fire, floods, etc. In case of loss of Corporation's materials the corporation will recover the cost as per extent rules.

#### **18. Guidelines for protection of cables while doing work its vicinity**

1. Cable route marking for all types of cable must be made available block section wise on Railnet.
2. Before allowing the contractor to work near the tracks, the work executing agency (like Sr. RSTE/Sr. REN/Sr. REE or DyCSTE/DyCEE/DyCE etc.) shall ensure that the permission has been granted by the division to the contractor in accordance with the local instructions / JPO to work in the vicinity of the cables. Zonal railways shall devise suitable mechanism and time lines for the obtaining/granting such permission.
3. In case of works being taken up by the State Government, National Highway Authority etc., zonal railways shall devise mechanism for shifting the cables or for proper protection of cables before granting permission to work.
4. The engineering control shall keep all the information regarding any works being done near the track. S&T and electrical control shall obtain this information from engineering control.

These controls shall coordinate among themselves to ensure that no work is done in the vicinity of the track without proper permission.

5. The concerned SE/P.Way/SE/Works/SE/Sig/SE/Tele SE/Electrical (TRD or G) or RailTel supervisors supervising the work of the contractor shall ensure that the existing emergency sockets are not damaged due to their importance in providing communication during accident/emergency.

6. For all new works, cable shifting should be a mandatory part of DPR and estimate. For ongoing works, Zonal Railways may sanction works for cable shifting if necessary through contingency/supplementary/revised estimate where provision does not exist. However, in case zonal railways decide not to shift cables (due to any reason) then protection of cable shall be ensured by the zonal railways during execution of the work.

7. Penalty to be imposed for damages to cable shall be as under:

<b>Cable damaged</b>	<b>Penalty per location</b>
Only Quad cable or Signaling cable	Rs.1.0 Lakh
Only OFC	Rs.1.25 Lakh
Both OFC & Quad	Rs.1.5 Lakh
ElectricalCable	Rs.1.0 Lakh

8. Penalty should be levied on the contractor when they work without permission or resort to careless working without making arrangements for protecting cables and other utilities. Based upon the local conditions and practices, zonal railway shall devise its own conditions for examining and levying penalty. For each cable cut, a joint report at the level of supervisors should be prepared on the same day and it should become the basis for levying penalty and fixing responsibility. Joint note should be forwarded by Sr. RSTE/Sr. REE to the executive in-charge of the work. The executive in-charge of the work should act and decide on the cable cut case within 15 days under information to Sr. RSTE/Sr.REE as the case may be. There should be provision of appeal by contractors within one month of notice for levying penalty at ADRM level. Decision of ADRM shall be final and binding upon both parties.



9. Railways will not lodge FIR with RPF in cases of works being executed by authorized contractors of Railways who have been duly permitted to execute the works.

**10. Zonal Railways shall issue local instructions/JPO for protection of cables while undertaking works in the vicinity of railway tracks in line with this guideline. Zonal Railways shall also ensure that such instructions become part of their tender document within one month of the issue of the local instructions. Suitable action against erring officials shall also be incorporated in these instructions if the same is not adhered to.**

\*\*\*\*\*

### SCHEDULE-A

**Name of Work:-“Construction of P. way stores and office to JE/MMG/UD under SSE/W/UD Section in Karnataka State”.**

Sr. No	CPWD NO	Description	Unit	Rate	Qty	Escalation	Amount
1	2.31	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.	sqm	14.51	500	1.96%	7397.20
2	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge					
	2.6.1	All kinds of soils	cum	146.37	100	1.96%	14923.89
3	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	161.62	100	1.96%	16478.78
4	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level					
	4.1.6	1:3:6 (1 Cement : 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size) cum	cum	5,918.98	20	1.96%	120699.84
5	5.3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	Cum	9,487.44	10	1.96%	96733.94
6	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :					
	4.3.1	Foundations, footings, bases for columns	Sqm	323.37	50	1.96%	16485.40

7	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.					
	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	kg	88.93	350	1.96%	31735.56
8	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.					
	10.16.3	Electric resistance or induction butt welded tubes	Kg	160.30	1500	1.96%	245162.82
9	10.1	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	96.77	500	1.96%	49333.35
10	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.					
	9.48.1	Fixed to steel windows by welding	kg	180.67	200	1.96%	36842.23
11	12.50	Providing and fixing pre coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	608.60	125	1.96%	77566.07
12	12.51	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both					

		side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :					
	12.51.1	Ridges plain (500 - 600mm)	meter	438.98	18	1.96%	8056.51
13	13.1	12 mm cement plaster of mix :					
	13.1.1	1:6 (1 cement: 6 fine sand)	Sqm	315.82	250	1.96%	80502.52
14	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :					
	13.61.1	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	Sqm	128.56	50	1.96%	6553.99
15	13.41	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour :					
	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	Sqm	153.09	250	1.96%	39022.64
16	4.10	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources)	sqm	305.80	15	1.96%	4676.91
17	12.53	Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanising @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main 'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size(24x24X3000 mm made of 0.40 mm	sqm	1,779.61	27	1.96%	48991.24

		thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calicum silicate ceiling tiles of approved texture in the grid, including, cutting/ making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all Tsections shall be pre-painted with polyster baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge.					
18	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.					
	11.41.1	Size of Tile 500x500 mm	sqm	1,256.94	27	1.96%	34602.55
19	9.119	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5 mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineerin-Charge.	Metre	406.28	10	1.96%	4142.43
20	10.5	Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel					

		primer.					
	10.5.1	Using M.S. angels 40x40x6 mm for diagonal braces	sqm	4,786.27	5	1.96%	24400.40
21	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:					
	17.7.2	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap each 2226.35	Each	1,835.85	1	1.96%	1871.83
22	17.3.	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :					
	17.3.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	6,602.24	1	1.96%	6731.64
23	7361	P.V.C. automatic flushing cistern 10 litre capacity each	Each	449.41	1	1.96%	458.22
24	7363	15 mm C.P. brass tap with elbow operation lever each	Each	382.61	3	1.96%	1170.33
25	18.7	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall					
	18.7.1	15 mm nominal dia Pipes	Metre	236.50	12	1.96%	2893.62
	18.7.2	20 mm nominal dia Pipes	Metre	276.24	12	1.96%	3379.85
	18.7.3	25 mm nominal dia Pipes	Metre	331.12	30	1.96%	10128.30
26	18..48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	per litre	9.07	1000	1.96%	9247.77
27	11.37A	Providing and fixing 1st quality ceramic	sqm	917.53	15	1.96%	14032.70

		glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.					
28	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.					
	17.28.2	Flexible pipe					
	17.28.2.1	32 mm dia	each	98.58	1	1.96%	100.51
29	17.32	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :					
	17.32.2	Rectangular shape 453x357 mm	each	1,122.94	1	1.96%	1144.95
30	17.73	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.					
	17.73.2	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190gms.	each	584.60	1	1.96%	596.06
31	17.5	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required :					
	17.5.1	Single half stall urinal with 5 litre P.V.C. automatic flushing cistern	each	9,954.37	1	1.96%	10149.48
32	17.29	Providing and fixing 100 mm sand cast Iron grating for gully trap.	each	43.91	1	1.96%	44.77
33	17.34	Providing and fixing toilet paper holder :					

	17.34.1	C.P. brass	each	662.73	1	1.96%	675.72
34	9.122	Providing and fixing to existing door frames.					
	9.122.1	30 mm thick Glass Fibre Reinforced Plastic (FRP) paneled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	sqm	3,068.13	5	1.96%	15641.33
35	9.148	Providing and fixing stainless steel (SS-304 grade) friction hinges to the side/top hung uPVC windows, of approved quality, with necessary stainless steel screws etc. as per direction of Engineer-in-charge.					
	9.148.2	250 x 19 x 1.9 mm	each	348.43	6	1.96%	2131.56
36	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :					
	21.1.1	For fixed portion					
	21.1.1.2	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	kg	408.22	45	1.96%	18729.95
37	21.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions					



		of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):					
	21.3.1	With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	sqm	970.39	15	1.96%	14841.14
38	9.170	Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.					
	9.170.1	200 mm	Each	153.91	15	1.96%	2353.90
39	7516	PTMT Tower bolt 152x42x18 mm	Each	32.16	4	1.96%	131.16
	<b>Total Schedule</b>						1080763.07

I / We agree to carry out the work at (in figures) \_\_\_\_\_ %

(in words) \_\_\_\_\_

at par / Above / Below the schedule rates.

## SCHEDULE-B

SI No	Item No	Description	Unit	Rate	Qty	Escalation	Amount
1	5045	Laterite masonry in neatly dressed stones for 23 cms thick masonry walls in cm 1:5 (1 cement : 4 coars sand ) in foundation upto plinth level	cum	6453	55	At par	354915.00
2	5047	Extra for laterite masonry in all sizes in superstructure fro floor I level upto floor V level	cum	929	32	At par	29728.00
3	5053	Rubble packing with hard laterite stone under floors including watering and consolidating etc. in pipeline trenches and other foundations complete	cum	2211	15	At par	33165.00
	<b>Total Schedule</b>						<b>417808.00</b>

I / We agree to carry out the work at (in figures)\_\_\_\_\_ %

(in words) \_\_\_\_\_

at par / Above / Below the schedule rates.

**FORMAT FOR CERTIFICATE TO BE SUBMITTED / UPLOADED BY TENDERER ALONG WITH THE TENDER DOCUMENTS**

I..... (Name and designation) \*\* appointed as the attorney/authorized signatory of the tenderer (including its constituents), M/s\_\_\_\_\_ (hereinafter called the tenderer) for the purpose of the Tender documents for the work of

\_\_\_\_\_ as per the tender No.\_\_\_\_\_ of \_\_\_\_\_ (Railway), do hereby solemnly affirm and state on the behalf of the tenderer including its constituents as under:

1. I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2. I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3. I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website [www.ireps.gov.in](http://www.ireps.gov.in) . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4. I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5. I/We also understand that my/our offer will be evaluated based on the documents/ credentials submitted along with the offer and same shall be binding upon me/us.
6. I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7. I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8. I/we understand that if the contents of the certificate submitted by us are found to be forged/ false or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security besides banning of business for a period of upto two year. Further, I/we (insert name of the tenderer) \*\* \_\_\_\_\_ and all my/our constituents understand that my/our offer shall be summarily rejected.
9. I/we also understand that if the contents of the certificate submitted by us are found to be false/forged or incorrect at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture

of Bid Security/Security Deposit and Performance guarantee besides any other action provided in the contract including banning of business for a period of up to two years.

10. I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

SEAL AND SIGNATURE  
OF THE TENDERER

Place:

Dated:

\*\* The contents in Italics are only for guidance purpose. Details as appropriate are to be filled in suitably by tenderer.

**E-TENDER NOTICE NO: KR/KW/W/2026/19/CB****COMPLIANCE CERTIFICATE**

We \_\_\_\_\_, Contractors of Konkan Railway Corporation Limited do hereby certify that we have complied all the provisions of the Employees Provident Fund & Miscellaneous Provisions Act, 1952 in respect of employees employed by or through us. We are enclosing herewith statement showing the recoveries of contributions in respect of employees employed by us u/s 36(b) of the Employees Provident Fund Scheme, 1952 towards Provident Fund and section 22 of the Employees Pension Scheme, 1995 towards Pension Fund for the month of \_\_\_\_\_ and deposited the same with PF authorities. Our Provident Fund Account Number is \_\_\_\_\_.

**Place:**

Signature of the Contractor

**Date:**

Seal

**(Bid Security)**

Bank Guarantee Bond from any scheduled commercial bank of India  
(On non-judicial stamp paper, which should be in the name of the Executing Bank).

**Name of the Bank:** -----

President of India,  
Acting through .....,  
..... Railway,

Beneficiary: ..... Railway

Date: .....

**Bank Guarantee Bond No.:**

**Date:** -----

In consideration of the President of India acting through----- (**Designation & address of Contract Signing Authority**), ..... Railway, ....., .... (hereinafter called "The Railway") having invited the bid for \_\_\_\_\_ through Notice inviting tender (NIT) No. \_\_\_\_\_, We have been informed that . . . . **[Insert name of the Bidder]**..... (hereinafter called "the Bidder") intends to submit its bid (hereinafter called "the Bid") .

WHEREAS, the Bidder is required to furnish Bid Security for the sum of **[Insert required Value of Bid Security]**, in the form of Bank Guarantee, according to conditions of Bid.

**AND**

WHEREAS, .....**[Insert Name of the Bank]**, with its Branch .....**[Insert Address]** having its Headquarters office at..... **[Insert Address]**, hereinafter called the **Bank**, acting through .....**[Insert Name and Designation of the authorised persons of the Bank]**, have, at the request of the Bidder, agreed to give guarantee for Bid Security as hereinafter contained, in favour of the Railway:

1. KNOW ALL MEN that by these present that I/We the undersigned **[Insert name(s) of authorized representatives of the Bank]**, being fully authorized to sign and incur obligations for and on behalf of the Bank, confirm that the Bank, hereby, unconditionally and irrevocably guarantee to pay to the Railway full amount in the sum of **[Insert required Value of Bid Security]** as above stated.

2. The Bank undertakes to immediately pay on presentation of demand by the Railway any amount up to and including aforementioned full amount without any demur, reservation or recourse. Any such demand made by the Railway on the Bank shall be final, conclusive and binding, absolute and unequivocal on the Bank notwithstanding any disputes raised/ pending before any Court, Tribunal, Arbitration or any Authority or any threatened litigation by the Bidder or Bank.

3. The Bank shall pay the amount as demanded immediately on presentation of the demand by Railway without any reference to the Bidder and without the Railway being required to show grounds or give reasons for its demand of the amount so demanded.

4. The guarantee hereinbefore shall not be affected by any change in the constitution of the Bank or in the constitution of the Bidder.

5. The Bank agrees that no change, addition, modifications to the terms of the Bid document or to any documents, which have been or may be made between the Railway and the Bidder, will in any way absolve the Bank from the liability under this guarantee; and the Bank, hereby, waives any requirement for notice of any such change, addition or modification made by Railway at any time.

6. This guarantee will remain valid and effective from.....*[insert date of issue]*till .....*[insert date, which should be minimum 90 days beyond the expiry of validity of Bid]*. Any demand in respect of this Guarantee should reach the Bank within the validity period of Bid Security.

7. The Bank Guarantee is unconditional and irrevocable.

8. The expressions Bank and Railway herein before used shall include their respective successors and assigns.

9. The Bank hereby undertakes not to revoke the guarantee during its currency, except with the previous consent in writing of the Railway. This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No.758.

10. The Bank hereby confirms that it is on the SFMS (Structured Financial Messaging System)

IFSC CODE	SBIN000RAIL
IFSC TYPE :	BRANCH
BANK NAME	STATE BANK OF INDIA
BRANCH NAME	RAIL
CITY NAME	NAVI MUMBAI
ADDRESS	SECTOR-11, CBD BELAPUR, NAVI MUMBAI
DISTRICT	NAVI MUMBAI
STATE	MAHARASHTRA
BG ENABLED	YES

11. The Guarantee shall be valid in addition to and without prejudice to any other security Guarantee(s) of Bidder in favour of the Railway. The Bank, under this Guarantee, shall be deemed as Principal Debtor of the Railway.

Date .....

Place.....

Bank's Seal and authorized signature(s)  
*[Name in Block letters]* .....  
*[Designation with Code No.]* .....  
*[P/Attorney]* No.

Witness:

1 Signature, Name & Address & Seal

2 Signature, Name& address & Seal

Bank's Seal

*[P/Attorney]* No.

**Note:** All italicized text is for guidance on how to prepare this bank guarantee and shall be deleted from the final document.

**INTEGRITY PACT**



## **INTEGRITY PACT**

**KONKAN RAILWAY CORPORATION LTD. (KRCL)** hereinafter referred to as “**The Principal**”,

And

..... hereinafter referred to as “**The Bidder/Contractor**”.

### **Preamble:**

The Principal intends to award, under laid down organizational procedures, contract/s for .....

The Principal values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness / transparency in its relations with its Bidder(s) and / or Contractor(s).

In order to achieve these goals, the Principal will appoint an Independent External Monitor (IEM), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned below.

### **Section 1 – Commitments of the Principal**

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles.
  1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  2. The Principal will, during the tender process treat all Bidders(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
  3. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

### **Section 2 – Commitments of the Bidder(s)/contractor(s)**

1. The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
  - (2) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
  - (3) The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
  - (4) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on

to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- (5) The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further details as mentioned in the “Guidelines on Indian Agents of Foreign Suppliers” shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines all the payments made to the Indian agent/representative have to be in Indian Rupees only. Copy of the “Guidelines on Indian Agents of Foreign Suppliers” is annexed and marked as Annexure-III.
- (6) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

2. The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

### **Section 3** – Disqualification from tender process and exclusion from future contracts

If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the “Guidelines on Banning of business dealings”. Copy of the “Guidelines on Banning of business dealings” is annexed and marked as Annex.-“B”.

### **Section 4** – Compensation for Damages

If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit / Bid Security.

If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value or the amount equivalent to Performance Bank Guarantee.

### **Section 5** – Previous transgression

- (1) The Bidder declares that no previous transgressions occurred in the last 3 years with any other Company in any country conforming to the anti-corruption approach or with any other Public Sector Enterprises in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the procedure mentioned in “Guidelines on Banning of business dealings”.

### **Section 6**- Equal treatment of all Bidders/Contractors/Subcontractors

- (2) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- (3) The Principal will enter into agreements with identical conditions as this one with all Bidders, Contractors and Subcontractors.

- (4) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

#### **Section-7– Criminal charges against violating Bidder(s)/Contractor(s)/Subcontractor(s)**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

#### **Section 8 – Independent External Monitor / Monitors**

- (1) The Principal appoints competent and credible Independent External Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- (2) The Monitor is not subject to instruction by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairman and Managing Director, KRCL.
- (3) The Bidder(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Sub-contractors. The Monitor is under contractual obligation to treat the information and documents of the Bidders(s)/Contractor(s)/Subcontractor(s) with confidentiality.
- (4) The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- (5) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- (6) The monitor will submit a written report to the Chairman and Managing Director, KRCL within 8 to 10 weeks from the date of reference or intimation to him by the *Principal* and, should the occasion arise, submit proposals for correcting problematic situations.
- (7) Monitor shall be entitled to compensation on the same terms as being extended to / provided to Independent Directors on the KRCL Board.
- (8) If the Monitor has reported to the Chairman and Managing Director, KRCL, a substantiated suspicion of an offence under relevant IPC/PC Act, and the Chairman and Managing Director KRCL has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- (9) The word “**Monitor**” would include both singular and plural.

## **Section 9 – Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Chairman and Managing Director, KRCL.

## **Section 10 – Other provisions**

- (2) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. Navi Mumbai.
  - (3) Changes and supplements as well as termination notice need to be made in writing.
  - (4) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
  - (5) Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
5. The Contractor signing the Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.
6. In case of a joint venture, all the partners of joint ventures should sign the Integrity Pact. In case of sub-contracting, the Principal contractor shall take the responsibility of the adoption of IP by the sub-contractor. It is to be ensured that all sub-contractors also sign the Integrity Pact.

(For & On behalf of the Principal)  
Office Seal

(For & On behalf of Bidder/Contractor)  
Office Seal

Place -----

Date -----

Witness 1 :

Name & Address -----

-----

-----

Witness 2 :

Name & Address -----

-----

-----

**Bidder/Contractor is required to sign the Integrity Pact with KRCL as per format & terms and conditions enclosed with tender. In case a bidder / Contractor does not sign the Integrity Pact, his bid/contract shall be liable for rejection.**

#### I. COMMITMENTS AND OBLIGATIONS OF THE “BIDDER OR CONTRACTOR”

- a) The Counterparty, directly or indirectly (through agent, consultant, advisor, etc.), shall not pay any bribe/ influence or give undue/ unlawful benefit to anyone to gain undue advantage in dealing with KRCL.
- b) The Counterparty will not engage in collusion of any kind including price fixation etc. with other Counterparties.
- c) The counterparty will not pass on KRCL's confidential information to any third party unless specifically authorized by KRCL in writing.
- d) The Counterparties shall promote and observe best ethical practices within their respective organizations.
- e) The Counterparty shall inform the Independent External Monitor.
  - i) If it received any demand, directly or indirectly, for a bribe/ favour or any illegal gratification/ payment / benefit;
  - ii) If it comes to know of any unethical or illegal payment / benefit;
  - iii) If it makes any payment to any KRCL associate.
- f) The Counterparty shall not make any false or misleading allegations against KRCL or its associates.

#### II. VIOLATIONS & CONSEQUENCES:

- a) If a Counterparty commits a violation of its Commitments and Obligations under the Integrity Pact Programme during bidding process, their entire Earnest Money Deposit/ Bid Security, would be forfeited and in addition, they may be blacklisted from the KRCL business in future.
- b) In case of violation of the Integrity pact by Counterparty after award of the Contract, KRCL shall be entitled to terminate the Contract. KRCL would forfeit the security deposits, encash the bank guarantee (s) and other payments payable to Counterparty in such cases.
- c) Subject to satisfaction of the Independent External Monitor, KRCL may ban/ blacklist/put on holiday and exclude the Counterparty from future dealings until KRCL is satisfied that the Counterparty shall not commit any such violation in future.
- d) In addition to above, KRCL reserves its right to initiate criminal proceedings against the violating Counterparty, if the allegations by Counterparty are found frivolous, untrue and misleading and may also impose exemplary cost for the same.
- e) The Counterparty will be entitled to claim as determined by the Independent External Monitor, if the above (d) is found incorrect.

#### III. INDEPENDENT EXTERNAL MONITORS (IEMS)

- c. The following Independent External Monitors (IEMS) have been appointed by KRCL, in terms of Integrity Pact (IP) which forms part of KRCL Tenders / Contracts.
  - i) Smt. Meenakshi Mishra, IA&AS (Retd.)  
(email id: [pcmishra@hotmail.com](mailto:pcmishra@hotmail.com))

ii) Shri. Manoj Kumar Chhabra, DG of police, DG of Prison & DCS (Retd.)  
(email id:mkchhabra10@gmail.com)

This panel is authorised to examine / consider all references made to it under this tender. The bidder(s) , in case of any dispute(s) / complaint(s) pertaining to this tender may raise the issue either with the designated tender issuing officer in KRCL C/o **Konkan Railway Corporation Limited**, Registered and Corporate office at Plot No. 6, Sector 11, Belapur Bhavan, CBD Belapur, Navi Mumbai – 400 614 or directly with the IEMs on the panel.

(REFERENCE TO INDEPENDENT EXTERNAL MONITOR)

Date:

To

\_\_\_\_\_

**Sub:** Tender No. / Contract No. \_\_\_\_\_

**A) PRE-TENDER STAGE**

I) Please provide the following information: -

a) Whether tender document has been purchased.

Yes / No (If Yes, indicate the Receipt No.)

b) If downloaded from website, whether fee for the same has been deposited. Yes / No

c) Whether the query has been given to KRCL before submission to IEM Yes / No (If Yes, please state the date of submission of query).

d) If reply has been received, please attach a copy of the reply.

II) Please state the query in clear terms giving reference to the clause in the tender.

**B) ISSUES RELATING TO EVALUATION OF TENDERS:**

I) Whether any reference has been made to KRCL

Yes /No

(If yes, reply received from KRCL be attached.)

II) Issue on which reference is being made.

III) Documentary proof with reference to query be attached.

**C) IN CASE CONTRACT HAS BEEN SIGNED/EXECUTION STAGE**

I) Date of signing of the contract.

II) Please state whether the Performance Guarantee has been submitted in terms of the contract.

Yes / No

III) Agreement Clause No. against which the complaint is being made.

IV) Integrity Pact clause under which reference is being made.

D) ISSUES REFERENCE: (Please State the query)

I) Please state whether any reference was made to KRCL. (Yes / No.) (If yes, reply of KRCL be attached)

II) In case no reference is made, please note that first reference is required to be made to KRCL unless the issue relates to any corrupt practice.

NOTES: 1. No reference can be made to Independent External Monitor if the time to submit the tender / bid is less than 7 days. It may also be noted that no time extension will be allowed for submission of tender.

2. Reference of only those bidders who have purchased the tender document and signed the Integrity Pact will be entertained.

3. Application be made in triplicate - one shall be sent to KRCL and two copies of the same shall be sent to IEM.

Signature\_\_\_\_\_

Name of the Company \_\_\_\_\_

Address \_\_\_\_\_

Tel. No. \_\_\_\_\_

Mob. No. \_\_\_\_\_

Fax No. \_\_\_\_\_

E-MAIL \_\_\_\_\_

**Integrity Pact Programme:**

“This tender is covered under Integrity Pact Programme of KRCL and prospective bidders are required to sign the Integrity Pact Document and submit the same to KRCL before or along with the bids”.

Only those vendors/Tenderers who signed the IP document can send their grievances, if any, to the Independent External Monitors (IEMs) through the designated tender issuing officer (Nodal Officer) of KRCL in the prescribed proforma.



GUIDELINES FOR INDIAN AGENTS OF FOREIGN SUPPLIERS

- 1.0 There shall be compulsory registration of agents for all Global (Open) Tender and Limited Tender. An agent who is not registered with KRCL shall apply for registration in the prescribed **Application –Form**.
- 1.1 Registered agents will file an authenticated Photostat copy duly attested by a Notary Public/Original certificate of the principal confirming the agency agreement and giving the status being enjoyed by the agent and the commission/remuneration/salary/ retainer ship being paid by the principal to the agent before the placement of order by KRCL.
- 1.2 Wherever the Indian representatives have communicated on behalf of their principals and the foreign parties have stated that they are not paying any commission to the Indian agents, and the Indian representative is working on the basis of salary or as retainer, a written declaration to this effect should be submitted by the party (i.e. Principal) before finalizing the order

**2.0 DISCLOSURE OF PARTICULARS OF AGENTS/ REPRESENTATIVES IN INDIA IF ANY.**

- 2.1 Tenderers of Foreign nationality shall furnish the following details in their offer:
- 2.1.1 The name and address of the agents/representatives in India, if any and the extent of authorization and authority given to commit the Principals. In case the agent/representative is a foreign Company, it shall be confirmed whether it is real substantial Company and details of the same shall be furnished.
- 2.1.2 The amount of commission/remuneration included in the quoted price(s) for such agents/representatives in India.
- 2.1.3 Confirmation of the Tenderer that the commission/ remuneration if any, payable to his agents/representatives in India, may be paid by KRCL in Indian Rupees only.
- 2.2 Tenderers of Indian Nationality shall furnish the following details in their offers:
- 2.2.1 The name and address of the foreign principals indicating their nationality as well as their status, i.e, whether manufacturer or agents of manufacturer holding the Letter of Authority of the Principal specifically authorizing the agent to make an offer in India in response to tender either directly or through the agents/representatives.
- 2.2.2 The amount of commission/remuneration included in the price (s) quoted by the Tenderer for himself.
- 2.2.3 Confirmation of the foreign principals of the Tenderer that the commission/remuneration, if any, reserved for the Tenderer in the quoted price (s), may be paid by KRCL in India in equivalent Indian Rupees on satisfactory completion of the Project or supplies of Stores and Spares in case of operation items .
- 2.3 In either case, in the event of contract materializing, the terms of payment will provide for payment of the commission /remuneration, if any payable to the agents/representatives in India in Indian Rupees on expiry of 90 days after the discharge of the obligations under the contract.
- 2.4 Failure to furnish correct and detailed information as called for in paragraph-2.0 above will render the concerned tender liable to rejection or in the event of a contract materializing, the same would be liable to termination by KRCL. Besides this, there would be a penalty of banning business dealings with KRCL or damage or payment of a named sum.

## 1. Introduction

- 1.1 Konkarn Railway Corporation Limited (KRCL), being a Public Sector Enterprise and ‘State’, within the meaning of Article 12 of Constitution of India, has to ensure preservation of rights enshrined in Chapter III of the Constitution. KRCL has also to safeguard its commercial interests. KRCL deals with *Agencies*, who have a very high degree of integrity, commitments and sincerity towards the work undertaken. It is not in the interest of KRCL to deal with Agencies who commit deception, fraud or other misconduct in the execution of contracts awarded / orders issued to them. In order to ensure compliance with the constitutional mandate, it is incumbent on KRCL to observe principles of natural justice before banning the business dealings with any Agency.
- 1.2 *Since* banning of business dealings involves civil consequences for an Agency concerned, it is incumbent that adequate opportunity of hearing is provided and the explanation, if tendered, is considered before passing any order in this regard keeping in view the facts and circumstances of the case.

## 2. Scope

- 2.1 KRCL reserves its rights to remove from its list of approved suppliers/contractors or to ban business dealings if any Agency has been found to have committed misconduct and also to suspend business dealings pending investigation.
- 2.2 Similarly, in case of sale of material there is a clause to deal with the Agencies / customers / buyers, who indulge in lifting of material in unauthorized manner. If such a stipulation does not exist in any Sale Order, the same will be incorporated.
- 2.3 However, absence of such a clause does not in any way restrict the right of Company (KRCL) to take action/ decision under these guidelines in appropriate cases.
- 2.4 The procedure of (i) Removal of Agency from the List of approved suppliers / contractors; (ii) Suspension and (iii) Banning of Business Dealing with Agencies, has been laid down in these guidelines.
- 2.5 These guidelines apply to KRCL including its projects.
- 2.6 It is clarified that these guidelines do not deal with the decision of the Management not to entertain any particular Agency due to its poor / inadequate performance or for any other reason.
- 2.7 The banning shall be with prospective effect, i.e., future business dealings.

## 3. Definitions

In these Guidelines, unless the context otherwise requires:

- i) *Party / Contractor / Supplier / Purchaser / Customer/Bidder/Tenderer*’ shall mean and include a public limited company or a private limited company, a firm whether registered or not, an individual, a cooperative society or an association or a group of persons engaged in any commerce, trade, industry, etc. ‘*Party / Contractor / Supplier / Purchaser / Customer/ Bidder / Tenderer*’ in the context of these guidelines is indicated as ‘Agency’.
- ii) ‘*Inter-connected Agency*’ shall mean two or more companies having any of the following features:
- a) If one is a subsidiary of the other.
- b) If the Director(s), Partner(s), Manager(s) or Representative(s) are common;

- c) If management is common;
- d) If one owns or controls the other in any manner;
- iii) *'Competent Authority'* and *'Appellate Authority'* shall mean the following:
  - a) For Company (entire KRCL) wide Banning, KRCL's Directors' Committee (KDC) shall be the 'Competent Authority' for the purpose of these guidelines. Chairman and Managing Director, KRCL shall be the 'Appellate Authority' in respect of such cases except banning of business dealings with Foreign Suppliers.
  - b) For banning of business dealings with Foreign Suppliers, KRCL's Directors' Committee (KDC) shall be the 'Competent Authority'. The Appeal against the Order passed by KDC, shall lie with Chairman and Managing Director, as First Appellate Authority.
  - c) In case the foreign supplier is not satisfied by the decision of the First Appellate Authority, it may approach KRCL Board as Second Appellate Authority.
  - d) Chairman and Managing Director, KRCL shall have overall power to take suo-moto action on any information available or received by him and pass such order(s) as he may think appropriate, including modifying the order(s) passed by any authority under these guidelines.
  - iv) *'Investigating Department'* shall mean any Department investigating into the conduct of the Agency and shall include the Vigilance Department, Central Bureau of Investigation, the State Police or any other department set up by the Central or State Government having powers to investigate.
  - v) 'List of approved Agencies - Parties / Contractors / Suppliers / Purchasers / Customers / Bidders / Tenderers shall mean and include list of approved / registered Agencies- Parties/ Contractors /Suppliers / Purchasers / Customers /Bidders / Tenderers, etc.

#### **4. Initiation of Banning / Suspension**

Action for banning / suspension of business dealings with any Agency should be initiated by the department having business dealings with them after noticing the irregularities or misconduct on their part. Besides the concerned department, Vigilance Department would also be competent to advise such action.

#### **5. Suspension of Business Dealings**

- 5.1 If the conduct of any Agency dealing with KRCL is under investigation by any department (except Foreign Suppliers), the Competent Authority may consider whether the allegations under investigation are of a serious nature and whether pending investigation, it would be advisable to continue business dealings with the Agency. If the Competent Authority, after consideration of the matter including the recommendation of the Investigating Department, if any, decides that it would not be in the interest of KRCL to continue business dealings pending investigation, it may suspend business dealings with the Agency. The order to this effect may indicate a brief of the charges under investigation. If it is decided that inter-connected Agencies would also come within the ambit of the order of suspension, the same should be specifically stated in the order. The order of suspension would operate for a period not more than six months and may be communicated to the Agency as also to the Investigating Department. The Investigating Department may ensure that their investigation is completed and whole process of final order is over within such period.
- 5.2 The order of suspension shall be communicated to all Departmental Heads within the KRCL. During the period of suspension, no business dealing may be held with the Agency.
- 5.3 As far as possible, the existing contract(s) with the Agency may continue unless the Competent Authority, having regard to the circumstances of the case, decides otherwise.

- 5.4 If the gravity of the misconduct under investigation is very serious and it would not be in the interest of KRCL, as a whole, to deal with such an Agency pending investigation, the Competent Authority may pass an order suspending business dealings, copy of which may be endorsed to the Agency concerned. Such an order would operate for a period of six months from the date of issue.
- 5.5 For suspension of business dealings with Foreign Suppliers, following shall be the procedure:-
- i) Suspension of the foreign suppliers shall apply throughout the Company.
  - ii) Based on the complaint forwarded by KDC or received directly by Vigilance Department, if gravity of the misconduct under investigation is found to be serious and it is felt that it would not be in the interest of KRCL to continue dealing with such agency, pending investigation, Vigilance Department may send such recommendation on the matter to Chairman and Managing Director to place it before a KRCL Directors' Committee (KDC) consisting of the following:
    1. Director (Finance)
    2. Director (Operations and Commercial)

The committee shall expeditiously examine the report, give its comments / recommendations within twenty one days of receipt of the reference.
  - iii) If KDC opines that it is a fit case for suspension, KDC may pass necessary orders which shall be communicated to the foreign supplier by Director (Operations and Commercial).
- 5.6 If the Agency concerned asks for detailed reasons of suspension, the Agency may be informed that its conduct is under investigation. It is not necessary to enter into correspondence or argument with the Agency at this stage.
- 5.7 It is not necessary to give any show-cause notice or personal hearing to the Agency before issuing the order of suspension. However, if investigations are not completed in six months' time, the Competent Authority may extend the period of suspension by another three months, during which period the investigations must be completed.
- 6. Ground on which Banning of Business Dealings can be initiated**
- 6.1 If the security consideration, including questions of loyalty of the Agency to the State, so warrants;
  - 6.2 If the Director / Owner of the Agency, proprietor or partner of the firm, is convicted by a Court of Law for offences involving moral turpitude in relation to its business dealings with the Government or any other public sector enterprise or KRCL, during the last five years;
  - 6.3 If there is strong justification for believing that the Directors, Proprietors, Partners, owner of the Agency have been guilty of malpractices such as bribery, corruption, fraud, substitution of tenders, interpolations, etc.;
  - 6.4 If the Agency continuously refuses to return / refund the dues of KRCL without showing adequate reason and this is not due to any reasonable dispute which would attract proceedings in arbitration or Court of Law;
  - 6.5 If the Agency employs a public servant dismissed / removed or employs a person convicted for an offence involving corruption or abetment of such offence;
  - 6.6 If business dealings with the Agency have been banned by the Govt. or any other public sector enterprise;

- 6.7 If the Agency has resorted to corrupt, fraudulent practices including misrepresentation of facts and / or fudging /forging /tampering of documents;
- 6.8 If the Agency uses intimidation / threatening or brings undue outside pressure on the Company (KRCL) or its official in acceptance / performance of the job under the contract;
- 6.9 If the Agency indulges in repeated and / or deliberate use of delay tactics in complying with contractual stipulations;
- 6.10 Wilful indulgence by the Agency in supplying sub-standard material irrespective of whether pre-dispatch inspection was carried out by Company (KRCL) or not;
- 6.11 Based on the findings of the investigation report of CBI / Police against the Agency for malafide / unlawful acts or improper conduct on his part in matters relating to the Company (KRCL) or even otherwise;
- 6.12 Established litigant nature of the Agency to derive undue benefit;
- 6.13 Continued poor performance of the Agency in several contracts;
- 6.14 If the Agency misuses the premises or facilities of the Company (KRCL), forcefully occupies, tampers or damages the Company's properties including land, water resources, forests / trees, etc.

(Note: The examples given above are only illustrative and not exhaustive. The Competent Authority may decide to ban business dealing for any good and sufficient reason).

## **7 Banning of Business Dealings**

- 7.1 Normally, a decision to ban business dealings with any Agency should apply throughout the Company.  
  
However, the Competent Authority can impose such ban project wise only if in the particular case banning of business dealings by respective projects will serve the purpose and achieve its objective and banning throughout the Company is not required in view of the local conditions and impact of the misconduct / default not expected to go beyond the project.
- 7.2 There will be a Standing Committee in each project to be appointed by Chairman and Managing Director for processing the cases of "Banning of Business Dealings" except for banning of business dealings with foreign suppliers. However, for procurement of items / award of contracts, the committee shall be consisting of members out of FA&CAO, COM, CEE, CSTE, CME and COS. The Convener of the respective Committee would be appointed by Chairman and Managing Director. The functions of the committee shall, inter-alia include:
  - i) To study the report of the Investigating Agency and decide if a prima-facie case for Company-wide / Local unit wise banning exists, if not, send back the case to the Competent Authority.
  - ii) To recommend for issue of show-cause notice to the Agency by the concerned department.
  - iii) To examine the reply to show-cause notice and call the Agency for personal hearing, if required.
  - iv) To submit final recommendation to the Competent Authority for banning or otherwise.
- 7.3 If company wide banning is contemplated by the standing Committee of any project, the proposal should be sent by the committee to KDC setting out the facts of the case and the justification of the action proposed along with all the relevant papers and documents. KDC shall get feedback about that agency from all other sources of KRCL and based on this feedback, a prima-facie decision for banning / or otherwise shall be taken by the Competent Authority. At this stage if it is felt by the Competent Authority

that there is no sufficient ground for company wide banning, then the case shall be sent back to the Committee of the project for further action at their level.

If the prima-facie decision for Company-wide banning has been taken, KDC shall issue a show-cause notice to the agency conveying why it should not be banned throughout KRCL.

After considering the reply of the Agency and other circumstances and facts of the case, KDC will submit the case to the Chairman and Managing Director to take a final decision for Company-wide banning or otherwise.

7.4 If the Competent Authority is prima-facie of the view that action for banning business dealings with the Agency is called for, a show-cause notice may be issued to the Agency as per paragraph 9.1 and an enquiry held accordingly.

7.5 Procedure for Banning of Business Dealings with Foreign Suppliers.

- i) Banning of the agencies shall apply throughout the Company.
- ii) Based on the complaint forwarded by KDC or received directly by Vigilance Department, an investigation shall be carried out by Vigilance Department.

After investigation depending upon the gravity of the misconduct, Vigilance Department may send their report to KDC to KRCL Directors Committee consisting of the following :-

1. Director (Operations and Commercial)
2. Director (Finance)

The Committee shall examine the report and give its comments / recommendations within 21 days of receipt of the reference by Vigilance Department.

- iii) If the Competent Authority opines that it is a fit case for initiating banning action, it will issue show-cause notice to the agency for replying within a reasonable period.
- iv) On receipt of the reply or on expiry of the stipulated period, the case shall be submitted by Director (Operations and Commercial) to KDC for consideration & decision.
- v) The decision of the KDC shall be communicated to the agency by Director (Operations and Commercial).

## **8 Removal from List of Approved Agencies - Suppliers / Contractors, etc.**

8.1 If the Competent Authority decides that the charge against the Agency is of a minor nature, it may issue a show-cause notice as to why the name of the Agency should not be removed from the list of approved Agencies - Suppliers / Contractors, etc.

8.2 The effect of such an order would be that the Agency would not be disqualified from competing in Open Tender Enquiries but Limited Tender Enquiries may not be given to the Agency concerned.

1. Past performance of the Agency may be taken into account while processing for approval of the Competent Authority for awarding the contract.

## **9 Show-cause Notice**

9.1 In case where the Competent Authority decides that action against an Agency is called for, a show-cause notice has to be issued to the Agency. Statement containing the imputation of misconduct or misbehaviour may be appended to the show-cause notice and the Agency should be asked to submit within 15 days a written statement in its defence.

- 9.2 If the Agency requests for inspection of any relevant document in possession of KRCL, necessary facility for inspection of documents may be provided.
- 9.3 The Competent Authority may consider and pass an appropriate speaking order:
- a) For exonerating the Agency if the charges are not established;
  - b) For removing the Agency from the list of approved Suppliers / Contactors, etc.
  - c) For banning the business dealing with the Agency.
- 9.4 If it decides to ban business dealings, the period for which the ban would be operative may be mentioned. The order may also mention that the ban would extend to the interconnected entities of the Agency.

## **10 Appeal against the Decision of the Competent Authority**

- 10.1 The Agency may file an appeal against the order of the Competent Authority banning business dealing, etc. The appeal shall lie to Appellate Authority. Such an appeal shall be preferred within one month from the date of receipt of the order banning business dealing, etc.
- 10.2 Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the Agency as well as the Competent Authority.

## **11 Review of the Decision by the Competent Authority**

Any petition / application filed by the Agency concerning review of the banning order passed originally by the Competent Authority of KRCL under the existing guidelines either before or after filing of appeal before the Appellate Authority or after disposal of appeal by the Appellate Authority, the review petition can be decided by the KRCL Directors' Committee (KDC) upon disclosure of new facts / circumstances or subsequent development necessitating such review. The KDC may refer the same petition to the Standing Committee for examination and recommendation.

## **12 Circulation of the names of Agencies with whom Business Dealings have been banned**

- 12.1 Depending upon the gravity of misconduct established, KRCL may circulate the names of Agency with whom business dealings have been banned, to the Government Departments, other Public Sector Enterprises, etc. for such action as they deem appropriate.
- 12.2 If Government Departments or Public Sector Enterprises request for more information about the Agency with whom business dealings have been banned, a copy of the report of Inquiring Authority together with a copy of the order of the Competent Authority / Appellate Authority may be supplied.
- 12.3 If business dealings with any Agency has been banned by the Central or State Government or any other Public Sector Enterprise, KRCL may, without any further enquiry or investigation, issue an order banning business dealing with the Agency and its inter-connected entities.
- 12.4 Based on the above, KRCL may formulate their own procedure for implementation of the Guidelines and the same be made a part of the tender document.

## 1. Policy for Start-ups Registered Firms.

- 1.1 Relaxation of criteria of prior experience and prior turnover for Startups (whether Micro, small Enterprises or otherwise) as admissible under Government's existing Policy on the date of opening of tender, shall be applicable to Startup registered in the category and within the monetary value of item/services/works tendered for, with Department of Industrial Policy & Promotion, Ministry of Commerce or by any statutory bodies specified by Government of India or having a valid certificate of an eligible business from the Inter- Ministerial Board of Certification specifying the category of registration/certificate and monetary value subject to their meeting of quality and technical specifications, as envisaged in the Policy.
- 1.2 KRCL reserves the rights to deny such exemptions to Startups (whether MSEs or otherwise) in circumstances, like procurement of items related to public safety, health, critical security operations and equipment etc.
- 1.3 The tenderer(s) shall submit photocopy of current and valid startups registration certificate inclusive of all the pages showing the category of entrepreneur, monetary limit of their registration for the items tendered to avail the benefits under the policy.

## 2. Following tender conditions on Make in India shall be applicable for tenders valuing more than Rs 5 Lacs:-

- 2.1 In procurement, where there is sufficient local capacity and local competition, and where the estimated value of procurement is Rs 50 Lakhs or less, only local vendors\* shall be eligible. If the estimated value of such procurement is more than Rs 50 Lakhs, the provisions of following clause/sub-clause 2.3.1 and 2.3.2, as the case may be, shall apply.

(\* Local vendors means a supplier or service provider whose product or service offered for procurement meets the minimum local content as prescribed under the Order of Ministry of Commerce and Industry. Department of Industrial Policy and Promotion or by the competent Ministries/Departments in pursuance to this Order).

- 2.2 Bidders (manufacturer or principal or authorized representative) who have a valid/approved ongoing 'Make in India' agreement/program and who while meeting "Essential Qualifying Criteria" as in Clause 5 of "Instructions to Tenderers", would also be considered to be qualified provided:

1. Their foreign 'Make in India' associates meets "Essential Qualifying Criteria" as given in Clause 5 of "Instructions to Tenderers" without exemption, and
  2. The bidder submits appropriate documentary proof for a valid/approved ongoing 'Make in India' agreement/program.
  3. The bidder (manufacturer or principal or authorized representative) furnishes along with the bid a legally enforceable undertaking jointly executed by himself and such foreign Manufacturer for satisfactory manufacture, supply (and erection, commissioning if applicable) and performance of 'The Product' offered including all warranty obligations as per the general and special conditions of contract.
1. In the procurements not covered by sub-clause 2.1 above, and which are divisible/splittable in nature, the following procedure shall be followed.
  1. Among all qualified bids, if the lowest bid (L1) is from a local vendor, the contract for fully quantity will be awarded to L1.
  2. If L1 is not from a local vendor, 50% of the other quantity shall be awarded to L1. Thereafter, the lowest bidder among the local vendors, will be invited to match the L1 price for the remaining 50% quantity subject to the local vendor's quoted price falling within the purchase preference margin of (L1 + 20%), and contract for that quantity shall be awarded to such local vendor subject to matching the L1 price. In case such lowest eligible local vendor fails to match the L1 price or accepts less than the offered quantity, the next higher local vendor within the purchase preference margin of (L1 + 20%) shall be



invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on local vendors, then such balance quantity may also be ordered on the L1 bidder.

- 2.3 In procurements not covered by sub-clause 2.1 above and which are not divisible and such procurements where the bid is evaluated on price alone, the following procedure shall be followed:
1. Among all qualified bids, if the lowest bid(L1) is from a local vendor, the contract will be awarded to L1.
  2. If L1 is not from a local vendor, the lowest bidder among the local vendors, will be invited to match the L1 price subject to local vendor's quoted price falling within the purchase preference margin of (L1+20%) and the contract shall be awarded to such local vendor subject to matching the L1 price.
  3. In case such lowest eligible local vendor fails to match the L1 price, the local vendor with the next higher bid within the purchase preference margin of (L1+20%) shall be invited to match the L1 price and so on and contract shall be awarded accordingly. In case one of the local vendors within the purchase preference margin of (L1+20%) matches the L1 price, then the contract may be awarded to the L1 bidder.
- 2.4 The local vendor at the time of tender shall provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made.
- 2.5 In cases of procurement for a value in excess of Rs 10 Crores, the local vendor shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of supplies other than companies) giving the percentage of local content.
- 2.6 A vendor who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment.

**END OF TENDER DOCUMENT**

