

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

DRM/Engineering acting for and on behalf of The President of India invites E-Tenders against Tender No **94-DHN-2026-27** Closing Date/Time 03/07/2026 12:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Dhanbad Division: TSR(P)-7.294 TKm & CTR(P)-1.045 TKm by PQRS under jurisdiction of Sr.DEN/3/DHN.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	03/07/2026 12:00	Date Time Of Uploading Tender	11/06/2026 19:18
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	16440801.22	Tendering Section	SR.DEN3
Bidding Style	[Decision at Schedule level]	Bidding Unit	
Earnest Money (Rs.)	328800.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	19/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-(NS Items)							2450609.05	
1	a	13843.00	Per Sleeper	8.12	112405.16	AT Par	112405.16	Rs.
	Description:- Fabrication of panels (with contractors portals) Supply of approved quality of glue and applying on GR pad for its entire area at each rail seat and on 'PSC sleepers.							
2	a	8339.00	Per Track Metre	46.12	384594.68	AT Par	384594.68	Rs.
	Description:- Fabrication of panels (with contractors portals)' linking of PRC sleepers with 60Kg/52Kg. service rails by providing elastic fastenings This will including fixing of rubber pad over concrete sleeper, liners, Supplying & greasing of P. clips,...							
3	a	8339.00	Per Track Metre	37.84	315547.76	AT Par	315547.76	Rs.
	Description:- Loading of Fabricated PRC panels into Rly.Wagon/BFR(s)with contractors own gantry machine, tools & plants.							
4	a	8339.00	Per Track Metre	39.44	328890.16	AT Par	328890.16	Rs.
	Description:- Unloading of Released track panels from Rly DMT with contractors own gantry machine, tools & plants.							
5	a	8339.00	Per Track Metre	42.12	351238.68	AT Par	351238.68	Rs.
	Description:- Dismantling of old released panels received from site, stacking of old rails, sleepers, fittings & fastening as per classification and at specified area in depot.							
6	a	4000.00	Metre	13.60	54400.00	AT Par	54400.00	Rs.
	Description:- Putting old released rails into and over, to be released panels after leading them to PQRS site including all leading/handling etc. for getting it lifted along with released panel or leading the released rails with lead up to 2 Km. to the forward site for making rail available for changing rails of existing track for subsequent block if required.							

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

7	a	13843.00	Per Sleeper	50.38	697410.34	AT Par	697410.34	Rs.
	Description:- Unloading of new/released PRC sleepers from PRC rack/TRT rack at base depot, by mechanical means, taking all precautionary measures to protect the sleepers from damage as stacking in layer with contractor tools, labour, plant and machine etc. the item include providing 75 mm x 3 mtr wooden batten in each layer of PRC sleeper if required. (Wider Sleepers)							
8	a	13843.00	Per Sleeper	14.89	206122.27	AT Par	206122.27	Rs.
	Description:- Fabrication of panels (with contractors portals)' Spreading of PRC sleeper.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () BII-(P.Way Work)							13990192.17	Above/ Below/P ar
1	Please see Item Breakup for details.				13990192.17	AT Par	13990192.17	
	Description:- Items as per Item Directory -ECR-HQ-IR-USSOR 2021-3-Ver-3.							

3. ITEM BREAKUP

Schedule	Schedule BII-(P.Way Work)					
Item- 1	Items as per Item Directory -ECR-HQ-IR-USSOR 2021-3-Ver-3.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
		Pulling & positioning of rails accurately on cess including supporting rails, providing required gap and squaring at ends for renewal preparation, as directed by Engineer in-charge.				
1	061011	Up to 40 m long rail panel	RM	14588.00	8.15	118892.20
2	061012	More than 40 m long rail panel	RM	1000.00	12.88	12880.00
		Through Sleeper Renewal (TSR) with PSC sleepers involving removal existing sleepers of any type along with fittings from track, insertion of PSC sleepers lying along the cess / formation / slope / toe within 5 metres height with all fittings to specified spacing, gauge and squareness, one round of through packing to make track fit for 20 kmph speed, dressing of ballast to standard profile, all in accordance with the latest provisions of IRPWM and stacking of all released material neatly at specified places within an average lead of 100 m as directed by Engineer in-charge.				
3	062013	For PSC wider base sleepers - For location of work not involving deep screening	Each	200.00	318.57	63714.00
		Fixing of fish plates with fish bolts on a joint of all rail sections duly lubricating fish plates/bolts with contractor's grease graphite in running track condition including transportation of fish plates and fish bolts from nearest station / store / level crossing. Note: Rail cutting & drilling to be paid separately.				
4	063011	Fish plates with 4 fish bolts.	joint	50.00	200.81	10040.50
5	063012	Fish plates of 6 bolts.	joint	100.00	297.02	29702.00
		Lubrication of fish plated rail joints under traffic, by using Grease Graphite Grade 'O' (IS:408) and Black oil supplied by contractor, for all types of rail sections as per procedure laid down in latest version of IRPWM and as directed by Engineer In charge. Note: Release U/S bolt & nuts is to be deposited back. If any fish bolts is jammed it should be cut with chisel and hammer and replaced with fresh fish bolt supplied.				
6	063051	For 1.00m long fishplates	joint	100.00	123.91	12391.00
7	063052	For 610 mm long fish plates.	joint	50.00	87.87	4393.50

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

8	063070	Lubrication of Elastic Rail Clips on PSC sleepers with contractor's grease, conforming to Railway's specifications, labour etc. complete as per procedure prescribed in latest edition of IRPWM.	ERC	5000.00	4.56	22800.00
9	063090	Lubrication of ERCs and its liner contact area by removal of ERCs and Metal / GFN liners in rail panel, cleaning of rust / scale of ERC, Metal / GFN liners & SGCI insert by using wire brush, scrapper / sand emery paper etc supply and application of graphite grease, as prescribed by Railway for under side of liners & corresponding area of rail foot & SGCI insert with ERCs and re-fixing the same as per procedure prescribed in latest edition of IRPWM with contractors grease and all other tools & plants complete and as directed. Note: Each ERC in this item shall constitute 1 ERC and its Liner Contact area.	ERC	55000.00	6.39	351450.00
10	063100	Removing seized ERC from SGCI inserts of existing track by using suitable approved chemicals and re-fixing after greasing of insert eye and ERC with Contractor's grease of specified quality as per provisions of IRPWM, as directed by Engineer in-charge. Note: 1.List of Seized ERC along with location shall be prepared after inspection of SSE/P.Way and marked prior to execution of this item. 2. Due care shall be taken to avoid any damage to the sleeper 3.A penalty of 50% of the basic cost of new sleeper in nearest sleeper factory shall be levied on each, if SGCI insert is broken or sleeper gets cracked in the process.	ERC	1000.00	49.11	49110.00
11	063110	Lubrication of gauge face of rail on curves, cross overs, points & crossings, turn-in curves and at locations as required with contractor's grease graphite grade "O" IS 408 and as directed.	RM	5000.00	6.22	31100.00
		Lubrication of Plate/Rail screws of Points and crossings, SEJs, Bridges, Curves etc., with greases graphite, including removal of screws carefully without damaging sleepers, cleaning with wire brush etc., both screws and dowel hole, applying grease graphite, refixing the screw and sealing the top and sides of screw with grease graphite to prevent ingress of moisture and corrosion with contractors labour, tools, consumables under traffic condition all lead and lift complete.				
12	063122	By using Contractor's Grease Graphite	Each	500.00	37.25	18625.00
13	063140	Renewal of seized Plate/Rail screws on PSC Sleepers by using gas or any approved methods, duly drilling holes in broken screw and removing existing screw pieces from the holes along with existing dowels and fixing new contractor's dowels (procured from RDSO approved sources) and grouting around dowel with Epoxy materials of approved specification and refixing new Railway's rail/Plate screws duly greasing the screw with specified grease with all contractor's materials, consumables, tools & plants, labour with all lead, lift. Note: 1.Seized screws shall be identified and marked by JE/P.Way and verified at minimum SSE/P.Way (In charge) level. 2. Due care shall be taken to avoid any damage to the sleeper 3.A penalty of 50% of the basic cost of new sleeper in nearest sleeper factory shall be levied on each, if sleeper gets damaged in the process.	Each	500.00	329.30	164650.00
		Gas cutting of rail of various sections with contractor's tools & plants, as directed by engineer in-charge :				

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

14	064052	Rail section of 52Kg and above	Each	1500.00	123.11	184665.00
		Assembling and Laying of Improved Switch Expansion Joint (SEJ) on PSC sleepers of any rail section as per RDSO drawing including leading of SEJ rails, sleepers, fittings for a free lead of 250 metres, cutting of rails, drilling of holes as required and lubrication of SEJ, gauging, aligning rails, providing temporary connection with adequate welding gap with adjoining rails, providing reference posts at SEJ, first through packing of SEJ portion to make track geometry fit for 30 kmph speed and making ballast profile as per IRPWM. Note: (1) Rail cutting and hole drilling shall be paid separately.(2) One set comprise complete SEJ on both rails at SEJ.				
15	065032	Under Traffic Block Conditions	Set	6.00	6752.06	40512.36
16	065040	Dismantling & removing existing SEJ (Switch Expansion Joint) assembly during line block and its replacement with plain track as of adjoining section with all fittings including rail cutting and drilling of holes and renewal of special sleepers with PSC Sleepers as directed and aligning rails, providing fishplates and bolts/ temporary connection with adequate welding gap with adjoining rail and ensuring proper track geometry for 30 kmph speed. The release material shall be stacked as directed by Engineer in charge.	Set	6.00	8279.36	49676.16
		Manual deep screening of Plain track/ turnouts as per procedure prescribed in IRPWM, June 2020 or latest, on PSC sleepers of any density and throwing away screened muck arising out of screening on toe of bank or on cess, if low or on spoil banks above top of cutting (including throwing and leveling, if required beyond minimum 5m from the edge of cutting which are up to 3m deep or alternatively carting it up to 50m for disposing it off beyond cutting or platforms) as per direction of Engineer in-charge, including cutting cess for effective drainage on both sides, one round of kutcha packing with screened ballast and further attending to track parameter to make track fit for 20 kmph speed complete in all respect. Note : Payment shall be made for length along main line only for turnouts.				
17	081024	Depth of 300 mm below bottom of sleeper - For Plain Track :	TRM	500.00	517.22	258610.00
18	083010	Lifting and packing for regrading the existing PSC sleeper track to required height / level in stages not exceeding 75mm or part thereof at a time, providing permissible ramp for the track, insertion of moorum / sand / stone ballast uniformly under the existing track and placing the same to safe approved gradient, gauge, cushion including levelling and one round of through packing to allow train movement at restricted speed of 30 kmph for a specified length with all leads & lifts and fixing, marking, painting rail level pegs at every 30m interval. Note: Lifting of track shall be done in stages as per procedure prescribed in latest edition of IRPWM to get the proposed final level as per approved working profile, as directed by Engineer in-charge.	TRM	8339.00	159.09	1326651.51

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

19	083011	Extra for additional lift over 75mm for every 50mm lift or part thereof up to 275mm for item nos. 083010 for each TRM.	TRM	2000.00	24.70	49400.00
20	083030	Boxing and profiling of ballast as per procedure prescribed in latest edition of IRPWM including cess dressing on both sides of track. The work will include removing excess ballast from track and putting the same in crib and shoulder by leading to a maximum of 50m including crossing of track, dweeding on ballast section etc and as directed by Engineer-In charge.	TRM	15000.00	23.36	350400.00
		Unloading of ballast from Railway's Hopper Wagons, quantity distribution as per pre-defined site requirement, clearing infringements/jammed ballast, distributing the unloaded ballast uniformly over the track, profiling and boxing following all prescribed safety norms.				
21	084041	Under Traffic Block Conditions:	cum	8000.00	46.52	372160.00
		25mm gap 'in-situ' welding during traffic block using Railway's welding portion and finishing of weld to meet the prescribed tolerances and pass all stipulated tests with all required labour, materials, consumables, tools, equipments etc. to complete the work in all respect as per IR's "Manual for Fusion Welding of Rails by Alumino - Thermic Process" with latest correction slips, including marking of welded joint, painting weld collar with anticorrosive paint, restoration of track near weld joint to original position and fixing of joggled fish plate at new weld, to be removed after passing of weld in USFD test as directed by Engineer in charge. Note: 1. Welding portion and related accessories as per Annexure - I shall be supplied by Railways. All other items required shall be supplied by the Contractor. 2. Welding shall be carried out only by trained welder having valid competency certificate. 3. Hydraulic Weld trimmer shall be used for chipping and profile Grinder for finishing. 4. Required nos. of Joggled fish plates shall be supplied by Railway at nearest P. Way Stores and the same shall be returned at nearest P. Way Store or at other location as per direction of Engineer-in-Charge after release from track.				
22	092021	For 60 Kg Rail, Single shot crucible fitted with Automatic Tapping Thimble , 3 pieces Mould (Zircon washed) and Compressed Air Petrol/LPG pre heating technique	Each	10.00	1748.31	17483.10
23	092022	For 60 Kg/60EI-R260 grade Rail, Single shot crucible fitted with Automatic Tapping Thimble Technology, 3 pieces Mould (Zircon washed) and Compressed Air Petrol heating technique.	Each	10.00	1613.06	16130.60

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

24	092030	25mm gap 'in-situ' welding during traffic block using Railway's welding portion & Welder and finishing of weld to meet the prescribed tolerances and pass all stipulated tests with all required labour, materials, consumables, tools, equipments etc. to complete the work in all respect as per IR's "Manual for Fusion Welding of Rails by Alumino - Thermic Process" with latest correction slips, including marking of welded joint, painting weld collar with anticorrosive paint, restoration of track near weld joint to original position and fixing of joggled fish plate at new weld, to be removed after passing of weld in USFD test as directed by Engineer in charge. Note: 1. Only welding portion and related accessories as per Annexure - I and Welder shall be supplied by Railways. 2. Hydraulic Weld trimmer shall be used for chipping and profile Grinder for finishing. 3. Required nos. of Joggled fish plates shall be supplied by Railway at nearest P. Way Stores and the same shall be returned at nearest P. Way Store or at other location as per direction of Engineer-in-Charge after release from track.	Each	100.00	1454.36	145436.00
		Through packing of track, as per procedure prescribed in latest edition of Indian Railways Permanent Way Manual				
25	131011	For PSC sleeper Track with Sleeper Density of 1540 Sleepers/Km or more	TRM	2000.00	92.83	185660.00
		First or Second Through Packing of track of all sleeper density including giving a general lift, as desired to eliminate sag after Deep Screening work, lifting of track, lowering of track and major realignment of curves and formation rehabilitation as per procedure prescribed in latest edition of IRPWM. Note: General lift is normally 25 mm and isolated lift may be up to 50 mm.				
26	131032	For PSC Sleeper Track with Sleeper Density of 1660	TRM	16678.00	122.61	2044889.58
		Systemic overhauling of track under traffic as per procedure prescribed in latest edition of IRPWM, including removing the crib ballast in 50mm to 75mm depth below bottom of sleeper and complete shoulder ballast without breaking core under the bottom of sleeper, to recover clean ballast by screening on wire mesh and disposing off the muck including throwing & leveling, if required beyond minimum 5m from the edge of cutting which are up to 3m deep or alternatively carting it up to 50m for disposing it off beyond cutting or platforms away from the track, as directed by Engineer in-charge including cutting & making up the cess and ensuring proper drainage slope and then re-inserting cleaned ballast into track and compaction of shoulder and crib ballast by wooden mallet and dressing / profiling ballast as per railway specifications.				
27	132011	For PSC sleeper Track with Sleeper Density of 1540 sleepers/Km or more	TRM	1000.00	158.27	158270.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		De-stressing of LWR/CWR track of any density under traffic line block with contractor's labours, tools, equipments and consumables inclusive of all lead & lift. Activities include cutting of LWR/CWR into convenient panels of specified length, removal of ERCs, liners, greasing of ERCs and liner contact area, lifting rails and keeping them on rollers provided at every 15 sleepers, working out elongation of rail ends depending on prevailing site conditions, pulling rails with the help of Hydraulic Tensor to achieve the desired elongation, cutting rails, as required, removing rollers and placing rail in position, re-fixing ERCs & liners and adjustment of gap at SEJs : Note: (1) Welding of rail joints will be paid separately. (2) Rail cutting and Hole drilling shall be paid separately. (3) Opening and closing of LC if required will be paid separately. (4) As per procedure prescribed in latest edition of IRPWW & CE's Circulars for destressing of LWR/CWR, if any.				
28	135013	Without Rail tensor	TRM	15000.00	49.22	738300.00
		Fixing Joggled Fish Plates with bolt / clamp (supplied by Railway from nearest SSE Store) in running track conditions at welds on rail, as directed by engineer in-charge (drilling of holes in rail, if required, shall be paid separately).				
29	136011	With 2 bolts	Set	100.00	96.57	9657.00
30	136060	Replacing existing glued joint rail with cut rails or with glued joint rail or insertion of glued joint by cutting existing track under traffic condition by cutting rails, refixing with all rail sleeper fastenings and providing required gaps for carrying out welding as an alternative to drilling holes or joining rails with fish plates duly drilling holes as required including stacking of released material and as directed by engineer in-charge. Note: (1) Drilling holes & rail cutting will be paid separately. (2) Transportation of materials to the site of work from supply points, if more than 250m, shall be paid separately.	Each	30.00	1576.35	47290.50
31	136090	Cleaning of side drains along the track including disposing of muck beyond Railway boundary as per instructions of Engineer in-charge to keep drains clean and clear in cuttings etc.	RM	8000.00	28.77	230160.00
32	136100	Removing weeds & bushes in ballast section and cess up to 3.95m from centre line of track in mid section & station yard, as specified by Engineer in-charge including disposal of branches, bushes outside cess/yard.	TRM	8000.00	13.23	105840.00
		Anti-corrosive painting of rail outside track on rail bottom, web, foot and fishing plane with two coats of thickness of 100 microns each by bituminous black paint confirms to IS-9862 of reputed make including surface preparation, as a complete job as per procedure prescribed in latest edition of IRPWW.				
33	137011	For 60 Kg Rails	RM	8000.00	73.04	584320.00
		Anti-corrosive painting of rail on running track of any sleeper density on web, foot etc. including liner contact area (excluding bottom of foot) and fishing plane as per requirement with two coats of thickness of 100 microns each by bituminous black paint confirms to IS-9862 of reputed make including painting of liners, ERCs and including surface preparation, as a complete job as per procedure prescribed in latest edition of IRPWW Note: 60% of payment shall be made if painting on only gauge face side is done.				

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

34	137021	For 60 Kg Rails	TRM	7294.00	100.43	732536.42
35	137040	Anti-corrosive painting to weld collar for Thermit welded rail joints on track for old painted joints in normal corrosive prone area for any rail section with two coats of ready mixed bituminous black paint of reputed make confirming to IS:9862 latest version on welded area up to 10cm on either side including on the underside of rail foot by brush including surface preparation as per Railway's AT Weld Manual including lettering / weld numbering with approved enamel paint as directed Note: 1.Before painting, dust, dirt and flaked paint from the welded joint shall be removed thoroughly by scrapping with wire brush. Grease and oil shall be removed by use of appropriate solvent confirming to latest IS:1745. 2.Use of detergent followed by water washing should also be done to ensure removal of oil and grease apart from the greasing compound. 3.The paint should be procured along with the thinner recommended by the manufacturer of the paint. 4.No other thinner like kerosene oil should be used.	Each	100.00	25.04	2504.00
		Painting 2 coats to various P.Way Reference Post, Structures etc. with enamel paint of approved make with 2 coats of different colours & letters, as directed by Engineer in-charge.				
36	137081	Kilometre & Gradient post	Each	20.00	78.74	1574.80
37	137083	LWR / SEJ Board	Each	20.00	143.45	2869.00
38	137086	Curve Post	Each	50.00	83.91	4195.50
39	137089	Curve Board	Each	25.00	143.45	3586.25
40	137090	Curve details, SE, Versine, Station Nos. etc. per station.	Each	1500.00	48.29	72435.00
41	151040	PQRS: Pre Block activity: Removing of the existing ballast from crib portion of the full length of existing PSC sleeper and further up to the bottom of sleepers to accommodate new sleeper and dumping the ballast so removed on the shoulders/cess with contractor own labour, tools and plants etc, complete with all lead and lift and as directed by the Engineer-in-charge at site including crossing of track wherever necessary.	TRM	8339.00	28.89	240913.71
42	151050	PQRS: During line block activity: Dismantling existing track, levelling disturbed and uneven surface of bed up to bottom of sleeper, Loading the released panels in to BFR with Railway's portal cranes, Placing new panels from BFRs on to track with Railway's portal crane, Linking of Track with all fittings, placing ballast as required in crib and shoulders, aligning and surfacing of track, attending track parameters and initial packing to track to allow traffic at restricted speed of 20 kmph with contractor's labour, tools etc, complete and lead & lift as directed by the Engineer-in-charge at site including crossing of track wherever necessary. Note: The PQRS cranes with fuel and operators will be provided by Railway.	TRM	8339.00	36.64	305540.96
43	151060	PQRS: Post Block activity, Pulling back the left over ballast from shoulders/cess in to track and dumping in cribs and shoulders, regulating and boxing with available ballast to facilitate surfacing of track during lifting with contractors own labour, tools etc, complete and lead & lift as directed by the Engineer-in-charge at site including crossing of track wherever necessary.	TRM	8339.00	19.43	162026.77

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

44	151090	Providing group of 2 men for doing various miscellaneous works for Railway's PQRS cranes (one set of 2 portals) for proper upkeep of crew rest van / rest room, as directed by the machine in-charge by : (1) Fuelling the machine, duly bringing diesel / hydraulic oil from the stacked drums; (2) Bringing water to the staff rest van or staff rest room, cleaning rest van / rest room, cooking food for Track Machine staff or bringing food from outside (cost of food shall be borne by the staff concerned).	Day	90.00	1242.86	111857.40
45	151100	Guarding and watching the Track machine / group of machines, spare parts, oils, grease etc. of PQRS cranes (one set of 2 portals) during day and night time in a shift of 12 hours each, at all locations wherever necessary, as instructed by the machine in-charge. Note: One shift comprises of 12 hours.	Shift	180.00	674.41	121393.80
46	151110	Laying of auxiliary track with all types of rails, already available on cess, fixing rails on wooden blocks / CST-9 pots at 2m interval, true to square, to required alignment & level, fixing with spikes / screws / keys, linking rails with fish plates, bolts & nuts to a gauge of 3400mm (with reference to centre line of existing BG track), levelling both the rails to same plane as that of BG track over stone ballast by way of removing ballast from shoulders of existing track, providing one round of packing. Subsequently, dismantling auxiliary track after completion of PQRS work at site by way of removing wooden blocks / CST-9 pots and carrying same to next stretch / location, if required, where auxiliary track has to be laid and spreading the same at required locations and leaving rails there itself for carrying out TRR work later.	TRM	10000.00	38.85	388500.00
		In PQRS work, through rail renewal of BG track on PSC sleepers of any density with all types of rails / rail panels lying in auxiliary track or on cess for replacement of service rails including handling of rails by way of dragging, pairing etc. and leading released service rails to load into BFR / Lorry or to shift to next location including crossing of track with lead & lift and any other incidental works as required.				
47	151121	For rails up to 13m length	TRM	200.00	101.73	20346.00
48	151122	For rails of more than 13m and up to 40m length	TRM	400.00	96.31	38524.00
49	151123	For rails above 40m length	TRM	7739.00	96.32	745420.48
50	151130	Through Rail renewal with free service rails of all types by removing existing running rails, already cut into free rails / rail panels for making auxiliary track, including attending alignment, cross level, gauging, packing; wherever required including crossing of track, as directed.	TRM	7294.00	101.73	742018.62

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Carrying out pre-tamping, during tamping and post-tamping work for tamping track with all types of rails, sleepers & sleeper density by various Track Tamping machines, like CSM,DUO/3X Machines which include : (1) Re-adjustment of ballast, heaping-up of ballast, filling-up of cavities in tamping zone by picking ballast from stacks / shoulders / crib of adjoining track up to lead of 50 m to ensure effective packing; (2) Clearing of ballast on sleepers to make them visible to operator, (3) Clearing of ballast over rail foot to facilitate holding of rail by rollers of TTRM; (4) Digging, screening and replenishment of ballast at mud pumping / rounded ballast in sleeper crib location; (5) Tightening of loose fittings immediately before & after tamping; (6) Replacement of broken / missing fittings supplied by Railway; (7) Correcting displaced sleepers to position along with squaring; (8) Re-setting of worked-out / fallen fittings. (9) Removing and re-fixing joggled fish plates & wooden blocks, wherever necessary; (10) Manual consolidation of ballast in crib / shoulders; (11) Removing and refixing of traction bonds during the block in electrified sections (12) Dressing of ballast Note: 1. Tamping blocks are not identical & it may be given at any time either during day or night. 2. Stages of payment a) 30% of the rate will be paid on completion of pre tamping attention, b) Balance 70% of the rate will be paid on completion of post tamping. 3. Recovery at the rate of twice the above applicable rate will be effected in case contractor fails to carry out pre/during/post operation. 4.Payment shall be made only once in irrespective of numbers of TTRM packing round and after restoration of normal speed and restoration of complete ballast profile.				
51	155011	For day time block working	TRM	9000.00	16.74	150660.00
52	155012	For night time block working	TRM	1339.00	18.80	25173.20
		Pre, during & post tamping operations, for tamping of track on level crossing portion on all types of track structure and density, during traffic block, duly opening the road surface by digging up to the required width and up to 50mm below bottom of sleeper to facilitate tamping, removing and refilling ballast, adjustment of deficient ballast if necessary by picking from adjoining track/shoulder/cribs, removing and refixing all inter locking gears interfering, removing and re-fixing of check rails and painting of running rail & check rail with coal tar emulsion, completing road surface to smooth motorable condition after tamping is over, including tightening of loose fittings, replacement of broken/missing fittings, correction of displaced sleepers to correct position and as directed by Engineer in charge.				
53	155021	Level crossing with asphalted surface	Sqm	200.00	335.27	67054.00
54	155030	Removing and refixing of guard Rails over slab bridges during machine packing with all contractor's men and materials duly removing fittings, leading guard rails to bridge approaches, lifting, dragging, positioning and crossing of track etc, and as directed by Engineer In charge.	TRM	100.00	92.28	9228.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Providing lighting arrangements with halogen lamps on and around machine during machine working in night time blocks, with contractor's generator, consumables, all necessary electrical fittings, operators etc. Note: 1. Lighting arrangement is to be provided as per advance planning of Night Blocks and written communication. 2. In case lighting arrangement is made available but not used due to non-availability of block, payment @ 60% of the item rate shall be made. 3. In place of Halogen, LED lamps of equal lumen capacity may be used with the approval of Engineer -in-Charge. 4. If lighting arrangement fails during block, recovery shall be made twice the rate per day.				
55	157032	CSM / DUO / 3X with or without DGS (7.5 KVA generator and 8x500 W)	Night	15.00	6220.22	93303.30
		Quick cutting with abrasive rail cutter of all types of rail sections including wear resistant, head hardened rails up to 110 UTS, with contractors tools & plants, equipment, consumable with all lead & lift etc. complete as directed by Engineer in-charge. Abrasive Rail Cutter will be as per RDSO Specification No. TM/SM/1 (Rev. 01 of 2012) with latest status of RDSO; Rail Cutting Wheel Abrasive Disc will be as per RDSO Specification No. TM/SM/2 (Rev. 01 of 2020)				
56	161011	60 Kg - 110/90 UTS - Outside Track	Each	1000.00	311.53	311530.00
57	161012	52 Kg - 90 UTS - Outside Track	Each	10.00	284.63	2846.30
58	161014	60 Kg - 110/90 UTS - On Running Line	Each	300.00	390.78	117234.00
59	161015	52 Kg - 90 UTS- On Running Line	Each	10.00	316.57	3165.70
		Drilling holes of 16 mm to 32 mm dia. with Rail Drilling machine including chamfering with appropriate chamfering tools in all types of rail section with contractor's tools & plants, equipment, consumable with all lead & lift etc. complete, as directed by Engineer in-charge. Rail Drilling Machine will be as per RDSO Specification No. TM/SM/3, dated 24.04.1991.				
60	161041	Outside Track	Each	2000.00	52.01	104020.00
61	161042	On Running Line	Each	500.00	66.12	33060.00
		Loading of rails of any section and length up to 13 metres in Wagons / Truck / trailer including lead up to 50 metres and lift up to 5 metres.				
62	171014	In Wagon where mechanical handling is possible and traffic block is not required or in Truck/trailer.	MT	300.00	119.12	35736.00
		Loading of tongue rail, stock rail, switch assembly and crossings of any section and length, SEJ, Glued joint etc. with / without P.Way fittings and fastenings, in Wagon / Truck / trailer including lead up to 250 metre and lift up to 5 metre.				
63	171024	In Wagon where mechanical handling is possible and traffic block is not required or in Truck/trailer.	MT	100.00	116.98	11698.00
		Loading, leading and unloading of 52Kg / 60Kg rail up to 13 metre length by Railway's Rail Dolly / Dip Lorry to the nominated location under traffic with line protection in case road carriage is not possible with different lead with a lift up to 5 metre during block period.				
64	171031	For lead up to 500 metre.	MT	965.00	340.23	328321.95
65	171032	For lead beyond 500 metre and up to 1 Km.	MT	200.00	439.46	87892.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

66	171033	Extra to Items no. 171032 for lead beyond 1 Km for every subsequent Km or part thereof and up to 10 Km	MT	200.00	52.69	10538.00
		Unloading of rails of any section and length up to 13 metre, in neat manner for Railway usage from departmental material train (DMT) or contractor's / Railway's Truck/trailer including lead up to 50 metre, lift up to 5 metre and stacking in prescribed manner.				
67	171053	From Wagon where mechanical handling is possible and traffic block is not required or in Truck / trailer.	MT	300.00	87.79	26337.00
		Unloading of all type of rails of length 130 metre and beyond from end unloading rake and keep the panels in head-up position at specified distance from centre of track clear from any infringement.. Note: Contractor has to keep Oxygen and Acetylene gas with cutter as standby during the period of work.				
68	171071	During period of traffic block	MT	70.00	25.84	1808.80
		Loading, leading and unloading of PSC Sleepers of 52Kg / 60Kg by Railway's Rail Dolly/ Dip Lorry to the nominated location under traffic in case road carriage is not possible for different leads and lift up to 5 metres.				
69	172031	For lead up to 500 metres	MT	300.00	264.82	79446.00
70	172032	For lead beyond 500 metre and up to 1 Km	MT	100.00	393.45	39345.00
71	172033	Extra to Items no. 172032 for lead beyond 1 Km for every subsequent Km or part thereof and up to 10 Km	MT	100.00	41.09	4109.00
72	172034	Extra to Item no. 172031 and 172032 with contractor's Rail Dolly/Dip Lorry.	MT	200.00	42.41	8482.00
		Loading, leading and unloading of all types of P.Way fittings and all other miscellaneous material except Rails, sleepers, switches, crossings, SEJs and Glued Joints by road vehicles for different leads. Note: Lead shall be the shortest motorable road length between the points of loading and unloading.				
73	172041	Lead up to 5 Km	MT	45.00	150.44	6769.80
74	172042	Lead beyond 5 Km and up to 10 km	MT	40.00	195.70	7828.00
75	172043	Lead beyond 10 Km and up to 20 km	MT	40.00	258.10	10324.00
76	172044	Lead beyond 20 Km and up to 30 km	MT	40.00	335.07	13402.80
77	172045	Lead beyond 30 Km and up to 50 km	MT	40.00	443.22	17728.80
78	172047	Lead beyond 100 Km and up to 150 Km	MT	50.00	1035.30	51765.00
79	172048	Extra for every Km per MT beyond 150 Km over item no. 172047	MT-Km	100.00	3.60	360.00
		Transportation of Rails, sleepers, switches, crossings, SEJs and Glued Joints by road vehicles for different leads. Note: 1. Lead shall be the shortest motorable road length between the points of loading and unloading. 2. Loading and unloading shall be paid extra under relevant items.				
80	172051	Lead up to 5 Km	MT	350.00	53.62	18767.00
81	172052	Lead beyond 5 Km and up to 10 km	MT	100.00	98.89	9889.00
82	172053	Lead beyond 10 Km and up to 20 km	MT	100.00	161.28	16128.00
83	172054	Lead beyond 20 Km and up to 30 km	MT	100.00	238.25	23825.00
84	172055	Lead beyond 30 Km and up to 50 km	MT	10.00	346.40	3464.00
85	172056	Lead beyond 50 Km and up to 100 Km	MT	100.00	584.54	58454.00
86	172057	Lead beyond 100 Km and up to 150 Km	MT	350.00	938.48	328468.00
87	172058	Extra for every Km per MT beyond 150 Km over item no. 172057	MT-Km	100.00	3.60	360.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Unloading of 52kg / 60kg PSC line and special sleepers up to 2.75 metre length in Depot / Station / Mid-section between stations in neat manner for Railway usage from departmental material train (DMT) or contractor's / Railway's Truck/Trailer with crane or any other means including crossing of one track and lead up to 250 metre & lift up to 5 metre with contractor's labour, tools & plants, machinery, consumables etc. Note: In case of any damage to sleeper during loading, penalty @ 50% of the all inclusive cost of sleeper shall be levied.				
88	172061	From DMT - During period of traffic block	MT	50.00	148.01	7400.50
89	172062	From DMT - Not involving traffic block or on lines, not opened to traffic	MT	50.00	104.94	5247.00
		Unloading of Switches / Crossings / SEJ Rails / Glued Joints of any rail section and length with or without P.Way fittings & fastenings in neat manner for Railway usage from departmental material train (DMT) or contractor's / Railway's Truck/Trailer with lead up to 250 metre & lift up to 5 metres.				
90	173013	From Truck / Trailer	MT	50.00	121.57	6078.50
		Collection, segregation and stacking of various scattered P.Way materials at nominated stacking location with serviceable and un-serviceable ones separately within a lead up to 500 metre and lift up to 5 metre including crossing of track(s) wherever necessary as directed by Engineer-in-Charge.				
91	173031	Rails, switches, crossings, SEJ, Glued joints, Check Rails etc.	MT	500.00	337.04	168520.00
92	173032	All type of PSC sleepers	MT	400.00	368.44	147376.00
93	173033	P.Way fittings of all types and other similar loose items	MT	100.00	343.98	34398.00
94	173040	Stacking of glued joints in single layer for electrical testing, in such a manner that glued joints - (a) shall not touch ground, (b) shall not touch one another, (c) shall not touch any rail or any metallic body, (d) shall not be water-logged from any side and (e) end post shall not rest on supports of glued joint	Each	20.00	57.39	1147.80
					Total	13990192.17

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1	Financial Eligibility Criteria (Clause 10.2 of part-I GCC-2022): The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. (Important Instruction: "The balance sheet and all other financial documents attested/certified by the Chartered Accountants (CA) to substantiate fulfillment of Financial Eligibility Criteria should be with UDIN, failing which the offer shall be considered as incomplete and will be summarily rejected without any further reference" Vide letter no. CE/Works/ECR/HJP's letter No.ECR-HQ0ENGG (CONT)/ 0009/2025 dtd. 18.11.2025 (ii) Gazette Notification No.1-CA (7)/192/2019, dated 02.08.2019 of the Institute of Chartered Accountants of India, published in the Gazette of India).	No	No	Allowed (Mandatory)
---	---	----	----	------------------------

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	--------------------------	--------------------	------------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1	<p>Technical Eligibility Criteria (Clause 10.1 of GCC-2022): (a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b)(1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii)One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2) In such cases, what constitutes a component in a composite work shall be clearly predefined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b)(3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract.</p>	No	No	Allowed (Mandatory)
2	<p>Note: for subletting of work costing up to Rs.50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing. Note for Item 10.1: (Clause 10.1 of part-I GCC-2022): Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Allowed (Mandatory)
3	Similar Nature of Work: - "Any P.Way Work".	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-V. In addition to Annexure-V, in case of other than Company/Proprietary firm, Annexure-V(A) shall also be submitted by the each member of a Partnership Firm/Joint Venture (JV)/Hindu Undivided Family (HUF)/Limited Liability Partnership (LLP) etc. as the case may be. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested / digitally signed by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document.	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
3	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Allowed (Mandatory)
4	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender.	No	No	Not Allowed
5	After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.	No	No	Not Allowed
6	The tenderer whether sole proprietor / a company or a partnership firm /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association/Board resolution, failing which tender shall be summarily rejected.	No	No	Allowed (Mandatory)
6.1	A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Appostille certificate.	No	No	Allowed (Optional)
7	(ii)Following documents shall be submitted by the tenderer:	No	No	Not Allowed

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

7.1	<p>(a) Sole Proprietorship Firm: (i) All documents in terms of Para 10 of GCC/2022 of the Tender Form (Second Sheet) above (b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) All other documents in terms of Para 10 of GCC/2022 of the Tender Form (Second Sheet) above (c) The following documents shall be submitted by the partnership firm, with the tender: i. A notarized copy of the Partnership Deed or a copy of the Partnership deed registered with the Registrar. ii. A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. iii. An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any Concealment / wrong information in regard to above shall make the bid ineligible or the contract shall be determined under Clause 62 of the Standard General Conditions of Contract. iv. All other documents in terms of Para 10 of GCC/2022 of the Tender Form (Second Sheet). (d) Joint Venture (JV): All documents as mentioned in para 17 of GCC 2022 of the Tender Form (Second Sheet) (e) Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) above. (f) LLP (Limited Liability Partnership): (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet). (g) Registered Society & Registered Trust: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules & Regulations of the Society (v) All other documents in terms of Para 10 of GCC/2022 of the Tender Form (Second Sheet) above.</p>	No	No	Allowed (Mandatory)
-----	--	----	----	------------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

7.2	(iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted. (v) A tender from JV shall be considered only where permissible as per the tender conditions. (vi) The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Not Allowed
-----	---	----	----	-------------

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	A copy of Documents against eligibility criteria must be submitted along with the E-tender. No any documents against the same will be entertained in the office of Divisional Railway Manager, Dhanbad or anywhere else at any time. Tender will be decided purely on the basis of documents available/attached with the E-tender irrespective of whether tenderer is working contractor or new. However Railway may ask clarification with respect to document available/attached with the E-tender, if required.	No	No	Not Allowed
2	In case, submission of Bid Security in the form of Bank Guarantee, the original Bank Guarantee should be delivered to COS/Bill & Tender/Dhanbad (Official Nominated) before closing date for submission of bids. (i.e. excluding the last date of submission of bids) as per Para 3 (ii) of Sl. No.13 (Bid Security) of the tender document.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1	<p>Special condition of track:-1.The work will be done as per instruction and under supervision of sectional PWI or his representative 2.Day to Day caution will be issued by sectional PWI or his representative and track protection will be done by Railway. 3.The work will normally be done for 6 days in a week .4.All tools and plants including rail cutting machine, hacksaw blades and drill twise, ratched brace etc. required for the work will be supplied by the contractor at his own cost. 5.Traffic block required for the work will be arranged by the sectional PWI or his representative and contractor will be responsible for strict adherence and timely completion of work. In case of nonavailability of block due to any reason no compensation will be payable. 6.The work will be carried out in day time between sun rise to sun set only and the contractor must ensure that during the course of work as well as after the days work track is fit for movement of traffic. 7.No compensation towards any accident what so ever will be paid by the Railway. 8.Packing will conform to para 224 , item (1) & (2) of Indian Railway P. Way Manual. 9.The work may be started from the length of the section according to the need of the Railway and as directed by PWI Incharge. The contractor shall be bound to execute the work accordingly. 10.Medical facilities, housing and watering arrangement for contractors labour and his staff will be arranged by the contractor. 11.The track willbe handed over in perfect condition i.e. level gauges alignment, packing and boxing should be proper before the work ends finally. 12.The work will be done under speed restrictions to be imposed by sectional PWI. Caution signalman will be provided by the Railway. 13.Contractor will use 20mm size screening mesh for screening work. 14.Wooden blocks and wedges required for the work will be supplied by the contractor at his own cost. 15.No two consecutive sleepers shall be tackled at a time. 16.Work will be stopped in perfectly safe condition at east 06 minutes earlier before passenger of every train. 17.The length of the track will be taken open or different operations of Deep screening etc. as per the direction of the Engineer at site.</p>	No	No	Not Allowed
2	<p>18.Deep screening must proceeds changing of sleepers, Deep screening and re-sleeping shall not be done simultaneously at a particular location. 19.Prevention of accidents, where vehicles are permitted to ply adjacent to the running line experienced Gangman shall also be posted by the Railway as Flagman at the cost of the contractor to prevent accidents and the amount towards wages of the Flagman will be recovered from the contractors bill. 20.If there is any conflict between conditions nominated in the "special condition" contained herein and which appear in the pamphlet and schedules reformed in the former shall be observed. 21.Any further clause or remarks added in the tender form by the contractor will disqualify his tender. In case of any remarks required to be added that should be done in a covering letter. 22.No enhancement over the accepted rates will be allowed in any case of any subsequent enhancement of Railway freight, Govt. Duty Taxes of any sort, levey of new taxes rise in wages and prices of materials etc. The points should be taken into account while quoting rates. 23.The contractor must abide by and comply with the provisions and Rules of contract Labour (Regulations and Abolition) Act. 1970 and Central Rules1971. 24.The contractor shall be responsible for adequate supervision of the work as regard safety of track , train and traveling public, proper care and custody of Railway Materials and any other Govt. property handed over to be the concerning PWI till it is returned back to PWI concerned at his/their stores and properly stacked at place indicated by PWI concerned. In the event of loss of any materials, the cost thereof shall be recovered from the contractor at issue rates plus the present codal charge of 20.5% to this will be added an increase of 100%. 25.Deep Screening/Track Renewal works shall be allowed to be taken up by the contractor only after issue of " Permit to work" by a competent Railway Supervisor daily whenever work is in progress. 26.Adequate numbers of labourer are to be provided in the work by the contractor, during execution.</p>	No	No	Not Allowed

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 94-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Instructiontotenderers-USSORDSR-2021MSOP-2018GCC-April-22uptoCorrec.Slip-11withUDINBGBidcapacity.pdf	Instruction to Tenderer
2	DiggingJPOdt.15.05.2024.pdf	DIGGING JPO

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: SONU KUMAR

Designation : Sr.DEN/3/ECR/DHN