

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

**Sr.DEN-Co/RTM** acting for and on behalf of The President of India invites E-Tenders against Tender No **RTM-2025-26-119R2** Closing Date/Time 10/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Dr Ambedkar Nagar (DADN)-Provision of new Integrated crew lobby, CTCC Office, counselling room, TRS staff Room with parking & boundary wall at including electric work		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	10/07/2026 15:00	<b>Date Time Of Uploading Tender</b>	17/06/2026 16:04
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	9031074.35	<b>Tendering Section</b>	WA SECTION
<b>Bidding Style</b>	Single Rate for Each Schedule	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	180700.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	12 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	26/06/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () 1-Schedule A</b>							8115232.85	Above/ Below/Par
1	Please see Item Breakup for details.				10820310.46	(-) 25.00	8115232.85	
	<b>Description:-</b> CPWD DSR 2021 Items							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () 2-Schedule B</b>							9382.38	Above/ Below/Par
1	Please see Item Breakup for details.				9306.99	0.81	9382.38	
	<b>Description:-</b> USSOR 2021 Items							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () C-Ratlam Division - Dr. Ambedkar Nagar (DADN) - Electrical work in connection with provision of new integrated crew lobby, CTCC Office, counselling room, TRS staff Room with parking &amp; boundary wall at DADN</b>							906459.12	Above/ Below/Par
1	Please see Item Breakup for details.				906459.12	AT Par	906459.12	
	<b>Description:-</b> Ratlam Division - Dr. Ambedkar Nagar (DADN) - Electrical work in connection with provision of new integrated crew lobby, CTCC Office, counselling room, TRS staff Room with parking & boundary wall at DADN							

**3. ITEM BREAKUP**

Schedule	Schedule 1-Schedule A					
Item- 1	CPWD DSR 2021 Items					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				
	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.				

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

1	2.6.1	All kinds of soil	cum	462.12	205.45	94942.55
	2.7	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.				
2	2.7.1	Ordinary rock	cum	25	412.95	10323.75
3	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	cum	200	253.95	50790
	2.26	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.				
4	2.26.1	All kinds of soil	cum	100	104.5	10450
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
5	4.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	50	7365.15	368257.5
6	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	50	6833.4	341670
	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
7	4.3.1	Foundations, footings, bases for columns	Sqm	125	307.95	38493.75
	4.14S	MISCELLANEOUS				
	4.20	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate /retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement.				
	4.20.1	All works upto plinth level :				
8	4.20.1.3	Concrete of M20 grade with minimum cement content of 270 kg /cum	cum	5	8387.15	41935.75
	5.0	REINFORCED CEMENT CONCRETE				
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
9	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	210	307.95	64669.5
10	5.9.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	20	669.55	13391
11	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	60	766.55	45993
12	5.9.5	Lintels, beams, plinth beams, girders, bressumers and cantilevers	Sqm	100	608.35	60835
13	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	100	804.25	80425
	5.22S	STEEL REINFORCEMENT				

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
14	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	6000	89.65	537900
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
15	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	8003.84	89.65	717544.26
	5.33S	DESIGN MIX CONCRETE				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement.				
	5.33.1	All works upto plinth level				
16	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	273	8683.8	2370677.4
	5.33.2	All works above plinth level upto floor V level				
17	5.33.2.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	380	10306.2	3916356
18	5.35	Add for using extra cement in the items of design mix over and above the specified cement content therein.	Quintal	4	688.45	2753.8
	6.0	MASONRY WORK				
	6.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
19	6.1.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	70	6658.25	466077.5
	9.0	WOOD AND P.V.C. WORK				
	9.1S	FRAMES AND TRUSSES				
	9.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
20	9.1.1	Second class teak wood	cum	1	131576.95	131576.95
	9.16	Providing and fixing 25 mm thick shutters for cup board etc. :				
	9.21	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
21	9.21.2	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	50	1881.95	94097.5
	9.57S	COPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378)				
	9.63	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : (copper oxized as per IS: 1378)				
22	9.63.1	250x10 mm	Each	10	74.65	746.5

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

	9.66	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : (copper oxidized as per IS: 1378)				
23	9.66.2	100 mm	Each	10	28.25	282.5
	9.70S	STAINLESS STEEL FITTINGS				
	9.71	Providing and fixing IS : 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete :				
24	9.71.1	125x64x2.50 mm	Each	5	104.2	521
	9.105S	GYPSUM BOARD PARTITIONS				
	9.117	Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance +/-1 mm), with wall thickness 2.0 mm (+/- 0.2 mm), corners of the door frame to be jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (+/- 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer- in-charge				
25	9.117.1	Extruded section profile size 48x40 mm	Metre	10	232.55	2325.5
	9.118	Providing and fixing to existing door frames.				
26	9.118.2	30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (+/- 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (+/- 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm (+/- 0.2 mm) wall thickness fixed to the shutter styles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (+/- 0.1 mm) wall thickness . The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge.	Sqm	20	2008.55	40171
27	9.119	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer- in-Charge.	Metre	20	408.25	8165

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

	9.120	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing.				
28	9.120.1	30 mm thick plain PVC door shutters	Sqm	20	2455.1	49102
	9.134	Providing and fixing wire gauge shutters using stainless steel grade 304 wire gauge with wire of dia 0.5 mm and average width of aperture 1.4 mm in both directions for doors, windows and clerestory windows with necessary screws :				
	9.135	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.				
29	9.135.2	With 12 mm mild steel U beading	Sqm	10	1051.75	10517.5
	10.0	<b>STEEL WORK</b>				
30	10.1	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	80	93.05	7444
31	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	650	111.95	72767.5
	10.25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
32	10.25.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	Kg	1200	142.3	170760
	11.0	<b>FLOORING</b>				
	11.3	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.				
33	11.3.1	40 mm thick with 20 mm nominal size stone aggregate	Sqm	20	545	10900
	11.26S	<b>KOTA STONE FLOORING</b>				
	11.26	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
34	11.26.1	25 mm thick	Sqm	80	1706.6	136528

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

35	11.27	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	Sqm	8	2038.55	16308.4
	11.37S	CERAMIC GLAZED TILES				
36	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	Sqm	8	935.6	7484.8
	11.41S	VITRIFIED FLOOR TILES				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
37	11.41.2	Size of Tile 600x600 mm	Sqm	8	1416.65	11333.2
	12.0	ROOFING				
	12.40	Providing, fixing and embedding sand cast iron accessories for rain water pipes in the masonry surrounded with 12 mm thick cement mortar of the same mix, as that of masonry (lead caulking will be paid for separately):				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
38	12.41.2	110 mm diameter	Metre	10	319.75	3197.5
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
39	12.50	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	88	671.55	59096.4
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
40	13.1.2	1:6 (1 cement: 6 fine sand)	Sqm	120	282	33840
	13.11S	CEMENT PLASTER IN TWO COATS				
41	13.11	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand).	Sqm	400	442.75	177100
	13.25	Extra for plastering:				



**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

42	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	400	214.3	85720
	13.41	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade :				
43	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer	Sqm	600	162.55	97530
	13.44S	EXTERIOR FINISHING				
	13.47	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:				
44	13.47.1	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	Sqm	700	162.35	113645
	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
45	13.61.1	Two or more coats on new work	Sqm	100	131.45	13145
46	13.80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	250	123.85	30962.5
	17.0	SANITARY INSTALLATIONS				
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
47	17.7.7	White Vitreous China Flat back wash basin size 450x 300 mm with single 15mm C.P. brass pillar tap	Each	1	1318.35	1318.35
	17.13	Providing and fixing white vitreous china water closet squatting pan (Indian type) :				
48	17.13.2	Orissa pattern W.C. pan of size 580x440 mm	Each	1	2758.2	2758.2
49	17.15	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	Each	1	2403.65	2403.65
50	17.16A	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.	Each	1	299.35	299.35
	17.18	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.				
51	17.18.1	10 litre capacity - White	Each	1	1023.05	1023.05
52	17.22	Providing and fixing G.I. inlet connection for flush pipe connecting with W.C. pan.	Each	1	131.65	131.65
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2	Flexible pipe				
53	17.28.2.2	40 mm dia	Each	1	104.35	104.35
54	17.29	Providing and fixing 100 mm sand cast Iron grating for gully trap.	Each	1	45.25	45.25
55	17.31	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Each	1	1411.15	1411.15
	17.35	Providing and fixing soil, waste and vent pipes :				
	17.35.2	75 mm diameter :				
56	17.35.2.3	Hubless centrifugally cast (spun) iron pipes epoxy coated inside & outside IS:15905	Metre	1	867.55	867.55
	17.69	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.				
57	17.69.1	Waste coupling 31 mm dia of 79 mm length and 62mm breadth weighing not less than 45 gms	Each	1	103	103
	17.70	Providing and fixing PTMT Bottle Trap for Wash basin and sink.				

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

58	17.70.1	Bottle trap 31mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms	Each	1	325.1	325.1
	17.73	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.				
59	17.73.2	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	Each	1	600.35	600.35
	18.0	WATER SUPPLY				
	18.75	C.P.V.C. PIPES				
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.-External work				
60	18.9.1	15 mm nominal dia Pipes	Metre	50	221.35	11067.5
61	18.9.3	25 mm nominal dia Pipes	Metre	50	370.65	18532.5
	18.12	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.-External work				
62	18.12.1	15 mm dia nominal bore	Metre	100	267.5	26750
63	18.14	Fixing water meter and stop cock in G.I. pipe line including cutting and threading the pipe and making long screws etc. complete (cost of water meter and stop cock to be paid separately).	Each	1	670.15	670.15
	18.15S	BRASS FITTINGS				
	18.17	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :				
64	18.17.1	25 mm nominal bore	Each	2	532.35	1064.7
65	18.17.4	50 mm nominal bore	Each	2	878.25	1756.5
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
	18.33	Constructing masonry Chamber 60x60x75 cm inside, in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for sluice valve, with C.I. surface box 100mm top diameter, 160 mm bottom diameter and 180 mm deep ( inside) with chained lid and RCC top slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size ) , i/c necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design :				
66	18.33.1	With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	Each	1	10102.5	10102.5
67	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Litre	1000	9.7	9700
	18.49S	C.P. BRASS FITTINGS				
	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
68	18.49.1	15 mm nominal bore	Each	20	434.2	8684
	18.51	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				
69	18.51.1	15 mm nominal bore	Each	1	708.4	708.4
	18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
70	18.52.1	15 mm nominal bore	Each	1	594.75	594.75



**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

	18.53	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
71	18.53.1	15mm nominal bore	Each	2	500.35	1000.7
	18.54S	PTMT FITTINGS				
	18.54	Providing and fixing PTMT bib cock of approved quality and colour.				
72	18.54.1	15mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	2	109.85	219.7
	18.55	Providing and fixing PTMT stop cock of approved quality and colour.				
73	18.55.1	15 mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	2	103.15	206.3
	18.59S	AIR VALVE & WATER METER (BULK TYPE)				
	18.74	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour.				
74	18.74.1	15 mm nominal bore with 30cm length	Each	1	85.5	85.5
	18.75	Providing and fixing PTMT extension nipple for water tank pipe, fittings of approved quality and colour.				
75	18.75.1	15 mm nominal bore, weighing not less than 32 gms	Each	1	43.05	43.05
	19.0	DRAINAGE				
	19.4	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:				
	19.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				
76	19.6.1	100 mm dia. R.C.C. pipe	Metre	73	447.25	32649.25
77	19.6.2	150 mm dia. R.C.C. pipe	Metre	73	493.1	35996.3
	19.19	Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality				
	19.19.2	M D - 10				
78	19.19.2.2	Circular shape 500 mm internal diameter	Each	1	1056.65	1056.65
	22.0	WATER PROOFING				
79	22.6	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. For the purpose of measurement the entire treated surface will be measured.	Sqm	50	585.55	29277.5
					<b>Total</b>	<b>10820310.46</b>
<b>Schedule</b>	Schedule 2-Schedule B					
<b>Item- 1</b>	USSOR 2021 Items					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

		Hiring of machinery for minor miscellaneous works for short duration including operator/driver, fuel, lubricants and consumable. The contractor shall arrange all statutory permits as required by rules and regulations prevailing in the area of work. Payment shall be made for actual working hours at site.				
1	211201	JCB Backhoe Loaders 3DX Plus or similar with minimum 1.10 cum bucket capacity	Hour	11.00	846.09	9306.99
					<b>Total</b>	<b>9306.99</b>
<b>Schedule</b>	Schedule C-Ratlam Division - Dr. Ambedkar Nagar (DADN) - Electrical work in connection with provision of new integrated crew lobby, CTCC Office, counselling room, TRS staff Room with parking & boundary wall at DADN					
<b>Item- 1</b>	Ratlam Division - Dr. Ambedkar Nagar (DADN) - Electrical work in connection with provision of new integrated crew lobby, CTCC Office, counselling room, TRS staff Room with parking & boundary wall at DADN					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Supply of material and carry out concealed wiring of Light/Fan Points without pipe up to 6 meters with FRLS PVC insulated, multi strand three Nos. copper wires of 1.5 sq. mm for phase, neutral and earth continuity conforming to IS-694 (as amended latest). The point wiring shall include supply & providing modular switches with complete associate accessories such as chromium plated metal boxes, modular plates, cover plate, lamp holders, three pin ceiling rose, adopter etc. as per technical specification	Numbers	130.00	484.70	63011.00
2	2	Supply and laying in wall & ceiling in concealed manner of ISI marked medium class rigid 25 mm. dia. PVC conduit pipe with all accessories as per technical specification	Metre	390.00	47.69	18599.10
3	3	Supply, fixing, testing and commissioning of 6 Amps 5 pin modular socket with modular switch in concealed manner on an existing board where phase and neutral are already available as per technical specification	Numbers	20.00	147.99	2959.80
4	4	Supply, fixing, testing and commissioning of 6 Amps 5 pin modular socket with modular switch in concealed manner on an separate board with all modular accessories as per technical specification	Numbers	25.00	432.12	10803.00
5	5	Supply, fixing, testing and commissioning of 16 Amps multi pin socket with modular switch in concealed manner on separate board with all accessories as per technical specification	Numbers	20.00	482.03	9640.60
6	6	Supply of materials and wiring of main/sub main in concealed manner with 2.5 mm. sq. size multi strand FRLS PVC insulated ISI marked copper wire for phase, neutral & earth wire with PVC conduit pipe as per technical specification	Metre	450.00	109.89	49450.50
7	7	Supply of materials and wiring of main/sub main in concealed manner with 4 mm. sq. size multi strand FRLS PVC insulated ISI marked copper wire for phase, neutral & earth wire with PVC conduit pipe as per technical specification	Metre	350.00	155.17	54309.50
8	8	Supply of material & wiring of light point/ceiling rose point by 1.5mm <sup>2</sup> copper PVC cable casing-capping pipe/PVC pipe with earth wire without switch.	Numbers	25.00	138.68	3467.00
9	9	Supply & fixing Double pole MCB On board including connection	Numbers	20.00	299.30	5986.00
10	10	Supply and laying PVC Truncking system 50X50mm for sub main wiring	Metre	100.00	165.91	16591.00
11	11	Supply & Fixing of LED Tube Light fitting 18/20W including connection as per specification.	Numbers	70.00	734.69	51428.30
12	12	Supply & Fixing of LED Tube Light fitting 40W including connection as per specification.	Numbers	20.00	1899.14	37982.80
13	13	Supply and fixing of decorative LED Luminaire 36W (2'x2') complete as per specification.	Numbers	10.00	2716.12	27161.20
14	14	Supply & Fixing of LED Lamp.	Numbers	10.00	90.42	904.20

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

15	15	Supply & fixing of Brushless DC (BLDC) Motor Ceiling Fan, ISI marked, sweep size: 1200/1400 mm with electronic fan regulator as per specification.	Numbers	25.00	3162.50	79062.50
16	16	Supply & fixing testing & commissioning of wall bracket oscillating fan size 380 mm including connection	Numbers	10.00	1354.37	13543.70
17	17	Supply & fixing of exhaust fan 300 mm sweep including connection.	Numbers	4.00	1448.17	5792.68
18	18	Supply & fixing of exhaust fan 250 mm sweep including connection.	Numbers	2.00	1450.23	2900.46
19	19	Supply of material, erection, testing & commissioning of GI pipe earthing arrangement.	Numbers	2.00	2163.27	4326.54
20	20	Supply and fixing of Control panel 100Amp with MCCB& MCB's etc. as per specification	Numbers	2.00	15407.72	30815.44
21	21	Supply & fixing of Distribution box 63Amp complete as per specification.	Numbers	3.00	11066.03	33198.09
22	22	Supply, erection testing & commissioning of SFU 125A TPN switch fuse unit with HRC fuse complete as per specification	Numbers	1.00	13124.91	13124.91
23	23	Supply & fixing of Split Air Conditioner with Inverter technology 1.5TON. Including stand and all other accessories as per specification.	Numbers	4.00	43366.69	173466.76
24	24	Extra refrigeration pipe line& cables	Metre	16.00	210.85	3373.60
25	25	Supply, erection, testing & commissioning of three core 2.5sqmm copper cable	Metre	30.00	194.44	5833.20
26	26	Supply of Self drinking water cooler with (non-CFC refrigerant) energy efficient compressor, cooling capacity Liters/Hr.: 150, Type: Storage, Storage Capacity Liters.: 150, Rate of Max. Energy consumption watt: 1550 as per specification.	Numbers	1.00	47963.24	47963.24
27	27	Supply and fixing of perforated GI cable Tray 100x50mm as per specification.	Metre	80.00	376.27	30101.60
28	28	Laying of 4core 70sqmm UGAC with heat resisting insulation PVC Insulated and strip type Sheathed Armoured Aluminium Conductor cable with 1x8SWG GI wire in existing trench/Pipe/ in air	Metre	500.00	20.38	10190.00
29	29	Laying of four Core 25sqmm UGAC with heat resisting insulation PVC Insulated and strip type Sheathed Armoured Aluminium Conductor cable with 1x8SWG GI wire in existing trench/Pipe/ in air.	Metre	500.00	20.38	10190.00
30	30	Digging of trench	Metre	200.00	111.07	22214.00
31	31	Digging of Pacci trench	Metre	100.00	282.22	28222.00
32	32	Supply of double walled corrugated HDPE Pipes of size 120mm Outer dia &103mm inner dia	Numbers	20.00	1420.62	28412.40
33	33	Supply and laying of 65 mm dia. DWC pipe complete	Metre	200.00	57.17	11434.00
					<b>Total</b>	<b>906459.12</b>

**4. ELIGIBILITY CONDITIONS**

**Standard Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Advance Correction Slip No.1(Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 14.07.2022.) PLEASE ATTACH COPY OF AUDITED BALANCE SHEET.	No	No	Allowed (Mandatory)

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

1.1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Advance Correction Slip No.1(Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 14.07.2022.) PLEASE ATTACH COPY OF ANNEXURE VI-B.(Proforma is available in document).	No	No	Allowed (Mandatory)
-----	--	----	----	---------------------

**Special Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer should submit valid electrical contractor's license issued by any Government & should submit copy of the same along with the offer failing to which offer will not consider as technically suitable. (Electrical License on the Name of agency / person who will supervise and execute the Electrical work).	No	No	Allowed (Mandatory)
2	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
2.1	Definition Of Similar Work : - Construction of Buildings Work.	No	No	Not Allowed

**Standard Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii) One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components.	No	No	Not Allowed
1.2	In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity.	No	No	Not Allowed
1.3	For tenders having advertised value more than Rs. 20 crore wherein eligibility criteria includes bid capacity also, the tenderer will be qualified only if its available bid capacity is equal to or more than the total bid value of the present tender. Annexure VI of GCC April 2022 and Advance Correction Slip No.1(Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 14.07.2022.)	No	No	Not Allowed

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

1.4	Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
-----	---	----	----	-------------

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

## 5. COMPLIANCE

### Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

### General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

1	Performance Guarantee As per ACS-11 dtd 13.03.2026 Para 16(4)(h) Introduced to GCC Apr2022 is as under Para 16(4)(h) If a tender is accepted on the quoted rates of bidder which is below the advertised tender value, an additional performance security shall be submitted by bidder as below - Bid quoted Below 0 to 5 % (inclusive) of advertised cost - Additional Performance Guarantee (%) = NIL Bid quoted Below 5 % - of advertised cost - Additional Performance Guarantee (%) = 5%	No	No	Not Allowed
2	CPWD DSR-2021 (Delhi Schedule of Rates) and CPWD Specifications-2019 (or latest) shall be used for all works related to Building Works, Road Works and Horticulture works and other Miscellaneous works with effect from 16.01.2023 with latest Correction Slips issued from time to time by CPWD.	No	No	Not Allowed
3	Signature on Receipts for Amount.	No	No	Not Allowed
3.1	Every receipt for money which may become payable or for any security which may become transferable to the Contractors under these presents, shall, if signed in the partnership name by anyone of the partners of a Contractor's firm be a good and sufficient discharge to the Railway in respect of the moneys or security purported to be acknowledged thereby and in the event of death of any of the Contractor, partners during the pendency of the contract, it is hereby expressly agreed that every receipt by anyone of the surviving Contractor partners shall if so signed as aforesaid be good and sufficient discharge as aforesaid provided that nothing in this Clause contained shall be deemed to prejudice or effect any claim which the Railway may hereafter have against the legal representative of any Contractor partner so dying for or in respect to any breach of any of the conditions of the contract, provided also that nothing in this clause contained shall be deemed to prejudice or effect the respective rights or obligations of the Contractor partners and of the legal representatives of any deceased contractor partners inter se. (GCC April 2022 para 53.)	No	No	Not Allowed
4	Applicability of rules for this tender	No	No	Not Allowed
4.1	GCC-April 2022 with upto date correction slip.	No	No	Not Allowed
4.2	CPWD DSR-2018 (Delhi Schedule of Rates) and CPWD Specifications-2019 (or latest) shall be used for all works related to Building Works, Road Works and Horticulture works and other Miscellaneous works with effect from 01.06.2021 with latest Correction Slips issued from time to time by CPWD.	No	No	Not Allowed
4.3	Relevant IS-CODES AND RAILWAY CODES AND MANUALS.	No	No	Not Allowed
5	In these Special Conditions of Contract the following terms shall have the meaning hereby assigned to them except where the context otherwise requires.	No	No	Not Allowed
5.1	(a)"General Condition of Contract" shall mean General Conditions of Contract-April 2022 as contained in Western Railway, Engineering Department "Indian Railways Unified standard specifications (works and materials)Vol-I &II".	No	No	Not Allowed
5.2	"Specifications" shall mean the Specifications for Materials and Works of the Railway as specified under the authority of the Ministry of Railways or Chief Engineer or as amplified, added to or superseded by special specifications if any, appended to the Tender Forms. (GCC April 2022 Part I para I Instructions to tenderers (ITT).)	No	No	Not Allowed
5.3	Standard Schedule of Rates (SSOR) shall mean the schedule of Rates adopted by the Railway, which includes- 1."Unified Standard Schedule of Rates of the Railway (USSOR)" i.e. the Standard Schedule of Rates of the Railway issued under the authority of the Chief Engineer from time to time, updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents; 2. "Delhi Schedule Of Rates (DSR)" i.e. the Standard Schedule of Rates published by Director General/ Central Public Works Department, Government of India, New Delhi, as adopted and modified by the Railway under the authority of the Chief Engineer from time to time, updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.	No	No	Not Allowed
6	"If any dispute arises between the parties with respect to this agreement any application or suit shall be instituted only in the; court with the local limits or whose Jurisdiction, the Western Railway's Divisional Headquarters office is situated and both the parties shall be bound by this clause.(Head quarters letter no. CE-Circular No. 11/No. W/623/5/ARB/1 dt. 26.04.04)	No	No	Not Allowed

**Special Conditions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------



**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

1	Tenderers should submit their offer strictly in accordance with the terms and conditions of the tender document. Tenderer should not quote any deviation from the tender document and should not quote any conditions. Nevertheless, as an exception, if any unavoidable deviations or conditions are quoted by the tenderers, financial impact of each of such conditions / deviations on their quoted unit rates, in terms of Rupees per unit rate, shall be clearly mentioned by the tenderer in the tender offer. If any of the deviation / condition has no financial impact on the quoted rates, in such cases also, the tenderer must clearly mention its financial impact as 'NIL'. This is required for proper financial evaluation of such conditional / deviated offers. Conditional offers / offers with deviations, without quantified financial impact of each of the condition / deviation on the quoted rates, shall be considered as "incomplete" and shall be summarily rejected'. (In terms of CE(Works)CCG's Letter No. W.118/0/3/S.I(W6) dt. 27.06.16,). Any revision of rates / rebates submitted (quoted) through a separate letter whether enclosed with the bid (Tender Form) or submitted separately or mentioned elsewhere in the document other than specified place shall be summarily ignored and will not be considered. (para 3 of tender form second sheet)	No	No	Not Allowed
2	SPECIAL PROVISION IN CONNECTION WITH PARA 26 (PAGE 56-57) OF GCC April 2022(As per Railway Bd's letter no 2012/CE-I/CT/0/20 dt 10/05/13)	No	No	Not Allowed
2.1	(A) In terms of provisions of new Clause 26A.1 to the General Conditions of Contract (GCC), contractor shall also employ following Qualified Engineers during execution of the allotted work: (a)One Qualified Graduate Engineer when cost of work to be executed is Rs. 200 lakh and above, and (b)One Qualified Diploma Holder Engineer when cost of work to be executed is more than Rs. 25 lakh, but less than Rs. 200 lakh.	No	No	Not Allowed
2.2	(B) Further, in case the contractor fails to employ the Qualified Engineer, as aforesaid in Para (A) above, he, in terms of provisions of Clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs. 40,000 and Rs. 25,000 for each month or part thereof for the default period for the provisions, as contained in Para A(a) and A(b) above respectively.	No	No	Not Allowed
2.3	As per para 26 A.3 Part (II), No. of qualified Engineers required to be deployed by the Contractor for various activities contained in the works contract shall be specified in the tender documents as 'Special Condition of Contract' by the tender inviting authority." (As per GCC April 2022, Para 26-A, Page 56.	No	No	Not Allowed
3	RESTRICTIONS ON ARBITRATION CLAUSES. (As per GCC April 2022, Para 64. (I), Page 97)	No	No	Not Allowed
3.1	Demand for Arbitration:- As per clause No 64, GCC part-II April 2022 corrected up-to date.	No	No	Not Allowed
3.2	Settlement of disputes-Indian railway Arbitration and Conciliation Rules:- As per clause No 63, GCC part-II April 2022 corrected up-to date.	No	No	Not Allowed
3.3	These special conditions shall prevail over existing clauses 63 and 64 of General Conditions of Contract.	No	No	Not Allowed
3.4	The provision of clause 63 & 64 to the General Conditions of Contract will be applicable only for the settlement of claims or disputes between the parties for values less than or equal to 20% of the value of the contract provisions of clause 63 & 64 and (ii)When the claim of disputes are of value more than 20% the value of the contract, other relevant clause of the General Conditions of Contract will not be applicable and arbitration will not be a remedy for settlement of such dispute. The above special conditions shall prevail over existing clause 63 of the General Conditions of Contract.	No	No	Not Allowed
4	GUIDELINE FOR THE MAINTENANCE PERIOD (As per GCC April 2022, Para 47, Page 82-83).	No	No	Not Allowed
4.1	1)The tenderer/s shall be required to maintain the work effectively as mentioned in the special conditions in tender documents. Maintenance period will commence from the date of completion as per Clause No.47 of the General Conditions of Contract. Security deposit will not be released until maintenance period is completed. For Zonal contracts, please see para below.	No	No	Not Allowed
4.2	2) However, for a zonal work, the maintenance period shall be as under As per Annexure-III, GCC part-I (a) and (b)April 2022 corrected up-to date. a)Repair and maintenance work including white/color washing: three calendar months from date of completion for each work-order. b) All new works except earth work: Six calendar months from date of completion for each work order.	No	No	Not Allowed

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

4.3	3)To cover up monsoon period, the maintenance period will be extended in cases when required and contractor shall remain responsible for maintenance for this extended period also. The contractor shall make good and remedy at his own expense within such period as may be stipulated by the Engineer, any defect which may develop or may be before the expiry of this period and intimation of which has been sent to the contractor within seven days of the expiry of the said period by a letter, sent by hand delivery or by registered post. In case the contractor fails to make adequate arrangements to rectify the defects within seven days of the receipt of such notices, the Engineer without further notice may make his own arrangement to rectify the defects and the cost of such rectification shall be recovered from the Security Deposit of the contractor or from any other money due to the contractor under this or any other contract.	No	No	Not Allowed
5	SPECIAL CONDITION FOR TAX DEDUCTION	No	No	Not Allowed
5.1	(1) In respect of works, the contract value of which is more than Rs. 5,000/- each, a deduction of 2% on the taxable payment from each of the Contractor's bills shall be made in terms of section 194(C) of the Income Tax Act of 1961 & 1991. (From time to time TDS will also be deducted along with I. Tax as per extent rules.	No	No	Not Allowed
5.2	(2)The Railway will deduct sales tax if leviable in a particular state where the work is going on, the gross amount of each bill while making payment to the contractor(s). The recovery shall be governed as per the guide lines & rates prescribed by the concerned State Government	No	No	Not Allowed
5.3	(3) Any Other taxes The Contractor shall bear in full all taxes and royalties levied by the State Government and/or Central Government from time to time. This would be entirely a matter between the contractor and State Government/or Central Government. Railway will recover the taxes and royalties through final bills if the contractor fails to pay the taxes and royalties to the Government.	No	No	Not Allowed
6	DETAILS OF INSPECTION REGISTER AND RECORDS ARE TO BE MAINTAINED BY TENDERER ARE AS FOLLOWS:	No	No	Not Allowed
6.1	1)The Contractor/s shall maintain accurate records, plans and charts showing the dates and progress of all main operations and the Engineer shall have access to this information at all reasonable times. Records of tests made shall be handed over to the Engineer/s representative after carrying out the tests. The following registers will be maintained at site by the Contractor/s.	No	No	Not Allowed
6.2	2)Site Order Register: The Contractor/s shall promptly acknowledge by putting his signature in the site order against any order given therein by the Engineer or his representative or his superior officers and comply with them. The Compliance shall be reported by the Contractor/s to the Engineer in good time so that it can be checked.	No	No	Not Allowed
6.3	3)Labour Register: This register will be maintained to show daily strength of labour in different categories employed by the Contractor/s.	No	No	Not Allowed
6.4	4)LOG book of events: All events are required to be chronologically logged in this book shift wise and date wise.	No	No	Not Allowed
6.5	5)Cement & steel registers shall be maintained by the contractor.	No	No	Not Allowed
7	APPLICABILITY OF PRICE VARIATION CLAUSE AS PER GCC CLAUSE 46A	No	No	Not Allowed
7.1	Applicability: Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs.2 Crores. Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustment (i.e. shall be excluded from the gross value of the work for the purpose of price variation). GCC April 2022 page 69 and Advance Correction Slip No.1(Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 14.07.2022.)	No	No	Not Allowed
7.2	II. Price Variation Clause for Annual Maintenance Contract or Zonal Contract :- The price variation Clause of General Conditions of Contract shall not apply to a works contract which is either an Annual Maintenance Contract or a Zonal Contract as per Railway Boards letter No.2013/CE/I/CT/O/10-PVC-Pt.I dtd.27.01.2015.	No	No	Not Allowed
7.3	As per PCE/CCG letter No.W118/0 Vol. II (W6) date 14.06.2019 The security deposit against the contract shall be released only after the contractor has submitted the final PVC bill.	No	No	Not Allowed
7.3.1	Implementation of Contractor e Measurement Book (e MB) All contracts costing more than Rs.5 Crore Contractor s e-MB is mandatory and Contractor s e-MB shall be part of Tender Document. (Railway Board Letter No.2017/CE-I/CT/9 date 31.05.2023)	No	No	Not Allowed
8	DISASTER MANAGMENT	No	No	Not Allowed

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

8.1	"All the available vehicles and equipment's of the contractor can be drafted by the Railway Administration in case of accidents/natural calamities involving human lives. The payment for such drafting shall be made according to the rates as shall be fixed by the Engineer. However, if the contractor is not satisfied with the decision of the Engineer in this respect he may appeal to the Chief Engineer within 30 Days of getting the decision of the Engineer, supported by analysis of the rates claimed. The Chief Engineer's decision after hearing both the parties in the matter would be final and binding on the contractor and the Railway".	No	No	Not Allowed
9	EMERGENCY WORK	No	No	Not Allowed
9.1	In the event of any accident or failure occurring in the execution of work/ arising out of it which in the opinion of the Engineer requires immediate attention, the Railway may bring its own workmen or other agency/agencies to execute or partly execute the necessary work or carry out repairs if the Engineer-in-charge considers that the contractor(s) is/are not in a position to do so in time without giving any notice and charge the cost thereof, to be determined by the Engineer-in-charge, to the contractor.	No	No	Not Allowed
10	DAMAGE BY ACCIDENT/ FLOOD/ TIDES OR NATURAL CALAMITIES	No	No	Not Allowed
10.1	The Contractor shall take all precautions against damages from accidents, floods tides or other natural occurrences. He shall not be entitled to any compensation for his tools, plants, materials, machines and other equipment lost or damaged by any cause whatsoever. The Contractor shall be liable to make good the damage to any structure or part of a structure, plant or material of every description belonging to the Railway covered under the Contract, lost or damaged by him due to any cause during the course of execution of work. The Railway Administration will not be liable to pay the contractor any charge for rectification or repair to any damage which may have occurred from any cause what so ever.	No	No	Not Allowed
11	Tender Credentials:- As per para no 11 of GCC April 2022 Part-I corrected up to date. Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected clause no 12 Part-I of GCC April 2022 corrected up to date . (As per GCC April 2022, Para 11, Page 16-17)	No	No	Not Allowed
12	Procedure for contractual payment after implementations of GST Act 2017 (Railway Board's letter no. 2017/CE-I/CT/4/GST dated 29/06/2017, CIRCULATED BY CE(WORKS) CCG vide letter no. W118/0 VOL. IX (W6) dated 30.06.2017 for implementation of GST ACT' 2017). The said letter is attached for reference.	No	No	Not Allowed
13	INCLUSION OF LETTER OF CREDIT AS MODE OF PAYMENT	No	No	Not Allowed
14	Inclusion of LETTER OF CREDIT as mode of payment In works tenders or service tenders invited by railways through E tendering on IREPS, having advertising value of Rs.10 lakhs and above (as per railway Bd's letter no 2018/CE-I/CT/9 dt 04/06/2018. The said letter is attached for reference	No	No	Not Allowed
15	SPECIFICATIONS AND SPECIAL CONDITIONS FOR SUPPLYING & UTILIZING ORDINARY PORTLAND CEMENT	No	No	Not Allowed

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

15.1	1)The cement shall be procured in lots commensurate with the programmed progress of the work and shall be transported and stacked into IOW's godown at contractor's cost and from there the requirement for day to day use shall be drawn by the contractor against hand receipt. The cement shall not be directly taken to the site of work. 2)Cement so procured by the Contractor shall be fresh conforming to IS 8112-1989 or latest IS cement code. After a receipt of each lot of at IOW's godown a sample of cement at the direction of Engineer shall be tested for initial / final setting time, compressive / Tensile strength at contractor's cost. Only on receipt of satisfactory certificates this cement shall be allowed to be used on works. The procurement of cement shall be panned by the contractor so that it does not effect the progress of works. 3)The contractor shall have to submit the cash memo along with the lot of cement purchased from the various retailers / cement factory to IOW in taken proof of purchase of cement from reputed dealer. No cement shall be accepted by the IOW without cash memo. 4)Although cement payment is in No. 50 Kg bags as per items total quantity so paid shall be limited to quantity actually used in works subject to further not exceeding the quantity laid down in works Hand book Part-III whichever is less. No payment shall be procured from authorized dealer / cement factory and the receipt shall be furnished on demand. All empty bags shall be taken away by the contractor after use of cement and cost of empty cement bags shall not form part of quoted rates against this items. 5)The Railway will take responsible care of cement in their custody handed over by the contractor. However if the cement bags are damaged during storage while taking away for use in the work railway shall not be responsible for the same and no claim of payment shall be admissible on such damaged cement. However, contractor shall be allowed to take away this cement at his own cost. 6)Cement consumption register shall be meticulously maintained giving quantity of work done / consumption of cement of each day. 7)Cement bags left out after completion of work shall be taken by the contractor and the railway shall not make the payment against these bags.	No	No	Not Allowed
16	SPECIFICATION OF STEEL ITEMS REINFORCEMENT STEEL (TMT BARS) AND STRUCTURAL STEEL	No	No	Not Allowed
16.1	(A)All Reinforcement Steel (TMT Bars) and structural Steel shall be procured as per specifications mentioned in BIS's documents - IS : 1786 and IS : 2062 respectively. Independent tests shall be conducted, wherever required, to ensure that the materials procured conform to the specifications. (B)Steel shall be procured only from those firms, which are established, reliable, indigenous and Primary producers of steel, having integrated steel plants (ISP), using iron ore as the basic raw material and having in-house iron rolling facilities, following by production of liquid steel and crude steel, as per Ministry of Steel's guidelines. e.g. "SAIL/TISCO/JINDAL/RINL/ESSAR/IISCO". (C)However, only certain isolated sections of structural steel, not being rolled by ISPs, can be procured from the authorized re-rollers of ISPs or authorized licensee of BIS having traceability system and who use billets produced by ISPs. (D)The steel procured shall be reasonably free from cracks, surface flaws, laminations, rough and imperfect edges and all other harmful defects. Steel sections, shall be free from excessive rust, scaling and pitting and shall be will protected. The decision of the Engineer regarding rejecting any steel section on account of any of the above defects shall be final and binding. (E)Structural steel work shall conform to the requirement as specified in Indian Railway Unified Standard Specifications (Works and Materials) Vol. I & II . (F)Necessary purchase bill along with test certificate for steel shall be obtained and submitted to the Engineer in Charge. Steel without the test certificate from approved laboratory/ Engineering College shall not be used in the work. Certified copy of the same shall be submitted to Divisional Office along with running bills/final bills. Steel shall be tested for Tensile strength and bend test as per IS : 1599 as specified in Indian Railway Unified Standard Specifications (Works and Materials) Vol. I & II. (G)Quantity for this item shall be calculated as per nominal weight of steel section for the actually used in the work. No payment will be made for the wastage and the contractor will be allowed to take away the scrap and excess steel away from site. (H)The contractor shall be responsible for getting the measurement of steel entered in to steel register and signed by the Engineer in charge of the work before concreting is done to avoid dispute regarding quantity of steel used in the work. (I)The rates quoted for this item is deemed to be inclusive of the cost of binding wire and no separate payment shall be admissible for the same. (J)The steel shall be kept by the contractor under his custody at the site of work and Railway will not be responsible for any theft thereof. (K) The quantity so payable under relevant item shall be restricted to the quantity as per approved plan/drawing and decision of the Engineer in Charge in this regard shall be final and binding upon the contractor.	No	No	Not Allowed

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

17	Special Condition of Drawings	No	No	Not Allowed
17.1	1. Contractor will provide architectural drawings with elevations etc complete , structural design details/drawings, design calculations, GAD (i.e. foundation ,beams, lintel, column, roof etc. based on railway approved GAD and will get it approved from railway. Contractor will also submit 3 copies with soft copy (2 nos.CD/pen drive) to railway for the same. 2. Design shall be followed for seismic zone no. 3 and should be resistant from various disasters occurs in seismic zone no.3 . Design shall be proof checked by IIT / NIT/ Govt engineering college which will be further got approved from railway before actual commencement of work. 3. Contractor has to submit completion plan in 75 Micron double mate GARWARE or similar tracing film for each drawing indicating all minor, major detail based on actual execution and signed by site supervisor (SE/SSE Works) and concern ADEN before submission of final bill. In addition to Completion plan the contractor shall also submit the drawings stored on CD-ROM/pen drive) failing this a recovery at a rate of 20000/- (Rs. Twenty thousands only) shall be made. 4. The rates quoted by contractor in this tender shall be inclusive of preparation and submission of architectural drawings , structural design etc and completion plan, nothing extra shall be paid on this account. (NOTE -Required in case where standard/approved design ,drawing is not available or as directed by engineer incharge.)	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.(para 14.1 page 17 GCC April 2022)	Yes	No	Allowed (Mandatory)
1.1	As per instructions please attach proforma of ANNEXURE V-A this certificate is to be given by attorney/authorized signatory/each member of partnership firm / Joint Venture (JV)/ Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.) Non submission of above certificate (s) by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent up on the tenderer to identify, state and submit the supporting documents duly self-attested / digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender Document. Proforma is available in uploaded documents.	No	No	Allowed (Mandatory)
1.1.1	Please see instructions below standard technical criteria for Latest ANNEXURE V. This is for verification / confirmation of the documents submitted for compliance of eligibility /qualifying criteria. As per RB's letter No 2022/CE-I/CT/CCG Correspondence dtd 14.05.2024 Clarification regarding submission of Annexure-V "On IREPS Module, a facility has already been created for online submission of Annexure-V. Therefore, the provision of downloading of Annexure-V of GCC & uploading of physical signed Annexure-V by the tenderer had been discontinued on IREPS"	No	No	Not Allowed
2	Certificate of Information regarding Employment/Partnership etc. of Retired Railway Employees with the tender as per the attached Performa. As per clause No 16 (a) and (b) of GCC Part-I April 2022 corrected up to date. (As per GCC -April 2022, Para 16, Page -19-20).	No	No	Allowed (Mandatory)
2.1	Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement: As per GCC -April 2022, Para 59.9, Page -91.	Yes	No	Not Allowed
2.2	Certificate of NO Relative being an employee of Western Railway as per attached Performa.	No	No	Allowed (Mandatory)
3	Joint Venture (JV) in works tenders. Refer GCC para no 17.1 to 17.15.3 of Part-I GCC -April 2022 corrected up to date. (As per GCC-April 2022, Para 17, Page -20 to 24). Joint Venture Firms Shall be applicable to the works tenders of value more than Rs. 10 Cores (Rupees ten crores)Advance Correction Slip No.1(Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 14.07.2022.)	No	No	Allowed (Optional)
4	Participation of Partnership Firm in works tenders. Refer GCC para no 18.1 to 18.11 of Part-I April 2022 corrected up to date. (As per GCC -April 2022, Para 18, Page -25 to 27)	No	No	Allowed (Mandatory)

**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

5	The tenderer should upload the scan copy of EPFO and ESI registration number. However EPFO and ESI registration would be mandatory and documents towards EPFO and ESI registration must be submitted before execution of the agreement.	No	No	Allowed (Mandatory)
6	Performance Bank Guarantee:- As per Clause No. 16.(4) of GCC Part-I, April 2022 corrected up to date. (As per GCC -April 2022, Para 16.(4), Page 48-49) Performa Attached.	No	No	Not Allowed
7	The tenderer shall be required to submit Bid Security in favour of Sr. DFM-Ratlam with the tender for due performance with the stipulation to keep the offer open till such date as specified in the tender, under condition of tender. (GCC April 2022 Part I Instructions to tenderers (ITT) para 5 Bid Security (1) (a,b,c),(2) (3)(i-viii). As per ACS 2 issued vide Rly. Board letter No.2022/CE-I/CT/GCC-2022/Policy date 13.12.2022:- (ii) The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document within 5 working days before closing date for submission of bids. As pr ACS 5 RB No. 2022/CE-I/CT/GCC-2022/Policy date 20.10.2023:- Para 5(3) II The original bank guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bid.(i.e. excluding the last date of submission of bids).	No	No	Allowed (Optional)
8	The tenderer should submit valid electrical contractor's license issued by any Government & should submit copy of the same along with the offer failing to which offer will not consider as technically suitable. (Electrical License on the Name of agency / person who will supervise and execute the Electrical work).	Yes	No	Allowed (Mandatory)

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	WRProcurementofLEDlightfittingsSpecification.pdf	LED Western Railway specification
2	TS736DADNLobby.pdf	Electrical Technical specification
3	BidsecurityAnnexure-VIA.pdf	Annexure VIA- Bid security Format
4	GCC2022CorrectionSlipNo8.pdf	ACS 8 GCC 2022
5	GCC2022CorrectionSlipNo10.pdf	ACS 10 GCC 2022
6	LETTEROFCREDITASMODEOFPAYMENT062018.pdf	LETTER OF CREDIT
7	Safetyrules.pdf	safety rules
8	ProcedureforpaymentofContractorbillasperGSTImplementation_GST_290617.pdf	PROCEDURE FOR PAYMENT OF CONTRACTORS BILL AS PER GST
9	PROCEDUREORDERFORENSURINGSAFETYATWORKSITE.pdf	SAFETY AT WORK SITE
10	NORelativecertificate.pdf	NORELATIVECERTIFICATE
11	certificateforrailwayemployeereengagement_1.pdf	engagement of ret'd. rly employee
12	TERMINATIONCONTRACT.pdf	Termination preforma
13	ACS5GCC2022.pdf	ACS 5 of GCC 2022
14	07.08.23ACS4.pdf	ACS4dt 07Aug23
15	07.08.23LAUNCEMB.pdf	contractor e-measurement book
16	BidCapacity-AnnexureVI.pdf	Bid Capacity Annexure VI
17	OffloadingPartSofworkRBLetterNo2022-CE-I-CT-GCC-2020-Polociydt27Apr2022.pdf	Offloading Part-S-of Work
18	FormatforAnnualcontractualturnoverAnnexure-VIB.pdf	Annexure VIB-Annual Cobntractual Turnover
19	GCCAPRIL2022.pdf	GCC April 2022
20	MOUFORJVGCCAPRIL22WITHALLACS.pdf	MOU for JV
21	AnnexureVasperACS4dt07.08.2023.pdf	AnnexureV as per ACS4dt 07Aug23



**RATLAM DIVISION-ENGINEERING/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** RTM-2025-26-119R2

**Closing Date/Time:** 10/07/2026 15:00

22	AnnexureVA.pdf	Annexure V -A for signature of constituent firm or constituent member
23	ACS6GCC2022.pdf	ACS 6 of GCC 2022
24	ACS2dt13Dec22.pdf	ACS 2 dt 13Dec22
25	ACS1GCCAPR2022.pdf	Advance Correction Slip 2 date 14.07.2022 for GCC April 2022
26	ACS3dt26APR23.pdf	ACS 3 date 26.04.2023
27	LetterNo.2017-CE-I-CT-9date31May2023.pdf	Contractor s e-measurement book -e-MB
28	GCC2022CorrectionSlipNo9.pdf	ACS 9 GCC 2022
29	GCC2022CorrectionSlipNo7.pdf	ACS 7 GCC 2022
30	PBGPerformaforTenderdocument30Aug2025.pdf	PBG PERFORMA
31	GCC2022CorrectionSlipNo11.pdf	ACS 11 GCC 2022
32	PCECircularNo.71R.pdf	PCE71R
33	Recommendedmakermanufacturerofcivilmaterials3.pdf	Recommended makermanufacturer of ci

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** RAHUL CHAUDHARY

**Designation :** DEN South RTM