

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

**DRM-WA** acting for and on behalf of The President of India invites E-Tenders against Tender No **44-2026-27** Closing Date/Time 02/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

|                                      |  |  |                      |
|--------------------------------------|--|--|----------------------|
| <b>Name of Work</b>                  | Extension of Platform at 04 Stations 1. Jetalsar Jn. 2. Navagadh 3. Liliya Mota and 4. Virpur under Sr.DEN (C) Jurisdiction against sanctioned work of Bhavnagar Division: Extension of Platform at 09 Stations. |  |                      |
| <b>Bidding type</b>                  | Normal Tender  |  |                      |
| <b>Tender Type</b>                   | Open   | <b>Bidding System</b>                      | Single Packet System |
| <b>Tender Closing Date Time</b>      | 02/07/2026 15:00   | <b>Date Time Of Uploading Tender</b>       | 10/06/2026 22:00     |
| <b>Pre-Bid Conference Required</b>   | No   | <b>Pre-Bid Conference Date Time</b>        | Not Applicable       |
| <b>Advertised Value</b>              | 33778569.80  | <b>Tendering Section</b>                   | SR DEN CEN           |
| <b>Bidding Style</b>                 | [ Decision at Schedule level ]   | <b>Bidding Unit</b>                        |                      |
| <b>Earnest Money (Rs.)</b>           | 675600.00  | <b>Validity of Offer ( Days)</b>           | 60                   |
| <b>Tender Doc. Cost (Rs.)</b>        | 0.00   | <b>Period of Completion</b>                | 10 Months            |
| <b>Contract Type</b>                 | Works - General  | <b>Contract Category</b>                   | Expenditure          |
| <b>Bidding Start Date</b>            | 18/06/2026   |  |                      |
| <b>Are JV allowed to bid</b>         | No   | <b>Number of JV Member Allowed</b>         | 0                    |
| <b>Are Consortium allowed to bid</b> | No   | <b>Number of Consortium Member Allowed</b> | 0                    |
| <b>Ranking Order For Bids</b>        | Lowest to Highest  | <b>Expenditure Type</b>                    | Capital (Works)      |

**2. SCHEDULE**

| S.No.  | Item Code                                       | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%)  | Amount      | Bidding Unit     |
|--|---|----------|----------|-----------|-------------|-----------|-------------|------------------|
| <b>Schedule () A-DSR 2023 Ver-1</b>  |   |          |          |           |             |           | 27303701.86 | Above/ Below/Par |
| 1  | Please see Item Breakup for details.            |          |          |           | 40152502.73 | (-) 32.00 | 27303701.86 |                  |
|  | <b>Description:-</b> DSR 2023 Ver-1             |          |          |           |             |           |             |                  |
| S.No.  | Item Code                                       | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%)  | Amount      | Bidding Unit     |
| <b>Schedule () B-IR USSOR-2021 Item IR USSOR-2021 Item IR USSOR-2021n Item</b>       |   |          |          |           |             |           | 5125150.70  | Above/ Below/Par |
| 2  | Please see Item Breakup for details.            |          |          |           | 7664349.79  | (-) 33.13 | 5125150.70  |                  |
|  | <b>Description:-</b> IR USSOR-2021 Item         |          |          |           |             |           |             |                  |
| S.No.  | Item Code                                       | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%)  | Amount      | Bidding Unit     |
| <b>Schedule () C-NS Item of Precast PF Wall</b>                                      |   |          |          |           |             |           | 609233.96   | Above/ Below/Par |
| 3  | Please see Item Breakup for details.            |          |          |           | 609233.96   | AT Par    | 609233.96   |                  |
|  | <b>Description:-</b> NS Item of Precast PF Wall |          |          |           |             |           |             |                  |
| S.No.  | Item Code                                       | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%)  | Amount      | Bidding Unit     |
| <b>Schedule () D- NS Item of Kota stone NS Item of Kota stone NS Kota Stone Item</b> |   |          |          |           |             |           | 740483.28   | Above/ Below/Par |
| 4  | Please see Item Breakup for details.            |          |          |           | 740483.28   | AT Par    | 740483.28   |                  |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|  |
|--|
| <b>Description:-</b> NS Item of Kota stone |
|--|

**3. ITEM BREAKUP**

|                 |                           |  |             |            |             |               |
|-----------------|---------------------------|--|-------------|------------|-------------|---------------|
| <b>Schedule</b> | Schedule A-DSR 2023 Ver-1 |  |             |            |             |               |
| <b>Item- 1</b>  | DSR 2023 Ver-1            |  |             |            |             |               |
| <b>S No.</b>    | <b>Item No</b>            | <b>Description of Item</b>   | <b>Unit</b> | <b>Qty</b> | <b>Rate</b> | <b>Amount</b> |
|                 | 2.0                       | <b>EARTH WORK</b>  |             |            |             |               |
|                 | 2.1S                      | <b>General</b>   |             |            |             |               |
|                 | 2.6                       | Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.  |             |            |             |               |
| 1               | 2.6.1                     | All kinds of soil  | cum         | 1041       | 177.5       | 184777.5      |
|                 | 2.7                       | Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.   |             |            |             |               |
| 2               | 2.7.1                     | Ordinary rock  | cum         | 140        | 498.9       | 69846         |
|                 | 2.8                       | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. |             |            |             |               |
| 3               | 2.8.1                     | All kinds of soil.   | cum         | 60         | 260.3       | 15618         |
| 4               | 2.25                      | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.  | cum         | 2222.16    | 196         | 435543.36     |
| 5               | 2.25A                     | Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.   | cum         | 800        | 700.5       | 560400        |
|                 | 4.0                       | <b>CONCRETE WORK</b>   |             |            |             |               |
|                 | 4.1S                      | <b>CEMENT CONCRETE (CAST IN SITU)</b>  |             |            |             |               |
|                 | 4.1                       | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :   |             |            |             |               |
| 6               | 4.1.8                     | 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)  | cum         | 291.15     | 6812        | 1983313.8     |
|                 | 5.0                       | <b>REINFORCEMENT CEMENT CONCRETE</b>   |             |            |             |               |
|                 | 5.9S                      | <b>FORM WORK</b>   |             |            |             |               |
|                 | 5.9                       | Centering and shuttering including strutting, propping etc. and removal of form for  |             |            |             |               |
| 7               | 5.9.1                     | Foundations, footings, bases of columns, etc. for mass concrete  | Sqm         | 377.6      | 392.15      | 148075.84     |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |          |   |         |          |          |            |
|----|----------|---|---------|----------|----------|------------|
| 8  | 5.9.2    | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.  | Sqm     | 660.8    | 842.5    | 556724     |
| 9  | 5.9.5    | Lintels, beams, plinth beams, girders, bressummers and cantilevers  | Sqm     | 960      | 736.4    | 706944     |
| 10 | 5.9.6    | Columns, Pillars, Piers, Abutments, Posts and Struts  | Sqm     | 800      | 961.3    | 769040     |
|    | 5.12S    | <b>PRE-CAST RCC</b>   |         |          |          |            |
| 11 | 5.12     | Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).  | cum     | 17.75    | 10585.9  | 187899.73  |
|    | 5.22S    | <b>STEEL REINFORCEMENT</b>  |         |          |          |            |
|    | 5.22     | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.  |         |          |          |            |
| 12 | 5.22.6   | Thermo-Mechanically Treated bars of grade Fe-500D or more.  | Kg      | 30271.76 | 107.85   | 3264809.32 |
|    | 5.22A    | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.   |         |          |          |            |
| 13 | 5.22A.6  | Thermo-Mechanically Treated bars of grade Fe-500D or more.  | Kg      | 26868.61 | 107.85   | 2897779.59 |
|    | 5.33S    | <b>DESIGN MIX CONCRETE</b>  |         |          |          |            |
|    | 5.33     | Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.: |         |          |          |            |
|    | 5.33.1   | <b>All works upto plinth level</b>  |         |          |          |            |
| 14 | 5.33.1.1 | Concrete of M25 grade with minimum cement content of 330 kg /cum  | cum     | 650.43   | 9504.75  | 6182174.54 |
| 15 | 5.33.1.2 | Concrete of M30 grade with minimum cement content of 350 kg /cum  | cum     | 51       | 9655.7   | 492440.7   |
|    | 5.33.2   | <b>All works above plinth level upto floor V level</b>  |         |          |          |            |
| 16 | 5.33.2.1 | Concrete of M25 grade with minimum cement content of 330 kg /cum  | cum     | 507.08   | 9860.4   | 5000011.63 |
| 17 | 5.33.2.2 | Concrete of M30 grade with minimum cement content of 350 kg /cum  | cum     | 51       | 10011.35 | 510578.85  |
| 18 | 5.35     | Add for using extra cement in the items of design mix over and above the specified cement content therein.  | Quintal | 180      | 733.5    | 132030     |
|    | 10.0     | <b>STEEL WORK</b>   |         |          |          |            |
|    | 10.1S    | <b>General</b>  |         |          |          |            |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |         |   |       |        |         |          |
|----|---------|---|-------|--------|---------|----------|
| 19 | 10.1    | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.   | Kg    | 1778   | 117.35  | 208648.3 |
| 20 | 10.2    | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.   | Kg    | 4038   | 133.7   | 539880.6 |
| 21 | 10.19   | Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.  | Kg    | 1760   | 97.2    | 171072   |
|    | 11.0    | <b>FLOORING</b>   |       |        |         |          |
|    | 11.16S  | <b>TILE FLOORING</b>  |       |        |         |          |
|    | 11.19   | Chequered terrazzo tiles 22 mm thick with graded marble chips of size up to 6 mm in floors, jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing and polishing complete, on 20 mm thick bed of cement mortar 1:4 (1 cement :4 coarse sand) : |       |        |         |          |
| 22 | 11.19.3 | Dark shade pigment using ordinary cement  | Sqm   | 120    | 1442.15 | 173058   |
|    | 12.0    | <b>ROOFING</b>  |       |        |         |          |
|    | 12.37S  | <b>RAIN WATER SPOUT AND PIPE</b>  |       |        |         |          |
|    | 12.41   | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  |       |        |         |          |
| 23 | 12.41.2 | 110 mm diameter   | Metre | 160    | 377.4   | 60384    |
|    | 13.0    | <b>FINISHING</b>  |       |        |         |          |
|    | 13.1S   | <b>CEMENT PLASTER (IN FINE SAND)</b>  |       |        |         |          |
|    | 13.1    | 12 mm cement plaster of mix :   |       |        |         |          |
| 24 | 13.1.1  | 1:4 (1 cement: 4 fine sand)   | Sqm   | 128.85 | 347.05  | 44717.39 |
| 25 | 13.1.2  | 1:6 (1 cement: 6 fine sand)   | Sqm   | 99.12  | 333.35  | 33041.65 |
|    | 13.44S  | <b>EXTERIOR FINISHING</b>   |       |        |         |          |
|    | 13.46   | Finishing walls with Acrylic Smooth exterior paint of required shade :  |       |        |         |          |
| 26 | 13.46.1 | New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)  | Sqm   | 640    | 160.6   | 102784   |
|    | 13.61   | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :  |       |        |         |          |
| 27 | 13.61.1 | Two or more coats on new work   | Sqm   | 226    | 155.9   | 35233.4  |
|    | 15.0    | <b>DISMANTLING AND DEMOLISHING</b>  |       |        |         |          |
|    | 15.1S   | <b>General</b>  |       |        |         |          |
|    | 15.2    | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.  |       |        |         |          |
| 28 | 15.2.1  | Nominal concrete 1:3:6 or richer mix (including equivalent design mix)  | cum   | 80     | 2434.25 | 194740   |
| 29 | 15.3    | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.  | cum   | 48     | 3551.25 | 170460   |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |         |   |     |         |          |            |
|----|---------|---|-----|---------|----------|------------|
|    | 15.7    | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.  |     |         |          |            |
| 30 | 15.7.4  | In cement mortar  | cum | 32      | 2060.2   | 65926.4    |
| 31 | 15.60   | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.  | cum | 34      | 263.95   | 8974.3     |
|    | 16.0    | <b>ROAD WORK</b>  |     |         |          |            |
|    | 16.1S   | <b>ROADS</b>  |     |         |          |            |
| 32 | 16.1    | Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with lead upto 50 metres.  | Sqm | 2218    | 218.9    | 485520.2   |
|    | 16.3    | <b>Supplying and stacking at site.</b>  |     |         |          |            |
| 33 | 16.3.1  | 90 mm to 45 mm size stone aggregate   | cum | 434.1   | 2098.4   | 910915.44  |
| 34 | 16.3.2  | 63 mm to 45 mm size stone aggregate   | cum | 443.68  | 1636.05  | 725882.66  |
| 35 | 16.3.3  | 53 mm to 22.4 mm size stone aggregate   | cum | 434.1   | 1842.3   | 799742.43  |
| 36 | 16.3.10 | Moorum  | cum | 434.1   | 768.25   | 333497.33  |
| 37 | 16.4    | Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density .   | cum | 1745.98 | 1046.95  | 1827953.76 |
|    | 16.42S  | <b>CONCRETE PAVEMENTS</b>   |     |         |          |            |
|    | 16.43   | Providing and laying design mix cement concrete of M-30 grade, in roads/taxi tracks/runways, using cement content as per design mix, using coarse sand and graded stone aggregate of 40 mm nominal size in appropriate proportions as per approved and specified design criteria, providing dowel bars with sleeve/ tie bars wherever required, laying at site, spreading and compacting mechanically by using needle and surface vibrators, levelling to required slope/ camber, finishing with required texture, including steel form work with sturdy M.S. channel sections, curing, making provision for contraction/ expansion, construction and longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine, providing and filling joints with approved joint filler and sealants, complete all as per direction of Engineer-in-charge (Item of joint fillers, sealants, dowel bars with sleeve/ tie bars to be paid separately). |     |         |          |            |
| 38 | 16.43.1 | Cement concrete prepared with batch mixing machine  | cum | 443.68  | 10529.35 | 4671662.01 |
|    | 16.49S  | <b>MISCELLANEOUS</b>  |     |         |          |            |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |         |  |      |    |         |          |
|----|---------|--|------|----|---------|----------|
| 39 | 16.90   | Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.   | Sqm  | 16 | 2017.6  | 32281.6  |
|    | 16.91   | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. |      |    |         |          |
| 40 | 16.91.1 | 60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.   | Sqm  | 32 | 1045.65 | 33460.8  |
|    | 17.0    | <b>SANITARY INSTALLATIONS</b>  |      |    |         |          |
|    | 17.1S   | <b>General</b>   |      |    |         |          |
|    | 17.7    | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:   |      |    |         |          |
| 41 | 17.7.7  | White Vitreous China Flat back wash basin size 450x 300 mm with single 15mm C.P. brass pillar tap  | Each | 12 | 1513.6  | 18163.2  |
|    | 17.13   | Providing and fixing white vitreous china water closet squatting pan (Indian type) :   |      |    |         |          |
| 42 | 17.13.2 | Orissa pattern W.C. pan of size 580x440 mm   | Each | 12 | 3169.05 | 38028.6  |
| 43 | 17.23   | Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.  | Each | 12 | 1648.95 | 19787.4  |
| 44 | 17.81   | Providing and fixing floor mounted, white vitreous china single piece, double traps syphonic water closet of approved brand/make, shape, size and pattern including integrated white vitreous china cistern of capacity 10 litres with dual flushing system, including all fittings and fixtures with seat cover, cistern fittings, nuts, bolts and gasket etc including making connection with the existing P/S trap, complete in all respect as per directions of Engineer-in-Charge.  | Each | 8  | 18212.9 | 145703.2 |
|    | 18.0    | <b>WATER SUPPLY</b>  |      |    |         |          |
|    | 18.4S   | <b>PP-R PIPES</b>  |      |    |         |          |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |         |   |           |      |        |         |
|----|---------|---|-----------|------|--------|---------|
|    | 18.4    | Providing and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes confirming to IS 15801, UV stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply, including all PP - R plain & brass threaded polypropylene random fittings and fixing the pipe with clamps at 1.00 m spacing. This includes testing of joints complete as per direction of Engineer-in-Charge. ( Internal Exposed on walls ) |           |      |        |         |
| 45 | 18.4.1  | PN - 16 Pipe, 20mm OD (SDR-7.4)   | Metre     | 40   | 272    | 10880   |
|    | 18.6    | Providing and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes confirming to IS:15801 UV stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply, including all PP - R plain & brass threaded polypropylene random fittings, including trenching, refilling & testing of joints complete as per direction of Engineer-in-Charge. External work   |           |      |        |         |
| 46 | 18.6.2  | PN - 16 Pipe, 25 mm OD (SDR-7.4)  | Metre     | 40   | 265.05 | 10602   |
| 47 | 18.6.5  | PN - 10 Pipe, 50 mm OD (SDR-11)   | Metre     | 48   | 450.95 | 21645.6 |
|    | 18.7S   | C.P.V.C. PIPES  |           |      |        |         |
|    | 18.9    | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work   |           |      |        |         |
| 48 | 18.9.3  | 25 mm nominal dia Pipes   | Metre     | 20   | 355.4  | 7108    |
| 49 | 18.9.6  | 50 mm nominal dia Pipes   | Metre     | 32   | 794.25 | 25416   |
|    | 18.31S  | C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES  |           |      |        |         |
| 50 | 18.48   | Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.  | Per Litre | 4000 | 11     | 44000   |
|    | 18.49S  | C.P. BRASS FITTINGS   |           |      |        |         |
|    | 18.49   | Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :  |           |      |        |         |
| 51 | 18.49.1 | 15 mm nominal bore  | Each      | 24   | 506.8  | 12163.2 |
|    | 18.54S  | PTMT FITTINGS   |           |      |        |         |
|    | 18.57   | Providing and fixing PTMT, push cock of approved quality and colour.  |           |      |        |         |
| 52 | 18.57.1 | 15 mm nominal bore, 98 mm long, weighing not less than 75 gms   | Each      | 24   | 112.8  | 2707.2  |
|    | 19.0    | DRAINAGE  |           |      |        |         |
|    | 19.1S   | STONE WARE PIPES AND FITTINGS   |           |      |        |         |
|    | 19.6    | Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :  |           |      |        |         |
| 53 | 19.6.4  | 300 mm dia. R.C.C. pipe   | Metre     | 32   | 994.3  | 31817.6 |
|    | 26.0    | NEW TECHNOLOGIES AND MATERIALS  |           |      |        |         |
|    | 26.41S  | NEW TECHNOLOGY ITEMS  |           |      |        |         |



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|                 | 26.68  | Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in foundation and plinth in:  |             |            |              |                    |
|-----------------|--|---|-------------|------------|--------------|--------------------|
| 54              | 26.68.1  | Cement mortar 1:6 (1 cement : 6 coarse sand)  | cum         | 88         | 7387.25      | 650078             |
|                 | 26.69  | Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level  |             |            |              |                    |
| 55              | 26.69.1  | Cement mortar 1:6 (1 cement : 6 coarse sand)  | cum         | 344        | 9844.65      | 3386559.6          |
|                 |  |   |             |            | <b>Total</b> | <b>40152502.73</b> |
| <b>Schedule</b> | Schedule B-IR USSOR-2021 Item IR USSOR-2021 Item IR USSOR-2021n Item |   |             |            |              |                    |
| <b>Item- 2</b>  | IR USSOR-2021 Item   |   |             |            |              |                    |
| <b>S No.</b>    | <b>Item No</b>   | <b>Description of Item</b>  | <b>Unit</b> | <b>Qty</b> | <b>Rate</b>  | <b>Amount</b>      |
| 1               | 012030   | Mechanical manufacturing of blanketing material by using only hard and durable stone crushed in mechanical crusher to different gradations, wet mixing of the same in designed proportion in Pug mill or wet mix plant to have uniform gradation including all incidental transportation, laying over finished formation in uniform layer(s) with motor grader, compaction with suitable vibratory roller to specified density and finishing to correct profile, complete as per RDSO Specification No. RDSO/2020/GE: IRS-0004 with latest correction slips. Note: This item shall be used only when entire constituent of blanketing material is mechanically manufactured by crushing of hard and durable stone into desired gradation of designed proportion.  | cum         | 100.00     | 2162.18      | 216218.00          |
|                 |  | Earthwork in excavation by mechanical means (Hydraulic Excavator)/Manual Means for foundations and floors of the bridges, retaining walls etc. including setting out, dressing of sides, ramming of bottom, getting out the excavated material, back filling in layers with approved material and consolidation of the layers by ramming and watering etc. including all lift, disposal of surplus soil up to a lead of 300m, all types of shoring and strutting with all labour and material complete as per drawing and technical specification as directed by Engineer in charge. Note: This item will be used for excavation work in connection with other miscellaneous works also like side drains, foundation for OHE masts and other miscellaneous structures in connection with Gauge Conversion, Doubling, New lines. |             |            |              |                    |
| 2               | 022011   | All kinds of soils  | cum         | 182.20     | 213.47       | 38894.23           |
| 3               | 022012   | Soft rock (not requiring blasting)  | cum         | 121.46     | 443.05       | 53812.85           |
| 4               | 022014   | Hard rock (blasting prohibited )  | cum         | 91.10      | 1226.30      | 111715.93          |
|                 |  | Providing and laying in position Plain cement concrete of specified Nominal Mix for miscellaneous works like side drains, foundation for OHE masts and other miscellaneous structures excluding the cost of Cement, centering and shuttering - All work up to plinth level :  |             |            |              |                    |



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|   |        |  |       |       |         |           |
|---|--------|--|-------|-------|---------|-----------|
| 5 | 022031 | 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size)   | cum   | 30.00 | 3857.51 | 115725.30 |
| 6 | 022032 | 1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)  | cum   | 24.00 | 3979.69 | 95512.56  |
|   |        | Providing and laying in position machine batched, machine mixed and machine vibrated Cement Concrete of specified grade as per approved Design Mix (mixed in Mobile Concrete Batching/Mixing Plant at site or RMC from approved plants) using 20mm graded crushed stone aggregate and coarse sand of approved quality for the following Reinforced cement concrete structural elements up to height of 9.0 m from foundation top level, including finishing, using Plasticiser in approved proportions (as per IS:9103), to modify workability without impairing strength and durability complete as per specifications and direction of the Engineer in charge. Note: 1. Payment for cement, reinforcement and shuttering shall be made extra under relevant item. 2. Plasticiser shall invariably be used in approved proportion to increase workability with minimum possible quantity of cement for all grade of Design Mix Concrete unless it is specifically approved citing reasons for not using plasticiser at the stage of Mix Design and in that case deduction shall be made as per relevant item. |       |       |         |           |
| 7 | 022052 | Wing wall and Return wall  | cum   | 50.92 | 4242.71 | 216038.79 |
| 8 | 022060 | Providing and laying Plain Cement Concrete 1:3:6 with graded stone aggregate of 40mm nominal size, in foundation and floors, retaining walls of bridges including mechanical mixing, vibrating, pumping and bailing out water where ever required with all materials and labour complete but excluding the cost of cement and shuttering as per drawings and technical specifications as directed by Engineer.   | cum   | 49.23 | 4085.62 | 201135.07 |
| 9 | 022070 | Providing and fixing Weep Holes in Abutments, Wing walls and Return walls etc., of new bridges with 110mm dia UPVC pipe Type A ISI marked with all contractor's men, material, transportation, all taxes as per specifications and as directed by Engineer-in-Charge.  | Metre | 30.00 | 274.89  | 8246.70   |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |        |  |     |          |         |            |
|----|--------|--|-----|----------|---------|------------|
| 10 | 024010 | Providing and casting machine batched, machine mixed and machine vibrated Cement Concrete of specified grade as per approved Design Mix, mixed in Mobile Concrete Batching/Mixing Plant at site or RMC from approved plants, (Cast in-Situ/Pre-cast) in bottom/top slab, side walls, toe wall and sumps haunch filling head walls, thrust bed or any other component using 20mm graded crushed stone aggregate and coarse sand of approved quality of RCC box of any size including finishing, Plasticiser in approved proportions (as per IS:9103), to modify workability without impairing strength and durability, complete as per drawings and technical specifications as directed by Engineer in charge. Note: 1. Payment for cement, reinforcement and shuttering shall be made extra under relevant item. 2. Plasticiser shall invariably be used in approved proportion to increase workability with minimum possible quantity of cement for all grade of Design Mix Concrete unless it is specifically approved citing reasons at the stage of Mix Design and in that case deduction shall be made as per relevant item. | cum | 156.88   | 4527.31 | 710244.39  |
| 11 | 025020 | Providing and applying two coats of coal tar or bitumen conforming to IS:3117- latest version on the top and sides of RCC box/slabs @ 1.70 kg/sqm after cleaning the surface with all labour and materials complete job as directed by the Engineer.   | Sqm | 442.18   | 162.33  | 71779.08   |
|    |        | Centering and shuttering including strutting, propping etc. and removal of form for :  |     |          |         |            |
| 12 | 025031 | All types of bridge sub-structures, e.g. pier, abutment, wing wall, retaining wall, RCC box type foundations, Abutment cap, Pier Cap, Inspection Platform & Pedestal over Pier cap, Fender wall, Diaphragm wall etc. up to 5m above ground level   | Sqm | 331.64   | 746.30  | 247502.93  |
| 13 | 025032 | All types of bridge super-structures, e.g. slabs, I-girders, T-girders, Box girders etc. up to 5m above ground level.  | Sqm | 110.54   | 969.34  | 107150.84  |
|    |        | Supply and using Cement at Worksite  |     |          |         |            |
| 14 | 025072 | Ordinary Portland Cement 53 grade of approved brands/makes   | MT  | 103.50   | 9275.03 | 959965.61  |
|    |        | Supply of steel reinforcement of approved brands/makes for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.  |     |          |         |            |
| 15 | 025082 | Thermo-Mechanically Treated bars of grade Fe-500D or more of approved brands/makes.  | Kg  | 25270.00 | 116.39  | 2941175.30 |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |        |  |       |         |           |           |
|----|--------|--|-------|---------|-----------|-----------|
| 16 | 031120 | Casting and installation of single/twin RCC box of all sizes with or without common web section including design of pushing scheme, thrust bed, casting of all RCC components, with specified grade of controlled concrete, pushing it in correct position and alignment below Railway track/Road following all measures of track safety by 'Box pushing technique" as per approved drawings/scheme, with or without surcharge in all types of soils with disposal of surplus earth away from vent up to 1 Km, fixing arrangement for all services & utilities including parapet walls on both sides, wearing course, foot paths, plaques, drainage arrangements etc. and all other incidental works to complete the ROB/RUB/Canal crossing in all respect as per specifications to the satisfaction of Engineer-in-Charge. Note: 1. The rate includes all items of work/supplies for complete job in all respects except "cost of Reinforced cement concrete, cement, reinforcement & shuttering" of (i) main RCC Box; (ii) Thrust Bed; (iii) Footpath (iv) Parapet wall and (v) wearing Course only, which shall be paid extra under relevant items of USSOR. 2. In case Drag Sheet and/or Rail Cluster are to be used as per approved scheme and design, the same shall be paid extra under relevant item. 3. The payment for this item shall be made for the clear inner cross section area of the parent RCC Box/Boxes and barrel length i.e. clear inner volume of parent RCC Box/Boxes. | cum   | 109.35  | 5537.73   | 605550.78 |
|    |        | Loading, transportation of Precast RCC Girders / Slabs / Ballast retainers / Steel Girders etc. from Casting Yard to Site of Work, unloading and stacking at site of work at prescribed location as directed by Engineer-in-Charge above 60 kms.   |       |         |           |           |
| 17 | 031174 | Above 150 km up to 200 km  | MT    | 38.00   | 1115.43   | 42386.34  |
| 18 | 031175 | Above 200 km   | MT-Km | 8551.71 | 5.34      | 45666.13  |
| 19 | 041370 | Supplying fabricating and erecting welded and/or bolted and/or riveted steel work in built up sections, trusses and framed work, staging, racks, Height Gauge etc. for Steel Structures other than bridge girders, using RSJ, tees, angles and channels/flats, plates, gussets, round or square bars, cleats, bolts etc., with contractors own steel including cutting, bending, straightening, drilling, riveting, hoisting, fixing, erecting, welding, bolting etc., with Providing stiffeners wherever required as per approved drawing including applying a priming coat of a approved steel primer with all contractor's materials, labour, tools & plants, lead & lift including crossing of tracks if required etc., complete as per specification and as directed by Engineer-in-charge. Note: The payment shall be made on the theoretical weight of main components and gusset plates only.  | MT    | 4.80    | 120587.99 | 578822.35 |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |        |   |            |       |         |           |
|----|--------|---|------------|-------|---------|-----------|
| 20 | 052030 | Supply and laying of quarry dust including consolidation, supply of all materials, labour, lead, lift, tools, plants, crossing of tracks as per drawing and technical specification as directed by the Engineer in charge in case loose slush is encountered at site of foundation before casting the foundation or laying the filtering media.   | cum        | 30.00 | 1321.25 | 39637.50  |
|    |        | Grouting of masonry/concrete by injection process duly Sealing of cracks, through nipples complete as per Technical Specification and procedure given in IRBM Para No 209 including necessary admixture. Payment shall be as per use of cement by weight in case of neat cement/cement mortar grouting and weight of Epoxy in case of Epoxy Grouting. (Cement will be paid extra).  |            |       |         |           |
| 21 | 052073 | Epoxy Grout   | Kg         | 60.00 | 1817.19 | 109031.40 |
| 22 | 052150 | Providing and laying of filter media consisting of granular materials of GW, GP, SW groups as per IS:1498 (latest) in required profile behind boulder filling of abutments, wing walls / return walls etc. above bed level with all labour and material complete job as per drawing and technical specification of RDSO Guidelines.   | cum        | 12.00 | 4229.27 | 50751.24  |
| 23 | 052240 | Supplying, spreading and filling coarse sand (no cohesive materials to be used) of approved quality including watering and ramming in foundation, behind the abutment, wing wall, retaining wall in layers not exceeding 150mm thick including its compaction as per direction of Engineer-in-charge. The rate includes all lead, lift, ascent, descent, crossing of Railway line etc. complete with contractor's labour, materials, tools and plant. | cum        | 2.50  | 2536.29 | 6340.73   |
| 24 | 052250 | Providing Boulder Backing behind wing wall, return wall, retaining wall with hand packed boulders & cobbles with smaller size boulders toward the back including all lead, lift, labour & other incidental charges as complete work in all respect. Payment for boulder/cobbles will be done extra.   | cum        | 12.00 | 411.68  | 4940.16   |
| 25 | 052260 | Dewatering of natural or accumulated water from any location. Payment to be done for Horse power of pump multiplied by pumping hours.   | HP<br>Hour | 60.00 | 97.07   | 5824.20   |
|    |        | Hiring of machinery for minor miscellaneous works for short duration including operator/driver, fuel, lubricants and consumable. The contractor shall arrange all statutory permits as required by rules and regulations prevailing in the area of work. Payment shall be made for actual working hours at site.  |            |       |         |           |
| 26 | 211201 | JCB Backhoe Loaders 3DX Plus or similar with minimum 1.10 cum bucket capacity   | Hour       | 50.00 | 846.09  | 42304.50  |
| 27 | 211203 | Tractor with Trolley for local transportation or other misc. works.   | Hour       | 60.00 | 599.84  | 35990.40  |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|                 |  |   |             |            |              |                   |
|-----------------|--|---|-------------|------------|--------------|-------------------|
| 28              | 211220   | Supplying and filling 50 kg size empty cement polythene bags with Rly. Ballast/moorum/earth/Sand/quarry dust etc. placing the filled bags on the high banks /bridge approaches/nominated place etc. dumping and spreading at the nominated locations to profile under block period with all contractor's labour, tools, plants, loading, unloading, filling, spreading including all lead/lift etc. complete and as directed by the Engineer in charge at site including crossing of track where necessary.   | Each        | 124.00     | 16.02        | 1986.48           |
|                 |  |   |             |            | <b>Total</b> | <b>7664349.79</b> |
| <b>Schedule</b> | Schedule C-NS Item of Precast PF Wall                                      |   |             |            |              |                   |
| <b>Item- 3</b>  | NS Item of Precast PF Wall   |   |             |            |              |                   |
| <b>S No.</b>    | <b>Item No</b>   | <b>Description of Item</b>  | <b>Unit</b> | <b>Qty</b> | <b>Rate</b>  | <b>Amount</b>     |
| 1               | 1  | NS/1 PProviding, hoisting, and fixing in position M-30 grade reinforced cement concrete as per the approved mix design in precast standard platform wall sections as per approved design of railway, including the cost of cement, centering, shuttering, finishing, and admixtures in the recommended proportions (as per IS 9103) to accelerate or retard setting, improve workability without compromising strength and durability, including all leads and lifts including crossing of tracks with the contractor's own materials, labor, and equipmentetc under running traffic or traffic block conditions if any, but excluding the cost of steel reinforcement, as per the approved plan and direction of the Engineer in charge. Note:- 1. Minimum Cement content should be 400 Kg/cum 2. Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra Cement. | cum         | 71.00      | 8580.76      | 609233.96         |
|                 |  |   |             |            | <b>Total</b> | <b>609233.96</b>  |
| <b>Schedule</b> | Schedule D- NS Item of Kota stone NS Item of Kota stone NS Kota Stone Item |   |             |            |              |                   |
| <b>Item- 4</b>  | NS Item of Kota stone  |   |             |            |              |                   |
| <b>S No.</b>    | <b>Item No</b>   | <b>Description of Item</b>  | <b>Unit</b> | <b>Qty</b> | <b>Rate</b>  | <b>Amount</b>     |
| 1               | 1  | Kota stone slab flooring of size up to 60x60cm over 20mm (average)thick base of 1:4 cement mortar (1cement: 4coarse sand) and jointed withgrey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. 40mm thick (Item No. 096074:USSOR 2011) 40mm thick   | Sqm         | 612.00     | 1209.94      | 740483.28         |
|                 |  |   |             |            | <b>Total</b> | <b>740483.28</b>  |

**4. ELIGIBILITY CONDITIONS**

**Standard Financial Criteria**

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|-------------|-----------------------|-----------------|---------------------|
|-------|-------------|-----------------------|-----------------|---------------------|

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |   |    |    |                     |
|-----|---|----|----|---------------------|
| 1   | Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees. N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. | No | No | Allowed (Mandatory) |
| 1.1 | The tenderer's shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet  | No | No | Not Allowed         |

**Special Technical Criteria**

| S.No. | Description  | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|--|-----------------------|-----------------|---------------------|
| 1     | Similar Nature of Work - Any Civil Engineering Work. | No                    | No              | Allowed (Mandatory) |
| 1.1   | Maintenance Period - 06 Months                       | No                    | No              | Allowed (Optional)  |

**Standard Technical Criteria**

| S.No. | Description   | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1     | The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii) One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. | No                    | No              | Allowed (Mandatory) |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|       |   |    |    |                     |
|-------|---|----|----|---------------------|
| 1.1   | b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component (s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. | No | No | Allowed (Optional)  |
| 1.1.1 | Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor (s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing  | No | No | Allowed (Mandatory) |
| 1.1.2 | Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organization, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.   | No | No | Allowed (Optional)  |

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

| S.No. | Description  |
|-------|--|
| 1     | I/we the tenderer (s) am/are signing this document after carefully reading the contents.   |
| 2     | I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.   |
| 3     | I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website <a href="http://www.ireps.gov.in">www.ireps.gov.in</a> . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us. |
| 4     | I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.   |
| 5     | I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.   |
| 6     | I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.   |
| 7     | I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.   |
| 8     | I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.   |



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |   |
|----|---|
| 9  | I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.  |
| 10 | I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed) |

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

| S.No. | Description   |
|-------|---|
| 1     | <b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer.<br>( <a href="#">Click here</a> to download the Format of Self Certification) |

**5. COMPLIANCE**

**Commercial-Compliance**

| S.No. | Description  | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|--|-----------------------|-----------------|---------------------|
| 1     | The payment towards earnest money (EMD) against the works tenders should be made as brought out in GCC April 2022, Para 5: (Bid Security) PART I Instructions to Tenderers (ITT) & Para 6 (a to d) of Tender Form (Second Sheet)   | No                    | No              | Not Allowed         |
| 1.1   | Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Startups' and Labour Cooperative Societies shall submit Registration Certificate issued by appropriate authority.  | No                    | No              | Allowed (Optional)  |
| 1.2   | The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period  | No                    | No              | Not Allowed         |
| 1.3   | In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:   | Yes                   | Yes             | Allowed (Optional)  |
| 1.3.1 | A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender.   | Yes                   | Yes             | Allowed (Optional)  |
| 1.3.2 | The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids). (Corrigendum: Para 5(3) ii Part I of GCC has been modified vide Advance Correction Slip No. 5 Railway Board's letter no. 2022/CE-I/CT/GCC-2022/Policy Dated 20.10.2023) | Yes                   | No              | Not Allowed         |
| 1.3.3 | Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid.   | Yes                   | Yes             | Not Allowed         |
| 1.3.4 | The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender.  | No                    | No              | Not Allowed         |
| 1.3.5 | The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, FAILING WHICH THE BID WILL BE REJECTED.   | No                    | No              | Not Allowed         |
| 1.3.6 | The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope.  | Yes                   | Yes             | Not Allowed         |
| 1.3.7 | The envelope shall be addressed to the officer and address as mentioned in the tender document.  | No                    | No              | Not Allowed         |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|       |  |     |     |                    |
|-------|--|-----|-----|--------------------|
| 2     | Submission of Tenders: Tenders should be submitted as brought out in GCC April 2022, Para 6: (Care in Submission of Tenders) PART I Instructions to Tenderers (ITT).   | No  | No  | Not Allowed        |
| 3     | The payment towards earnest money (EMD) against the works tenders should be made as brought out in GCC April 2022, Para 5: (Bid Security) PART I Instructions to Tenderers (ITT) & Para 6 (a to d) of Tender Form (Second Sheet)   | No  | No  | Not Allowed        |
| 3.1   | Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Startups' and Labour Cooperative Societies shall submit Registration Certificate issued by appropriate authority.  | No  | No  | Allowed (Optional) |
| 3.2   | The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period  | No  | No  | Not Allowed        |
| 3.3   | In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:   | Yes | Yes | Allowed (Optional) |
| 3.3.1 | A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender.   | Yes | Yes | Allowed (Optional) |
| 3.3.2 | The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids). (Corrigendum: Para 5(3) ii Part I of GCC has been modified vide Advance Correction Slip No. 5 Railway Board's letter no. 2022/CE-I/CT/GCC-2022/Policy Dated 20.10.2023) | Yes | No  | Not Allowed        |
| 3.3.3 | Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid.   | Yes | Yes | Not Allowed        |
| 3.3.4 | The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender.  | No  | No  | Not Allowed        |
| 3.3.5 | The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, FAILING WHICH THE BID WILL BE REJECTED.   | No  | No  | Not Allowed        |
| 3.3.6 | The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope.  | Yes | Yes | Not Allowed        |
| 3.3.7 | The envelope shall be addressed to the officer and address as mentioned in the tender document.  | No  | No  | Not Allowed        |
| 4     | Submission of Tenders: Tenders should be submitted as brought out in GCC April 2022, Para 6: (Care in Submission of Tenders) PART I Instructions to Tenderers (ITT).   | No  | No  | Not Allowed        |
| 5     | Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.  | No  | Yes | Allowed (Optional) |

**General Instructions**

| S.No. | Description   | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1     | Applicability of rules for this tender  | No                    | No              | Not Allowed         |
| 1.1   | Indian Railways Standard General Conditions of Contract updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. (GCC April 2022)                  | No                    | No              | Not Allowed         |
| 1.2   | Indian Railways Unified Standard Specification (IRUSS-2019) updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract | No                    | No              | Not Allowed         |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |   |    |    |             |
|-----|---|----|----|-------------|
| 1.3 | CPWD Specifications 2019 Vol I & II updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract   | No | No | Not Allowed |
| 1.4 | Indian Railways Unified Standard Specifications (Works and Material) 2010 updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract   | No | No | Not Allowed |
| 1.5 | IR Specifications/Guidelines updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents   | No | No | Not Allowed |
| 1.6 | Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents  | No | No | Not Allowed |
| 2   | In these Special Conditions of Contract the following terms shall have the meaning hereby assigned to them except where the context otherwise requires.   | No | No | Not Allowed |
| 2.1 | General Condition of Contract shall mean General Condition of Contract - April 2022 corrected up to date as contained in Western Railway, Engineering department, Indian Railways Unified Standard Schedule of Rates 2019 and Indian Railways Unified Standard Specification 2019 with up to date correction slip, And /OR CPWD Delhi schedule of rate 2019( DSR-Vol.-I and Vol.-2 ,DSR Horticulture and landscaping, specification ( Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable. | No | No | Not Allowed |
| 2.2 | Standard specification shall mean" Indian railway United standard specification ( Works and materials) Vol.-I &II) And /OR Indian Railway Unified standard schedule of rates (IR USSOR-2019) and specifications. with up to date correction slip And /OR CPWD Delhi schedule of rate 2019 (DSR-Vol.-I and Vol.-2, DSR- Horticulture and landscaping, specification (Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable.   | No | No | Not Allowed |
| 2.3 | Standard schedule Items/rates shall mean the Items/Rates in the Indian Railways Unified Standard Schedule of Rates 2019 and Indian Railways Unified Standard Specification 2019 with up to date correction slip, And /OR CPWD Delhi schedule of rate 2019( DSR-Vol.-I and Vol.-2 ,DSR Horticulture and landscaping, specification ( Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable  | No | No | Not Allowed |
| 3   | Where there is any conflict in conditions/Specifications contained in various parts, order of precedence will be as given below   | No | No | Not Allowed |
| 3.1 | Any foot note given by the Railway in the schedule of quantities and rates.   | No | No | Not Allowed |
| 3.2 | Description of item in the Schedule of Quantities and rates.  | No | No | Not Allowed |
| 3.3 | Special Specifications  | No | No | Not Allowed |
| 3.4 | Additional Special Conditions/of Contract.  | No | No | Not Allowed |
| 3.5 | Standard Specifications.  | No | No | Not Allowed |
| 3.6 | Special Conditions of Contract & General Conditions of Contract April 2022 corrected upto date  | No | No | Not Allowed |
| 4   | Stamp Duty is applicable as per Stamp Act with latest amendments as applicable in the State.  | No | No | Not Allowed |
| 5   | Rights of the Railway to deal with Tender: As per GCC April 2022, Para 7, 8 & 9 Tender Form (Second Sheet), PART I Instructions to Tenderers (ITT).   | No | No | Not Allowed |
| 5.1 | The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders.   | No | No | Not Allowed |
| 5.2 | If the tenderer(s) deliberately gives / give wrong information in his/their tender or creates/create circumstances for the acceptance of his/their tender, the Railway reserves the right to reject such tender at any stage.   | No | No | Not Allowed |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |   |    |    |             |
|-----|---|----|----|-------------|
| 5.3 | (iii)If any partner(s) of a partnership firm expires after the submission of its tender or after the acceptance of its tender, the Railway shall deem such tender as cancelled/contract as terminated under clause 61 of the Standard General Conditions of Contract, unless the firm retains its character as per partnership agreement. If a sole proprietor expires after the submission of tender or after the acceptance of tender, the Railway shall deem such tender as cancelled / contract as terminated under clause 61 of the Standard General Conditions of Contract.   | No | No | Not Allowed |
| 6   | Payment of Royalty Charges  | No | No | Not Allowed |
| 6.1 | All taxes, royalty charges, etc. of whatever nature in connection with the work including extraction and supply of rubble stone/stone ballast/sand/moorum earth or any other material used on the work shall have to be borne by the Contractor. The Contractor will be required to obtain a royalty clearance certificate from the concerned Revenue Authorities/Collector and produce the same to the Engineer after completion of the supply but before release of the final bill.   | No | No | Not Allowed |
| 6.2 | Royalties and Patent Rights: (a)The Contractor shall defray the cost of all royalties, fees and other payments in respect of patents, patent rights and licenses which may be payable to patentee, licensee or other person or corporation and shall obtain all necessary licenses. (b)The contractor shall indemnify, the Railway or any agent, servant or employee of the Railway against any action, claim or proceedings relating to infringement use of any patent or design any alleged patent or design rights and shall pay any royalties or other charges which may be payable in respect of any articles or materials or part thereof included in the contract. In the event of any claim being made or action being brought against the Railway or any agent, servant or employee of the Railway in respect of any such matters, as aforesaid, The contractor shall indemnify notified thereof. Provided that such indemnify shall not apply when such infringement has taken place in complying with the specific direction issued by the Railway but the contractor shall pay any royalties or other charges payable in respect of any such use. | No | No | Not Allowed |
| 6.3 | Final bills of Ballast supply contracts are to be passed on submission of Royalty Clearance Certificate by the contractor from the concerned Revenue Authorities/ Collectors.   | No | No | Not Allowed |
| 7   | SPECIAL CONDITION FOR TAX DEDUCTION   | No | No | Not Allowed |
| 7.1 | In respect of works, a deduction of 2% from each of the Contractor's bills shall be made in terms of section 194(C) of the Income Tax Act of 1961 & 1991 and as per instructions issued from time to time (Surcharge will also be deducted along with I. Tax as per extent rules).  | No | No | Not Allowed |
| 7.2 | The Railway will deduct sales tax if leviable in a particular state where the work is going on, the gross amount of each bill while making payment to the contractor(s). The recovery shall be governed as per the guide lines & rates prescribed by the concerned State Government.  | No | No | Not Allowed |
| 7.3 | Any Other taxes The Contractor shall bear in full all taxes and royalties levied by the State Government and/or Central Government from time to time. This would be entirely a matter between the contractor and State Government/or Central Government. Railway will recover the taxes and royalties through final bills if the contractor fails to pay the taxes and royalties to the Government.   | No | No | Not Allowed |
| 8   | DETAILS OF INSPECTION REGISTER AND RECORDS ARE TO MAINTAINED BY TENDERER ARE AS FOLLOWS:  | No | No | Not Allowed |
| 8.1 | The Contractor/s shall maintain accurate records, plans and charts showing the dates and progress of all main operations and the Engineer shall have access to this information at all reasonable times. Records of tests made shall be handed over to the Engineer/s representative after carrying out the tests. The following registers will be maintained at site by the Contractor/s.  | No | No | Not Allowed |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |  |    |    |             |
|-----|--|----|----|-------------|
| 8.2 | Site Order Register: The Contractor/s shall promptly acknowledge by putting his signature in the site order against any order given therein by the Engineer or his representative or his superior officers and comply with them. The Compliance shall be reported by the Contractor/s to the Engineer in good time so that it can be checked.  | No | No | Not Allowed |
| 8.3 | Labour Register: This register will be maintained to show daily strength of labour in different categories employed by the Contractor/s.   | No | No | Not Allowed |
| 8.4 | LOG book of events: All events are required to be chronologically logged in this book shift wise and date wise.  | No | No | Not Allowed |
| 8.5 | Cement & steel registers shall be maintained by the contractor.  | No | No | Not Allowed |
| 9   | DISASTER MANAGEMENT "All the available vehicles and equipment's of the contractor can be drafted by the Railway Administration in case of accidents/ natural calamities involving human lives. The payment for such drafting shall be made according to the rates as shall be fixed by the Engineer. However, if the contractor is not satisfied with the decision of the Engineer in this respect he may appeal to the Chief Engineer within 30 Days of getting the decision of the Engineer, supported by analysis of the rates claimed. The Chief Engineer's decision after hearing both the parties in the matter would be final and binding on the contractor and the Railway".   | No | No | Not Allowed |
| 10  | EMERGENCY WORK In the event of any accident or failure occurring in the execution of work/ arising out of it which in the opinion of the Engineer requires immediate attention, the Railway may bring its own workmen or other agency/agencies to execute or partly execute the necessary work or carry out repairs if the Engineer-in-charge considers that the contractor(s) is/are not in a position to do so in time without giving any notice and charge the cost thereof, to be determined by the Engineer-in-charge, to the contractor.   | No | No | Not Allowed |
| 11  | DAMAGE BY ACCIDENT/ FLOOD/ TIDES OR NATURAL CALAMITIES The Contractor shall take all precautions against damages from accidents, floods tides or other natural occurrences. He shall not be entitled to any compensation for his tools, plants, materials, machines and other equipment lost or damaged by any cause whatsoever. The Contractor shall be liable to make good the damage to any structure or part of a structure, plant or material of every description belonging to the Railway covered under the Contract, lost or damaged by him due to any cause during the course of execution of work. The Railway Administration will not be liable to pay the contractor any charge for rectification or repair to any damage which may have occurred from any cause what so ever. | No | No | Not Allowed |
| 12  | INCLUSION OF LETTER OF CREDIT AS MODE OF PAYMENT For all the tenders having advertised cost of Rs 10 lakh or above, the contractor shall have the option to take payment from Railways through a letter of credit(LC)arrangement. (Railway Board's letter no. 2018/CE-I/CT/9 dated 04.06.2018)   | No | No | Not Allowed |
| 13  | CHANGE IN ADDRESS: Any change in the address of the contractor shall be forthwith intimated in writing to the Railway. The Railway will not be responsible for any loss/ inconvenience suffered by the Contractor on account of his failure to comply with this.   | No | No | Not Allowed |
| 14  | Performance Guarantee As per ACS-11 dtd 13.03.2026 Para 16(4)(h) Introduced to GCC Apr2022 is as under Para 16(4)(h) If a tender is accepted on the quoted rates of bidder which is below the advertised tender value, an additional performance security shall be submitted by bidder as below - Bid quoted Below 0 to 5 % (inclusive) of advertised cost - Additional Performance Guarantee (%) = NIL Bid quoted Below 5 % - of advertised cost - Additional Performance Guarantee (%) = 5%  | No | No | Not Allowed |

**Special Conditions**

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|-------------|-----------------------|-----------------|---------------------|
|-------|-------------|-----------------------|-----------------|---------------------|

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |  |    |    |             |
|-----|--|----|----|-------------|
| 1   | Security Deposit: (As per Clause No. 16.(1), 16.(2) (i), 16. (2) (ii), 16.(3) Part-II of GCC April 2022)   | No | No | Not Allowed |
| 1.1 | The Security Deposit against the contract shall be released only after the contractor has submitted the final PVC bill wherever applicable. (PCE/CCG letter no. W.118/0 Vol. II (W6) dated 14.06.2019)   | No | No | Not Allowed |
| 2   | Performance Guarantee (As per Clause No. 16.4 (a to g) Part-II of GCC April 2022)  | No | No | Not Allowed |
| 2.1 | The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22nd day after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work. | No | No | Not Allowed |
| 3   | Force Majeure Clause & Extension of Time in Contracts (As per Clause No. 17, 17(A) (i to iii), 17B Part-II of GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).   | No | No | Not Allowed |
| 4   | VARIATIONS IN EXTENT OF CONTRACT (As per Clause No. 41, 42(1), 42(2) (i to v), 42(3),17B Part-II of GCC April 2022)  | No | No | Not Allowed |
| 4.1 | Vitiation: The aspect of Vitiation if any, shall be governed as per Railway Board's Transformation Cell Letter no 2017/Trans 01/policy dated 08.02.2018.   | No | No | Not Allowed |
| 4.2 | In zonal contracts, the variation in the contract should not exceed 25% of the contract value.   | No | No | Not Allowed |
| 5   | APPLICABILITY OF PRICE VARIATION CLAUSE (AS PER Para 46A, Part-II of GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).  | No | No | Not Allowed |
| 5.1 | Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores. Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustments (i.e. shall be excluded from the gross value of the work for the purpose of price variation) : a)Materials supplied by Railway to the Contractors, either free or at fixed rate; b)Any extra item(s) included in subsequent variation falling outside the purview of the Bill(s) of Quantities of tender, under clause 39. (1)(b) of these Standard General Conditions, unless applicability of PVC and 'Base Month' has been specially agreed, while fixing the rates of such extra item(s). (Para 46A.1 GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).   | No | No | Not Allowed |
| 5.2 | The Price Variation Clause (PVC) of General Conditions of Contract (GCC) shall not apply to such a works contract which is either an Annual Maintenance Contract (AMC) or a Zonal Contract. (Railway Board's letter No. 2013/CE-I/CT/O/10/PVC/Pt.1. dtd. 27.01.2015).  | No | No | Not Allowed |
| 6   | Provisions of Contract Labour (Regulation and Abolition) Act, 1970 (Shramik Kalyan) (As per Clause no. 54, 54-A, 55-A (1 to 5), 55-B, 55-C & 55-D, 56, 57, 57-A, 58, 59(01 to 09) & 60(01 to 04) (Part-II of GCC April 2022)   | No | No | Not Allowed |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |   |    |    |             |
|-----|---|----|----|-------------|
| 7   | Provision of Efficient and Competent Staff at Work Sites by the contractor. (Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)   | No | No | Not Allowed |
| 7.1 | In terms of provisions of Clause 26 A to the General Conditions of Contract (GCC), Contractor shall also employ following qualified Engineers during execution of the allotted work. (a) One Qualified Graduate Engineer when cost of work to be executed is Rs. 200 lakh and above, and (b) One Qualified Diploma Holder Engineer when cost of work to be executed is more than Rs. 25 lakh, but less than Rs. 200 lakh. (Railway Board's letter No. 2012/CE-I/CT/O/20 dtd. 10.05.2013)  | No | No | Not Allowed |
| 7.2 | Further, in case the contractor fails to employ the Qualified Engineer, as aforesaid in Para (a) & (b) above, he, in terms of provisions of Clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs. 40,000 and Rs. 25,000 for each month or part thereof for the default period for the provisions, as contained in Para A(a) and A(b) above respectively. (Railway Board's letter No. 2012/CE-I/CT/O/20 dtd. 10.05.2013)   | No | No | Not Allowed |
| 7.3 | Provision for deployment of Qualified Engineers (Graduate Engineer or Diploma Holder Engineer) shall be for the values as prescribed above. However, for the works contract tenders, if it is considered appropriate by the tender inviting authority, not to have the services of qualified engineer, the same shall be so mentioned in the tender documents by the concerned Executive with the approval of Officer not below the level of SAG Officer, for reasons to be recorded in writing. (Railway Board's letter No. 2012/CE-I/CT/O/20 dtd. 10.05.2013)   | No | No | Not Allowed |
| 7.4 | As per para 26 A.3 No. of qualified Engineers required to be deployed by the Contractor for various activities contained in the works contract shall be specified in the tender documents as 'Special Condition of Contract' by the tender inviting authority." (Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)   | No | No | Not Allowed |
| 7.5 | In terms of Railway Board's letter No.; 2012/CE-I/CT/O/20 dated 12.07.13 it has also been decided that for Track related contractual works of values, as specified in Railway Board's letter No. 2012/CE-I/CT/O/20 dated 10.05.13, Individual having Diploma in Railway Engineering awarded by IPWE (India) shall also be considered as qualified Diploma Holder Engineers and contractors for Track contract works can employ such Individuals at their work site on Indian Railways   | No | No | Not Allowed |
| 8   | Observance of Bonded Labour System (Abolition Ordinance Act, 1975): The "Bonded Labour System (Abolition Ordinance, 1975)" would apply to the present contract. The contractors shall duly observe the provisions thereof   | No | No | Not Allowed |
| 9   | CHILD LABOUR (PROHIBITION AND REGULATION) ACT- 1986. The employment of any person less than fifteen years (15 years) of age shall be prohibited from Railway's works. The contractor shall be responsible for confirming to the provisions of the act and Railway shall stand indemnified from and against any claims/penalty under the aforesaid act.  | No | No | Not Allowed |
| 10  | Provisions of "The building and other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and "The Building and other Construction Workers Welfare Cess Act, 1996" in Railway Contracts. The tenderer for carrying out any construction work in Gujarat State, must get themselves registered from the Registering Officer under section-7 of the Building and Other Construction Workers Act, 1996 and rules made thereto by the Gujarat Govt. and submit certificate of Registration issued from the Registering Officer of the Gujarat Govt. (Labour Department). As per this Act, the tenderer shall be levied a cess @ 1 % of cost of Construction work which would be deducted from each bill. (Railway Board letter no. 2008/CE-I/CT/6 dated 09.07.2008 and 2008/CE-I/CT/6 dated 29.11.2013) | No | No | Not Allowed |
| 11  | SETTLEMENT OF DISPUTES - INDIAN RAILWAY ARBITRATION AND CONCILIATION RULES (Para 63 & 64, Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)  | No | No | Not Allowed |



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|      |  |    |    |             |
|------|--|----|----|-------------|
| 11.1 | Jurisdiction of courts in arbitration cases/suits arising out of Contract agreements: If any dispute arises between the parties with respect to this agreement, any application or suit shall be instituted only in the court with the local limits of whose jurisdiction, the Western Railway's Divisional Headquarters Office is situated and both the parties shall be bound by the clause. (CE-Circular No. 11/ HQ Office letter No. W/623/5/ARB/1 dt. 18.04.2000)   | No | No | Not Allowed |
| 12   | Guideline for the Maintenance of Works (Para 47, Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)  | No | No | Not Allowed |
| 12.1 | The tenderer/s shall be required to maintain the work effectively for a period of Six (06) months and /or as mentioned in special condition  | No | No | Not Allowed |
| 12.2 | However, for a zonal work, the maintenance period shall be as a) Repair and maintenance work including white/color washing: three calendar months from date of completion. b) All new works except earth work: Six calendar months from date of completion. (As per Annexure-III, PART I Instructions to Tenderers (ITT))  | No | No | Not Allowed |
| 12.3 | To cover up monsoon period, the maintenance period will be extended in cases when required and contractor shall remain responsible for maintenance for this extended period also. The contractor shall make good and remedy at his own expense within such period as may be stipulated by the Engineer, any defect which may develop or may be before the expiry of this period and intimation of which has been sent to the contractor within seven days of the expiry of the said period by a letter, sent by hand delivery or by registered post. In case the contractor fails to make adequate arrangements to rectify the defects within seven days of the receipt of such notices, the Engineer without further notice may make his own arrangement to rectify the defects and the cost of such rectification shall be recovered from the Security Deposit of the contractor or from any other money due to the contractor under this or any other contract.   | No | No | Not Allowed |
| 13   | Offloading of Part(s) of Work At the final stage of completion/ commissioning of work, in case the contractor fails to complete the final part(s) of the work and the value of such part(s) of the work is limited to 5% of the original contract value, the Engineer may allow/decide for offloading of such part(s) of works, either after the Contractor's request in writing to do so or after serving a 14 (Fourteen) days suo-moto notice (as per annexure- VIIA), if the Engineer is of the opinion that :- (i)Such Offloading of works (up to 5% of original contract value) would enable successful completion of contract/work, (ii)Termination/ Part termination of the contract at this stage is not be in the interest of the Railway/work;, and (iii)The anticipated additional cost for execution of such works through other mode would not be substantial and can be recovered from the pending dues of the contractor; The Contractor shall be informed, in due course, by the Engineer of the mode and cost of execution of such offloaded work through other agency(ies) (as per annexure-VIIB). The extra expenditure so incurred in execution of the offloaded work, shall be recovered from subsequent Bill(s) or any other dues of the Contractor, but not exceeding the value of Performance Guarantee available in the contract. There shall be no other repercussion of such offloading on execution of the balance contract. The Contractor shall have no claim on account of above mentioned offloading of works. (As per Clause No. 40(A) Part-II of GCC April 2022) | No | No | Not Allowed |

**Technical-Compliances**

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|-------------|-----------------------|-----------------|---------------------|
|-------|-------------|-----------------------|-----------------|---------------------|

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|     |  |     |     |                     |
|-----|--|-----|-----|---------------------|
| 1   | Material invoices submitted by agencies: The original invoice of material should be obtained to ensure traceability & usage for each and every material component (e.g. steel, cement etc.)". Details such as agency, name of project, site location shall be noted on the invoices. (Ref. letter no. WR-HQENGG(WWTC)/2/2021/E-426740 Date:29.01.2024 and 08.02.2024)  | No  | No  | Not Allowed         |
| 2   | Tenderer Credentials: Documents testifying tenderer previous experience and financial status should be produced along with the tender as brought out in GCC April 2022, Para 11 Tender Form (Second Sheet), PART I Instructions to Tenderers (ITT).  | No  | No  | Allowed (Optional)  |
| 2.1 | Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past, Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past, the list of personnel /organization on hand and proposed to be engaged for the tendered work, list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work and copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual in Standard format to be submitted as per Annexure attached.   | No  | No  | Not Allowed         |
| 2.2 | Evaluation of Tender : There will be no post tender correspondence. Tender will be decided based on document submitted by tenderer along with the tender. Tenderer shall submit adequate documentary proof of having fulfilled the eligibility criteria. There will be no back reference to confirm credentials, except for the purpose of verifying the certificates submitted along with the tender. If the tenderer do not submit any proof of meeting with eligibility criteria as laid down in the NIT and tender conditions, offer shall be treated as incomplete and shall be summarily rejected. (PCE CCG's letter no. W/118/0 (Policy)(L)(W6) dated 28.11.14 & 29.06.2016)  | Yes | Yes | Not Allowed         |
| 3   | Multiple L-1 In case of more than one L-1 bidders, tender may be awarded to tenderer having higher Bid Capacity. In case Bid Capacity is also the same, tenderer having done more value of similar work in last three previous financial years and the current financial year upto the date of opening of the tender, may be selected for the award. (Railway Board's letter no. 2017/Trans/01 /Policy dated: 08.02.2018)  | Yes | Yes | Not Allowed         |
| 4   | Tenderers should submit their offer strictly in accordance with the terms and conditions of the tender document. Tenderer should not quote any deviation from the tender document and should not quote any conditions. Nevertheless, as an exception, if any unavoidable deviations or conditions are quoted by the tenderers, financial impact of each of such conditions / deviations on their quoted unit rates, in terms of Rupees per unit rate, shall be clearly mentioned by the tenderer in the tender offer. If any of the deviation / condition has no financial impact on the quoted rates, in such cases also, the tenderer must clearly mention its financial impact as 'NIL'. This is required for proper financial evaluation of such conditional / deviated offers. Conditional offers /offers with deviations, without quantified financial impact of each of the condition /deviation on the quoted rates, shall be considered as "incomplete" and shall be summarily rejected'. (In terms of CE (Works) CCG's Letter No. W.118/0/3/S.I (W6) dt. 27.06.16) | Yes | Yes | Not Allowed         |
| 5   | Assignment or Subletting of Contract: As per Clause No. 7 Part-II of GCC April 2022)   | No  | No  | Not Allowed         |
| 6   | Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement. (As per Para 59. (9) of GCC Part-II April-2022)   | No  | No  | Allowed (Mandatory) |
| 6.1 | Certificate of Information regarding Employment/Partnership etc. of Retired Railway Employees with the tenderer as per the attached Performa.  | Yes | Yes | Not Allowed         |
| 6.2 | Certificate of NO Relative being an employee of Western Railway as per attached Performa.  | No  | No  | Allowed (Mandatory) |

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 44-2026-27

**Closing Date/Time:** 02/07/2026 15:00

|    |  |     |     |                     |
|----|--|-----|-----|---------------------|
| 7  | Partnership Firms in works tenders As per Para No. 18 (18.1 to 18.11) of Tender Form (Second Sheet) Part-1 of GCC April-2022   | Yes | Yes | Allowed (Optional)  |
| 8  | The tenderer should upload the scan copy of EPFO and ESI registration number. However EPFO and ESI registration would be mandatory and documents towards EPFO and ESI registration must be submitted before execution of the agreement.  | No  | No  | Allowed (Optional)  |
| 9  | The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be Note: For more details go through the GCC April 2022 | No  | No  | Allowed (Mandatory) |
| 10 | BID CAPACITY: For tenders having advertised value more than Rs 10 crore, Bid Capacity as per ANNEXURE - VI is required to be submitted. In case, the tenderer/s failed to submit the above statement along with offer, their/his offer shall be considered as incomplete and will be rejected summarily. (Reference - ANNEXURE - VI of GCC PART I Instructions to Tenderers and Para 10.3 & 17.15.3 of Tender Form (Second Sheet) of Annexure I of ITT. (Ref: GCC 2022 ACS 11. Railway Board letter no. 2022[CE-UCTIGCC-2022[POLICY/Pt.I (E-3320424) dated 13.03.2026)   | No  | No  | Allowed (Mandatory) |

**Undertakings**

| S.No. | Description  | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|--|-----------------------|-----------------|---------------------|
| 1     | I/We have read all the various condition to tender attached and also here by agree to abide by the general condition of contract and to carry out the work according to the special conditions of contract and specifications of materials and work as laid down by Railway. | No                    | No              | Not Allowed         |
| 2     | I/ We have visited the works site and I / We am / are aware of the site conditions.  | No                    | No              | Not Allowed         |

**6. Documents attached with tender**

| S.No. | Document Name                                     | Document Description              |
|-------|---|-----------------------------------|
| 1     | GCCApril2022withallcorrectionslipsupto11.pdf      | GCC April 2022 Updated            |
| 2     | 1SpecialConditionsofJLRNUD.pdf                    | Special Condition                 |
| 3     | 6PCECircular88forQualityofWorks.pdf               | PCE Circular 88                   |
| 4     | 5JointProcedurefordiggingwork.pdf                 | Joint Procedure for digging work  |
| 5     | 4RBCircularforDiggingwork.pdf                     | RB circular for Digging work      |
| 6     | 3SafetyInstructionsatWorkSitesdated09-02-2026.pdf | Safety Instructions at Work Sites |
| 7     | 2SafetyatWorkSiteLatest18-07-2025.pdf             | Safety at Work Site Latest        |

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** SHAILESHKUMAR CHHOTALAL MODI

**Designation :** Sr.DEN - C