

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

**CE/CON/RSP-III/KKK** acting for and on behalf of The President of India invites E-Tenders against Tender No **1-GSU-MLDT-26-27** Closing Date/Time 13/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Open e-tender for the work of "Provision of Improvement of the Surface of existing Island Platform Nos. (4-5) & (6-7) including sitting benches,water booths and platform Toilets for Upgradation of stations at Malda station Eastern Railway".		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	13/07/2026 15:00	<b>Date Time Of Uploading Tender</b>	23/06/2026 19:17
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	27953822.46	<b>Tendering Section</b>	GS
<b>Bidding Style</b>	Single Rate for Each Schedule	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	559100.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	8 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	29/06/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () B1-Schedule Items</b>							27800823.46	Above/ Below/Par
1	Please see Item Breakup for details.				33096218.40	(-) 16.00	27800823.46	
	<b>Description:-</b> Schedule Items (DSR-2023)							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () B2-Schedule Items</b>							152999.00	Above/ Below/Par
2	Please see Item Breakup for details.				152999.00	AT Par	152999.00	
	<b>Description:-</b> Schedule Items (USSOR-2021)							

**3. ITEM BREAKUP**

Schedule	Schedule B1-Schedule Items					
Item- 1	Schedule Items (DSR-2023)					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	1.0	CARRIAGE OF MATERIALS				
	1.2	By Manual Labour including loading, unloading and stacking for lead less than 0.50 KM				
	1.2.1	Lime, moorum, building rubbish				
1	1.2.1.1	Cost of carriage including loading, unloading & stacking for first 50 metres	cum	750	227.18	170385

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

2	1.2.1.2	Every additional lead of 50m or part thereof beyond 1st 50 m upto 9 such additional lead	cum-lead	750	49.47	37102.5
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
3	4.1.2	1:1 1/2:3 (1 Cement: 1 1/2 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	250	8340.85	2085212.5
4	4.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	25	7878.5	196962.5
	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
5	4.2.2	1:1 1/2:3 (1 cement : 1 1/2 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	35	10357.55	362514.25
	4.14S	MISCELLANEOUS				
	4.20	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete.				
	4.20.1	All works upto plinth level :				
6	4.20.1.3	Concrete of M20 grade with minimum cement content of 270 kg /cum	cum	25	9212.6	230315
7	4.20.1.4	Concrete of M25 grade with minimum cement content of 300 kg /cum	cum	10	9439.05	94390.5
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.1S	CAST IN SITU				
	5.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				
8	5.1.2	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	500	9045.75	4522875
	5.12S	PRE-CAST RCC				

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

9	5.12	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	15	10585.9	158788.5
	5.19S	ENCASING ROLLED STEEL SECTION				
10	5.21	Extra for providing and fixing expanded metal mesh of size 20x60 mm and strands 3.25 mm wide 1.6 mm thick weighing 3.64 kg per sqm for encasing of rolled steel sections in beams, columns and grillages, excluding cost of hangers.	Sqm	20	485.05	9701
	5.22S	STEEL REINFORCEMENT				
	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
11	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	2500	107.85	269625
	5.33S	DESIGN MIX CONCRETE				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.:				
	5.33.1	All works upto plinth level				
12	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	10	9504.75	95047.5
13	5.35	Add for using extra cement in the items of design mix over and above the specified cement content therein.	Quintal	20	733.5	14670
	6.0	MASONRY WORK				
	6.1S	General				
	6.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
14	6.1.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	cum	9	7370.65	66335.85
	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
15	6.4.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	cum	15	9344.35	140165.25
	6.12S	HALF BRICK MASONRY				
	6.12	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in :				
16	6.12.2	cement mortar 1:4 (1 cement : 4 coarse sand)	Sqm	50	905.05	45252.5

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
17	6.13.2	Cement mortar 1:4 (1 cement :4 coarse sand)	Sqm	25	1123.8	28095
18	6.15	Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick masonry.	Sqm	25	104.8	2620
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.1	Raj Nagar Plain white marble/ Udaipur green marble/ Zebra black marble				
19	8.2.1.1	Area of slab upto 0.50 sqm	Sqm	25	3414.8	85370
20	8.2.1.2	Area of slab over 0.50 sqm	Sqm	25	3078.4	76960
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
21	8.2.2.1	Area of slab upto 0.50 sqm	Sqm	50	5413.5	270675
22	8.2.2.2	Area of slab over 0.50 sqm	Sqm	50	5136.3	256815
	8.2.3	Granite stone slab all colour and texture except black, Cherry/Ruby red				
23	8.2.3.1	Area of slab upto 0.50 sqm	Sqm	120	4170.7	500484
24	8.2.3.2	Area of slab over 0.50 sqm	Sqm	120	3848.7	461844
	8.3	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
25	8.3.1	Marble work	Metre	50	298.6	14930
26	8.3.2	Granite work	Metre	50	510.95	25547.5
	8.9	Stone tile (polished) work for wall lining over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and cement slurry @ 3.3 kg/sqm including pointing in white cement complete.				
	8.9.1	8 mm thick				
27	8.9.1.1	Raj nagar plain white marble/ Udaipur green marble/ Zebra black marble	Sqm	55	3190.3	175466.5
28	8.9.1.2	Granite of any colour and shade	Sqm	95	3617.55	343667.25
	8.10	Providing and fixing stone slab with table rubbed, edges rounded and polished, of size 75x50 cm deep and 1.8 cm thick, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.				
29	8.10.2	Granite Stone of approved shade	Sqm	10	4051.85	40518.5
	8.20S	STONE WORK DRY CLADDING				

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

30	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	150	1267.95	190192.5
	9.0	WOOD AND P.V.C. WORK				
	9.1S	FRAMES AND TRUSSES				
	9.7	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick :				
	9.7.7	Float glass panes				
31	9.7.7.1	4 mm thick glass pane (weight not less than 10kg/sqm).	Sqm	15	2241.8	33627
	9.40S	MISCELLANEOUS-WOOD WORK				
	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
32	9.48.2	Fixed to openings /wooden frames with rawl plugs screws etc.	Kg	250	238.35	59587.5
	9.105S	GYPSUM BOARD PARTITIONS				
33	9.121	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2 mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	Metre	75	570.95	42821.25
	9.122	Providing and fixing to existing door frames.				
34	9.122.1	30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	Sqm	60	3720.75	223245

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

	9.147	Providing and fixing factory made uPVC glazed/wire mesh windows/ doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.				
	9.147.C2	Fixed window / ventilator with mullion / transom				
35	9.147.C2.1	Using R1 series with frame (33mm & above ) x (35mm & above) & mullion (33mm & above) x (50mm & above). (Height upto 0.90 meter)	Sqm	15	9155.2	137328
	10.0	STEEL WORK				
	10.1S	General				
	10.5	Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				
36	10.5.2	Using flats 30x6 mm for diagonal braces and central cross piece	Sqm	20	5563.75	111275
37	10.28	Providing and fixing stainless steel ( Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, including fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	Kg	350	772.4	270340

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

	11.0	<b>FLOORING</b>				
	11.16S	<b>TILE FLOORING</b>				
	11.20	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand).				
38	11.20.2	Medium shade pigment using 50% white cement 50% Grey cement	Sqm	1400	1328.35	1859690
39	11.20.3	Dark shade pigment using ordinary cement	Sqm	2000	1119.5	2239000
	11.26S	<b>KOTA STONE FLOORING</b>				
	11.26	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
40	11.26.1	25 mm thick	Sqm	450	1948.25	876712.5
41	11.27	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	Sqm	75	2354.7	176602.5
	11.37S	<b>CERAMIC GLAZED TILES</b>				
42	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	Sqm	30	1096.55	32896.5
43	11.37A	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	Sqm	120	1112.7	133524
	11.41S	<b>VITRIFIED FLOOR TILES</b>				



**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

	11.41A	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.				
	11.41A.3	Glazed Vitrified tiles Matt/Antiskid finish of size				
44	11.41A.3.1	Size of Tile 600 x 600 mm	Sqm	65	1464.85	95215.25
	11.55	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge :				
45	11.55.1	Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	Sqm	2800	3186.7	8922760
	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
46	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	800	4481.3	3585040
47	11.56.2	Polished Granite stone slab of all colour and texture except Black, Cherry/Ruby Red	Sqm	200	3071.05	614210
	12.0	<b>ROOFING</b>				
	12.37S	<b>RAIN WATER SPOUT AND PIPE</b>				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
48	12.41.2	110 mm diameter	Metre	150	377.4	56610
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.3	Single tee with door				



**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

49	12.42.3.2	110x110x110 mm	Each	20	234.15	4683
	12.42.5	Bend 87.5 degree				
50	12.42.5.2	110 mm bend	Each	50	150.35	7517.5
	13.0	FINISHING				
	13.4S	CEMENT PLASTER (IN COARSE SAND)				
	13.4	12 mm cement plaster of mix :				
51	13.4.1	1:4 (1 cement: 4 coarse sand)	Sqm	50	357.35	17867.5
	13.16S	6 mm CEMENT PLASTER				
	13.16	6 mm cement plaster of mix :				
52	13.16.1	1:3 (1 cement : 3 fine sand)	Sqm	15	300.45	4506.75
	13.37S	INTERIOR FINISHING				
	13.41	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour :				
53	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	Sqm	150	185.65	27847.5
	13.44S	EXTERIOR FINISHING				
	13.44	Finishing walls with water proofing cement paint of required shade :				
54	13.44.1	New work (Two or more coats applied @ 3.84 kg/10 sqm)	Sqm	1500	116.9	175350
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
55	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	220	2434.25	535535
56	15.3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	cum	15	3551.25	53268.75
	15.7	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
57	15.7.4	In cement mortar	cum	25	2060.2	51505
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
58	15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	2200	73.4	161480
	15.44	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge :				
59	15.44.1	15 mm to 40 mm nominal bore	Metre	50	149.8	7490
	16.0	ROAD WORK				
	16.49S	MISCELLANEOUS				

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

60	16.90	Providing and laying tactile tile (for vision impaired persons as per standards) of size 300x300x9.8mm having with water absorption less than 0.5% and conforming to IS:15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.	Sqm	700	2017.6	1412320
	17.0	<b>SANITARY INSTALLATIONS</b>				
	17.1S	<b>General</b>				
	17.5	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required :				
61	17.5.1	Single half stall urinal with 5 litre P.V.C. automatic flushing cistern	Each	5	12071.75	60358.75
	17.6	Providing and fixing one piece construction white vitreous china squatting plate with an integral longitudinal flushing pipe, white P.V.C. automatic flushing cistern, with fittings, standard size G.I. / PVC flush pipe for back and front flush with standard spreader pipes with fittings, G.I clamps and C.P. brass coupling complete, including painting of fittings and cutting and making good the walls and floors etc. wherever required :				
62	17.6.1	Single squatting plate with 5 litre P.V.C. automatic flushing cistern	Each	5	9256.45	46282.25
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
63	17.7.4	White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	Each	5	1879.2	9396
64	17.8	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	Each	5	1683.35	8416.75
	17.13	<b>Providing and fixing white vitreous china water closet squatting pan (Indian type) :</b>				
65	17.13.2	Orissa pattern W.C. pan of size 580x440 mm	Each	5	3169.05	15845.25
66	17.15	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	Each	5	2784.95	13924.75
	17.18	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.				
67	17.18.1	10 litre capacity - White	Each	10	1190.65	11906.5
	17.28	<b>Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.</b>				
	17.28.2	<b>Flexible pipe</b>				

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

68	17.28.2.1	32 mm dia	Each	5	119.55	597.75
	18.0	WATER SUPPLY				
	18.75	C.P.V.C. PIPES				
	18.10	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. ( Internal work - Exposed on wall )				
69	18.10.1	15 mm dia nominal bore	Metre	15	366.4	5496
70	18.10.2	20 mm dia nominal bore	Metre	12	437.3	5247.6
71	18.10.3	25 mm dia nominal bore	Metre	12	551.7	6620.4
72	18.10.5	40 mm dia nominal bore	Metre	12	811.9	9742.8
					<b>Total</b>	<b>33096218.40</b>
<b>Schedule</b>	Schedule B2-Schedule Items					
<b>Item- 2</b>	Schedule Items (USSOR-2021)					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
1	031210	Supplying and laying 160mm dia. PVC Pipes Class-I, capable for a pressure of 2.5 kg/sqm in footpath of ROB for laying cable with all contractor's materials labour, tools, plant, machinery, vehicles, consumables, lead, lift etc. complete as per specifications and as directed by Engineer in-charge.	Metre	275.00	556.36	152999.00
					<b>Total</b>	<b>152999.00</b>

**4. ELIGIBILITY CONDITIONS**

**Special Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N crores or V, whichever is lower; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of total contractual payments in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

**Special Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Similar nature of work for this tender is "Any Civil Engineering work consisting of PCC or RCC or Brick work etc".	No	No	Allowed (Mandatory)

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

2	<p>2.The tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender. In case of composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&amp;T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender. Note: Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. Note: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by Public listed company having average annual turnover of Rs.500.0 Crores and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by Public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates, for all payments received and copy of final/last bill paid by company in support of above work experience certificate. And If a bidder has successfully completed a work as subcontractor and the work experience certificate has been issued for such work to subcontractor by a Govt. organisation or public listed company as defined in Note for Item 10.1 part-I of GCC, the same shall be considered for the purpose of fulfillment of credentials. (Authority: Railway Board's letter no. No. 2020/CE- UCT/3E/GCC/Policy, Dtd.30.12.2021).</p>	No	No	Allowed (Mandatory)
---	---	----	----	------------------------

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website <a href="http://www.ireps.gov.in">www.ireps.gov.in</a> . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

## 5. COMPLIANCE

### Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	A . Documents to be uploaded only in the website by the Tenderer Following Annexures duly filled and signed are to be uploaded online only prior to Closing of Tender. Original copy of all the documents to be submitted to office within 7 days whenever demanded by the Railway. Annexures are available at Upload/View Document menu in Home Page of IREPS portal for works tender. 1 . The details of the works completed by the tenderer during the last three years to be filled in Annexure-I. 2. The details of Plants and Machinery with the tenderer to be filled in Annexure- II. 3. Details of Personnel and Organization of the Tenderer to be filled in Annexure-III. 4 . Details of Works presently on hand of the Tenderer to be filled in Annexure- IV. 5. The details regarding Association of Railway Officer s with the tenderer to be filled in Annexure- V. 6. List of the Arbitration cases of the Tenderer during last Five years to be filled in Annexure-VI. 7 . List of the Court cases of the Tenderer during last Five years to be filled in Annexure- VII. 8. NEFT MANDATE FORM. All Payments to the agency including the refund of the Earnest Money of the unsuccessful bidder preferably will be remitted through NEFT. The Tenderer is required to submit Bank details and A/C No. etc. in Annexure-VIII.	No	No	Not Allowed

### Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Demand for the Financial Criteria, Association of Railway Officers, List of Arbitration cases, Court cases and Mandate for NEFT are to be uploaded with a scanned copy duly filled in and signed as per annexure no. IV, V, VI, VII, VIII, IX, XI. Annexure-V, V(A), VI, VI A & VI B of GCC-2022 respectively. These Annexure are available in View Document menu at Home page and is downloadable. The details of the uploaded documents should be produced whenever demanded for verification on written request at any point of time of the tender and contract within 7 days. Otherwise, Railway reserves rights to Reject/Accept such tender/offer without any reference to the tenderer/tenderers.	No	No	Allowed (Mandatory)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

### General Instructions

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Tenderers are requested to go through the following documents which are available in upload/View Documents in Home page of IREPS portal for works tenders before submitting the e-tender. 1. General Instruction for E-Tenders on works contract--Chapter- I 2. Special Condition-General- Chapter-II	No	No	Not Allowed
2	Opening of e-tender: The e-tenders will be opened online using the IREPS portal anytime after closing of the e-tender. No representative is required to be present for opening of e-tender and taking notes of rates quoted and ranking as the complete details of rates etc. of all the bidders shall be available to the bidders through the website after the opening of the tender.	No	No	Not Allowed
3	Condition as issued by Railway Board vide letter no. 2018/CE-I/CT/4 dated 17.10.18 regarding -Special conditions of contract for mandatory updation of labour data on Railways shramikkalyan portal by contractor- should have to be followed.	No	No	Not Allowed
4	Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as [Startups] shall be exempted from payment of Bid Security deposit. Labour Cooperative Societies shall submit only 50% of above Bid Security deposit.	No	No	Not Allowed
5	A partnership firm/ HUF/ LLP, should submit an undertaking as per Form V A, that he is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. A Partnership firm should submit the declaration for each of the partners. The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person specifically authorizing him/them to submit the tender, sign the agreement, receive money, co-ordinate measurements through contractors authorized engineer, witness measurements, sign measurement books, compromise, settle, relinquish any claim(s) preferred by the firm and sign No Claim Certificate and refer all or any disputes to arbitration. The above power of attorney shall be submitted even if such specific person is authorized for above purposes through partnership deed / Memorandum of understanding / Article of Association or such other document, failing which tender is liable to be rejected.	No	No	Not Allowed
6	Payment through Letter of Credit is applicable for this tender as per Railway Boards letter No. 2017/ACII/9/10 Pt I dated 20.02.2018	No	No	Not Allowed
7	Condition as issued by Railway Board vide letter no. 2018/CEI/CT/4 dated 17.10.18 regarding -Special conditions of contract for mandatory updation of labour data on Railways shramikkalyan portal by contractor- should have to be followed	No	No	Not Allowed
8	Payment through Letter of Credit is applicable for this tender as per Railway Boards letter No. 2017/ACII/9/10 Pt I dated 20.02.2018	No	No	Not Allowed

**Special Conditions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

1	<p>In case an accident occurs at the work site the findings of the Enquiry Committee set up by the Railway to investigate the cause of the accident shall be final and binding on the contractor. If, contractor is held responsible for the accident, the contract is liable to be terminated forthwith notwithstanding the provisions of the General Conditions of Contract. The Railway shall arrange for protection of track(s) by their staff. In addition, the contractor may arrange for -lookout man- to warn his workers. No compensation will be paid by Railway in case of injury or death to contractors workers and the contractor shall indemnify the Railways of any responsibility in this regard. The contractor may obtain Group Insurance in respect of his workers. The contractor shall arrange for the safe custody of the Railway materials supplied / hired to him. In case of loss of Railway materials the Railway will recover the cost as per extant rules. Contractor is required to keep arrangement for rail cutting by Oxy acetylene flame or abrasive cutter including Operator during the block period at his / their own cost. During execution of work if there is any damage to existing PSC Sleeper that shall be changed by the agency free of cost. Contractor has to be registered their firm under GSTIN &amp; submit valid GSTIN code. The successful tenderer must follow the provision of the Contract Labour (Regulation &amp; Abolition) Central Rules-1971 as mentioned in GCC-2022. The contractor shall comply with the provisions of Minimum Wages Act (MWA)-1948 and Minimum Wages Rule (MWR)-1950, wherever applicable. The contractor shall comply with the provisions of Para 30 &amp; 36-B of the Employees Provident Fund Scheme, 1952. Para 3 &amp; 4 of Employees Pension Scheme,1995 and Para 7 &amp; 8 of Employees Deposit Linked Insurance Scheme,1976 as modified from time to time through enactment of -Employees Provident Fund &amp; Miscellaneous Provisions Act,1952-, wherever applicable and shall also indemnify the Railway from and against any claims under the aforesaid Act and the Rules</p>	No	No	Not Allowed
---	---	----	----	-------------



**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

2	<p>No break up of rates will be accepted. All rates are inclusive of all types of Taxes including GST. The work should be carried out in accordance with General Condition of Contract-2022 (with all correction slips time to time) and Editions and Standard Specification of 1969 with up to date correction slips, IRWM / IRPWM and as per instruction and satisfaction of Engineering Representative at site. All preventive measures have to be taken by the contractor during execution of work. If any mishap occurs during execution of work, the contractor will remain fully responsible for it. The payment is subject to deduction of Income tax, and all other statutory taxes levied by the Central Govt., State Govt. or any other authorized bodies as per extant rules. GST is applicable as per extant rule. Every necessary step shall be taken by the contractor to ensure safety and facility to the workmen at site. The Railways in case of emergencies like accidents, natural calamities involving human lives etc. may draft vehicles and equipment of the successful tenderer. Photocopy of PAN Card by Name of tenderer/bidder is required to be submitted along with the offer. If there is any printing mistake takes place in Schedule of work, the, USSR-2011, 2021 with upto date correction slips will prevail of the instant work. No payment will be made to the contractor towards idling of labour due to non-availability of traffic block in any particular day and time. The screened muck / debris to be used to make up low cess and surplus should be spared evenly on the sides of top of bank upto a distance of 10 M free of cost. Proper squaring and spacing of the sleeper is to be ensured by the Contractor at all stage without any extra payment. All existing track sleeper and fittings would be counted by the Contractor along with PWI In-charge before starting of work and these must be deposited with Railway. Any theft or shortage would be the responsibility of Contractor and necessary amount would be deducted from the Contractors Bills. The contractor shall not start any work on the track under traffic conditions without the presence of the Railways Supervisor at site. In case of the contractor or his representative starts any work in absence of the Supervisor, it shall be treated as unauthorized and illegal tampering with the track and shall be liable for action under the Indian Railways Act.</p>	No	No	Not Allowed
3	<p>No material will be supplied by Railway for the work except available data, site plan etc. Detailed Project Report shall be prepared as per Railway standard size, format and detailing. All drawing shall be prepared on computer with laest version of AUTOCAD software. No break up of rates will be accepted. Rates are inclusive of all applicable taxed including GST. The work should be carried out in accordance with General Condition of Contract2022 (with all correction slips time to time) and Editions and Standard Specification of 1969 with up to date correction slips, DSR 2021 and it's up to date correction slips, IRWM/IRPWM/IRBM and as per instruction and satisfaction of Engineering Representative at site. The successful tenderer(s) must have to submit the Performance Guarantee after issue of the letter of acceptance in any form as mentioned. All preventive measures have to be taken by the contractor during execution of work. If any mishap occurs during execution of work, the contractor will remain fully responsible for it. The payment is subject to deduction of Income tax and all other statutory taxes levied by the Central Govt., state Govt. or any other authorized bodies as per extant rules. GST is applicable as per extant rule. Every necessary step shall be taken by the contractor to ensure safety &amp; facility to the workmen at site.</p>	No	No	Not Allowed

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

4	<p>PAN Card by Name of tenderer/bidder is required to be submitted along with the offer. Contractor has to be registered their firm under GSTIN &amp; submit valid GSTIN code. The successful tenderer must follow the provision of the Contract Labour (Regulation &amp; Abolition) Central Rules-1971 as mentioned in GCC-2022. The contractor shall comply with the provisions of Minimum Wages Act (MWA)-1948 and Minimum Wages Rule (MWR)-1950, wherever applicable. The contractor shall comply with the provisions of Para 30 &amp; 36-B of the Employees Provident Fund Scheme, 1952. Para 3 &amp; 4 of Employees Pension Scheme,1995 and Para 7 &amp; 8 of Employees Deposit Linked Insurance Scheme,1976 as modified from time to time through enactment of -Employees Provident Fund &amp; Miscellaneous Provisions Act,1952-, wherever applicable and shall also indemnify the Railway from and against any claims under the aforesaid Act and the Rules</p>	No	No	Not Allowed
5	<p>The tenderer for carrying out any construction work in Bihar/Jharkhand/West Bengal must get themselves registered from the Registering Officer under Section-7 of the Building and Other Construction Workers Act, 1996 and rules made thereto by the Bihar/Jharkhand/West Bengal Govt. and submit certificate of Registration issued from the Registering Officer of the Bihar/Jharkhand/West Bengal Govt. (Labour Department). For enactment of this Act, the tenderer shall be required to pay cess @ 1% of cost of construction work to be deducted from each bill. Maintenance period for this work will be 12 months. The Contractor have to rectify all the defects found in the executed works without any extra cost, otherwise Security deposit will be forfeited. Reinforcement steel should be of SAIL/TISCO/RINL/IISCO JINDAL/Alloy Steel Plant/ Visheswarria iron &amp; steel Ltd./ Shyam Steel Industries Limited only &amp; should confirm to IS:1786-1985 of any dia. Representative sample of steel &amp; other materials from each lot should be got tested from approved Govt. laboratory at contractors own cost. All the materials to be supplied for by the contractor should be procured from IS approved Firm &amp; Brand with specifications. Released materials to be deposited at nearest store of SSE/Works with contractors own arrangements, no extra payment will be made for this. No extra claim to be made by contractor for less duration of Traffic Block if required. No extra payment will be made for Nut &amp; Bolts which will be used by the contractor for erection, assembling &amp; fixing of members. Paints for painting of Railway Bridge Girder should be used as per Para 217(2) of Indian Railway Bridge Manual, 1998 with all up to date correction slips and should be procured only from RDSO approved firms under valid Vendor directory issued by Quality Assurance (Mechanical) Directorate for Paints. (preferably Asian Paints, Shalimar paints, Berger paints etc.) The Fabrication &amp; erection of steel work should be done as per Approved DRG &amp; Followed by IRS-B-1- 2001, Welding Bridge code and BS-110 as well as, as per instruction of Site Engineer. The work which are to be done by the contractors materials, the rate shall include the cost of materials, transportation of materials up to the actual work site with all lead, lift and crossing of running track &amp; also include the cost of testing of sample of all materials. No extra payment will be entertained for cost of sample of materials. Launching of main girder will be done under minimum time of traffic block, Railway will not entertained any claim, if traffic block not granted on stipulated date or cancelled early due to unavoidable circumstances or less duration of block. No extra payment will be entertained for any cutting wastage. Fabrication of built up section should be done as per IRS B-1- 2001</p>	No	No	Not Allowed

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

6	The successful tenderer shall submit, within 7 days of the date of issue of the Letter of Acceptance of the tender, a "Inception Report" for approval of the Railway Administration. 2. The inception report shall provide the overall working plan culminating in the final commissioning of the work along with targeted weekly progress. It would inter-alia include: a. Likely date of commencement of work at site including setting up of site office, material store, points of contact, and other relevant details.b. Resource deployment plan (men, material, experts, etc) in a manner which makes it possible to compare the same with actual resource deployment at any point of time. c. Expected Weekly progress sheet including Bar charts. Milestones for various activities. d. Continuous slow progress of the work as compared to the submitted bar chart of various activities will lead to imposition of token penalty upon the contractor from time to time and the decision of Engineer-in-charge will be final upon this matter. 3. The successful tenderer shall be required to provide on every Tuesday, a weekly progress report sheet and compare the achieved progress with the targeted progress ( as per inception report) for the immediate preceding week as well as cumulatively since commencement of work. The weekly report shall be accompanied with photographs as required and videography (at least 5 min) of the worksite covering all necessary areas in a manner that the attained progress of work can be assessed reasonably. 4. During execution, Partition wall/ Partition screen to be provided by the Agency, so that normal passenger movement not obstructed.5. Area of work should be kept neat & clean to avoid inconvenience of the passengers.6. However, for not compliance of above instruction or for not attaining progress of the work properly, Railway Authority preserve right for imposition of penalty at his own discretion.	No	No	Not Allowed
7	The successful bidder must raise Request For Inspection (RFI) well before time to carry out any activity and to facilitate railway authority for inspection. Failing to raise RFI by the successful bidder will attract token penalty, value of which will be decided by the Engineer-in-charge and will be binding upon the contractor. It will be deducted from on-account bills of the contractor. No appeal regarding this will be accepted by the railways. Standard format of RFI for all milestone construction activities will be provided by railway.	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Demand for the credential criteria both Technical and Similar nature of work and other technical details are to be uploaded with a scanned copy duly filled in and signed as per annexure no. I(a),I(b), II, III. Annexure-V of GCC-2022. These Annexure are available in View Document menu at Home page and are downloadable. The details of the uploaded documents should be produced whenever demanded for verification on written request at any point of time of the tender and contract within 7 days. Otherwise, Railway reserves rights to Reject/Accept such tender/offer without any reference to the tenderer/tenderers.	No	No	Allowed (Optional)

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

2	<p>1.Substantially Completed Work means an ongoing work in which payment equal to or more than 90% of the present contract value (excluding the payment made for adjustment of Price variation (PVC), if any) has been made to the contractor in that ongoing contract and no proceedings of termination of contract on Contractors default has been initiated. The credential certificate in this regard should have been issued not prior to 60 days of date of invitation of present tender. 2 In case a work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials. 3 If a work is physically completed and completion certificate to this extent is issued by the concerned organization but final bill is pending, such work shall be considered for fulfillment of credentials. 4 In case of completed work, the value of final bill (gross amount) including the PVC amount (if paid) shall be considered as the completion cost of work. In case final bill is pending, only the total gross amount already paid including the PVC amount (if paid) shall be considered as the completion cost of work. In case of substantially completed work, the total gross amount already paid including the PVC amount (if paid), as mentioned in the certificate, shall be considered as the cost of substantially completed work. 5 If a bidder has successfully completed a work as subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in Note for Item 10.1 Para 10 of the Tender Form (Second Sheet), the same shall be considered for the purpose of fulfillment of credentials.</p>	No	No	Allowed (Optional)
---	--	----	----	-----------------------

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	<p>1.0 WHEREAS the President of India acting through the Eastern Railway administration and their authorised officers has invited e-tenders for the above-mentioned work vide tender notice mentioned in the NIT Notice Inviting Tender published in the website. 2.0 AND WHEREAS I/We, have read the above NIT Notice Inviting Tender for e-tender, General instructions, Special Conditions-General, all special conditions and have purchased this e-tender document, have carefully read and understood the same, have visited the site and have satisfied myself/ourselves as to the nature of the work and site conditions before filling this e-tender. 3.0 AND WHEREAS my/our address for all communications hereinafter shall be considered as official and shall be made in the address, email Id and Mobile phone and other phone nos. given in the portal of IREPS while registering as tenderer for e-tender. In case of any change in this concerned officer of railway will be informed. 4.0 AND WHEREAS I/We state that in the event of this e-tender being unsuccessful, the aforesaid earnest money deposited by me/us may be refunded to me/us through NEFT / by a crossed cheque on the Reserve Bank of India at Kolkata. 5.0 AND WHEREAS I/We hereby sign this e-tender document digitally by virtue of the legal authorities vested with me/us to enter into commitment on behalf of the tenderer, documentary support whereof is enclosed herewith. 6.0 AND WHEREAS I/We have read and understood this e-tender document and agree to abide by the various terms and conditions contained therein. I/We also agree to keep the offer open for acceptance for a period of 45 days from the date fixed for opening of the same and in default hereof, I/We will be liable for forfeiture of my/our earnest money.</p>	No	No	Not Allowed

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

2	I/We hereby submit this e-tender and offer to do the work for the Eastern Railway at the rates quoted in the schedule through online and hereby bind myself/ourselves to complete the work in all respects within the stipulated period of completion from the date of issue of the letter of acceptance of this tender. 8.0 And I/We agree to abide by the General Conditions of Contract 2020 editions and the Unified Standard Schedule of Rates Labour Materials of 2011 edition issued by the Eastern Railway & CPWD DSR-2023, read with all correction slips issued thereto from time to time, and to carry out the works according to the special conditions and specifications of materials and works as laid hereunder in various chapters of this e-tender document. 9.0 And I/We have understood and accept the stipulation that full value of the earnest money shall stand forfeited without prejudice to any other right or remedies if:1. I/We do not execute the contract documents, in case my/our tender is accepted, within seven days after receipt of notice issued by the Railway that such documents are ready, or 2. I/we do not commence the work, in case my/our e-tender is accepted, within fifteen days after receipt of orders to that effect. 10.0 And until a formal agreement is executed, acceptance of this tender shall constitute a binding contract between us subject to modifications as may be mutually agreed between us and indicated in the letter of acceptance of my/our offer for this work. 11.0 And I/We agree to produce the details of the uploaded documents whenever demanded for verification on written request at any point of time of the tender and contract within 7 days.	No	No	Not Allowed
---	---	----	----	-------------

**Custom**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Scanned copy of any other letters/documents etc. If agency intends to submit .	No	No	Allowed (Optional)

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	GCC-2022.pdf	GCC 2022
2	correctionSlip_1.pdf	Correction slip 1 of GCC 2022
3	CorrectionSlip-2.pdf	Correction slip 2 of GCC 2022
4	correctionSlip-3.pdf	Correction slip 3 of GCC 2022
5	correctionSlip-4.pdf	Correction slip 4 of GCC 2022
6	correctionSlip-5.pdf	Correction slip 5 of GCC 2022
7	correctionSlip-6.pdf	Correction slip 6 of GCC 2022
8	correctionSlip-7.pdf	Correction slip 7 of GCC 2022
9	correctionSlip-9.pdf	Correction slip 9 of GCC 2022
10	CorrectionSlip-10.pdf	Correction slip 10 of GCC 2022
11	Correctionslip-11.pdf	Correction slip 11 of GCC 2022
12	FormV.pdf	Form V
13	FormVA.pdf	Form V A
14	FormVIB.pdf	Form VI B
15	Commercialcompliance.pdf	Commercial compliance
16	TechnicalCompliance.pdf	Technical compliance
17	CheckList.pdf	Check list
18	Tele_Cir_17-2013regardingcablecut.pdf	Instruction Regarding Cable Cutting
19	TenderDocumentMaldaPlatform-4567_.pdf	Bid Document

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway

**MALDA DIVISION-GATI SHAKTI/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** 1-GSU-MLDT-26-27

**Closing Date/Time:** 13/07/2026 15:00

---

Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** PANKAJ KUMAR

**Designation :** Dy.CPMGS