

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

**SR. DSTE/COORDINATION/ALLAHABAD** acting for and on behalf of The President of India invites E-Tenders against Tender No **PRYJ-Sig-016-2026-27** Closing Date/Time 15/07/2026 12:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Provision of CCTV cameras at Goods shed at Aligarh, Hathras Fort, Chunar, Shaktेशgarh and Shankargarh stations.		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	15/07/2026 12:00	<b>Date Time Of Uploading Tender</b>	17/06/2026 11:05
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	17306900.80	<b>Tendering Section</b>	SRDSTE/CO
<b>Bidding Style</b>	Single Rate for Each Schedule	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	346100.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	12 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	01/07/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () A-SOR</b>							6130933.63	Above/ Below/Par
01	01	22.00	Numbers	17862.70	392979.40	AT Par	392979.40	
	<b>Description:-</b> Supply of 8 port Gigabit Lite Managed PoE Layer 2 Switch supports 8 nos 10/100/1000BASE-T ports, along with 2 Gigabit SFP ports as per RDSO specification no. RDSO/SPN/TC/83/2020, Rev- 2.1 or latest. Make - DIGISOL / CISCO/JUNIPER or similar. Inspection by - Consignee							
02	02	2120.00	Metre	22.35	47382.00	AT Par	47382.00	
	<b>Description:-</b> Supply of UTP CAT-6 cable of reputed Make- Siemen, Systemax, D-Link, Tyco, Krone, AMP, Digisol, Organic or similar. Inspection by - Consignee							
03	03	8850.00	Metre	75.69	669856.50	AT Par	669856.50	
	<b>Description:-</b> Supply of power cable 3 core, 2.5 sq mm, multi strand cable as per IS 694:1990 reaffirmed 1995 or latest suitable for Railway electrification area, shall be of reputed make like Havells, Delton, LAPP, Finolex, or superior. Inspection by - RITES							
04	04	11810.00	Metre	17.77	209863.70	AT Par	209863.70	
	<b>Description:-</b> Laying of Data cable/Communication cable/Power cable etc. in PVC conduit pipe with all fittings and accessories [As per site requirement]. Inspection by - Consignee							
05	05	8850.00	Metre	6.84	60534.00	AT Par	60534.00	
	<b>Description:-</b> Laying of S&T Cables of various cores/ pairs/ quads in trenches/ GI pipes/ RCC pipes/ DWC pipes etc. as per the site requirement and as per approved cable route plan. This also includes laying of cables in track crossings & road crossings. (Cables will be meggered before and after its laying by contractor under supervision of Railway Representative and he will submit the meggering report of each testing). Length of the cable laid includes the length of the cable coiled for termination purposes. Inspection by - Consignee							
	06	1900.00	Metre	25.56	48564.00	AT Par	48564.00	

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

06	<b>Description:-</b> Supply and fixing of PVC conduit pipe 25 mm with accessories such as bend, tee, coupling, elbow, saddle, clamp, screw, PVC/ wooden plugs etc. on walls, angle or on rail of platform shelter etc. MS clamp made of 3 mm MS flat to be manufactured and supplied and fixed to clamp the PVC pipe or angle/ rail run of platform shelter. The clamp should be painted with red oxide primer over which two coats of aluminium paint to be given. Where ever necessary jumper holes to be made in wall and above PVC pipe threaded and wall to be repaired to its original condition. Inspection by - Consignee						
07	07	20.00	Numbers	165.24	3304.80	AT Par	3304.80
	<b>Description:-</b> Supply and Installation of RJ-45 patch cord, seven feet long, of reputed make like Molex or similar, with 02 no. of RJ-45 connectors for every patch cord. Inspection by - Consignee						
08	08	5500.00	Metre	64.69	355795.00	AT Par	355795.00
	<b>Description:-</b> Excavation of cable trench as per cable route plan, 1.2 Mtr. deep and of 0.3 Mtr. to 0.6 Mtr. wide at bottom as per RDSO sketch No. SDO/CABLE LAYING/003, issued vide RDSO document no. RDSO/SI/G/2010 Version 1.1 dated 04.02.2014 or latest, alongside the track in normal soil/strata (including soft rock), conforming to distances as per cable route plan and refilling and ramming of loose soil. This work includes clearing of route from bushes etc, covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately. The work shall be done as per the extant practice on North Central Railway and instructions of Railway Engineer at site. In case 1.2 m depth of trench is not achievable due to site conditions, specific approval of JAG/SG Officer will be required for each site where trench depth of 1.2m is not possible, only after approval of JAG/SG Officer proportionate payment can be done. Inspection by - Consignee						
09	09	900.00	Metre	158.81	142929.00	AT Par	142929.00
	<b>Description:-</b> Cutting of all types of platforms/road crossing and trenching and excavation to a width and depth of 300 mm x 300 mm, laying of DWC/HDPE/GI pipe in the trench and refilling and concreting it afterwards as per original condition. In hard rocky ground area, cables will be laid normally on layer of soft earth of 0.05 Mtr. thickness previously deposited at bottom of the trench. The cutting to be filled and finished with cement/concrete, as per the RDSO drawing no. SDO/Cable laying/008, issued vide RDSO document no. RDSO/SI/G/2010 Version 1.1 dated 04.02.2014 or latest. Inspection by - Consignee						
10	10	2950.00	Metre	642.11	1894224.50	AT Par	1894224.50
	<b>Description:-</b> Horizontal direction drilling (HDD)/Trenchless digging/machine drilling without damage to surface road /track for laying/insertion of HDPE/GI/DWC pipe. The bore shall be done at the depth of minimum 1400 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. Note: - DWC/HDPE/GI Pipe Supply is not covered under this item. Contactor shall provide all material required for work and adequate nos. of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable. Inspection by - Consignee						
11	11	350.00	Metre	1029.04	360164.00	AT Par	360164.00
	<b>Description:-</b> Horizontal Boring/Manual moling without damage to surface road /track for laying/insertion of DWC/GI/HDPE pipe. The bore shall be done at the depth of minimum 1400 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. Note: - DWC/HDPE/GI Pipe Supply is not covered under this item. Contactor shall provide all material required for work and adequate nos. of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable. Payment of boring shall be made only after DWC/HDPE/GI pipe is laid in the bore. Inspection by - Consignee						
12	12	6.00	Set	18042.52	108255.12	AT Par	108255.12
	<b>Description:-</b> Supply of basic material to construct unit maintenance free earth as per RDSO Specs. No RDSO/SPN/197 Ver. 1.0 or latest to achieve a resistance less than 1 ohm. It consists of following: (a) Copper bonded steel electrode of minimum 3.0 m long, minimum 17.0 mm dia with copper bonding thickness of minimum 250 microns and UL listed and marked = 1 no. (b) Earth enhancement material supplied in sealed bags of minimum 10 kg = 3 nos. (c) Copper strip of 150x25x6 mm, to terminate earth rod = 1 no. (d) Copper strip of 300x25x6 mm (MEEB) = 1 no. (e) Copper strip of 150x25x6mm (SEEB) = 1 no. (ii) Supply of 35 sq. mm multi strand single core PVC insulated copper cable as per IS: 694 for connecting main earth electrode to MEEB in the equipment room in duplicate. (minimum 10 meter) (iii) Supply of 16 sq. mm multi strand single core PVC insulated copper cable as per IS: 694 for connecting MEEB to SEEB and SPD to MEEB (minimum 10 meter) (iv) Supply of 10 sq. mm multi strand single core PVC insulated copper cable as per IS: 694 for connecting various equipments to SEEB (v) Supply of copper lug sleeve for 3/16 cable Inspection by - RDSO						
	13	6.00	Set	7193.17	43159.02	AT Par	43159.02

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

13	<b>Description:-</b> Installation of Unit Maintenance Free Earth to achieve a resistance less than 1 ohm as supplied under item no. 13002 of Chapter 13 of SOR. It includes (i) Digging the earth to the required depth. (ii) Insertion of electrode. (iii) Filling of earth enhancing compound (Approx.30 Kg) (iv) Provision of exothermic weld connections to copper tape of 25 mm x 6 mm x 150 mm to the earth electrodes. All material tools and features required for weld will be arranged by contractor. (v) This also includes CC cover 1.5 ft x 1.5 ft. 1 ft wall thickness 2 inch with cover 3-inch thickness. Cables 35 Sq mm/ 16 Sq mm/10 sq mm for connecting earth to busbar, busbar to busbar and busbars to various equipments. Earth electrode of 17.20 mm dia and 3.00-meter-long high tensile low carbon steel circular rods molecularly bonded with copper and outer surface (minimum copper bonding thickness of 250 microns to made requirement of under writer's laboratories (UL) 467-2007 or latest. Copper strips of 150 mm x 25 mm x 6 mm to be welded with each earth electrode, copper strips of 300 mm x 25 mm x 6 mm for main equip- potential busbar, copper strips of 150 mm x 25 mm x 6 mm sub equip-potential busbar in relay room, power room and panel room. GI strip 25 mm x 2 mm for ring formation of earth pits Earth enhancement material in bags for each Earth Electrode. Inspection chamber of site 300 mm x 300 mm x 300 mm (Inside dimension) of approximate 50 mm thick with pulling hooks to cover the earth pits. Note: The installation of this item shall be carried out by the contractor as per RDSO Spec. No. RDSO/SPN/ 197 Ver 1.0 or latest. Typical RDSO approved drawings referred in the RDSO specification document are: (i) SDO/RDSO/E&B/001 for typical installation of Earth. (ii)SDO/RDSO/E&B/002 for typical bonding and earthing connections, (iii) SDO/RDSO/E&B/003 for typical arrangement for earth resistance measurements Inspection by - Consignee							
14	14	5.00	Numbers	145184.60	725923.00	AT Par	725923.00	
	<b>Description:-</b> Supply of Remote service terminal (portable) fully compatible with NMS software. Service terminal shall be workable from any location of the network. It should be possible to read the fault status of the STM, MUX, cross connect etc. in the network from the service terminal. Make and model to be approved by railways before supply. Inspection by - RITES							
15	15	10.00	Kilometre	79379.44	793794.40	AT Par	793794.40	
	<b>Description:-</b> Supply of permanently lubricated HDPE duct, 40 mm outer dia, as per RDSO spec. No. RDSO/ SPN/ TC/ 45/ 2013 Rev.2 Amndt.3 or latest, along with all accessories like end caps, collars, bends, couplers etc. Inspection by - RITES							
16	16	10.00	Kilometre	7865.64	78656.40	AT Par	78656.40	
	<b>Description:-</b> Laying of HDPE duct as per the approved cable route plan in the excavated trenches/other protected works/RCC channel etc. including all accessories like end caps, collars, bends, couplers etc. The ends of the duct to be sealed with end plugs till OFC blowing is done. Important: The laying of OFC cable independently or along with Quad cable/PIJF cable in the same trench shall be governed by the RDSO drawings no. RDSO/TCDO/COP-6 [a] and RDSO/TCDO/COP-8 [a] respectively, issued vide Chapter-XIII of the Telecomm Manual. Inspection by - Consignee							
17	17	4.00	Pair	32930.03	131720.12	AT Par	131720.12	
	<b>Description:-</b> Supply of 2.048 Mbps, Managed SHDSL modems, as per RDSO spec. no. RDSO/SPN/TC/80/2020, Rev.2.0 or latest with suitable connector. A pair consists of V.35 and G.703 interfaces. Inspection by - Consignee							
18	18	2.00	Numbers	6256.22	12512.44	AT Par	12512.44	
	<b>Description:-</b> Construction of OFC jointing pit of size 1mx1mx0.6m, using bricks, sand and cement in the ratio 1:3. The thickness of the wall shall be 120 mm. The top cover shall be of concrete of thickness 75 mm with two iron handles on top of it. The pit shall be covered with sand after putting the joint enclosure. All construction material to be supplied by contractor. Inspection by - Consignee							
19	19	3.00	Kilometre	17105.41	51316.23	AT Par	51316.23	
	<b>Description:-</b> Blowing/drawing of OFC cable in the HDPE pipe duct and protective work already provided in the trench. The cable shall be laid only after the successful completion of the DIT (Duct Integrity test). The DIT should be certified by the Railway engineer at site. All the equipments/machinery required shall be arranged by the contractor. Inspection by - Consignee							
S.No.								
Item Code								
Item Qty								
Qty Unit								
Unit Rate								
Basic Value								
Escl.(%)								
Amount								
Bidding Unit								
<b>Schedule () B-NS</b>							11175967.17	Above/ Below/Par
20	20	4.00	Numbers	14857.47	59429.88	AT Par	59429.88	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of Full HD Resolution Fixed Bullet type IP Colour Camera with memory card and all accessories as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
21	21	28.00	Numbers	47735.13	1336583.64	AT Par	1336583.64	
	<b>Description:-</b> Supply of Full HD Resolution PTZ [Pan, Tilt, Zoom] IP Colour Camera with varifocal lenses along with housing and mount with all accessories as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
22	22	28.00	Numbers	709.14	19855.92	AT Par	19855.92	

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

23	23	4.00	Numbers	23963.13	95852.52	AT Par	95852.52	
	<b>Description:-</b> Installation, Testing & Commissioning of Full HD Resolution PTZ [Pan, Tilt, Zoom] IP Colour Camera along with, Mount. All the accessories and fixing materials including mount required for this installation are to be supplied by contractor within the same cost. Inspection by - Consignee							
24	24	4.00	Numbers	184002.44	736009.76	AT Par	736009.76	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of PC Workstation hardware as per clause no. 11.0 of RDSO Spec RDSO/ SPN/ TC/ 65/ 2021 Revision 6.0 with Amdt. 1, 2 & 3 or latest for Viewing, Monitoring and System Management with digital keyboard and loaded with Graphic User Interface Client Software Features per clause no, 18.2.0 of RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 or latest. Software licenses conditions as per RDSO spec Clause 20.0 of RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
25	25	9.00	Numbers	58310.43	524793.87	AT Par	524793.87	
	<b>Description:-</b> Supply, Installation, testing and commissioning of Full HD resolution Large Format display LED monitor screen size minimum 55 inch as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest Inspection by - RDSO							
26	26	9.00	Numbers	330952.76	2978574.84	AT Par	2978574.84	
	<b>Description:-</b> Supply of Server Hardware for Video Management and recording along with all accessories as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
27	27	40.00	Numbers	1182.41	47296.40	AT Par	47296.40	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of Video Management Software with License as per RDSO Specification No. RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest amendment [Per camera licence means Video Management [Viewing] at multiple locations such as Station, RPF Post & Server room by same license] Inspection by - RDSO							
28	028	40.00	Numbers	708.64	28345.60	AT Par	28345.60	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of Video Recording Software with License as per RDSO Specification No. RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest amendment [Per camera Licence means Video Recording at multiple locations such as Station, RPF Post & Server room by same license] Inspection by - RDSO							
29	029	9.00	Numbers	6619.06	59571.54	AT Par	59571.54	
	<b>Description:-</b> installation, Testing & Commissioning of Server for Video Management and recording along with all accessories as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - Consignee							
30	030	5.00	Numbers	87482.62	437413.10	AT Par	437413.10	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of Core Switch [20x 10 G SFP+ ports and additional minimum 4x10G BASE-T/SFP+ combo ports] as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
31	031	5.00	Numbers	65283.38	326416.90	AT Par	326416.90	
	<b>Description:-</b> Supply, Installation, Testing & Commissioning of Aggregate Switch [24x GE SFP ports and 4x10G SFP+] as RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
32	032	80.00	Numbers	9545.88	763670.40	AT Par	763670.40	
	<b>Description:-</b> Supply of SFP-s with specification as follows- Data Rate 10 GBPS, TX/RX wavelength - 1310/ 1550 nm, Upto distance - 20 Km, Media Type - Single Mode fiber [SMF], Compatibility - Multi-vendor MSA Compatible. Inspection by - RDSO							
33	033	136.00	Numbers	1135.10	154373.60	AT Par	154373.60	
	<b>Description:-</b> Supply of SFP-s with specification as follows- Data Rate - 1 GBPS, TX/RX wavelength - 1310/ 1550 nm, Upto distance - 20 Km, Media Type - Single Mode fiber [SMF], Compatibility - Multi-vendor MSA Compatible. Inspection by - RDSO							
34	034	216.00	Numbers	53.91	11644.56	AT Par	11644.56	
	<b>Description:-</b> Installation of single mode single fibre SFP modules compatible with the layer-3, Core, layer-2 aggregate switches taken in the schedule Inspection by - Consignee							
35	035	5.00	Numbers	150574.32	752871.60	AT Par	752871.60	
	<b>Description:-</b> Supply, Installation, testing, wiring & commissioning of internal storage with [Hardware and Software] compatible with server with minimum 32 TB RAW usable storage capacity with all accessories as per clause 12.0 as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO							
36	036	1.00	Boxes	18688.38	18688.38	AT Par	18688.38	
	<b>Description:-</b> Supply of Armoured Outdoor CAT-6 cable [305 Mtrs. Roll] as per ANSI/TIA 568-C.2 & ISO /IEC 11801 2nd Edition or latest. Inspection by-Consignee							

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

37	037	8850.00	Metre	20.66	182841.00	AT Par	182841.00	
	<b>Description:-</b> Supply of 12 fiber OFC - Armoured. Inspection by - Consignee							
38	038	5.00	Numbers	33434.46	167172.30	AT Par	167172.30	
	<b>Description:-</b> Supply of 19" 42 U size floor mountable covered network racks with complete fixing accessories. Front door of transparent type with lock and key arrangement. Rack to be fitted with (1) trays - 1Nos (2) 6x15A/5A SURGE protected vertical power socket (minimum 2 nos), (3) cable manager / organiser strip- 2Nos (4) cooling exhaust fans (2Nos)in one tray of 230V AC working. Inspection by - Consignee							
39	039	5.00	Numbers	531.50	2657.50	AT Par	2657.50	
	<b>Description:-</b> Installation of 19" 42 U size floor mountable covered network racks with complete fixing accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. Inspection by - Consignee							
40	040	25.00	Numbers	12437.20	310930.00	AT Par	310930.00	
	<b>Description:-</b> Supply, installation and fixing of 6U Outdoor IP66 rack with 1 PDU, 500 mm depth and other accessories. Inspection by - Consignee							
41	041	25.00	Numbers	6540.49	163512.25	AT Par	163512.25	
	<b>Description:-</b> Supply, erection, foundation, fixing & commissioning of Hot Dip Galvanised octagonal pole 5 Mtrs. Long confirming to IS:2629/BSEN ISO: 1416 latest version, Manufacturer should be ISO certified firm. Inspection by - Consignee							
42	042	1000.00	Metre	20.15	20150.00	AT Par	20150.00	
	<b>Description:-</b> Supply, fixing, termination, indoor wiring, testing and commissioning of PVC Flexible Pipe dia 1 inch Inspection by - Consignee							
43	043	700.00	Numbers	5.70	3990.00	AT Par	3990.00	
	<b>Description:-</b> Supply, termination, testing and commissioning of RJ-45 Connector of reputed make. Inspection by - Consignee							
44	044	220.00	Numbers	233.64	51400.80	AT Par	51400.80	
	<b>Description:-</b> Supply of Armoured optical Patch Cords LC- SC[APC]/SC[APC]-SC[APC] or as per site requirement- 3 mtrs. Inspection by - Consignee							
45	045	220.00	Numbers	176.53	38836.60	AT Par	38836.60	
	<b>Description:-</b> Supply of Armoured optical Patch Cords LC- SC[APC]/SC[APC]-SC[APC] or as per site requirement [1 Mtr]. Inspection by - Consignee							
46	046	220.00	Numbers	321.90	70818.00	AT Par	70818.00	
	<b>Description:-</b> Supply of Armoured optical Patch Cords LC-LC/ SC[APC]-SC[APC] or as per site requirement- 5 mtrs. Inspection by - Consignee							
47	047	5.00	Job	17408.90	87044.50	AT Par	87044.50	
	<b>Description:-</b> Preparation of drawing mentioning the location of cameras wiring diagrams showing clearly the STP CAT-6, OFC, Power cable OTDR test reports of OFC cable, earth resistance test reports, technical details of servers, switches, work stations, media convertors, storages and submission In soft as well 3 sets in printed to the consignee. A diagram of camera location either in pictorial view or in descriptive manner as decided by the officer in charge should be prepared on a suitable sheet and displayed in RPF CCTV control room. Inspection by - Consignee							
48	048	19.00	Numbers	572.00	10868.00	AT Par	10868.00	
	<b>Description:-</b> Supply and installation of miniature circuit breaker [MCB], 32 Ampere. Make - Anchor or similar as per site requirement in suitable PVC/ Metallic Box. Inspection by - Consignee							
49	049	16.00	Numbers	517.17	8274.72	AT Par	8274.72	
	<b>Description:-</b> Supply of Miniature Circuit Breaker, 3 Ampere, 2 pole as per ISI Standard as per site requirement. Make - Schneider, L&T, Havells or similar. Inspection by - Consignee							
50	050	12.00	Numbers	2799.83	33597.96	AT Par	33597.96	
	<b>Description:-</b> Supply of Fibre Distribution Management system [FDMS]/LIU for 24 Fiber complete with all accessories with patch cord and pigtail. Make- R&M, Rackom, D-Link or similar. Inspection by - Consignee							
51	051	12.00	Numbers	3323.28	39879.36	AT Par	39879.36	
	<b>Description:-</b> Installation and commissioning of Fibre Distribution Management system [FDMS] for 24 Fiber complete with all accessories. Inspection by - Consignee							
52	052	25.00	Numbers	4644.25	116106.25	AT Par	116106.25	
	<b>Description:-</b> Supply and fixing of 12 port FDMS/ LIU with connectors. [Pigtails and other miscellaneous materials required for the work shall be supplied by the contractor]. Make- R&M, Rackom, D-Link or similar. Inspection by - Consignee							
53	053	25.00	Numbers	2197.96	54949.00	AT Par	54949.00	
	<b>Description:-</b> Fiber splicing/termination and testing of spliced joint of all fibers of 12 F OFC Inspection by - Consignee							
	054	5.00	Numbers	234959.00	1174795.00	AT Par	1174795.00	

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

54	<b>Description:-</b> Supply, Installation, testing and Commissioning of on line UPS 5 KVA, with 240 minutes battery backup on full load with battery trolley. Make- APC, Luminious, Microtec, Liebert, Numeric or similar. Backup time for number of batteries and AH will be calculated as per calculation given as follows-Battery AH = VA X backup(Hrs)/Total battery voltage. Inspection by - RITES						
55	055	1.00	Numbers	7153.88	7153.88	AT Par	7153.88
	<b>Description:-</b> Supply of self supporting heavy duty Aluminium flat step Ladder 10 Feet height as per the instruction of consignee. Inspection by - Consignee						
56	056	10.00	Numbers	12634.31	126343.10	AT Par	126343.10
	<b>Description:-</b> Supply, installation, testing & commissioning of Layer-2 managed Switch [8 Port 10/100 BASE-T and 2 SFP 1G uplink ports] as per RDSO Specification No RDSO/ SPN/ TC/ 65/ 2021 Version 6.0 with Amdt. 1, 2 & 3 or latest. Inspection by - RDSO						
57	057	4.00	Numbers	7316.00	29264.00	AT Par	29264.00
	<b>Description:-</b> Supply of non-executive open standard SIP phone. Inspection by - Consignee						
58	058	800.00	Metre	32.74	26192.00	AT Par	26192.00
	<b>Description:-</b> Supply of STP CAT-6 cable and all the accessories required for installation (should be compliant with latest EIA/TIA-568-B.2-1 standard for CAT 6 cable). Make : Siemen/ Systemax / D-Link/ Tyco/ Krone/ AMP/Digisol/organic or similar. Inspection by - Consignee						
59	059	4.00	Numbers	315.00	1260.00	AT Par	1260.00
	<b>Description:-</b> Supply of Miniature Circuit Breaker, 6 Ampere, 1 pole as per ISI Standard as per site requirement. Make - Schneider, L&T, Havells or similar. Inspection by-Consignee						
60	060	4.00	Numbers	916.79	3667.16	AT Par	3667.16
	<b>Description:-</b> Supply of Miniature Circuit Breaker, 16 Ampere, 2 pole as per ISI Standard as per site requirement. Make -Schneider, L&T, Havells or similar. Inspection by - Consignee						
61	061	2.00	Numbers	18629.13	37258.26	AT Par	37258.26
	<b>Description:-</b> Supply of straight joint enclosure [SJC] complete with all accessories of 48 Fiber OFC and splicing of 2 X 48 F OFC. Inspection by - Consignee						
62	062	2.00	Numbers	7803.21	15606.42	AT Par	15606.42
	<b>Description:-</b> Supply of Fibre Distribution Management system [FDMS]/LIU for 48 Fiber cable with all accessories. This also include supply of installation accessories. Make- R&M, Rackom, D-Link or similar. Inspection by - Consignee						
63	063	2.00	Numbers	7297.52	14595.04	AT Par	14595.04
	<b>Description:-</b> Installation, splicing and commissioning of Fibre Distribution Management system [FDMS] for 48 Fiber cable. this includes testing of fibres in the section/block. Inspection by - Consignee						
64	064	1.00	Numbers	4587.90	4587.90	AT Par	4587.90
	<b>Description:-</b> Supply, installation and Fixing of 19 inch 9 U Racks with Front Glass Door, 06 Socket Power DB with MCB, 02 Fan-Fan Tray, Cable Manager , Hardware Packet , Earthing etc. with required accessories for mounting the equipment. Inspection by - Consignee						
65	065	2.00	Pair	10411.83	20823.66	AT Par	20823.66
	<b>Description:-</b> Supply of Media Converter [OFC to Ethernet] of make D-Link or MROTEK or DAX or similar as per RDSO Spec No.RDSO/SPN/TC/103/2013 Rev 2.0 or latest. Inspection by - Consignee						

**3. ITEM BREAKUP**

No item break up added
------------------------

**4. ELIGIBILITY CONDITIONS**

**Special Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	10.2. Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

2	Balance Sheet Declaration- Balance sheet for the 4th previous year (i.e. FY 2022-23 or as applicable) as per para 10.2 of GCC-2022 shall be considered in evaluation of financial eligibility criteria only when it is clearly certified in Annex-VI B or a self declared certificate as attached duly signed by chartered accountant and the tenderer that the balance sheet of last financial year (i.e. FY 2025-26 or as applicable) has not been audited/yet to be prepared. If, balance sheet of last financial year (i.e. FY 2025-26 or as applicable) is not yet audited/ prepared, then NIL position to be uploaded.	No	No	Allowed (Mandatory)
---	--	----	----	------------------------

**Special Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Bidder has to upload requisite information as per Annexure V(A) along with the offer.	No	No	Allowed (Mandatory)
2	10.1 Technical Eligibility Criteria: (a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii)One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender.	No	No	Allowed (Mandatory)



**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

3	<p>Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing. Note for Item 10.1: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Allowed (Mandatory)
4	<p>Definition of similar work:- Any work involving supply, installation, testing and commissioning of Integrated Security System/ Video surveillance system/ Access Control, Personal &amp; Baggage Screening system, Explosive Detection &amp; Disposal System and their integration.</p>	No	No	Allowed (Mandatory)

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website <a href="http://www.ireps.gov.in">www.ireps.gov.in</a> . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.



**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

**5. COMPLIANCE**

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Stamp Duty fee for Bank Guarantee (for bid security) should be paid which should be 0.5% of the Bid security or Rs.10,000/-, whichever is less or as per latest/revised state policy of UP state.	No	No	Allowed (Optional)
2	The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.(Note:In case of non-submission of above documents, offer may be summarily rejected)	No	No	Allowed (Mandatory)

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

3	The tenderer will give full information ( in annexure-A) as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender,if a tenderer is - i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners/members a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender	No	No	Allowed (Mandatory)
4	If a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. ( in annexure-A)	No	No	Allowed (Mandatory)
5	An undertaking shall be submitted by sole proprietorship firm, HUF, JV, LLP, Company registered under companies Act 2013 that he/they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.(Note: Each member must sign separately in case of JV/Partnership firm/LLP).(Note: IN case of non submission of above documents, offer may be summarily rejected).	No	No	Allowed (Mandatory)
6	In case of partnership firm an undertaking shall be submitted by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (Note: In case of non-submission of above documents, offer may be summarily rejected)	No	No	Allowed (Mandatory)
7	Please submit your bank details i.e.Name of the Bank along with Bank Branch Code, Account Number, IFSC Code, and PAN Number.	No	No	Allowed (Mandatory)
8	Please furnish list of plant and Machinery available on hand own and proposed to be inducted own and hired to be given separately for the subject work.	No	No	Allowed (Optional)
9	Please furnish list of Works on hand indicating Description of Work, Contract Value, Approximate value of balance work yet to be done and Date of award.	No	No	Allowed (Optional)
10	Please furnish list of personal, organization available on hand and proposed to be engaged for the subject work.	No	No	Allowed (Optional)

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

11	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
----	---	----	-----	--------------------

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Whether the cost of tender form is submitted in hard copy if uploaded as a scanned copy in website.	No	No	Not Allowed
2	Whether the cost of Bid Security is submitted in hard copy if uploaded as a scanned copy in website.	No	No	Not Allowed
3	16.(1) Security Deposit: The Security Deposit shall be 5% of the contract value. The Bid Security submitted by the Contractor with his tender will be retained/encashed by the Railways as part of security for the due and faithful fulfilment of the contract by the Contractor. Provided further that, if Contractor submits the Cash or Term Deposit Receipt issued from a Scheduled commercial bank of India or irrevocable Bank Guarantee Bond from a Scheduled commercial bank of India, either towards the Full Security Depositor the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security, to the Contractor. Balance of Security Deposit may be deposited by the Contractor in cash or Term Deposit Receipt issued from Scheduled commercial bank of India or irrevocable Bank Guarantee bond issued from Scheduled commercial bank of India, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract. The Irrevocable Bank Guarantee submitted towards Security deposit shall be initially valid up to the stipulated date of Maintenance period plus 60 days and shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17A and 17B of the Standard General Conditions of Contract. Note: Security Deposit deposited in cash by the Contractor or recovered from the running bills of a Contractor or submitted by contractor as Term Deposit Receipt(s) can be refunded/returned to the contractor, in lieu of irrevocable Bank Guarantee bond issued from scheduled commercial bank of India, to be submitted by him, for an amount equal to or more than the already available Security Deposit, provided however that, in a contract of value less than Rs. 50 Crore, such refund/return of the already available Security Deposit is permitted up to two times and in a contract of value equal to or more than Rs. 50 Crore, such refund / return of the already available Security Deposit is permitted up to three times.	No	No	Not Allowed

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

4	16.(4) Performance Guarantee:- The procedure for obtaining Performance Guarantee is outlined below: (a)The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty-one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty-one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty-one) days, i.e. from 22ndday after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work.	No	No	Not Allowed
4.1	16(4) Performance Guarantee (b) The successful bidder shall submit the Performance Guarantee (PG) amounting to 5% of the original contract value and Additional Performance Guarantee as per clause 16(4)(h) in any of the following forms (i) A deposit of Cash; (ii) Irrevocable Bank Guarantee; (iii) Insurance Surety Bond as per Annexure-XVII Note:- In case of extension of Date of Completion, selected bidder needs to submit extended Insurance Surety Bond/Fresh Insurance Surety Bond/fresh Performance Security, in any form as given above, before expiry of existing Insurance Surety Bond. iv) Government Securities including State Loan Bonds at 5% below the market value; (v) Pay Orders and Demand Drafts tendered by any Scheduled Commercial Bank of India; (vi) Guarantee Bonds executed or Deposits Receipts tendered by any Scheduled Commercial Bank of India; (vii) Deposit in the Post Office Saving Bank; (viii) Deposit in the National Savings Certificates; (ix) Twelve years National Defence Certificates; (x) Ten years Defence Deposits; (xi) National Defence Bonds and (xii) Unit Trust Certificates at 5% below market value or at the face value whichever is less. Also FDR in favour of FA&CAO (free from any encumbrance) may be accepted.	No	No	Not Allowed

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

4.2	(c)The Performance Guarantee shall be submitted by the successful bidder after the Letter of Acceptance (LOA) has been issued, but before signing of the contract agreement. This P.G. shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion of work gets extended, the Contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days. (d)The value of PG to be submitted by the Contractor is based on original contract value and shall not change due to subsequent variation(s) in the original contract value. (e)The Performance Guarantee (PG) shall be released after physical completion of the work based on 'Completion Certificate' issued by the competent authority stating that the Contractor has completed the work in all respects satisfactorily. (f)Whenever the contract is rescinded, the Performance Guarantee already submitted for the contract shall be encashed. (g)The Engineer shall not make a claim under the Performance Guarantee except for amounts to which the President of India is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of: (i)Failure by the Contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee. (ii)Failure by the Contractor to pay President of India any amount due, either as agreed by the Contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer. (iii)The Contract being determined or rescinded under clause 62 of these conditions. (h) If a tender is accepted on the quoted rates of bidder which is below the advertised tender value an additional performance security shall be submitted by the bidder as below: Bid quoted in % of advertised cost-Additional Performance Guarantee (%) Below 0 - 5% (inclusive) - Nil Below 5% - 5%	No	No	Not Allowed
-----	---	----	----	-------------

**Special Conditions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	If the Bid Security deposited by the bidder is in shape of Bank Guarantee, it should be supported by proper stamp duty, rate prescribed as per section 13 & 24 of the UP Stamp Act, 2008 and amended from time to time at the time of submission of Bank Guarantee.	No	No	Not Allowed
2	Staggering of supply of high value material shall be done.	No	No	Not Allowed
3	Make and model of schedule items for consignee inspection is to be approved from Railway before bulk procurement.	No	No	Not Allowed
4	Make in India Policy: Provisions of Make in India Policy 2017 issued by Govt. of India, as amended from time to time, shall be followed for consideration of tenders.	No	No	Not Allowed
5	In case of Signal, Telecom and Electrical cable cut, Penalty clause as per JPO 05/ 2023 will be applicable.	No	No	Not Allowed

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.	No	No	Not Allowed
2	I/We also hereby agree to abide by the Indian Railways Standard General Conditions Of Contract, with all correction slips up-to-date and to carry out the work according to the Special Conditions of Contract and Specifications of materials and works as laid down by Railway in the annexed Special Conditions/Specifications, Schedule of Rates with all correction slips up-to-date for the present contract.	No	No	Not Allowed

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

3	I/We have read the various conditions to tender attached hereto and agree to abide by the said conditions. I/We also agree to keep this tender open for acceptance for a period of 45 days from the date fixed for opening the same and in default thereof, I/We will be liable for forfeiture of my/our Bid Security. I/We offer to do the work for North Central Railway, at the rates quoted in the attached schedule and hereby bind myself/ourselves to complete the work in all respects within the period of completion stipulated in the tender document, from the date of issue of letter of acceptance of the tender.	No	No	Not Allowed
4	The amount as stipulated in tender document is herewith forwarded as Bid Security. Full value of the Bid Security shall stand forfeited without prejudice to any other right or remedies in case my/our Tender is accepted and if :	No	No	Not Allowed
4.1	I/We do not execute the contract documents as stipulated in performance guarantee clause of GCC as detailed in general instructions.	No	No	Not Allowed
4.2	I/We do not commence the work within Fifteen days after receipt of orders to that effect.	No	No	Not Allowed
4.3	I/We hereby Confirm that the rates, rebates and/or other financial terms, if any, quoted by us in the relevant fields of the Financial Bid page will only be the ruling terms for deciding the inter-se ranking, and any such condition having financial repercussions, if quoted by us anywhere else including attached documents shall not be considered for deciding inter-se ranking. However, Railways shall have the right to incorporate any such condition quoted by us, in the contract, at their discretion, if contract is placed on us.	No	No	Not Allowed
5	I/We have read the various conditions attached/ referred to in this tender document, and agree to abide by the said conditions.	No	No	Not Allowed
6	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	GCC-CorrectionSlip1-2-3-4-5-6-7-8-9-10-11_compressed.pdf	GCC ACS 1 to 11
2	JPO-05-2023UndertakingtheworkoflayingundergroundSignTelecablesandEnggdiggingwork24-1-24.pdf	JPO 05 2023
3	LASTFYDECLARATION.pdf	Last FY declaration
4	BankGuaranteeforBidsecurityformatAnnVIA.pdf	Bank Guarantee for Bid security
5	TenderDoc22_5.pdf	Tender Document
6	GCC_April-2022_2022_CE-I_CT_GCC-2022_POLICY_27-04-22.pdf	GCC April 2022
7	AnnexureAcl.pdf	AnnexureA for commercial compliance

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**PRAYAGRAJ DIVISION-S AND T/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** PRYJ-Sig-016-2026-27

**Closing Date/Time:** 15/07/2026 12:00

---

**Signed By:** AMIT KUMAR GUPTA

**Designation :** DSTE/Tele/PRYJ