

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

DRM/W/MYS acting for and on behalf of The President of India invites E-Tenders against Tender No **20MYS26of15-06-26itno04** Closing Date/Time 07/07/2026 11:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Provision of General waiting room and PF widening with shelter at TKE, Additional PF shelter at ANF and PF shelter at SME SW-I: Provision of general waiting room and other passenger amenity works at TKE station SW-I b Provision of PF Shelter at PF-1 (SMET END) AT TKE SW-I c: Widening of platfrom at PF-1 (SMET end) SW-II: ANF : Additional PF shelter of 180 Sqm with 3 spans, 5 granite Benches SW-III:SME: Provision of Low Cost Platform shelter at SME station (240 sqm in 4 bays)		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	07/07/2026 11:00	Date Time Of Uploading Tender	15/06/2026 16:02
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	9490432.67	Tendering Section	DEN/C
Bidding Style	[Decision at Schedule level]	Bidding Unit	
Earnest Money (Rs.)	189800.00	Validity of Offer (Days)	45
Tender Doc. Cost (Rs.)	0.00	Period of Completion	9 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	23/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-SW-I:-Provision of General waiting room and PF widening with shelter at TKE							5856129.64	
1	Please see Item Breakup for details.				2074281.49	(-) 30.00	1451997.04	Above/ Below/P ar
	Description:- SW-I:a) Provision of general waiting room and other passenger amenity works at TKE station							
2	Please see Item Breakup for details.				2877659.00	(-) 30.00	2014361.30	Above/ Below/P ar
	Description:- SW-I: b)Provision of PF Shelter at PF-1 (SMET END) AT TKE							
3	Please see Item Breakup for details.				3413959.00	(-) 30.00	2389771.30	Above/ Below/P ar
	Description:- SW-I: c) Widening of platfrom at PF-1 (SMET end)							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-SW-II: ANF : Additional PF shelter of 180 Sqm with 3 spans, 5 granite Benches							1510770.98	
1	Please see Item Breakup for details.				2158244.25	(-) 30.00	1510770.98	Above/ Below/P ar
	Description:- List of items that are covered under DSR							

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-SW-III:SME: Provision of Low Cost Platform shelter at SME station (240 sqm in 4 bays)							2014361.30	
1	Please see Item Breakup for details.				2877659.00	(-) 30.00	2014361.30	Above/ Below/P ar
	Description:- List of items that are covered under DSR							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-SW-II: ANF : Additional PF shelter of 180 Sqm with 3 spans, 5 granite Benches							45000.00	
1	NS	5.00	Each	9000.00	45000.00	AT Par	45000.00	Rs.
	Description:- Supply and fixing of Polished Black color granite benches of sizes 2.0m x 0.045m as per Drg No. B/GL/615) including earthwork excavation and fixing in CC 1:3:6 mix with all contractors material, loading, leading unloading fixing, labours tools & plants etc., Complete as directed by Engieer In Charge							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A1-SW-I:a) Provision of general waiting room and other passenger amenity works at TKE station							64170.75	
1	5.22.6	850.00	Kg	107.85	91672.50	(-) 30.00	64170.75	Above/ Below/P ar
	Description:- REINFORCEMENT CEMENT CONCRETE // STEEL REINFORCEMENT // Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. // Thermo-Mechanically Treated bars of grade Fe-500D or more.							

3. ITEM BREAKUP

Schedule	Schedule A-SW-I:-Provision of General waiting room and PF widening with shelter at TKE						
Item- 1	SW-I:a) Provision of general waiting room and other passenger amenity works at TKE station						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount	
	2.0	EARTH WORK					
	2.15	General					
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
1	2.8.1	All kinds of soil.	cum	45	260.3	11713.5	
2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	20	196	3920	
	4.0	CONCRETE WORK					
	4.15	CEMENT CONCRETE (CAST IN SITU)					
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					
3	4.1.6	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	10	7178.75	71787.5	
	4.10S	DAMP-PROOF COURSE					

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

4	4.10	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources)	Sqm	15	410.85	6162.75
	4.14S	MISCELLANEOUS				
5	4.17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	Sqm	35	749.3	26225.5
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.1S	CAST IN SITU				
6	5.3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	10	11505.5	115055
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
7	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	100	927.25	92725
8	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	20	736.4	14728
9	5.9.19	Weather shade, Chajjas, corbels etc., including edges	Sqm	15	951.1	14266.5
	7.0	STONE WORK				
	7.1S	RANDOM RUBBLE MASONRY				
	7.1	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with :				
10	7.1.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	23	7311.25	168158.75
	7.2	Random rubble masonry with hard stone in superstructure above plinth level and upto floor five level, including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) at window sills, ceiling level and the like.				
11	7.2.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	6	9275.45	55652.7
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
12	8.2.2.2	Area of slab over 0.50 sqm	Sqm	3	5136.3	15408.9
	8.205	STONE WORK DRY CLADDING				
13	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	60	1267.95	76077
	9.0	WOOD AND P.V.C. WORK				
	9.1S	FRAMES AND TRUSSES				
	9.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
14	9.1.1	Second class teak wood	cum	.7	142949.7	100064.79
	9.7	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick :				
	9.7.7	Float glass panes				
15	9.7.7.1	4 mm thick glass pane (weight not less than 10kg/sqm).	Sqm	12	2241.8	26901.6
	9.9	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes (weight not less than 10 kg per sqm) fixing with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws.				
	9.9.1	Second class teak wood				
16	9.9.1.2	30 mm thick	Sqm	12	4523.4	54280.8
	9.16	Providing and fixing 25 mm thick shutters for cup board etc. :				
	9.16.1	Panelled or panelled & glazed shutters :				
17	9.16.1.1	Second class teak wood including ISI marked anodised aluminium butt hinges with necessary screws	Sqm	5	4402.85	22014.25
	9.21	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
18	9.21.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	3	2392.65	7177.95
19	9.23	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	Sqm	3	462.35	1387.05
	9.405	MISCELLANEOUS-WOOD WORK				
	9.47	Providing and fixing nickel plated M.S. pipe curtain rods with nickel plated brackets :				
20	9.47.2	25 mm dia (heavy type)	Metre	10	186.4	1864

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
21	9.48.2	Fixed to openings /wooden frames with rawl plugs screws etc.	Kg	150	238.35	35752.5
22	9.53	Providing 40x5 mm flat iron hold fast 400 mm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embedding in cement concrete block 300x100x150 mm 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	Each	24	228.85	5492.4
	9.57S	COPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378)				
	9.57	Providing and fixing ISI marked IS:1341 oxidised M.S. pressed butt hinges with necessary screws etc. complete. (Copper oxidised as per IS 1378)				
23	9.57.2	100x58x1.90 mm	Each	50	48.2	2410
	9.72S	BRASS FITTINGS				
	9.74	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete :				
24	9.74.2	200x10 mm	Each	2	358.4	716.8
	9.75	Providing and fixing bright finished brass door latch with necessary screws etc. complete :				
25	9.75.2	250x16x5 mm	Each	1	308	308
	9.81	Providing and fixing bright finished brass handles with screws etc. complete:				
26	9.81.1	125 mm	Each	2	256.65	513.3
27	9.82	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	Each	1	121.65	121.65
	9.88S	CHROMIUM PLATED BRASS FITTINGS				
28	9.88	Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	Each	1	998.35	998.35
	9.105S	GYPSUM BOARD PARTITIONS				
29	9.121	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2 mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	Metre	20	570.95	11419
	9.122	Providing and fixing to existing door frames.				
30	9.122.2	30 mm thick Fiberglass Reinforced Plastic (F.R.P.) flush door shutter in different plain and wood finish made with fire retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate all around, with suitable wooden blocks inside at required places for fixing of fittings and polyurethane foam (PUF)/Polystyrene foam to be used as filler material throughout the hollow panel, casted monolithically with testing parameters of F.R.P. laminate conforming to table - 3 of IS: 14856, complete as per direction of Engineer-in-charge.	Sqm	8	4488.95	35911.6

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	9.147	Providing and fixing factory made uPVC glazed/wire mesh windows/ doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.				
	9.147.A4	Three track three panels sliding window with two glazed & one wire mesh panels with Aluminium channel for roller track, wool pile, nylon rollers with SS 304 body.				
31	9.147.A4.2	Using R3 series with frame (98 mm & above) x (40 mm & above) & both glazed and fly screen sash (30 mm & above) x (55 mm & above) with zinc alloy (zamak) powder coated handle on every glazed panel along with multi-point locking system. (Height upto 1.8m)	Sqm	12	10874.2	130490.4
	10.0	STEEL WORK				
	10.15	General				
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
32	10.16.1	Hot finished welded type tubes	Kg	200	194.4	38880
	11.0	FLOORING				
	11.15	General				
33	11.7	Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete.	cum	3	8595.15	25785.45
	11.37S	CERAMIC GLAZED TILES				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

34	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	Sqm	4	1096.55	4386.2
	11.41S	VITRIFIED FLOOR TILES				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including grouting the joints with white cement and matching pigments etc., complete.				
35	11.41.2	Size of Tile 600x600 mm	Sqm	26	1553.45	40389.7
	12.0	ROOFING				
	12.37S	RAIN WATER SPOUT AND PIPE				
	12.37	Providing and fixing 100 mm diameter and 60 cm long rain water spout in cement mortar 1:4 (1 cement : 4 fine sand).				
36	12.37.1	Stone ware spout	Each	4	164.2	656.8
	12.38	Providing and fixing M.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. :				
37	12.38.1	100 mm diameter	Each	12	362.85	4354.2
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.5	Bend 87.5 degree				
38	12.42.5.2	110 mm bend	Each	4	150.35	601.4
	12.42.6	Shoe (Plain)				
39	12.42.6.2	110 mm Shoe	Each	4	131.85	527.4
	12.43	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
40	12.43.2	110 mm	Each	4	371.3	1485.2
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
41	13.1.1	1:4 (1 cement: 4 fine sand)	Sqm	350	347.05	121467.5
	13.20S	PEBBLE DASH PLASTER				
42	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	70	262.7	18389
	13.33S	POINTING ON STONE WORK				
	13.33	Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand) :				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

43	13.33.1	Flush/ Ruled pointing	Sqm	30	385.4	11562
	13.37S	INTERIOR FINISHING				
	13.41	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour :				
44	13.41.1	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	Sqm	100	185.65	18565
	13.44S	EXTERIOR FINISHING				
	13.47	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:				
45	13.47.1	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	Sqm	140	171.1	23954
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
46	13.48.3	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture	Sqm	20	170.7	3414
	13.69	Polishing on wood work with ready mixed wax polish of approved brand and manufacture :				
47	13.69.1	New work	Sqm	15	197.65	2964.75
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
48	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	2	2434.25	4868.5
	17.0	SANITARY INSTALLATIONS				
	17.1S	General				
	17.1	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231,with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
49	17.1.1	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	Each	4	6767.4	27069.6
	17.3	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
50	17.3.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	2	8006.6	16013.2

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	17.4	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
51	17.4.1	One urinal basin with 5 litre white P.V.C. automatic flushing cistern	Each	3	6258.75	18776.25
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
52	17.7.2	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	Each	4	2226.35	8905.4
53	17.16A	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.	Each	4	349.15	1396.6
	17.19	Providing and fixing controlled flush, low level cistern made of vitreous china with all fittings complete.				
54	17.19.1	10 litre (full flush) capacity-white	Each	4	2243.75	8975
55	17.31	Providing and fixing 600x450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Each	4	1607.95	6431.8
	17.35	Providing and fixing soil, waste and vent pipes :				
	17.35.1	100 mm dia				
56	17.35.1.1	Sand cast iron S&S pipe as per IS: 1729	Metre	30	1151.9	34557
	17.35.2	75 mm diameter :				
57	17.35.2.1	Sand cast iron S&S pipe as per IS: 1729	Metre	30	1044.75	31342.5
	17.38	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
	17.38.1	100 mm dia				
58	17.38.1.1	Sand cast iron S&S as per IS - 1729	Each	4	598.5	2394
	17.60	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors :				
	17.60.1	100 mm inlet and 100 mm outlet				
59	17.60.1.2	Sand Cast Iron S&S as per IS: 1729	Each	4	1683.55	6734.2
	17.70	Providing and fixing PTMT Bottle Trap for Wash basin and sink.				
60	17.70.1	Bottle trap 31mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms	Each	2	367.1	734.2
61	17.72	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	Each	4	231.95	927.8
	18.0	WATER SUPPLY				
	18.7S	C.P.V.C. PIPES				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	18.7	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work - Exposed on wall)				
62	18.7.2	20 mm nominal dia Pipes	Metre	75	335	25125
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
63	18.9.2	20 mm nominal dia Pipes	Metre	50	274.3	13715
	18.15S	BRASS FITTINGS				
	18.15	Providing and fixing brass bib cock of approved quality :				
64	18.15.1	15 mm nominal bore	Each	6	353.25	2119.5
	18.16	Providing and fixing brass stop cock of approved quality :				
65	18.16.1	15 mm nominal bore	Each	6	353.25	2119.5
	18.18	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :				
66	18.18.3	25 mm nominal bore	Each	6	464.05	2784.3
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
67	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	2000	11	22000
	18.49S	C.P. BRASS FITTINGS				
	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
68	18.49.1	15 mm nominal bore	Each	10	506.8	5068
	18.59S	AIR VALVE & WATER METER (BULK TYPE)				
69	18.65	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	Each	2	111.45	222.9
	19.0	DRAINAGE				
	19.1S	STONE WARE PIPES AND FITTINGS				
	19.1	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
70	19.1.2	150 mm diameter	Metre	30	695.8	20874

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	19.9	Constructing brick masonry circular type manhole 0.91 m internal dia at bottom and 0.56 m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand), inside cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size), and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement, all complete as per standard design :				
	19.9.1	0.91 m deep with S.F.R.C. cover and frame (heavy duty, HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12 mm thick cement plaster at the external surface shall be paid for separately) :				
71	19.9.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	Each	1	12725	12725
	19.30	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 fine sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:				
	19.30.1	Inside dimensions 455x610 mm and 45 cm deep for single pipe line :				
72	19.30.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	Each	4	6937.9	27751.6
	22.0	WATER PROOFING				
	22.1S	General				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

73	22.6	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying:(a) after surface preparation, first layer of slurry of cement @ 0.488kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. For the purpose of measurement the entire treated surface will be measured.	Sqm	70	688.9	48223
	26.0	NEW TECHNOLOGIES AND MATERIALS				
	26.41S	NEW TECHNOLOGY ITEMS				
	26.69	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level				
74	26.69.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	30	9844.65	295339.5
					Total	2074281.49
Item- 2	SW-I: b)Provision of PF Shelter at PF-1 (SMET END) AT TKE					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				
	2.1S	General				
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1	2.8.1	All kinds of soil.	cum	28	260.3	7288.4
2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	44	196	8624
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
3	4.2.3	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	32	9895.2	316646.4
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.9S	FORM WORK				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
4	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	28	392.15	10980.2
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
5	8.2.2.2	Area of slab over 0.50 sqm	Sqm	88	5136.3	451994.4
	10.0	STEEL WORK				
	10.1S	General				
6	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	1244	133.7	166322.8
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
7	10.16.2	Hot finished seamless type tubes	Kg	5320	206.35	1097782
8	10.19	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	Kg	240	97.2	23328
	11.0	FLOORING				
	11.41S	VITRIFIED FLOOR TILES				
	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
9	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	56	4481.3	250952.8
	12.0	ROOFING				
	12.1S	SHEET ROOFING				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	12.1	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				
10	12.1.3	0.63 mm thick with zinc coating not less than 275 gm/ m2	Sqm	300	1087.65	326295
	13.0	FINISHING				
	13.44S	EXTERIOR FINISHING				
	13.63	Painting with aluminium paint of approved brand and manufacture to give an even shade .				
11	13.63.1	Two or more coats on new work	Sqm	140	146.8	20552
	26.0	NEW TECHNOLOGIES AND MATERIALS				
	26.41S	NEW TECHNOLOGY ITEMS				
	26.69	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level				
12	26.69.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	20	9844.65	196893
					Total	2877659.00
Item- 3	SW-I: c) Widening of platfrom at PF-1 (SMET end)					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				
	2.1S	General				
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1	2.8.1	All kinds of soil.	cum	350	260.3	91105
	16.0	ROAD WORK				
	16.42S	CONCRETE PAVEMENTS				
2	16.42	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.	cum	150	7993.8	1199070

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	16.43	Providing and laying design mix cement concrete of M-30 grade, in roads/taxi tracks/runways, using cement content as per design mix, using coarse sand and graded stone aggregate of 40 mm nominal size in appropriate proportions as per approved and specified design criteria, providing dowel bars with sleeve/ tie bars wherever required, laying at site, spreading and compacting mechanically by using needle and surface vibrators, levelling to required slope/ camber, finishing with required texture, including steel form work with sturdy M.S. channel sections, curing, making provision for contraction/ expansion, construction and longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine, providing and filling joints with approved joint filler and sealants, complete all as per direction of Engineer-in-charge (Item of joint fillers, sealants, dowel bars with sleeve/ tie bars to be paid separately).				
3	16.43.1	Cement concrete prepared with batch mixing machine	cum	200	10529.35	2105870
4	16.45	Providing and fixing pre-moulded joint filler in expansion joints of RCC roads / CC pavements after making the joints dust free with high pressure air jet cleaners, all complete as per direction of the Engineer-in-Charge. (Pre-moulded joint fillers shall be made of bitumen hot sealing compound impregnated fibre board having impregnation more than 35%, conforming to IS:1838 for fibre board and IS: 1834 for hot sealing bitumen compound grade A.)	per cm depth per cm width per metre length	3380	5.3	17914
					Total	3413959.00
Schedule	Schedule A-SW-II: ANF : Additional PF shelter of 180 Sqm with 3 spans, 5 granite Benches					
Item- 1	List of items that are covered under DSR					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				
	2.15	General				
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1	2.8.1	All kinds of soil.	cum	21	260.3	5466.3
2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	33	196	6468
	4.0	CONCRETE WORK				
	4.15	CEMENT CONCRETE (CAST IN SITU)				
	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

3	4.2.3	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	24	9895.2	237484.8
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
4	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	21	392.15	8235.15
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
5	8.2.2.2	Area of slab over 0.50 sqm	Sqm	66	5136.3	338995.8
	10.0	STEEL WORK				
	10.1S	General				
6	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	933	133.7	124742.1
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
7	10.16.2	Hot finished seamless type tubes	Kg	3990	206.35	823336.5
8	10.19	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	Kg	180	97.2	17496
	11.0	FLOORING				
	11.41S	VITRIFIED FLOOR TILES				
	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
9	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	42	4481.3	188214.6
	12.0	ROOFING				
	12.1S	SHEET ROOFING				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	12.1	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				
10	12.1.3	0.63 mm thick with zinc coating not less than 275 gm/ m2	Sqm	225	1087.65	244721.25
	13.0	FINISHING				
	13.44S	EXTERIOR FINISHING				
	13.63	Painting with aluminium paint of approved brand and manufacture to give an even shade .				
11	13.63.1	Two or more coats on new work	Sqm	105	146.8	15414
	26.0	NEW TECHNOLOGIES AND MATERIALS				
	26.41S	NEW TECHNOLOGY ITEMS				
	26.69	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level				
12	26.69.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	15	9844.65	147669.75
					Total	2158244.25
Schedule	Schedule A-SW-III:SME: Provision of Low Cost Platform shelter at SME station (240 sqm in 4 bays)					
Item- 1	List of items that are covered under DSR					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				
	2.1S	General				
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1	2.8.1	All kinds of soil.	cum	28	260.3	7288.4
2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	44	196	8624
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
3	4.2.3	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	32	9895.2	316646.4
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.9S	FORM WORK				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
4	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	28	392.15	10980.2
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
5	8.2.2.2	Area of slab over 0.50 sqm	Sqm	88	5136.3	451994.4
	10.0	STEEL WORK				
	10.1S	General				
6	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	1244	133.7	166322.8
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
7	10.16.2	Hot finished seamless type tubes	Kg	5320	206.35	1097782
8	10.19	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	Kg	240	97.2	23328
	11.0	FLOORING				
	11.41S	VITRIFIED FLOOR TILES				
	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
9	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	56	4481.3	250952.8
	12.0	ROOFING				
	12.1S	SHEET ROOFING				

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

	12.1	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				
10	12.1.3	0.63 mm thick with zinc coating not less than 275 gm/ m2	Sqm	300	1087.65	326295
	13.0	FINISHING				
	13.44S	EXTERIOR FINISHING				
	13.63	Painting with aluminium paint of approved brand and manufacture to give an even shade .				
11	13.63.1	Two or more coats on new work	Sqm	140	146.8	20552
	26.0	NEW TECHNOLOGIES AND MATERIALS				
	26.41S	NEW TECHNOLOGY ITEMS				
	26.69	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level				
12	26.69.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	20	9844.65	196893
					Total	2877659.00

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	No Technical and Financial credentials are required for tenders having value up to Rs 50 lakh	No	No	Allowed (Mandatory)
1.1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less ; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)
1.2	(a) Attested Certificates(s) issued by Executive or Nominated Authority of the government Departments or Semi-Government/Public Sector Undertakings for the value of the work done for them during the qualifying period including current financial year certifying the bill amounts paid Agreement-wise and Date-wise or attested photo copy of such certificate. Such certificates will be accepted only from Govt. / Govt. bodies / PSUs authorities. Certificates issued by Private Bodies will not be considered.	No	No	Allowed (Mandatory)
1.3	NOTE: (i) Financial Year shall normally, be reckoned as 1st April to 31st March of the Next Year. However, for Turnover Criteria, the Financial Year as applicable to the Company /Tenderer is to be considered, if it defers from the above. (ii) Current Financial year is reckoned as the incomplete Financial year in which the date of tender submission falls. (iii) Chartered Accountant statements duly indicating yearly receipts will not be considered until and unless backed by Audited Balance Sheets or Provisional Balance sheet. (iv) (v) If the tender is not accompanied by the certificate(s) in support of financial eligibility as above, the tender shall be rejected. No post-tender correspondence will be entertained.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

1.4	If JV firms are allowed to participate; Financial eligibility of the JV Firm shall be adjudged based on satisfactory fulfillment of the Para No.17.15.2 of J.V guide lines of IRSGCC April - 2022 [with up to date correction slip].	No	No	Not Allowed
-----	--	----	----	-------------

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	(a) The tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	Tenderer shall carefully read clause No. 10 including clause no. 10.1 to 10.5 of IRGCC April 2022.	No	No	Not Allowed
1.2	The total value of similar nature of work completed during the qualifying period and not the payments received within qualifying period alone, shall be considered. In case, final Bill of similar nature of work has not been passed and final measurements have not been recorded, the paid amount including statutory deductions will be considered. If final measurements have been recorded and work has been completed with negative variation, then also the paid amount including statutory deductions will be considered. However, if final measurements have been recorded and work has been completed with positive variation but variation has not been sanctioned, original agreement value or last sanctioned agreement value whichever is lower shall be considered for judging eligibility.	No	No	Not Allowed
1.3	In case JV firms are allowed to participate, Technical Eligibility of the JV Firm shall be adjudged based on satisfactory fulfillment of the Para No.17.15.1 of J.V. guide lines of IRSGCC April-2022 [read with up to date correction slip].	No	No	Not Allowed
1.4	The value of work completed will not include the cost of any materials issued free of cost by the Railway/ Department concerned. Price Variation amount, if any; if indicated / incorporated in the experience certificate will also be considered towards eligibility.	No	No	Not Allowed
1.5	Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organization, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates.	No	No	Not Allowed
1.5.1	The work experience certificate shall be in the name and style of the tenderer participating or as per provisions under Clause 17.15 of GCC April-2022 for JV Firm, if eligible to participate.	No	No	Not Allowed
1.5.2	The work experience certificate shall be issued by an officer not below the rank of JA Grade or Bill passing Officer in Railways and Bill passing Officer/Executive In-charge of work in other Govt. / Govt. bodies / PSUs. The certificate should bear the signature and seal of the issuing officer, name of the department etc. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
1.6	Defination of Similar Work :- Any Civil Engineering work.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Uploading of Proforma-18 attached with Tender document (Certificate signed by Tenderer and Chartered Accountant), when balance sheet for the first previous year is yet to be prepared/ audited.	No	No	Not Allowed
2	TENDER SHALL BE REJECTED if it is not accompanied by the following	No	No	Not Allowed
2.1	Uploading of Proforma (Proforma-16) attached with Tender Document for self-Certificate in regard to meeting the Minimum Local Content requirements as per Make in India Policy for Procurement Order Value less than of Rs.10 Crores.	No	No	Not Allowed
2.2	Uploading of Proforma (Proforma-17) attached with Tender Document for Certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of Local Content as per Make in India Policy for Procurement Order Value more than Rs.10 Crores.	No	No	Not Allowed
2.3	Bid Security deposited through IREPS e-payment or as per provisions under Clause 5 (2) Part-I of GCC April 2022.	No	No	Not Allowed
2.3.1	In case of Partnership firm: The tender form shall be submitted only in the name of partnership firm.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

2.3.2	In case tenderer is JV Firm : The tender form shall be submitted only in the name of the JV and not in the name of any constituent member.	No	No	Not Allowed
2.3.3	The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period.	No	No	Not Allowed
2.3.4	In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:- i. A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender. ii. The original Bank Guarantee should be delivered to the Divisional Railway Manager(Works),2nd floor, Irwin Road,South Western Railway, Mysore-570001, within 5 working days of deadline of submission of bids. iii. Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. iv. The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender. v. The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, failing which the bid will be rejected. vi. The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope. vii. The envelope shall be addressed to the Divisional Railway Manager(Works),2nd floor, Irwin Road,South Western Railway, Mysore-570001 viii. If the envelope is not sealed and marked as instructed above, the Railway assumes no responsibility for the misplacement or premature opening of the contents of the Bid submitted and consequent losses, if any, suffered by the Bidder. ix. The beneficiary for the PG will be Senior Divisional Finance Manager, South Western Railway, Mysore	No	No	Not Allowed

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Proforma-16 for self-certificate in regard to meeting the Minimum Local Content requirements as per Make in India Policy for Procurement order value less than of Rs. 10 Crores. OR Proforma-17 for Certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of Local Content as per Make in India Policy for Procurement Order Value more than Rs.10 Crores. Provisions of Make in India Policy 2017 (revised during 2024 vide Department for Promotion of Industry and Trade, Ministry of Commerce and Industry's letter No. P-45021/2/2017-PP (BE-II)-Part(4)Vol.II dated 19.07.2024) issued by Govt. of India, as amended from time to time, shall be followed for consideration of tenders.	No	Yes	Allowed (Mandatory)
2	Uploading of Proforma -18 attached with Tender document (Certificate signed by Tenderer and Chartered Accountant), when balance sheet for the first previous year is yet to be prepared/ audited.	Yes	Yes	Allowed (Mandatory)
3	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

4	(i) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. (ii) documents shall be submitted according to clause 14 of IRGCC 2022:	No	No	Not Allowed
---	--	----	----	-------------

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The General Conditions of Contract governing the performance of the works covered by this tender are the Indian Railway Standard General Conditions of Contract [IRSGCC] as amended from time to time up to date. A soft copy of the Indian Railway Standard General conditions of Contract is uploaded in the attached documents to the tender for reference. Hard copy of IRSGCC (with up-to-date correction slip) may be perused in the office of the Divisional Railway Manager(Works)/ South Western Railway / Mysore-570001. The tenderer/s is/are deemed to have kept himself/themselves fully Informed of the provisions of the IRS General conditions of Contract including all corrections and Amendments issued up to date while submission of offer and any claim that he/they is/are not aware of any amendment or correction slip to the IRSGCC shall not be entertained.	No	No	Not Allowed
2	STUDY OF DRAWINGS AND LOCAL CONDITIONS: The drawings for the works can be seen in the office of the General Manager/Divisional Railway Manager. It should be noted that these drawings are meant for general guidance only and Railway may suitably modify them during the execution of work according to the circumstances without making the Railways liable for any claims on account of such changes. If there is any variation between the description in the tender and the detailed plans, the Engineer-in-Charge will operate the correct description and his decision is final and binding on the tenderer/ Contractor. The Tenderer/Contractor is required to inspect the sites of works and acquaint himself with the site conditions, availability of approaches for transporting of men and materials, space and other factors relating to the works, availability of labour, electricity and water, etc., before quoting his rates. The extent of lead and lift involved in the execution of works and any difficulties involved in the execution of work should also be examined before formulating the rates for complete items of works described in the schedule. The Tender submitted will be deemed to have been made after such inspection.	No	No	Not Allowed
3	DRAWINGS FOR WORKS: The percentage rates for the schedule items and itemized rates for the non-scheduled items quoted by the tenderer as may be accepted by the railways will, hold good irrespective of any changes, modifications, alterations, additions, omissions in the locations of structures and detailed drawings, specifications and/or the manner of executing the work. It should be specifically noted that some of the detailed drawings may not have been finalized by the Railway and will, therefore, be supplied to the contractor as and when they are finalized on demand. No compensation whatsoever on this account shall be payable by the Railway Administration. No claim whatsoever will be entertained by the Railway on account of any delay or hold up of the works arising out of delay in approval of drawings, changes, modifications, alterations, additions, omission and the site layout plans or detailed drawings and design and/or late supply of such material as are required to be arranged by the Railway or due to any other factor on Railway Accounts.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

4	Manual tenders, supporting documents etc., sent by Post/FAX/Courier or in Person SHALL NOT BE ACCEPTED.	No	No	Not Allowed
4.1	All requisite documents are to be properly submitted online only and the bidders should ensure that the content of the documents uploaded is distinctly legible /readable.	No	No	Not Allowed
5	CORRIGENDUM NOTICE ON IREPS: Railway may modify the tender document by issuing online corrigendum through "www.ireps.gov.in" 15 days prior to the tender closing date. For the purpose of CORRIGENDUM in the tender, NIT period is splitted as under: (a) ADVERTISEMENT PERIOD: The time during which all information pertaining to tender shall be available but offers cannot be submitted (b) OFFER SUBMISSION PERIOD: 15 days prior to closing of tender, during which tenderers can submit their offer.	No	No	Not Allowed
6	If the Bid of a Tenderer is seriously unbalanced in relation to the Engineer's estimate of the cost of work to be performed under the contract, the Railways may require the tenderer to produce detailed price analysis for any or all items of the Tender Schedule, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed.	No	No	Not Allowed
7	No Technical and Financial credentials are required for tenders having value up to Rs 50 lakh. For tenders valuing more than Rs. 50.00 lakh: The offer of Tenderer(s) who do not enclose Experience Certificate & Turnover Certificate with requisite details, and supporting documents along with their Tender to establish their credentials shall be summarily rejected, even though they are working contractors or contractors on approved list.	No	No	Not Allowed
7.1	The offer shall be evaluated only from the certificates/documents submitted along with the tender offer.	No	No	Not Allowed
7.2	Any Certificate /Documents offered / submitted /received after the tender opening shall not be given any credit and shall not be considered.	No	No	Not Allowed
7.3	Attestation of documents may be self attested or attested by a Gazetted Officer.	No	No	Not Allowed
7.4	Railway reserves the right to verify the authenticity of the documents/information furnished.	No	No	Not Allowed
8	IRSGCC para 6.0 of part-I (a)(ii) Tenderers will examine the various provisions of The Central Goods and ServicesTax Act, 2017(CGST)/ Integrated Goods and Services Tax Act, 2017(IGST)/ Union Territory Goods and Services Tax Act, 2017(UTGST)/ respective state's State Goods and Services Tax Act (SGST) also, as notified by Central/State Govt.& as amended from time to time and applicable taxes before bidding. Tenderers will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates. (a)(iii) The successful tenderer who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/ UTGST /SGST Act to railway immediately after theaward of contract, without which no payment shall be released to the Contractor. The Contractor shall be responsible for deposition of applicable GST to the concerned authority. (a)(iv) In case the successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act, the railway shall deduct the applicable GST from his/their bills under reverse charge mechanism (RCM) and deposit the same to the concerned authority. (b) When work is tendered for by a firm or company, the tender shall be signed by the individual legally authorized to enter into commitments on their behalf. (c) The Railway will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of the contract. It may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

8.1	Increase/decrease of TAXES: if rates of existing GST or cess on GST for Works Contract is increased or any new tax /cess on Works Contract is imposed by Statute after the date of opening of tender but within the original date of completion/date of completion extended under clause 17 & 17A and the Contractor thereupon properly pays such taxes/cess, the Contractor shall be reimbursed the amount so paid. Further, if rates of existing GST or cess on GST for Works Contract is decreased or any tax/cess on Works Contract is decreased / removed by Statute after the date of opening of tender, the reduction in tax amount shall be recovered from Contractor's bills/Security Deposit or any other dues of Contractor with the Government of India.	No	No	Not Allowed
9	Fixed Deposit Receipts (FDRs) submitted after award of tender towards Security Deposit/Performance Guarantee should be with automatic renewal facility only.	No	No	Not Allowed
10	CONSORTIUM AGREEMENTS AND MOUS SHALL NOT BE CONSIDERED FOR PARTICIPATING IN THIS TENDER.	No	No	Not Allowed
11	Tenderer(s) shall note that conditional/alternate offer will not be considered and will summarily be rejected, even though such condition makes them as the lowest tenderer.	No	No	Not Allowed
12	Shramik kalyan While processing payment of any 'On Account Bill' or 'Final Bill' or release of 'Advances' or 'Performance Guarantee / Security deposit', contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in' till ____Month, ____Year.	No	No	Not Allowed
13	Date of inviting tender shall be the date of publishing tender notice on IREPS website if tender is published on website or the date of publication in newspaper in case tender is not published on website.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Applicability of Contractor's e-Measurement Book(e-MB) for all contracts costing more than Rs. 5 Cores. Contractor e-MB will be applicable to all contracts costing more than Rs. 5 cores as per guidelines issued by Railway Board vide Letter No. 2018/CE-I/CT/30 dated 01.08.2022 and letter No.2017/CE-I/CT/9 dated 31.05.2023.	No	No	Not Allowed
2	Form work/Shuttering work design- should be submitted and get to be approved by Engineer-in-charge before execution of work	No	No	Not Allowed
3	An offer shall get summarily rejected if Compliance of Local content requirement is not fulfilled and proforma 16 (for works upto Rs.10 Cr) or proforma 17 (for works more than Rs.10 Cr) is not submitted	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

4	A)An offer shall become invalid: - (i) if the Bid Security is not paid Online /scanned copy of Bank Guarantee towards Bid Security not uploaded on e-Procurement portal (IREPS) while applying to the tender &Original Bank Guarantee not delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e., excluding the last date of submission of bids) / certificate issued by Department of Industrial Policy and Promotion (DIPP) as 'Startups' not submitted along with the Bid to claim exemption for payment of Bid Security. (ii) if the offer is not digitally signed by the tenderer / by the Attorney / by the person authorized by the tenderer to sign and submit the tender on his/their behalf.(iii)if any individual/ Proprietor / Partnership Firm / Company /JV Firm/HUF/Society etc. uploads more than one offer either in his/their individual capacity or as a Proprietor or as a Partner/Member of Partnership Firm/ JV Firm/HUF/Society etc. or as a Director of any Company, etc. B)An offer shall get summarily rejected if the following documents are not submitted /attached with offer as per the list mentioned in the tender documents: - (i) Documents as applicable in case of Proprietary concern/Partnership firm/JV Firm/ Company/HUF/Society/LLP Firm, etc. (ii) Annexure-V(A) (Certificate in the Prescribed format) linked under heading Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. mentioned at ELIGIBILITY CONDITIONS is to be submitted by the each member in case of a Partnership Firm / Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.,. (iii) Ballast test certificate, if applicable. (iv) Any other document required for evaluation of the bid. C)An offer shall get summarily rejected if the tenderer adds any condition on his/their own (anywhere in the e-offer), which is in violation of the Railway's Tender Conditions. D)An offer shall become ineligible for award of the tendered work if the tenderer does not fulfill the Eligibility Conditions, (both the Standard Financial Eligibility Criteria and the Standard Technical Eligibility Criteria)prescribed in the Tender Documents and bid capacity if applicable.	No	No	Not Allowed
5	In case, tenderer not submits Proforma -18 (Certificate signed by Tenderer and Chartered Accountant, when balance sheet for the first previous year is yet to be prepared/ audited), the audited balance sheet of the fourth previous year will not be considered for calculating average annual contractual turnover.	No	No	Not Allowed
6	Arbitration Clause No. 64.(1)(i)(c), Part-II of IRSGCC covering disputes with a value less than Rs. 10 crore is applicable to this tender.	No	No	Not Allowed
7	Bidders should carefully read all the conditions and the Special Conditions along with Special Conditions - General & Technical, which are annexed to the tender document in the DOCUMENTS attached to the tender. These special conditions form part of the tender document and will supplement to the conditions of GCC April - 2022 along with updated correction slips GCC April-2022. Where the provisions of these special conditions are at variance with GCC and other documents mentioned above, these Special Conditions shall prevail.	No	No	Not Allowed
8	MOBILISATION ADVANCE IS APPLICABLE FOR TENDERS OF VALUE Rs. 25 CRORES OR ABOVE. as detailed in Special Conditions - General attached to the tender in documents.	No	No	Not Allowed
9	IN CASE OF ADVERTISED TENDER VALUE IS MORE THAN Rs. 10 CRORES, JOINT VENTURE (JV) FIRMS ARE ALSO CONSIDERED FOR ELIGIBILITY.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

10	IN CASE OF ADVERTISED TENDER VALUE IS MORE THAN RS. 20 CRORES: The tender/technical bid will be evaluated based on bid capacity formula detailed as Annexure-VI of IRSGCC April - 2022. NOTE: i)The Tenderer(s) shall furnish the details of existing commitments and balance amount of ongoing works with tenderer as per the prescribed proforma of Railway for statement of all works in progress and also the works which are awarded to tenderer but yet not started up to the of inviting of tender. In case of no works in hand, a 'NIL' statement should be furnished. This statement should be submitted duly verified by Chartered Accountant.(ii) In case, the tenderer/s failed to submit the above statement along with offer, their/his offer shall be considered as incomplete and will be rejected summarily.	No	No	Not Allowed
11	IN CASE OF ADVERTISED TENDER VALUE IS MORE THAN RS. 50 CRORES: Electronic Reverse Auction (e-RA) method will be applicable as per guide lines issued by Railway Board vide Lr no. 2017/Trans/01/Policy/Pt-S Dt 28/3/2018. (Copy attached in the list of documents)	No	No	Not Allowed
12	Price Variation Clause (PVC) is applicable If the advertised tender value above Rs.2 Crores . As detailed in -ACS No 1 for Para 46A of IRGCC April - 2022 attached to the tender in - DOCUMENTS. This clause is not applicable for AT welding portions supply contract. Base Month: The Base Month for 'Price Variation Clause' shall be taken as the one month prior to closing of tender, unless otherwise stated elsewhere. The quarter for applicability of PVC shall commence from the month following the Base month. The Price Variation shall be based on the average Price Index of the quarter under consideration.	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	In case of tender for Ballast supply - Ballast test certificate	No	No	Allowed (Mandatory)
1.1	In case of Tender schedule having item for SUPPLY OF BALLAST; Ballast test report as detailed in foot note of ballast item.	No	No	Allowed (Mandatory)
1.2	Technical Eligibility Criteria and Financial Eligibility Criteria	No	No	Allowed (Mandatory)
1.2.1	Uploading of Certificate in support of Technical Eligibility (No Technical credentials are required for tenders having advertised value up to Rs 50 lakh).	No	No	Allowed (Mandatory)
1.2.2	Submission of Certificate(s) in support of Financial Eligibility (No Financial credentials are required for tenders having advertised value up to Rs 50 lakh).	No	No	Allowed (Mandatory)
1.3	IN CASE THE TENDER is Partnership firm/ JOINT Venture firm (JV)/ LLP A copy of certificate to be submitted/uploaded by tenderer as per format given at annexure -v of IRGCC 2022.	No	No	Allowed (Mandatory)
1.4	IN CASE OF ADVERTISED TENDER VALUE IS MORE THAN RS. 20 CRORES: Bid capacity is applicable, the tenderers should submit proforma attached in DOCUMENTS. In case, the tenderer/s failed to upload BID CAPACITY PROFORMA along with offer, their/his offer shall be considered as incomplete and will be rejected summarily.	No	No	Allowed (Mandatory)
1.5	In case tenderer is other than sole proprietorship firm, following documents shall be uploaded by the tenderer:	No	No	Not Allowed
1.5.1	In case the Tenderer is a Partnership Firm: [i] A notarized copy of Partnership deed or a copy of the Partnership deed registered with the Registrar. [ii] A notarized or registered Power of Attorney (duly registered as per prevailing law) in favour of an individual to sign the tender documents and create liability against the Firm. [iii] PAN / TAN number of Partnership firm (PAN / TAN number in the name of any of the constituent partners shall not be considered). [iv] All other documents in terms of Para 10 of the Tender Form (Second Sheet) above.	No	No	Allowed (Mandatory)

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

1.5.2	In case the Tenderer is a LLP Firm registered under LLP Act-2008 (i) A copy of LLP Agreement, (ii) A copy of Certificate of Incorporation; and (iii) A copy of Power of Attorney/Authorization issued by the LLP Firm in favour of the individual to sign the tender on behalf of the LLP Firm and create liability against the Firm. (iv) Copy of PAN number of the LLP Firm. [v] All other documents in terms of Para 10 of the Tender Form (Second Sheet) above.	No	No	Allowed (Mandatory)
1.5.3	In case the Tenderer is a Company registered under Companies Act-2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company.(iv) copy of PAN number of the Company. and (v) All other documents in terms Para 10 of the Tender Form (Second Sheet) above.	No	No	Allowed (Mandatory)
1.5.4	In case the Tenderer is a Registered Society & Registered Trust: (i) A copy of the Certificate of Registration. (ii) A copy of Memorandum of Association of Society/Trust Deed; (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. And (iv) A copy of Rules and Regulations of the society (v) Copy of PAN number of the Society/Trust. (vi) All other documents in terms Para 10 of the Tender Form (Second Sheet) above.	No	No	Allowed (Mandatory)
1.6	In case JV Firms are allowed to participate: Uploading of MEMORANDUM OF UNDERSTANDING as per the format given in "Documents attached with tender" and also below documents.	No	No	Allowed (Mandatory)
1.6.1	In case one or more members is/are Proprietary Firm or HUF, the following documents shall be enclosed: (i) A copy of notarized affidavit on Stamp Paper declaring that his/her Concern is a Proprietary Concern and he/she is sole proprietor of the Concern OR he/she is in position of "KARTA" of Hindu Undivided Family (HUF) and he/she has the authority, power and consent given by other partners to act on behalf of HUF.	No	No	Allowed (Mandatory)
1.6.2	In case one or more of the members of the JV is/are partnership firm(s), following documents shall be submitted: (i) A notarized copy of the Partnership Deed or a copy of the partnership deed registered with the Registrar. (ii)A copy of consent of all the partners or individual authorized by partnership firm, to enter into the Joint Venture Agreement on a stamp paper. (iii) A notarized or registered copy of Power of Attorney in favour of the individual to sign the MOU/JV Agreement on behalf of the partnership firm and create liability against the firm.	No	No	Allowed (Mandatory)
1.6.3	In case one or more members of the JV is/are companies, the following documents shall be submitted: (i) A copy of resolutions of the Directors of the Company, permitting the company to enter into a JV agreement. (ii) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company. (iii) A copy of Certificate of Incorporation. (iv) A copy of Authorization/copy of Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender, sign MOU/JV Agreement on behalf of the company and create liability against the company.	No	No	Allowed (Mandatory)
1.6.4	In case one or more members of the JV is/are LLP firm/s, the following documents shall be submitted: (i) A copy of LLP Agreement. (ii) A copy of Certificate of Incorporation of LLP. (iii) A copy of resolution passed by partners of LLP firm, permitting the Firm to enter into a JV agreement. (iv) A copy of Authorization /copy of Power of Attorney issued by the LLP firm (backed by resolution passed by the Partners) in favour of the individual, to sign the tender and/or sign the MOU/ JV agreement on behalf of the LLP and create liability against the LLP.	No	No	Allowed (Mandatory)

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

1.6.5	In case one or more members of the JV is/are Society/s or Trust/s, the following documents shall be submitted: (i) A copy of Certificate of Registration. (ii) A copy of Memorandum of Association of Society/Trust Deed. (iii) A copy of Rules & Regulations of the Society. (iv) A copy of Power of Attorney, in favour of the individual to sign the tender documents and create liability against the Society/Trust.	No	No	Allowed (Mandatory)
2	The documents which are all required to be provided as per the Correction slips, which is attached with the tender document. Non-submission of same by the bidder shall result in summarily rejection of his/their bid.	No	No	Allowed (Mandatory)
3	Uploading of Declaration regarding Employment of Retired Engineer/Retired Railway Officer as per clause no.16 of Part-I of GCC April 2022. [in the format attached in - Documents]	No	No	Allowed (Mandatory)
4	Uploading of NEFT FORM - as per the format attached with the tender document.	No	No	Allowed (Mandatory)
5	The list of personnel/ organization on hand and proposed to be engaged for the tendered work.	No	No	Allowed (Mandatory)
6	List of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work.	No	No	Allowed (Mandatory)
7	Uploading of Statement Showing the particulars of Works on Hand & Works Completed as per the format attached to the tender document.	No	No	Allowed (Mandatory)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/We certify that I/We have more than or equal to 50% of the Local Content as per Public Procurement Policy (Make in India Policy) (If any bidders Local Content is less than 50%, Separate certificate to be enclosed	No	No	Not Allowed
2	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed
3	(i)I/We have read the various conditions of the tender attached hereto and hereby agree to abide by the said conditions. I/We also agree to keep this tender open for acceptance for the period mentioned in the tender document [NIT HEADER] from the date fixed for opening the same and in default thereof, I/We will be liable for forfeiture of my/our Earnest Money Deposit submitted. (ii) I/We offer to do the work at the percentage rates quoted by me/us in the attached schedule and bind myself/ourselves to complete the work within the period of completion given in this tender document[NIT HEADER] from the date of issue of letter of acceptance of this tender. I/We also hereby agree to abide by the IRGCC and Special Conditions of contract and to carry out the works according to the IRU Standard Specifications for materials and works, 2010, laid down by South Western Railway for the present contract. (iii) The full value of the earnest money paid shall stand forfeited without prejudice to any other rights or remedies of the railway if (a) I/We do not execute the contract document within seven days after receipt of notice issued by the Railway that such documents are ready: OR (b) I/We do not commence the work within fifteen days after receipt of orders to that effect. (iv) Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.	No	No	Not Allowed
4	I/We fail to submit the requisite Performance Guarantee [P.G] in the prescribed format even after 60 (Sixty days) from the date of issue of Letter of Acceptance, we are aware that the contract liable to be terminated duly forfeiting EMD and other dues, if any payable against the contract. Also, I/We shall be debarred from participating in the retender for this work	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

5	I/We understand that no post-tender correspondence will be entertained; however, if any clarification is required by the Railway, the same will be sought from the tenderer. Also, I/We are aware that any Certificate/ Documents offered after the tender opening shall not be given any credit and shall not be considered	No	No	Not Allowed
6	I/we do hereby solemnly affirm and state on behalf of the tenderer including its constituents as under:	No	No	Not Allowed
6.1	(i) I/We the tenderer(s) am/are signing this document after carefully reading the contents. (i) I/We declare and certify that I/We have not made any misleading or false representation in the documents, forms, statements attached in proof of the qualification requirements. (iii) I/We also understand that my/our offer will be evaluated based on the documents/credentials uploaded along with the offer and the same shall be binding upon me/us. (iv) I/We declare that the information and the documents attached along with the tender by me/us are correct and I/We are fully responsible for the correctness of the information and the documents submitted by us.	No	No	Not Allowed
6.2	I/We understand that, if any of the certificates regarding eligibility criteria submitted by us are found to be forged / false / incorrect will lead to banning of business with the tenderer/all the partners in case of partnership firm/all the members of a JV in case of a Joint Venture on entire Indian Railways for 5 years. i) if it is found during the process of evaluation of tender, it shall lead to forfeiture of the EMD, and my/our offer shall be summarily rejected. ii) If it is found after the award of the contract, it will lead to termination of contract along with forfeiture of EMD/SD and PG besides any other action provided in the contract.	No	No	Not Allowed
7	It is certified that I/We/HUF/Company/LLP have not been blacklisted or debarred by Railways or any other Ministry/Department/public sector undertaking of the government of India/State Government from participation in tenders/contract on the date of opening of bids, EITHER in individual capacity or in any firm in which we are/were partners or as a member of JV firm in which I/We/HUF/Company/LLP were/are members. I/We understand if above declaration found to be false/incorrect at any time during process of evaluation of bid or after the award of contract, will lead to determination under Clause 62 of the General Conditions of Contract.	No	No	Not Allowed
8	I/We indemnify and save harmless the Railway from and against all actions, suit proceedings losses, costs, damages, charges, claims and demands of every nature and description brought or recovered against the Railways by reason of any act or omission of the Contractor, his agents or employees, in the execution of the works or in his guarding of the same. All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the actual loss or damage sustained, and whether or not any damage shall have been sustained.	No	No	Not Allowed
9	I/We are aware that: Should the Railway decide to negotiate with a view to bring down the rates, the tenderer called for negotiations should furnish the following form of declaration before commencement of negotiations. I/We ----- do declare that in the event of failure of contemplated negotiations relating to Tender No., dt..... Item No. opened on dt:..... my original tender shall remain open for acceptance on its original terms and condition. I also declare that I am aware that during this negotiations, I cannot increase the originally quoted rates against any of the individual items and that in the event of my doing so the same would not be considered at all i.e., reduction in rates during negotiation alone would be considered and for some items if I/we increase the rates, the same would not be considered and in lieu my originally quoted rates alone would be considered and my offer would be evaluated accordingly. I/We are also aware that the validity of such negotiated offer will be 30 days from the date of negotiations or the validity of original offer, whichever is later.	No	No	Not Allowed

**MYSORE DIVISION-ENGINEERING/SOUTH WESTERN RLY
TENDER DOCUMENT**

Tender No: 20MYS26of15-06-26itno04

Closing Date/Time: 07/07/2026 11:00

10	I/we aware that: for all the tenders having advertised cost of Rs. 10 lakh or above, there is a provision to take payment from Rawilays through a letter of credit (LC) arrangement.	No	No	Not Allowed
----	--	----	----	-------------

6. Documents attached with tender

S.No.	Document Name	Document Description
1	ACS-2toGCC-2022_2022-CE-1-CT-GCC-2022.pdf	Correction slip to GCC 2022
2	ACS-4toGCC-2022.pdf	Correction slip to GCC 2022
3	GCCAdvanceCorrectionSlipNo5.pdf	Correction Slip No 5 to GCC 2022
4	IRGCCApril2022.pdf	IRGCC
5	GCCAdvanceCorrectionSlipNo6.pdf	Correction Slip No 6 to GCC 2022
6	GCCACSCORRECTION.pdf	Correction slip to GCC 2022
7	ACS-3toGCC-2022.pdf	Correction slip to GCC 2022
8	JPOforcablecut.pdf	JPO for cable cutting
9	Proforma161718.pdf	Proforma 16-17-18
10	GCCACS11.pdf	Correction Slip No 11 to GCC 2022
11	GCCAdvanceCorrectionSlipNo9.pdf	Correction Slip No 9 to GCC 2022
12	GCCAdvanceCorrectionSlipNo7.pdf	Correction Slip No 7 to GCC 2022
13	GCCAdvanceCorrectionSlipNo10.pdf	Correction Slip No 10 to GCC 2022
14	GCCAdvanceCorrectionSlipNo8.pdf	Correction Slip No 8 to GCC 2022
15	waitingroom.pdf	General Guidelines for tenderers

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: SREEHARI BARLANKI

Designation : Sr.DEN/CO/MYS