

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

**Sr.DOM/Agra** acting for and on behalf of The President of India invites E-Tenders against Tender No **AGC-OPT-2026-01** Closing Date/Time 08/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Provision of infrastructure at control office and movement cell of operating department		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	08/07/2026 15:00	<b>Date Time Of Uploading Tender</b>	16/06/2026 18:02
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	4984828.58	<b>Tendering Section</b>	OPERATING
<b>Bidding Style</b>	Single Rate for Tender	<b>Bidding Unit</b>	Above/Below/Par
<b>Earnest Money (Rs.)</b>	99700.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	3 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	24/06/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule ( ) A- Seating arrangement as per customized location requirements As per Annexure I</b>							978096.10	
01	NS01	29.00	Numbers	15458.00	448282.00	AT Par	448282.00	
	<b>Description:-</b> Supply and Installation of REVOLVING CHAIRS-The revolving chairs shall be of ergonomic high back design, the seat shall be made of plywood base with PU moulded foam cushioning and upholstered with fabric or mesh, the back shall be of mesh or fabric supported on polypropylene frame, the chair shall be provided with synchro tilt or center tilt mechanism with locking arrangement, pneumatic gas lift shall be provided for height adjustment, armrests shall be adjustable or fixed as per model, the base shall be nylon or chrome plated five star base fitted with twin wheel castors for smooth movement. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
02	ns2	30.00	Numbers	15104.00	453120.00	AT Par	453120.00	
	<b>Description:-</b> Supply and installation of VISITOR CHAIRS-The visitor chairs shall be of cantilever type with frame made of MS pipe and finished with epoxy powder coating, the seat and back shall be made of plywood with PU foam cushioning and upholstered with fabric, the chairs shall be provided with fixed armrests made of polypropylene or PU, the overall construction shall be sturdy, durable and corrosion resistant of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
03	NS03	1.00	Numbers	76694.10	76694.10	AT Par	76694.10	

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

<b>Description:-</b> Supply and installation of Sofa - BJ Made Of Good Quality Products Of MSPL Standard Models . 12mm Ply Used Made Of Back & Base . Upholstery Made Of Prime Quality Rexine Black . Base Seat Moulded With Foam , ( 90mm + 21mm ) Thick , D- 28KG/m3 . Back Seat Moulded With Foam , 45 Thick , D - 28KG/m3 . Arm rest Moulded With Foam , 45 Thick , D - 28KG/m3 . Back Inserted Foam , 21 Thick , D - 28KG/m3 . Ends Of The BJ 3S Sofa Structure PVC Caps . Sofa L Brackets & Base Frame Made Of Prime Quality MS . Fastners Nut Bolt 4Nos . Size M8 x 38mm . BJ Sofa Structure Shall have MS Spring Base . Understructure Made of Base Frame 20 x 20 Square SS Pipe 1.2mm Thick . Support Frame Made Of 12mm Dia Round SS Pipe 1.2mm Thick . Side Frame Made Of 25mm Dia Round SS Pipe 1.6mm Thick . Pinewood 25W x 25mm Thick . Seat Height From Bottom To Base 458mm . Back Height From Base Seat To Top 356mm . Seat 585 Depth . Hand Rest Width 150mm . All SS Pipes Shall Be Welded Properly Strongly and conformity with regulations . BJ Sofa Structure Stallness Steel Pipe Shall Be Abrasive Polished External Finished . The product should bear IGBC Green Pro certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) for OFFICE FURNITURE range for ergonomic design.Item to be of reputed make like Godrej/Steelcase/Methodex (Inspection by Consignee)								
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule</b> ( ) B-Provision/ Installation for wall/floor mounted office storage units As per Annexure I							1124936.48	
01	NS01	4.00	Numbers	28320.00	113280.00	AT Par	113280.00	
	<b>Description:-</b> Supply and Installation of STORAGE UNITS- Wooden Overhead Storage with an overall Size :- 600mm(L) X 450mm(D) X 600mm(H). The modular storage unit top shall be made from 18 mm thick pre-laminated particle board, rest panels shall be made in 18mm thick Pre-laminated particle board while back to be made of 18 mm thick pre-laminated particle board. All edges to be provided with 2 mm thick PVC lipping. The Unit features two shutters with shelf in storage, Handles & lock of approved design to be fixed on each unit. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
02	NS02	2.00	Numbers	28320.00	56640.00	AT Par	56640.00	
	<b>Description:-</b> Supply and installation of Overhead Storage having Overall size 900W x 450D x 600H, Top 18mm Thick 2mm Edge-banded Finished Approved Laminate Shade , All Storage Body Made Of 18mm Thick PLPB Board With 2mm Thick PVC Edge-banded Finish of Approved Laminate Shade, Shutter Used Metallic Hinges With All Fittings, All Storage Screw With Minifix Provided Locks & Handles, All Wooden Panels, Shelve & Shutters Fix Joints With Minifix Dowels & Other Fitting Equipment. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
03	NS03	5.00	Numbers	29972.00	149860.00	AT Par	149860.00	
	<b>Description:-</b> Steel Almirah of overall size of 916W x 486D x 1980H mm with welded construction. Almirah features 4 nos adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. All components shall be made of CRCA . The shelves, Back and sides should be in 0.8mm thickness and Door shall be in thickness of 1mm. The Almirah should have a Mazak handle and Three way locking mechanism. The almirah shall include two welded legs along its depth, each measuring 90 mm in width and 125 mm in height, fabricated from 1.0 mm thick CRCA sheet, which will act as the understructure of the storage unit. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
04	NS04	5.00	Numbers	29972.00	149860.00	AT Par	149860.00	
	<b>Description:-</b> Supply and Installation of Almirah Glass Door - Wooden Storage WST-11 with an overall size of 900W x 450D x 1800H mm. The unit is designed with a combination of 2 nos. glass doors of height 1200mm and 2 nos. wooden doors in remaining sizes, each having a thickness of 18mm. The glass doors shall be constructed using a wooden frame integrated with 4mm thick clear glass, ensuring visibility and modern aesthetics. The wooden doors shall be made from 18mm thick pre-laminated particle board and finished with 2mm thick PVC edge banding in an approved shade to ensure durability and a neat appearance. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
05	NS05	2.00	Numbers	29995.60	59991.20	AT Par	59991.20	
	<b>Description:-</b> Supply and Installation of Side Cabinet with sliding- Metal Storage shall have an overall size of 750mm(W) x 450mm(D) x 750mm(H) with welded construction. Almirah features 01 nos shelf which shall have a Uniformly Distributed Load Capacity of max 40 Kg. All components shall be made of CRCA, The shelves, Back and sides should be in 0.8 mm thickness while Door shall be of sliding type in thickness of 1.0 mm, The Almirah should have a PP Recess handle and Push lock mechanism for locking the doors, It should also have a M10 Screw type Leveler with Hex plastic base, All Metal Pieces Shall Be Welded Properly Strongly and conformity with regulations with CO2 Welding Shall Be Used, The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10), Shade shall be as per approved by direction of Engineer-in-charge. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
	NS06	2.00	Numbers	29500.00	59000.00	AT Par	59000.00	

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

06	<b>Description:-</b> Supply and Installation of Wooden Almirah- WST-07(NS) Wooden Storage with an overall Size :- 900mm(L) X 600mm(D) X 1950mm (H). The modular storage unit top shall be made from 18 mm thick pre-laminated particle board and rest of the sides as well as shelves and shutter to be made up of 18 mm thick pre-laminated particle board while back to be made of 9 mm thick pre-laminated particle board. All edges to be provided with 2 mm thick PVC edge bend. The unit features 2 nos wooden shutter with shelving system and one drawer unit of half width. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
07	NS7	2.00	Numbers	29500.00	59000.00	AT Par	59000.00	
	<b>Description:-</b> Supply and Installation of Side Cabinet (Wooden)- Wooden Storage with an overall Size :- 1200W x 450D x 750H mm. The modular storage unit top shall be made from 18 mm thick pre-laminated particle board, rest panels shall be made in 18mm thick Pre-laminated particle board while back to be made of 9 mm thick pre-laminated particle board. All edges to be provided with 2 mm thick PVC lipping. The Unit features one single door with shelf, one 3 drawer storage system and two open compartments open storage in middle. Drawer storage contains equal height drawer front with central locking mechanism. Handles with approved design of approved design to be fixed on each door and drawer front. 4 nos legs metal powder coated legs to be provided to support the unit. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
08	NS08	2.00	Numbers	29500.00	59000.00	AT Par	59000.00	
	<b>Description:-</b> Supply and Installation of Side Cabinet 900x600xx1200 Metal Storage shall have an overall size of 900mm(W) x 600mm(D) x 1200mm(H) with welded construction. Almirah features 02 nos shelf which shall have a Uniformly Distributed Load Capacity of max 40 Kg. All components shall be made of CRCA, The shelves, Back and sides should be in 0.8 mm thickness while Door shall be of sliding type in thickness of 1.0 mm, The Almirah should have a PP Recess handle and Push lock mechanism for locking the doors, It should also have a M10 Screw type Leveler with Hex plastic base, All Metal Pieces Shall Be Welded Properly Strongly and conformity with regulations with CO2 Welding Shall Be Used, The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10), Shade shall be as per approved by direction of Engineer-in-charge. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
09	NS09	2.00	Numbers	29972.00	59944.00	AT Par	59944.00	
	<b>Description:-</b> Side Cabinet SC - Metal Storage shall have an overall size of 600mm(W) x 450mm(D) x 1200mm(H) with welded construction. Almirah features 02 nos shelf which shall have a Uniformly Distributed Load Capacity of max 40 Kg. All components shall be made of CRCA, The shelves, Back and sides should be in 0.8 mm thickness while Door shall be of sliding type in thickness of 1.0 mm, The Almirah should have a PP Recess handle and Push lock mechanism for locking the doors, It should also have a M10 Screw type Leveler with Hex plastic base, All Metal Pieces Shall Be Welded Properly Strongly and conformity with regulations with CO2 Welding Shall Be Used, The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee).							
10	NS10	912.00	Square Foot	392.94	358361.28	AT Par	358361.28	
	<b>Description:-</b> Supply and Installation of Supply and Installation of PVC MODIFICATION PANELING WORK Providing & fixing of 7mm thick PVC wall paneling with GI channel frame work fixed to the wall with help of screws. Items of reputed make like Royal touche/Steelcase/Methodex. (Inspection by Consignee)							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule ()</b> C-Customized workstation with electrical and network wiring arrangements as per customized space seating requirements As per Annexure I							2881796.00	
01	NS01	1.00	Numbers	79886.00	79886.00	AT Par	79886.00	
	<b>Description:-</b> Supply and Installation of Executive desk SC1200 & Pedestal M21 -Overall Size 2100W x 1000D x 770H mm, Top made up of 43mm thick PLPB with 2mm thick 25mm thick PLPB with 2mm Modesty panel made up of 18mm thick PLPB with 2mm thick, Wooden Panels Prime Quality Board With ISI Marked., Overall Size 1200W x 450D x 740H mm, Top made up of 43mm thick PLPB with 2mm thick, Top size 1200W x 450D x 43mm , under structure made up of 18mm thick PLPB with 2mm thick made up of 18mm thick PLPB with 2mm thick pvc edge bending , two number of sliding shutter made up of 18mm thick PLPB with 2mm thick, back panel made up of 12mm thick PLPB, two number of skirting provided on bottom., EB M21 having Overall Size 450W x 600D x 675H mm, back panel made up of 12mm thick PLPB , caster wheel should be provided on bottom, 3 number of S.S handle & one number of lock. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)							
	NS02	1.00	Numbers	79060.00	79060.00	AT Par	79060.00	

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

02	<b>Description:-</b> Supply and Installation of Executive desk Model Executive elite TE 1500 with SC TE LC745/S with TE M 21 Executive Table having Overall Dimension 1500W x 750D x 760H mm, Top made up of 25mm thick PLPB with 2mm thick pvc edge bending as per approved laminate shades, Under structure made up of 40X40X1.2mm thick CRCA hollow pipe with approved color shade for powder coating, Vertical panel provided with CRCA pipe with 18mm thick PLPB with 2mm thick pvc edge bending, Modesty made up of 18mm thick PLPB with 2mm thick pvc edge bending, wire manager provide on top as per requirement, The metal components shall be pre-treated through a minimum seven-stage chemical process and epoxy powder coated to a uniform thickness of 50 microns (±10) in the approved shade. The manufacturer shall possess ISO certification for quality and safety assurance. Side Cabinet having Overall Size 745W x 430D x 735H mm, Top made up of 25mm thick PLPB with 2mm thick pvc edge bending as per approved laminate shade. Pedestal having Overall Size 400W x 545D x 600H mm, Top made up of 25mm thick PLPB with 2mm thick pvc edge bending as per approved laminate shade. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
03	NS03	1.00	Numbers	79886.00	79886.00	AT Par	79886.00
	<b>Description:-</b> Supply and Installation of Executive table in Semi-knock down conditions with an overall size 1800W X 1800D X 750H mm. Top shall have the size 1800mm X 900mm made up of 25mm thick Pre-laminated particle board with rectangle shape Gable ends will be made in 25mm thick Pre-Laminated particle board with 2mm thick pvc edge bending. A modesty panel of 18mm thick Prelaminated particle board with appropriate PVC edge banding is used to provide structural support for the tabletop. The side unit with size 900mm X 450mm X 750mm shall be made up of Pre-laminated particle board with top in 18mm thick, drawer base in 9mm & rest structure in 18mm. This unit shall have a storage unit in 2 Drawer and 2 Hinged shutter arrangement. standing 3 Drawer Pedestal unit (2D+1F) is provided under the main tabletop. one set of Flip up box with approved make is placed on both sides of working top for proper wiring management. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
04	NS04	2.00	Numbers	77880.00	155760.00	AT Par	155760.00
	<b>Description:-</b> Supply and Installation of Linear Workstation(1500mmX750mm) Linear Workstation size-1500Lx750DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame.Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
05	NS05	2.00	Numbers	77880.00	155760.00	AT Par	155760.00
	<b>Description:-</b> Supply and Installation of Linear Workstation size-900Lx750DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee).						
06	NS06	2.00	Numbers	79886.00	159772.00	AT Par	159772.00
	<b>Description:-</b> Supply and Installation of Curvilinear Workstation L shape(1800w1X1350w2X900mm) Curvilinear Workstation size-1800W1x1350W2x900DX1200H,Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
07	NS07	1.00	Numbers	79886.00	79886.00	AT Par	79886.00
	<b>Description:-</b> Supply and Installation of Curvilinear WS L shape(1800w1X1500w2X900mm) Curvilinear Workstation size-1800W1x1500W2x1050DX1200H,Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame .Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. All 3 drawers are locked with center lock of HETTICH/EBCO/EQUIVALENT. The mobile drawer pedestals would all be provided with lockable castors on front 2corners thus making the usability easy & fluent. The outer size for each pedestal unit is 400mm x 450mm x 680mm.Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
	NS08	1.00	Numbers	79886.00	79886.00	AT Par	79886.00

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

08	<b>Description:-</b> Supply and Installation of Curvilinear WS L shape(1500w1X1800w2X900mm) Curvilinear Workstation size-1500W1x1800W2x900DX1200H,Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame .Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm.Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
09	NS09	7.00	Numbers	75520.00	528640.00	AT Par	528640.00
	<b>Description:-</b> Supply and Installation of Linear Workstation(900mmX600mm) Linear Workstation size-900Lx600DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
10	NS10	3.00	Numbers	77880.00	233640.00	AT Par	233640.00
	<b>Description:-</b> Supply and Installation of Linear Workstation(1200mmX600mm) Linear Workstation size-1200Lx600DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
11	NS11	1.00	Numbers	76700.00	76700.00	AT Par	76700.00
	<b>Description:-</b> Supply and Installation of Linear Workstation(1050mmX600mm)- Linear Workstation size-1050Lx600DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
12	NS12	1.00	Numbers	79768.00	79768.00	AT Par	79768.00
	<b>Description:-</b> Supply and installation of Linear Workstation with 2 seating side by side(1650mmX750mm) Linear Workstation size-1650Lx750DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
13	NS13	1.00	Numbers	79886.00	79886.00	AT Par	79886.00
	<b>Description:-</b> Supply and Installation of Linear Workstation with 2 seating side by side(1800mmX900mm) Linear Workstation size-1800Lx900DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
14	NS14	1.00	Numbers	259600.00	259600.00	AT Par	259600.00

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

	<b>Description:-</b> Supply and Installation of Linear Workstation side by side without partition Cluster of 3 (size-1200Lx750DX1200H) Cluster of 3 Linear Workstation size-1200Lx750DX1200H,Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
15	NS15	1.00	Numbers	59000.00	59000.00	AT Par	59000.00
	<b>Description:-</b> Supply and Installation of COMPUTER TABLE- Vision-13 Table designed overall size of 1050W x 600D X 750H mm. The computer table shall be made of 18 mm thick pre-laminated particle board, all edges shall be finished with 2 mm thick PVC edge banding, the structure shall be supported on gable ends and vertical panels made of the same material, the design shall be compact and ergonomic suitable for computer usage. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
16	NS16	1.00	Numbers	53100.00	53100.00	AT Par	53100.00
	<b>Description:-</b> Supply and Installation of CENTRE TABLE Model- Jack 02 - Supply, installation, and providing of Centre Table glass top with an overall size of 1200W x 600D mm. The tabletop shall be made using good quality solid wood with glass duly polished with proper surface treatment to ensure a smooth and durable finish. A glass top shall be fitted on the table, properly grooved into the edges of the top boards to ensure a secure and seamless integration. The frame structure of the table shall be made of Sheesham/teak wood for strength and longevity. The table shall feature a 4-leg structure with cross-connecting wooden support on the width side for added stability. A bottom shelf made of wooden strips at equal intervals shall be provided in the approved finish for utility and aesthetics. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
17	NS17	1.00	Numbers	73160.00	73160.00	AT Par	73160.00
	<b>Description:-</b> Supply and Installation of Office table with Drawer(1200mmX600mm)-Overall size 1200mm (W) x 600mm (D) x 750mm (H), The tabletop is 18mm thick pre-laminated board (glass should be provided on top as per requirement), with edges sealed using 2mm thick PVC edge banding finish with as per approved laminate shade. Side panels are made from 18mm thick pre-laminated the modesty panel is also constructed from 18mm thick pre-laminated particle board, with 0.8mm thick PVC edge banding along the edges. The table is equipped with three drawers. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
18	NS18	1.00	Numbers	77880.00	77880.00	AT Par	77880.00
	<b>Description:-</b> Supply and Installation of Office table with Drawer(1350mmX600mm) Overall size 1350mm (W) x 600mm (D) x 750mm (H), Tabletop is 18mm thick pre-laminated board, with edges sealed using 2mm thick PVC edge banding finish with as per approved laminate shade. made from 18mm thick pre-laminated particle board The modesty panel is also constructed from 18mm thick pre-laminated particle board, with 0.8mm thick PVC edge banding along the edges. The table is equipped with three drawers. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
19	NS19	1.00	Numbers	79886.00	79886.00	AT Par	79886.00
	<b>Description:-</b> Supply and Installation of Office table with Drawer(1800mmX900mm)- Overall size 1800mm (W) x 900mm (D) x 750mm (H), is designed for functionality and durability. The tabletop is 18mm thick pre-laminated board with edges sealed using 2mm thick PVC edge banding finish with as per approved laminate shade. Side panels are made from 18mm thick pre-laminated particle board and include two glide screws on each side to ensure proper leveling. The modesty panel is also constructed from 18mm thick pre-laminated particle board, with 0.8mm thick PVC edge banding along the edges. The table is equipped with three drawers. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						
20	NS20	6.00	Numbers	68440.00	410640.00	AT Par	410640.00
	<b>Description:-</b> Supply and Installation of Linear Workstation(1200mmX750mm)- Linear Workstation size-1200Lx600DX1200H, Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machin Partition- PANEL Double R/W (45MM) With 1200High IN PLPB TILE. 3 DRAWER UNIT IN PLPB-400 X 450 X 680-Drawer unit to be made up of 18mm thick pre-laminated particle board for outer Frame. Internal 3 drawers (pencil, utility & filing) to be made up of 12mm thick prelaminated particle board with 9mm pre-laminated bottom. Drawer will run on bottom mounted channels. The outer size for each pedestal unit is 400mm x 450mm x 680mm. Items of reputed make like Godrej/Steelcase/Methodex. (Inspection by Consignee)						

**3. ITEM BREAKUP**

No item breakup added
-----------------------

**4. ELIGIBILITY CONDITIONS**



**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

**Special Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	An undertaking shall be submitted in form of Annexure-VA is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. as the case may be. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. Note-1: Annexure VA should be submitted as per explanatory formats which are part of documents uploaded alongwith the NIT in the name of guidelines for filling of Annexure VA. Note-2: In case of non submission of above certificate, or submission of certificate either not properly filled in, or, in a format other than the prescribed format, shall lead to summarily rejection of your offer.	No	No	Allowed (Mandatory)

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

**5. COMPLIANCE**

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Documents to be submitted along with the tender.	No	No	Not Allowed

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

1.1	Please submit your bank details i.e. Name of the Bank along with Bank Branch Code, Account Number, IFSC Code, and PAN Number. (Format attached)	No	No	Allowed (Mandatory)
1.2	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. (Note:In case of non-submission of above documents, offer may be summarily rejected).	No	No	Allowed (Mandatory)
1.2.1	he tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) /registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.(Note:In case of non-submission of above documents, offer may be summarily rejected).	No	No	Allowed (Mandatory)
1.3	The tenderer will give full information ( in annexure-A) as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender,if a tenderer is - i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners/members a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender	No	No	Allowed (Mandatory)



**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

1.3.1	If a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. ( in annexure-A)	No	No	Allowed (Mandatory)
1.4	An undertaking shall be submitted in form of Annexure-VA is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. as the case may be. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. Note-1: Annexure VA should be submitted as per explanatory formats which are part of documents uploaded alongwith the NIT in the name of guidelines for filling of Annexure VA. Note-2: In case of non submission of above certificate, or submission of certificate either not properly filled in, or, in a format other than the prescribed format, shall lead to summarily rejection of your offer.	No	No	Allowed (Mandatory)
2	General Compliance	No	No	Not Allowed
2.1	The accepted rates shall be deemed to include and cover all fees, taxes, duties, royalties, rent etc	No	No	Not Allowed
2.2	Income Tax, Surcharge thereof, Goods & Service Tax (GST Act, 2017) and any other applicable tax shall be recovered from contractor's bill as per rule in force.	No	No	Not Allowed
2.3	Implementation of GST Act, 2017 - Procedure for payment of Contractual bill is given in General Instructions attached in document. Please go through the procedure before submission of the offer.	No	No	Not Allowed
2.4	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	No	Allowed (Optional)
3	Information regarding staff, Plant & machinery, past experience and ongoing work details	No	No	Not Allowed
3.1	Please furnish list of plant and Machinery available on hand own and proposed to be inducted own and hired to be given separately for the subject work.	No	No	Allowed (Optional)
3.2	Please furnish list of Works on hand indicating Description of Work, Contract Value, Approximate value of balance work yet to be done and Date of award.	No	No	Allowed (Optional)
3.3	Please furnish list of Works completed in last seven financial years giving Description of Work, Organization for whom executed, approximate value of contract at time of award, Date of award and Date of Completion. Date of actual Start, Actual Completion and Final value of Contract shall also be given	No	No	Allowed (Optional)
3.4	Please furnish list of personal, organization available on hand and proposed to be engaged for the subject work.	No	No	Allowed (Optional)
4	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Guidelines for online Bank Guarantee verification should be followed as per attached document.	No	No	Not Allowed

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

2	Old GCC has been changed and replaced with new General Conditions of Contract-2022, which has been added in tender document. Please go through this new General Condition of Contract-2022 before bidding. In case of any discrepancy, contradiction with regard to GCC (except special condition of contract) in that case GCC- 2022 will be applicable.	No	No	Not Allowed
3	Special Conditions of contract for mandatory updation of Labour Data on Railway's Srakimkalyan Portal by Contract. Clause 54 & 55 of Indian Railway General Conditions of Contract deals with Wages to labour and action in case of default of contractor to payment of wages. In order to increase transparency in payment of Contract Labour wages and other payments, a web based application has been developed and hosted on website <a href="http://www.shramikkalyan.indianrailway.gov.in">www.shramikkalyan.indianrailway.gov.in</a> . All contractors are required to upload details of their LoAs, engaged workmen, wage payment details, PF/ESI details, bonus details etc., on monthly basis. This details so uploaded shall be available in public domain. In order to ensure prompt and proper uploading of details related to LoAs, engaged workmen, wage & other payment details. The special condition is as under:	No	No	Not Allowed
3.1	A. Contactor is to abide by the provisions of Payment of Wages act & Minimum Wages act in terms of clause 54 and 55 of Indian Railway General Condition of Contract. In order to ensure the same, an application has been developed and hosted on website ' <a href="http://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a> '. Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/ updation of Portal shall be done as under: (a) Contractor shall apply for onetime registration of his company/firm etc. in the Shramikkalyan portal with requisite details subsequent to issue of Letter of Acceptance. Engineer shall approve the contractor's registration on the portal within 7 days of receipt of such request. (b) Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all LoAs issued in his favour. (c) The contractor once registered on the portal, shall provide details of his Letter of Acceptances (LoA)/Contract Agreement on shramikkalyan portal within 15 days of issue of any LoA for approval of concerned engineer. Engineer shall update (if required and approve the details of LoA filled by contractor within 7 days of receipt of such request. (d) After approval of LoA by Engineer, contractor shall fill the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on shramikkalyan portal on monthly basis. (e) It shall be mandatory upon the contractor to ensure correct and prompt uploading of all salient details of engaged contractual labour & payments made thereof after each wage period.	No	No	Not Allowed
3.1.1	B. While processing payment of any 'On Account bill' or 'Final bill' or release of 'Advances' or 'Performance Guarantee/Security deposit', contractor shall submit a certificate to the Engineer of Engineer's representatives that " I have uploaded the correct details of contract labours engaged in connection with this contract and payment made to them during the wage period in Railway's Shramik kalyan portal at ' <a href="http://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a> ' till _____ Month, _____ year."	No	No	Not Allowed
4	In terms of clause 26A.3 of GCC, the Contractor shall deploy atleast one Diploma Holder Engineers at site during the execution of work.	No	No	Not Allowed
5	All false work, staging etc. should be so erected, clamped and secured that these should not infringe / moving dimension and obstruct the railway traffic.	No	No	Not Allowed
6	Contractor will clear/clean the work site after completion of the work, to the satisfaction of railway incharge.	No	No	Not Allowed
7	All Rules of NIT & Post LOA shall be governed by GCC & tenderer agree to adhere to it without any dispute.	No	No	Not Allowed

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

8	If the tenderer(s) deliberately gives / give wrong information in his/their tender or creates/create circumstances for the acceptance of his/their tender, the Railway reserves the right to reject such tender at any stage.	No	No	Not Allowed
9	In case any contradiction between general condition of contract & special conditions of contract will prevail over general conditions of contract.	No	No	Not Allowed
10	The Tenderers having more than 20 labour, is required to obtain the labour license from the licensing Officer under Provision of Contract Labour (Regulation and Abolition) Act 1970 read with Contract Labour (Regulation and Abolition) Central Rules 1970. They should obtain a proper and valid labour license for the concerned work from the concerned Asstt. Labour Commissioner or licensing officer of the area and the photo copy of the labour license must be submitted to Railway for records . Failure to do so will attract legal action against the tenderer	No	No	Not Allowed
11	Performance Guarantee:- The procedure for obtaining Performance Guarantee is outlined below: (a)The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22ndday after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work. Note: If tender is accepted on the quoted rates of bidder which is below the advertised tender value, an additional performance security shall be submitted by the bidder as per New Para 16(4) (h) of Part-II of GCC 2022 introduced vide Correction slip No. 11 dated 13.03.2026. The said correction slip is attached document TAB of NIT.	No	No	Not Allowed

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

12	Security Deposit: The Security Deposit shall be 5% of the contract value. The Bid Security submitted by the Contractor with his tender will be retained/encashed by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. Provided further that, if Contractor submits the Cash or Term Deposit Receipt issued from a Scheduled commercial bank of India or irrevocable Bank Guarantee Bond from a Scheduled commercial bank of India, either towards the Full Security Depositor the Part Security Deposit equal to or more than Bid Security, the Railway shall return the Bid Security, to the Contractor. Balance of Security Deposit may be deposited by the Contractor in cash or Term Deposit Receipt issued from Scheduled commercial bank of India or irrevocable Bank Guarantee bond issued from Scheduled commercial bank of India, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract. The Irrevocable Bank Guarantee submitted towards Security deposit shall be initially valid up to the stipulated date of Maintenance period plus 60 days and shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17A and 17B of the Standard General Conditions of Contract. Note: Security Deposit deposited in cash by the Contractor or recovered from the running bills of a Contractor or submitted by contractor as Term Deposit Receipt(s) can be refunded/returned to the contractor, in lieu of irrevocable Bank Guarantee bond issued from scheduled commercial bank of India, to be submitted by him, for an amount equal to or more than the already available Security Deposit, provided however that, in a contract of value less than Rs. 50 Crore, such refund/ return of the already available Security Deposit is permitted up to two times and in a contract of value equal to or more than Rs. 50 Crore, such refund / return of the already available Security Deposit is permitted up to three times.	No	No	Not Allowed
13	Tenderer (s) should attached the scan documents in support of minimum eligibility criteria along with the tender. No document in support of minimum eligibility criteria will be accepted/entertained after opening of tender.	No	No	Not Allowed
14	Prior consent of Railway representative to be taken before procurement of material for supply item.	No	No	Not Allowed
15	If bid security is submitted in the form of Bank Guarantee, it shall be made in favour of Senior Divisional Finance Manager, North Central Railway, Agra. The format of Bank Guarantee is attached in Annexure VI A. The original Bank Guarantee should be delivered to this office within 5 working days before closing date for submission of bids.	No	No	Not Allowed

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/We certified that I have read the guidelines alongwith explanatory formats for filling of Annexure VA, which are part of documents uploaded alongwith the NIT. I/We have also certified that I/We have filled the Annexure VA accordance with above guidelines/instructions.	No	No	Not Allowed
2	Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.	No	No	Not Allowed

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

3	I/We also hereby agree to abide by the Indian Railways Standard General Conditions Of Contract IRSGCC April 2022, with all correction slips up-to-date and to carry out the work according to the Special Conditions of Contract and Specifications of materials and works as laid down by Railway in the annexed Special Conditions/Specifications, Schedule of Rates with all correction slips up-to-date for the present contract.	No	No	Not Allowed
4	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed
5	I/We hereby confirm that the rates, rebates and/or other financial terms, if any, quoted by us in the relevant fields of the Financial Bid page will only be the ruling terms for deciding the inter-se-ranking and any such conditions having financial repercussions, if quoted by us anywhere else including attached documents shall not be considered for deciding inter-se-ranking.	No	No	Not Allowed
6	I/We have carefully gone through the clause no.10 to 18 of GCC'2022 and understood that due to non-compliance of commercial compliance mandatory requirement of these clauses given in tender document, my/our offer will be rejected.	No	No	Not Allowed
7	I/we have carefully gone through the GCC April 2022 along with all the amendments, applicable for this tender/NIT. I hereby declared that all the conditions as per GCC mentioned above are binding me/us.	No	No	Not Allowed
8	I/We have read the various conditions to tender attached hereto and agree to abide by the said conditions. I/We also agree to keep this tender open for acceptance for a period of 60 days from the date fixed for opening the same and in default thereof, I/We will be liable for forfeiture of my/our Earnest Money . I/We offer to do the work for North Central Railway, at the rates quoted in the attached schedule and hereby bind myself/ourselves to complete the work in all respects within the period of completion stipulated in the tender document, from the date of issue of letter of acceptance of the tender.	No	No	Not Allowed
9	It is certified that I/We have not been employed any Retired Engineer of Railway service/Retired Government Engineer of Gazetted rank within one year from the date of retirement.	No	No	Not Allowed
10	I have read the entire tender document including uploaded documents and corrigendum (if any)	No	No	Not Allowed
11	It is agreed that, If, I/we deliberately give/submit wrong information i n the tender or create circumstances for the acceptance of the tender, the Railway reserves the right to reject such tender a t any stage. The entire Earnest Money Deposit with the Railway will be forfeited. In addition action will be taken t o suspend the business with the tenderer for as specified period at the discretion of Railway Administration.	No	No	Not Allowed
12	It is certified that I/We have not been blacklisted or debarred by railways or any other ministry/department/public sector undertaking of the government of India/State Government from participation in tenders/contract on the date of tender opening of bids, either in individual capacity or as a member of JV firm in which I/We were/are members	No	No	Not Allowed
13	I/We abide by the provisions of payment of wages act and minimum wages act in terms of clause 54 and 55 of GCC April 2022. I/We aware of registration of firm on website <a href="http://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a> and upload requisite details of labour and their payments in this portal. These details shall be available in public domain.	No	No	Not Allowed
14	I/We have read all the General conditions, special condition if any, instructions and any other conditions etc mentioned in the NIT and document attached.	No	No	Not Allowed

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	AnnexureA.pdf	Annexure A
2	Annexure-VA.pdf	Annexure VA
3	GuidelineforfillingofAnnexureVA.pdf	Guideline for filling Annexure VA

**AGRA DIVISION-OPERATING/NORTH CENTRAL RLY  
TENDER DOCUMENT**

**Tender No:** AGC-OPT-2026-01

**Closing Date/Time:** 08/07/2026 15:00

4	BankDetail.pdf	Bank Detail
5	BidSecurity.pdf	Bid Security
6	GuidelinesforonlineBankGuaranteethroughIPAS.pdf	Guideline for online bank guarantee
7	GCCcorrectionslipPart1_.pdf	GCC correction slip Part 1
8	GCCcorrectionslip10.pdf	GCC correction slip 10
9	GCCcorrectionslip11.pdf	GCC correction slip 11
10	PaymentConditionAbove_10Lakh.pdf	Payment Condition Above 10 lakh
11	TenderDoc09.06.26ACS7.pdf	Tender Document
12	Annexure-I.pdf	Annexure I

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** KULDEEP MEENA

**Designation :** Sr.DOM/Agra