

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

DRM/Engineering acting for and on behalf of The President of India invites E-Tenders against Tender No **104-DHN-2026-27** Closing Date/Time 03/07/2026 12:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Provision of Maintenance Terminal Console(MTC)/ Networking management system for kyosan make Electronic interlocking in Dhanbad Division under ADEN/1/DHN.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	03/07/2026 12:00	Date Time Of Uploading Tender	11/06/2026 18:15
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	1890137.41	Tendering Section	DEN HQ
Bidding Style	[Decision at Schedule level]	Bidding Unit	
Earnest Money (Rs.)	37800.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	4 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	19/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () BI-General (CPWD-DSR-2021-Ver-2)							1683045.91	Above/ Below/Par
1	Please see Item Breakup for details.				2185773.91	(-) 23.00	1683045.91	
	Description:- for chapter 4, 5, 6, 9, 10, 11, 12, 13, & 15 of CPWD DSR 2021 VER-2 of E. C. Railway.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () CII-(Reinforcement)							207091.50	Above/ Below/Par
1	Please see Item Breakup for details.				268950.00	(-) 23.00	207091.50	
	Description:- For item No. 5.22A.6 of Chapter 5 of CPWD DSR 2021-Ver-2.							

3. ITEM BREAKUP

Schedule	Schedule BI-General (CPWD-DSR-2021-Ver-2)						
Item- 1	for chapter 4, 5, 6, 9, 10, 11, 12, 13, & 15 of CPWD DSR 2021 VER-2 of E. C. Railway.						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount	
	4.0	CONCRETE WORK					
	4.10S	DAMP-PROOF COURSE					
1	4.11	Providing and laying damp-proof course 50mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand(zone-III) derived from natural sources : 4 graded stone aggregate 20mm nominal size derived from natural sources).	Sqm	59.4	452.25	26863.65	
	5.0	REINFORCED CEMENT CONCRETE					

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

	5.1S	CAST IN SITU				
	5.2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :				
2	5.2.2	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	20	10185.05	203701
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
3	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	117.35	766.55	89954.64
4	5.9.5	Lintels, beams, plinth beams, girders, bressumers and cantilevers	Sqm	33.53	608.35	20397.98
5	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	18.58	804.25	14942.97
6	5.9.19	Weather shade, Chajjas, corbels etc., including edges	Sqm	3.96	814.95	3227.2
	6.0	MASONRY WORK				
	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
7	6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	49.35	8288.35	409030.07
	6.12S	HALF BRICK MASONRY				
	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
8	6.13.1	Cement mortar 1:3 (1 cement :3 coarse sand)	Sqm	20	1043.1	20862
	9.0	WOOD AND P.V.C. WORK				
	9.1S	FRAMES AND TRUSSES				
	9.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
9	9.1.2	Sal wood	cum	.04	106720.85	4268.83
	9.16	Providing and fixing 25 mm thick shutters for cup board etc. :				
	9.20	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.				
10	9.20.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	5.1	3086.1	15739.11
	9.40S	MISCELLANEOUS-WOOD WORK				
	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
11	9.48.1	Fixed to steel windows by welding	Kg	160.51	181	29052.31

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

12	9.53	Providing 40x5 mm flat iron hold fast 400 mm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embedding in cement concrete block 300x100x150 mm 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	Each	6	194.35	1166.1
	9.72S	BRASS FITTINGS				
	9.74	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete :				
13	9.74.2	200x10 mm	Each	2	300.55	601.1
14	9.78	Providing and fixing bright finished brass night latch of approved quality including necessary screws etc. complete.	Each	2	1004.8	2009.6
	9.81	Providing and fixing bright finished brass handles with screws etc. complete:				
15	9.81.1	125 mm	Each	2	205.1	410.2
	9.105S	GYPSUM BOARD PARTITIONS				
	9.147D	Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 +/- 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealant shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made.				
16	9.147D.2	Three track three panels sliding window with fly proof SS wire mesh (Two nos. glazed & one no. wire mesh panels) made of (small series) frame 92 x 44 mm & sash 32 x 60 mm both having wall thickness of 1.9 +/- 0.2 mm and single glazing bead of appropriate dimension (Area of window upto 1.75 sqm).	Sqm	8.03	10030.3	80543.31
	10.0	STEEL WORK				
17	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	500	111.95	55975
	10.25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
18	10.25.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	Kg	270.12	142.3	38438.08

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

	11.0	FLOORING				
	11.41S	VITRIFIED FLOOR TILES				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
19	11.41.3	Size of Tile 800x800 mm	Sqm	104	1879.95	195514.8
	12.0	ROOFING				
	12.40	Providing, fixing and embedding sand cast iron accessories for rain water pipes in the masonry surrounded with 12 mm thick cement mortar of the same mix, as that of masonry (lead caulking will be paid for separately):				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
20	12.41.2	110 mm diameter	Metre	76	319.75	24301
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.4	Single tee without door				
21	12.42.4.2	110x110x110 mm	Each	8	190.75	1526
	12.42.5	Bend 87.5 degrees				
22	12.42.5.2	110 mm bend	Each	7	132	924
	12.43	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
23	12.43.2	110 mm	Each	70	309.5	21665

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

	12.45	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :				
24	12.45.1	12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks)	Sqm	59.4	1145.95	68069.43
25	12.50	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	30	671.55	20146.5
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
26	13.1.1	1:4 (1 cement: 4 fine sand)	Sqm	467.2	294.85	137753.92
	13.16S	6MM CEMENT PLASTER				

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

	13.16	6 mm cement plaster of mix :				
27	13.16.1	1:3 (1 cement : 3 fine sand)	Sqm	128.8	253.05	32592.84
	13.25	Extra for plastering:				
28	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	1046	214.3	224157.8
	13.44S	EXTERIOR FINISHING				
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
29	13.48.1	Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm	Sqm	2546	158.95	404686.7
30	13.48.3	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture	Sqm	212.03	140.05	29694.8
	15.0	DISMANTLING AND DEMOLISHING				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
31	15.2.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	cum	1.87	2007.1	3753.28
	15.7	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
32	15.7.4	In cement mortar	cum	1.77	1698.45	3006.26
33	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	3.64	219.35	798.43
					Total	2185773.91
Schedule	Schedule CII-(Reinforcement)					
Item- 1	For item No. 5.22A.6 of Chapter 5 of CPWD DSR 2021-Ver-2.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	5.0	REINFORCED CEMENT CONCRETE				
	5.22S	STEEL REINFORCEMENT				
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
1	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	3000	89.65	268950
					Total	268950.00

4. ELIGIBILITY CONDITIONS

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	No Technical and Financial credentials are required for tenders having value up to Rs.50 lakh. (Clause 10.4 of part-I GCC-2022)	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
-------	-------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Allowed (Mandatory)
2	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender.	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

3	After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.	No	No	Allowed (Mandatory)
4	The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association/Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

5	<p>(a) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. as the case may be. Following documents shall be submitted by the tenderer: - (b) Following documents shall be submitted by the tenderer in case of Sole Proprietorship Firm; (i) An undertaking that he is not blacklisted or debarred by Railway or any other Ministry/ Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was /is a partner/member. Concealment /wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. (c) Following documents shall be submitted by the tenderer in case of HUF; (i) A copy of notarized affidavit on stamp paper declaring that he who is submitting the tender on behalf of HUF is in the position of Karta of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) An undertaking that the HUF is not blacklisted or debarred by Railway or any other Ministry /Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which HUF was / is a partner/member. Concealment/wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. (d) Following documents shall be submitted by the tenderer in case of Company registered under Companies Act 2013; (i) The copies of MOA(Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization /power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) An undertaking that the Company is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022.</p>	No	No	Allowed (Mandatory)
---	--	----	----	------------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

5.1	(e) Following documents shall be submitted by the tenderer in case of LLP (Limited Liability Partnership): If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit along with the tender: (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking that the LLP is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. (f) Following documents shall be submitted by the tenderer in case of Partnership Firm: The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. (i) A notarized copy of partnership deed. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022 and clause 18 of GCC-2022. (g) Following documents shall be submitted by the tenderer in case of Registered Society & Registered Trust (i) A copy of the Certificate of Registration (ii) A copy of Deed of Formation (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022.	No	No	Allowed (Mandatory)
6	An undertaking that the Proprietary firm /Partnership firm/Company /Joint venture (JV) Registered society /Registered Trust /HUF/LLP ect. He is not blacklisted or debarred by Railway or any other Ministry/Department of Gov. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member .Concealment/ wrong information in determination under Clause 62 of the General Conditions of Contract. For detail refer para 5 & 5.1 as above and GCC-2022 .	No	No	Allowed (Mandatory)
7	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	A copy of Documents against eligibility criteria must be submitted along with the E-tender. No any documents against the same will be entertained in the office of Divisional Railway Manager, Dhanbad or anywhere else at any time. Tender will be decided purely on the basis of documents available/attached with the E-tender irrespective of whether tenderer is working contractor or new. However Railway may ask clarification with respect to document available/attached with the E-tender, if required.	No	No	Not Allowed

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 104-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

2	In case, submission of Bid Security in the form of Bank Guarantee, the original Bank Guarantee should be delivered to COS/Bill&Tender/Dhanbad (Official Nominated) before closing date for submission of bids. (i.e. excluding the last date of submission of bids) as per Para 3 (ii) of Sl. No.13 (Bid Security) of the tender document.	No	No	Not Allowed
---	--	----	----	-------------

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Instructiontotenderers-USSORDSR-2021MSOP-2018GCC-April-22uptoCorrec.Slip-11withUDINBGBidcapacity.pdf	Instruction to Tenderer
2	DiggingJPOdt.15.05.2024.pdf	JPO for digging work

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: RAM CHANDRA

Designation : Sr.DEN/Track/DHN