

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

**DRM-WA** acting for and on behalf of The President of India invites E-Tenders against Tender No **47-2026-27** Closing Date/Time 03/07/2026 16:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Redevelopment of Joravarnagar & Chuda railway stations against sanctioned work of Bhavnagar Division redevelopment of 03 stations. (Joravarnagar, Paneli Moti & Chuda)		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	03/07/2026 16:00	<b>Date Time Of Uploading Tender</b>	12/06/2026 10:07
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	48992837.33	<b>Tendering Section</b>	DEN EAST
<b>Bidding Style</b>	[ Decision at Schedule level ]	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	979900.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	12 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	19/06/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () A-DSR 2023 Items</b>							46507862.29	Above/ Below/Par
1	Please see Item Breakup for details.				68393915.13	(-) 32.00	46507862.29	
	<b>Description:-</b> DSR 2023 Items							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () B-NS Items (Civil) Kota stone slab flooring</b>							1713275.04	Above/ Below/Par
2	Please see Item Breakup for details.				1713275.04	AT Par	1713275.04	
	<b>Description:-</b> NS Items (Civil) Kota stone slab flooring							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule () C-NS Items (Civil) MS RCC sheet chair</b>							771700.00	Above/ Below/Par
3	Please see Item Breakup for details.				771700.00	AT Par	771700.00	
	<b>Description:-</b> NS Items (Civil) MS CRC sheet chair							

**3. ITEM BREAKUP**

Schedule	Schedule A-DSR 2023 Items					
Item- 1	DSR 2023 Items					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	2.0	EARTH WORK				

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	2.1S	General				
	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.				
1	2.6.1	All kinds of soil	cum	4799.6	177.5	851929
	2.7	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.				
2	2.7.1	Ordinary rock	cum	44.28	498.9	22091.29
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
3	2.8.1	All kinds of soil.	cum	1043	260.3	271492.9
	2.9	Excavation work by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m.				
4	2.9.1	Ordinary rock	cum	238.58	632.95	151009.21
5	2.9.3	Hard rock (blasting prohibited)	cum	92.88	1523.05	141460.88
6	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	1266.12	196	248159.52
	2.26	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.				
7	2.26.1	All kinds of soil	cum	110.93	126.8	14065.92
8	2.26.2	Ordinary or hard rock	cum	24.8	227.4	5639.52
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
9	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	308.5	7294.7	2250414.95
10	4.1.6	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	504.64	7178.75	3622684.4

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

11	4.1.8	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	58.36	6812	397548.32
	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
12	4.3.1	Foundations, footings, bases for columns	Sqm	146.62	392.15	57497.03
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.1S	CAST IN SITU				
	5.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				
13	5.1.2	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	14.94	9045.75	135143.51
14	5.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	29.78	8583.4	255613.65
	5.2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :				
15	5.2.2	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	79.4	10852.95	861724.23
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
16	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	221.65	392.15	86920.05
17	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	812.37	927.25	753270.08
18	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	633.15	736.4	466251.66
19	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	459.11	961.3	441342.44
	5.9.16	Edges of slabs and breaks in floors and walls				
20	5.9.16.1	Under 20 cm wide	Metre	190.67	208.55	39764.23
21	5.9.19	Weather shade, Chajjas, corbels etc., including edges	Sqm	20.67	951.1	19659.24
	5.22S	STEEL REINFORCEMENT				
	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
22	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	54808.18	107.85	5911062.21
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
23	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	15760.16	107.85	1699733.26

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	5.33S	DESIGN MIX CONCRETE				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.:				
	5.33.1	All works upto plinth level				
24	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	156.75	9504.75	1489869.56
	5.33.2	All works above plinth level upto floor V level				
25	5.33.2.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	143.77	9860.4	1417629.71
26	5.35	Add for using extra cement in the items of design mix over and above the specified cement content therein.	Quintal	2013.29	733.5	1476748.22
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
27	8.2.2.1	Area of slab upto 0.50 sqm	Sqm	87.76	5413.5	475088.76
28	8.2.2.2	Area of slab over 0.50 sqm	Sqm	182.75	5136.3	938658.83
	8.3	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
29	8.3.2	Granite work	Metre	4.48	510.95	2289.06
	8.20S	STONE WORK DRY CLADDING				
30	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	326.86	1267.95	414442.14

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	9.0	WOOD AND P.V.C. WORK				
	9.1S	FRAMES AND TRUSSES				
	9.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
31	9.1.1	Second class teak wood	cum	2.13	142949.7	304482.86
	9.21	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
32	9.21.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	9.95	2392.65	23806.87
33	9.23	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	Sqm	1.33	462.35	614.93
	9.57S	COPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378)				
	9.63	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete (Copper oxidised as per IS 1378)				
34	9.63.2	200x10 mm	Each	3	69.4	208.2
	9.72S	BRASS FITTINGS				
35	9.82	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	Each	9	121.65	1094.85
36	9.83	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	Each	9	1124.85	10123.65
	9.95S	ANODISED ALUMINIUM FITTINGS (ALL FITTINGS SHALL BE ISI MARKED)				
	9.96	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
37	9.96.1	300x16 mm	Each	9	303.25	2729.25
	9.97	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
38	9.97.1	300x10 mm	Each	9	130.1	1170.9
	9.100	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
39	9.100.1	125 mm	Each	17	66.25	1126.25
	9.105S	GYPSUM BOARD PARTITIONS				

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

40	9.121	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2 mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	Metre	52.68	570.95	30077.65
	9.122	Providing and fixing to existing door frames.				
41	9.122.1	30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	Sqm	17	3720.75	63252.75
42	9.141	Providing and fixing PVC Door Frame of size 50x47 mm with a wall thickness of 5 mm ( +/- 0.2 mm), made out of single piece extruded PVC profile, with mitred cut joints and joint with 2 nos of PVC bracket of size 190 mm x 100 mm long arms of cross section size 35 x 15 mm & self driven self tapping screws, the vertical door profiles to be reinforced with 40x20 mm M.S. rectangular tube of 0.8 mm , including providing EPDM rubber gasket weather seal throughout the frame, including jointing 5 mm PVC frame strip with PVC solvent cement on the back of the profile. The door frame to be fixed to the wall using 8 x100 mm long anchor fasteners complete, all as per manufacturer's specification and direction of Engineer -in- charge.	Metre	105.89	573.45	60722.62

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	9.142	35 mm thick factory made Solid panel PVC Door shutter, made out of single piece extruded solid PVC profiles, 5 mm ( +/- 0.2 mm) thick, having styles & rails (except lock rail) of size 95 mm x 35 mm x 5 mm, out of which 75 mm shall be flat and 20 mm shall be tapered (on both side), having one side thickness of 15 mm integrally extruded on the hinge side of the profile for better screw holding power, including reinforcing with MS tube of size 40 mm X 20 mm x 1 mm, joints of styles & rails to be mitered cut & joint with the help of PVC solvent cement, self driven self tapping screws & M.S. rectangular pipes bracket of size 190 mm X 100 mm of cross section size 35 mm x 17 mm x 1 mm at each corner. Single piece extruded 5 mm thick solid PVC Lock rail of size 115 mm x 35 mm, out of which 75 mm to be flat and 20 mm to be tapered at both ends, having 15 mm solid core in middle of rail section integrally extruded, fixing the styles & rails with the help of solvent and self driven self tapping screws of 125 mm x 11 mm, including providing 5 mm Single piece solid PVC extruded sheet inserted in the door as panel, all complete as per manufacturer's specification and direction of Engineer-in-charge.				
43	9.142.1	Non decorative finish (matt finish)	Sqm	35.23	3997.45	140830.16



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	9.147	Providing and fixing factory made uPVC glazed/wire mesh windows/ doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.				
	9.147.A1	Two track two panels sliding window with Aluminium channel for roller track, wool pile, nylon rollers with SS 304 body.				
44	9.147.A1.1	Using R2 series with frame (40 mm & above) x (40 mm & above) & sash (25 mm & above) x (50 mm & above) with zinc alloy (zamak) powder coated touch locks with hook (Height upto 1.2 metre).	Sqm	2.1	8298.85	17427.59
	10.0	<b>STEEL WORK</b>				
	10.1S	<b>General</b>				
45	10.1	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	43784.84	117.35	5138150.97
46	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	54309.02	133.7	7261115.97
47	10.19	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	Kg	392.74	97.2	38174.33
	11.0	<b>FLOORING</b>				
	11.26S	<b>KOTA STONE FLOORING</b>				



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

48	11.27	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	Sqm	13.81	2354.7	32518.41
	11.37S	<b>CERAMIC GLAZED TILES</b>				
49	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	Sqm	57.98	1096.55	63577.97
50	11.37A	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	Sqm	1162.9	1112.7	1293958.83
51	11.38	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete.	Sqm	28.66	1315.3	37696.5
	11.41S	<b>VITRIFIED FLOOR TILES</b>				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
52	11.41.3	Size of Tile 800x800 mm	Sqm	538.87	1885.5	1016039.39
	12.0	<b>ROOFING</b>				
	12.1S	<b>SHEET ROOFING</b>				
	12.5	Providing valleys of 90 cm wide overall in plain G.S. sheet fixed with polymer coated J, or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete :				
53	12.5.1	1.60 mm thick with zinc coating not less than 350 gm/m2	Metre	150.36	1863.9	280256
54	12.11	Extra for providing and fixing wind ties of 40x 6 mm flat iron section.	Metre	601.44	195.6	117641.66
	12.37S	<b>RAIN WATER SPOUT AND PIPE</b>				

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
55	12.41.2	110 mm diameter	Metre	300.72	377.4	113491.73
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.5	Bend 87.5 degree				
56	12.42.5.2	110 mm bend	Each	20	150.35	3007
	12.43	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.				
57	12.43.2	110 mm	Each	60	371.3	22278
58	12.44	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	Each	20	54.7	1094
	12.52	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on interlocking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

59	12.52.3	12.5 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16 mm thick fire retardant PVC film on the face side and 12 micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.	Sqm	565.39	2215.15	1252423.66
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
60	13.1.1	1:4 (1 cement: 4 fine sand)	Sqm	3285.93	347.05	1140382.01
	13.2	15 mm cement plaster on the rough side of single or half brick wall of mix :				
61	13.2.1	1:4 (1 cement: 4 fine sand)	Sqm	650.39	399.45	259798.29
	13.44S	EXTERIOR FINISHING				
	13.46	Finishing walls with Acrylic Smooth exterior paint of required shade :				
62	13.46.1	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	Sqm	979.13	160.6	157248.28
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
63	13.48.1	Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm	Sqm	2473.95	193.7	479204.12
64	13.48.2	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture	Sqm	10.3	176.25	1815.38
	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
65	13.61.1	Two or more coats on new work	Sqm	1337.04	155.9	208444.54
66	13.80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	44	156.05	6866.2
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
67	15.2.2	Nominal concrete 1:4:8 or leaner mix (including equivalent design mix)	cum	28.56	1503.6	42942.82
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
68	15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	492.58	73.4	36155.37
	16.0	ROAD WORK				
	16.1S	ROADS				
	16.3	Supplying and stacking at site.				
69	16.3.1	90 mm to 45 mm size stone aggregate	cum	412.5	2098.4	865590
70	16.3.2	63 mm to 45 mm size stone aggregate	cum	492.7	1636.05	806081.84

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

71	16.3.3	53 mm to 22.4 mm size stone aggregate	cum	412.5	1842.3	759948.75
72	16.3.6	Stone screening 13.2 mm nominal size (Type A)	cum	180	2034.35	366183
73	16.3.7	Stone screening 11.2 mm nominal size (Type B)	cum	180	2247.75	404595
74	16.3.8	Red bajri	cum	90	1564.9	140841
75	16.3.9	Good earth	cum	90	775.5	69795
76	16.3.10	Moorum	cum	108	768.25	82971
77	16.4	Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density .	cum	1350	1046.95	1413382.5
	16.6	Supplying, stacking and Spreading 6 mm thick red bajri, watering and rolling complete including preparation of the surface and rolling.				
78	16.6.1	With road roller/ hand roller	Sqm	4500	24.45	110025
	16.42S	CONCRETE PAVEMENTS				
79	16.42	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.	cum	147.86	7993.8	1181963.27
	16.43	Providing and laying design mix cement concrete of M-30 grade, in roads/taxi tracks/ runways, using cement content as per design mix, using coarse sand and graded stone aggregate of 40 mm nominal size in appropriate proportions as per approved and specified design criteria, providing dowel bars with sleeve/ tie bars wherever required, laying at site, spreading and compacting mechanically by using needle and surface vibrators, levelling to required slope/ camber, finishing with required texture, including steel form work with sturdy M.S. channel sections, curing, making provision for contraction/ expansion, construction and longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine, providing and filling joints with approved joint filler and sealants, complete all as per direction of Engineer-in-charge (Item of joint fillers, sealants, dowel bars with sleeve/ tie bars to be paid separately).				
80	16.43.1	Cement concrete prepared with batch mixing machine	cum	900	10529.35	9476415
	16.49S	MISCELLANEOUS				
81	16.75	Providing and laying C.C. pavement of mix M-25 with ready mixed concrete from batching plant. The ready mixed concrete shall be laid and finished with screed board vibrator , vacuum dewatering process and finally finished by floating, brooming with wire brush etc. complete as per specifications and directions of Engineer-in-charge. (The panel shuttering work shall be paid for separately).	cum	80.2	9823.8	787868.76
	17.0	SANITARY INSTALLATIONS				

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	17.1S	General				
	17.1	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
82	17.1.1	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	Each	20	6767.4	135348
	17.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :				
83	17.2.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	12	6515.55	78186.6
	17.3	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
84	17.3.1	W.C. pan with ISI marked white solid plastic seat and lid	Each	8	8006.6	64052.8
	17.4	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :				
85	17.4.1	One urinal basin with 5 litre white P.V.C. automatic flushing cistern	Each	9	6258.75	56328.75
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
86	17.7.5	White Vitreous China Angle back wash basin size 600 x 480 mm with single 15mm C.P. brass pillar tap	Each	8	2226.35	17810.8
87	17.7.7	White Vitreous China Flat back wash basin size 450x 300 mm with single 15mm C.P. brass pillar tap	Each	9	1513.6	13622.4
88	17.23	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.	Each	10	1648.95	16489.5

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	17.38	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
	17.38.1	100 mm dia				
89	17.38.1.1	Sand cast iron S&S as per IS - 1729	Each	60	598.5	35910
	18.0	WATER SUPPLY				
	18.7S	C.P.V.C. PIPES				
	18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.				
90	18.8.1	15 mm nominal dia Pipes	Metre	96	497.8	47788.8
91	18.8.3	25 mm nominal dia Pipes	Metre	96	627.25	60216
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
92	18.9.3	25 mm nominal dia Pipes	Metre	106	355.4	37672.4
	18.10	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. ( Internal work - Exposed on wall )				
93	18.10.2	20 mm dia nominal bore	Metre	23.7	437.3	10364.01
94	18.10.3	25 mm dia nominal bore	Metre	116.5	551.7	64273.05
95	18.10.5	40 mm dia nominal bore	Metre	116.5	811.9	94586.35
	18.11	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, including making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :				
96	18.11.1	15 mm dia nominal bore	Metre	92.8	580.45	53865.76
97	18.11.2	20 mm dia nominal bore	Metre	92.8	635.2	58946.56
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
98	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	16600	11	182600
	18.49S	C.P. BRASS FITTINGS				
	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
99	18.49.1	15 mm nominal bore	Each	17	506.8	8615.6
	18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
100	18.52.1	15 mm nominal bore	Each	24	670.45	16090.8

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

	18.54S	PTMT FITTINGS				
	18.54	Providing and fixing PTMT bib cock of approved quality and colour.				
101	18.54.4	15 mm nominal bore, 90 mm long, weighing not less than 93 gms	Each	64	196.75	12592
	18.57	Providing and fixing PTMT, push cock of approved quality and colour.				
102	18.57.1	15 mm nominal bore, 98 mm long, weighing not less than 75 gms	Each	64	112.8	7219.2
	19.0	DRAINAGE				
	19.1S	STONE WARE PIPES AND FITTINGS				
	19.1	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
103	19.1.1	100 mm diameter	Metre	153.4	443.6	68048.24
	19.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				
104	19.6.1	100 mm dia. R.C.C. pipe	Metre	300.72	507.05	152480.08
	19.15	Providing M.S. foot rests including fixing in manholes with 20x20x10 cm cement concrete blocks 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) as per standard design :				
105	19.15.2	With 20 mm diameter round bar	Each	2	496.5	993
	21.0	ALUMINIUM WORK				
	21.1S	General				
	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) :				
	21.1.1	For fixed portion				
106	21.1.1.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kg	52.44	495.05	25960.42
	21.2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

107	21.2.2	Pre-laminated particle board with decorative lamination on both sides	Sqm	16.42	1115.4	18314.87
	21.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
108	21.3.2	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	83.11	1505.25	125101.33
109	21.17	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	Kg	510.72	638.35	326018.11
	22.0	<b>WATER PROOFING</b>				
	22.1S	<b>General</b>				
110	22.3	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like consisting of:(i) Ist course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS: 2645 in recommended proportions including rounding off junction of vertical and horizontal surface.(ii) IInd course of 20 mm cement plaster 1:3 (1 cement : 3 coarse sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface.(iii) IIIrd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area.(iv) IVth course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/sqm).	Sqm	180	769.6	138528

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

111	22.6	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) after surface preparation, first layer of slurry of cement @ 0.488kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. For the purpose of measurement the entire treated surface will be measured.	Sqm	77.49	688.9	53382.86
	26.0	<b>NEW TECHNOLOGIES AND MATERIALS</b>				
	26.15	<b>General</b>				
	26.19	Providing at all heights, levels and locations Aluminium profile industrial troughed sheet of Alloy 31500/31000/40800, conforming to IS 1254, IS 737, IS 2676. The sheet shall be fixed using self drilling/self tapping SS screws of size 5.5x65 mm with EPDM seal complete upto required pitch in horizontal, vertical or curved surfaces including cutting to size and shape where required as per specifications, detail drawings and direction of Engineer-in-Charge. The rate shall be inclusive of all screws, seal, ridge, labour, scaffolding, machinery for fixing and approved sealant where required etc. but excluding the cost of purlins, rafters and trusses.				
112	26.19.1	0.71 mm thick, the profile detail width 1044/920 mm, cover width 1000/875 mm.	Sqm	1234.96	1153.95	1425082.09
	26.41S	<b>NEW TECHNOLOGY ITEMS</b>				
	26.68	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in foundation and plinth in:				
113	26.68.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	182.37	7387.25	1347212.78
	26.69	Providing and laying factory made Precast concrete solid blocks of 200 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level				
114	26.69.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	253.48	9844.65	2495421.88
	26.71	Providing and laying half block masonry with factory made Precast concrete solid blocks of 100 mm thickness of grade M10 made of C&D waste from approved manufacturer in superstructure above plinth level up to floor V level:				
115	26.71.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	Sqm	89.14	1099.15	97978.23
					<b>Total</b>	<b>68393915.13</b>

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

<b>Schedule</b>	Schedule B-NS Items (Civil) Kota stone slab flooring					
<b>Item- 2</b>	NS Items (Civil) Kota stone slab flooring					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
1	1	NS/1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1: 4 (1 cement: 4 coarse sand): 40 mm thick	Sqm	1416.00	1209.94	1713275.04
					<b>Total</b>	<b>1713275.04</b>
<b>Schedule</b>	Schedule C-NS Items (Civil) MS RCC sheet chair					
<b>Item- 3</b>	NS Items (Civil) MS CRC sheet chair					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
1	1	NS/1 Supplying & fixing iron bucket-type MS CRC sheet chair with GI pipe support with following description (multi seater made of perforated CRC sheet of 18 gauge with 2 to 3 mm hole having seat back rest stand shall be of 50 mm dia. 16 gauge pipe finished with powder coated with fixing arrangement to floor.	Each	50.00	15434.00	771700.00
					<b>Total</b>	<b>771700.00</b>

#### 4. ELIGIBILITY CONDITIONS

##### Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees. N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover.	No	No	Allowed (Mandatory)
1.1	The tenderer's shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet	No	No	Not Allowed

##### Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Similar nature of the work: Any Civil Engineering Works	No	No	Allowed (Mandatory)
1.1	Maintenance period of the work: 06 months	No	No	Allowed (Mandatory)

##### Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

1	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii) One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2) In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity.	No	No	Allowed (Mandatory)
1.1	b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component (s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract.	No	No	Allowed (Optional)
1.1.1	Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor (s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing	No	No	Allowed (Mandatory)
1.1.2	Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organization, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Allowed (Optional)

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

**5. COMPLIANCE**

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The payment towards earnest money (EMD) against the works tenders should be made as brought out in GCC April 2022, Para 5: (Bid Security) PART I Instructions to Tenderers (ITT) & Para 6 (a to d) of Tender Form (Second Sheet)	No	No	Not Allowed
1.1	Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Startups' and Labour Cooperative Societies shall submit Registration Certificate issued by appropriate authority.	No	No	Allowed (Optional)
1.2	The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period	No	No	Not Allowed
1.3	In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:	Yes	Yes	Allowed (Optional)
1.3.1	A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender.	Yes	Yes	Allowed (Optional)

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

1.3.2	The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids). (Corrigendum: Para 5(3) ii Part I of GCC has been modified vide Advance Correction Slip No. 5 Railway Board's letter no. 2022/CE-I/CT/GCC-2022/Policy Dated 20.10.2023)	Yes	No	Not Allowed
1.3.3	Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid.	Yes	Yes	Not Allowed
1.3.4	The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender.	No	No	Not Allowed
1.3.5	The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, FAILING WHICH THE BID WILL BE REJECTED.	No	No	Not Allowed
1.3.6	The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope.	Yes	Yes	Not Allowed
1.3.7	The envelope shall be addressed to the officer and address as mentioned in the tender document.	No	No	Not Allowed
2	Submission of Tenders: Tenders should be submitted as brought out in GCC April 2022, Para 6: (Care in Submission of Tenders) PART I Instructions to Tenderers (ITT).	No	No	Not Allowed
3	The payment towards earnest money (EMD) against the works tenders should be made as brought out in GCC April 2022, Para 5: (Bid Security) PART I Instructions to Tenderers (ITT) & Para 6 (a to d) of Tender Form (Second Sheet)	No	No	Not Allowed
3.1	Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Startups' and Labour Cooperative Societies shall submit Registration Certificate issued by appropriate authority.	No	No	Allowed (Optional)
3.2	The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period	No	No	Not Allowed
3.3	In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:	Yes	Yes	Allowed (Optional)
3.3.1	A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender.	Yes	Yes	Allowed (Optional)
3.3.2	The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids). (Corrigendum: Para 5(3) ii Part I of GCC has been modified vide Advance Correction Slip No. 5 Railway Board's letter no. 2022/CE-I/CT/GCC-2022/Policy Dated 20.10.2023)	Yes	No	Not Allowed
3.3.3	Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid.	Yes	Yes	Not Allowed
3.3.4	The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender.	No	No	Not Allowed
3.3.5	The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, FAILING WHICH THE BID WILL BE REJECTED.	No	No	Not Allowed
3.3.6	The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ***** Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope.	Yes	Yes	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

3.3.7	The envelope shall be addressed to the officer and address as mentioned in the tender document.	No	No	Not Allowed
4	Submission of Tenders: Tenders should be submitted as brought out in GCC April 2022, Para 6: (Care in Submission of Tenders) PART I Instructions to Tenderers (ITT).	No	No	Not Allowed
5	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Applicability of rules for this tender	No	No	Not Allowed
1.1	Indian Railways Standard General Conditions of Contract updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. (GCC April 2022)	No	No	Not Allowed
1.2	Indian Railways Unified Standard Specification (IRUSS-2019) updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract	No	No	Not Allowed
1.3	CPWD Specifications 2019 Vol I & II updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract	No	No	Not Allowed
1.4	Indian Railways Unified Standard Specifications (Works and Material) 2010 updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract	No	No	Not Allowed
1.5	IR Specifications/Guidelines updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents	No	No	Not Allowed
1.6	Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents	No	No	Not Allowed
2	In these Special Conditions of Contract the following terms shall have the meaning hereby assigned to them except where the context otherwise requires.	No	No	Not Allowed
2.1	General Condition of Contract shall mean General Condition of Contract - April 2022 corrected up to date as contained in Western Railway, Engineering department, Indian Railways Unified Standard Schedule of Rates 2019 and Indian Railways Unified Standard Specification 2019 with up to date correction slip, And /OR CPWD Delhi schedule of rate 2019( DSR-Vol.-I and Vol.-2 ,DSR Horticulture and landscaping, specification ( Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable.	No	No	Not Allowed
2.2	Standard specification shall mean" Indian railway United standard specification ( Works and materials) Vol.-I &II) And /OR Indian Railway Unified standard schedule of rates (IR USSOR-2019) and specifications. with up to date correction slip And /OR CPWD Delhi schedule of rate 2019 (DSR-Vol.-I and Vol.-2, DSR- Horticulture and landscaping, specification (Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable.	No	No	Not Allowed
2.3	Standard schedule Items/rates shall mean the Items/Rates in the Indian Railways Unified Standard Schedule of Rates 2019 and Indian Railways Unified Standard Specification 2019 with up to date correction slip, And /OR CPWD Delhi schedule of rate 2019( DSR-Vol.-I and Vol.-2 ,DSR Horticulture and landscaping, specification ( Vol-I and Vol-II) & Horticulture& landscaping with up to date correction slip. Whichever is applicable	No	No	Not Allowed
3	Where there is any conflict in conditions/Specifications contained in various parts, order of precedence will be as given below	No	No	Not Allowed



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

3.1	Any foot note given by the Railway in the schedule of quantities and rates.	No	No	Not Allowed
3.2	Description of item in the Schedule of Quantities and rates.	No	No	Not Allowed
3.3	Special Specifications	No	No	Not Allowed
3.4	Additional Special Conditions/of Contract.	No	No	Not Allowed
3.5	Standard Specifications.	No	No	Not Allowed
3.6	Special Conditions of Contract & General Conditions of Contract April 2022 corrected upto date	No	No	Not Allowed
4	Stamp Duty is applicable as per Stamp Act with latest amendments as applicable in the State.	No	No	Not Allowed
5	Rights of the Railway to deal with Tender: As per GCC April 2022, Para 7, 8 & 9 Tender Form (Second Sheet), PART I Instructions to Tenderers (ITT).	No	No	Not Allowed
5.1	The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders.	No	No	Not Allowed
5.2	If the tenderer(s) deliberately gives / give wrong information in his/their tender or creates/create circumstances for the acceptance of his/their tender, the Railway reserves the right to reject such tender at any stage.	No	No	Not Allowed
5.3	(iii)If any partner(s) of a partnership firm expires after the submission of its tender or after the acceptance of its tender, the Railway shall deem such tender as cancelled/contract as terminated under clause 61 of the Standard General Conditions of Contract, unless the firm retains its character as per partnership agreement. If a sole proprietor expires after the submission of tender or after the acceptance of tender, the Railway shall deem such tender as cancelled / contract as terminated under clause 61 of the Standard General Conditions of Contract.	No	No	Not Allowed
6	Payment of Royalty Charges	No	No	Not Allowed
6.1	All taxes, royalty charges, etc. of whatever nature in connection with the work including extraction and supply of rubble stone/stone ballast/sand/moorum earth or any other material used on the work shall have to be borne by the Contractor. The Contractor will be required to obtain a royalty clearance certificate from the concerned Revenue Authorities/Collector and produce the same to the Engineer after completion of the supply but before release of the final bill.	No	No	Not Allowed
6.2	Royalties and Patent Rights: (a)The Contractor shall defray the cost of all royalties, fees and other payments in respect of patents, patent rights and licenses which may be payable to patentee, licensee or other person or corporation and shall obtain all necessary licenses. (b)The contractor shall indemnify, the Railway or any agent, servant or employee of the Railway against any action, claim or proceedings relating to infringement use of any patent or design any alleged patent or design rights and shall pay any royalties or other charges which may be payable in respect of any articles or materials or part thereof included in the contract. In the event of any claim being made or action being brought against the Railway or any agent, servant or employee of the Railway in respect of any such matters, as aforesaid, The contractor shall indemnify notified thereof. Provided that such indemnify shall not apply when such infringement has taken place in complying with the specific direction issued by the Railway but the contractor shall pay any royalties or other charges payable in respect of any such use.	No	No	Not Allowed
6.3	Final bills of Ballast supply contracts are to be passed on submission of Royalty Clearance Certificate by the contractor from the concerned Revenue Authorities/ Collectors.	No	No	Not Allowed
7	SPECIAL CONDITION FOR TAX DEDUCTION	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

7.1	In respect of works, a deduction of 2% from each of the Contractor's bills shall be made in terms of section 194(C) of the Income Tax Act of 1961 & 1991 and as per instructions issued from time to time (Surcharge will also be deducted along with I. Tax as per extent rules).	No	No	Not Allowed
7.2	The Railway will deduct sales tax if leviable in a particular state where the work is going on, the gross amount of each bill while making payment to the contractor(s). The recovery shall be governed as per the guide lines & rates prescribed by the concerned State Government.	No	No	Not Allowed
7.3	Any Other taxes The Contractor shall bear in full all taxes and royalties levied by the State Government and/or Central Government from time to time. This would be entirely a matter between the contractor and State Government/or Central Government. Railway will recover the taxes and royalties through final bills if the contractor fails to pay the taxes and royalties to the Government.	No	No	Not Allowed
8	DETAILS OF INSPECTION REGISTER AND RECORDS ARE TO MAINTAINED BY TENDERER ARE AS FOLLOWS:	No	No	Not Allowed
8.1	The Contractor/s shall maintain accurate records, plans and charts showing the dates and progress of all main operations and the Engineer shall have access to this information at all reasonable times. Records of tests made shall be handed over to the Engineer/s representative after carrying out the tests. The following registers will be maintained at site by the Contractor/s.	No	No	Not Allowed
8.2	Site Order Register: The Contractor/s shall promptly acknowledge by putting his signature in the site order against any order given therein by the Engineer or his representative or his superior officers and comply with them. The Compliance shall be reported by the Contractor/s to the Engineer in good time so that it can be checked.	No	No	Not Allowed
8.3	Labour Register: This register will be maintained to show daily strength of labour in different categories employed by the Contractor/s.	No	No	Not Allowed
8.4	LOG book of events: All events are required to be chronologically logged in this book shift wise and date wise.	No	No	Not Allowed
8.5	Cement & steel registers shall be maintained by the contractor.	No	No	Not Allowed
9	DISASTER MANAGEMENT "All the available vehicles and equipment's of the contractor can be drafted by the Railway Administration in case of accidents/ natural calamities involving human lives. The payment for such drafting shall be made according to the rates as shall be fixed by the Engineer. However, if the contractor is not satisfied with the decision of the Engineer in this respect he may appeal to the Chief Engineer within 30 Days of getting the decision of the Engineer, supported by analysis of the rates claimed. The Chief Engineer's decision after hearing both the parties in the matter would be final and binding on the contractor and the Railway".	No	No	Not Allowed
10	EMERGENCY WORK In the event of any accident or failure occurring in the execution of work/ arising out of it which in the opinion of the Engineer requires immediate attention, the Railway may bring its own workmen or other agency/agencies to execute or partly execute the necessary work or carry out repairs if the Engineer-in-charge considers that the contractor(s) is/are not in a position to do so in time without giving any notice and charge the cost thereof, to be determined by the Engineer-in-charge, to the contractor.	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

11	DAMAGE BY ACCIDENT/ FLOOD/ TIDES OR NATURAL CALAMITIES The Contractor shall take all precautions against damages from accidents, floods tides or other natural occurrences. He shall not be entitled to any compensation for his tools, plants, materials, machines and other equipment lost or damaged by any cause whatsoever. The Contractor shall be liable to make good the damage to any structure or part of a structure, plant or material of every description belonging to the Railway covered under the Contract, lost or damaged by him due to any cause during the course of execution of work. The Railway Administration will not be liable to pay the contractor any charge for rectification or repair to any damage which may have occurred from any cause what so ever.	No	No	Not Allowed
12	INCLUSION OF LETTER OF CREDIT AS MODE OF PAYMENT For all the tenders having advertised cost of Rs 10 lakh or above, the contractor shall have the option to take payment from Railways through a letter of credit(LC)arrangement. (Railway Board's letter no. 2018/CE-I/CT/9 dated 04.06.2018)	No	No	Not Allowed
13	CHANGE IN ADDRESS: Any change in the address of the contractor shall be forthwith intimated in writing to the Railway. The Railway will not be responsible for any loss/ inconvenience suffered by the Contractor on account of his failure to comply with this.	No	No	Not Allowed
14	Performance Guarantee As per ACS-11 dtd 13.03.2026 Para 16(4)(h) Introduced to GCC Apr2022 is as under Para 16(4)(h) If a tender is accepted on the quoted rates of bidder which is below the advertised tender value, an additional performance security shall be submitted by bidder as below - Bid quoted Below 0 to 5 % (inclusive) of advertised cost - Additional Performance Guarantee (%) = NIL Bid quoted Below 5 % - of advertised cost - Additional Performance Guarantee (%) = 5%	No	No	Not Allowed

**Special Conditions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Security Deposit: (As per Clause No. 16.(1), 16.(2) (i), 16. (2) (ii), 16.(3) Part-II of GCC April 2022)	No	No	Not Allowed
1.1	The Security Deposit against the contract shall be released only after the contractor has submitted the final PVC bill wherever applicable. (PCE/CCG letter no. W.118/0 Vol. II (W6) dated 14.06.2019)	No	No	Not Allowed
2	Performance Guarantee (As per Clause No. 16.4 (a to g) Part-II of GCC April 2022)	No	No	Not Allowed
2.1	The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22nd day after the date of issue of LOA. Further, if the 60thday happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Bid Security and other dues payable to the contractor against that particular contract, subject to maximum of PG amount. In case a tenderer has not submitted Bid Security on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work.	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

3	Force Majeure Clause & Extension of Time in Contracts (As per Clause No. 17, 17(A) (i to iii), 17B Part-II of GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).	No	No	Not Allowed
4	VARIATIONS IN EXTENT OF CONTRACT (As per Clause No. 41, 42(1), 42(2) (i to v), 42(3),17B Part-II of GCC April 2022)	No	No	Not Allowed
4.1	Vitiation: The aspect of Vitiation if any, shall be governed as per Railway Board's Transformation Cell Letter no 2017/Trans 01/policy dated 08.02.2018.	No	No	Not Allowed
4.2	In zonal contracts, the variation in the contract should not exceed 25% of the contract value.	No	No	Not Allowed
5	APPLICABILITY OF PRICE VARIATION CLAUSE (AS PER Para 46A, Part-II of GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).	No	No	Not Allowed
5.1	Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores. Provided further that, in a contract where PVC is applicable, following shall be outside the purview of price adjustments (i.e. shall be excluded from the gross value of the work for the purpose of price variation) : a)Materials supplied by Railway to the Contractors, either free or at fixed rate; b)Any extra item(s) included in subsequent variation falling outside the purview of the Bill(s) of Quantities of tender, under clause 39. (1)(b) of these Standard General Conditions, unless applicability of PVC and 'Base Month' has been specially agreed, while fixing the rates of such extra item(s). (Para 46A.1 GCC April 2022)(GCC 2022 ACS 1. Railway Board letter no. 2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022).	No	No	Not Allowed
5.2	The Price Variation Clause (PVC) of General Conditions of Contract (GCC) shall not apply to such a works contract which is either an Annual Maintenance Contract (AMC) or a Zonal Contract. (Railway Board's letter No. 2013/CE-I/CT/O/10/PVC/Pt.1. dtd. 27.01.2015).	No	No	Not Allowed
6	Provisions of Contract Labour (Regulation and Abolition) Act, 1970 (Shramik Kalyan) (As per Clause no. 54, 54-A, 55-A (1 to 5), 55-B, 55-C & 55-D, 56, 57, 57-A, 58, 59(01 to 09) & 60(01 to 04) (Part-II of GCC April 2022)	No	No	Not Allowed
7	Provision of Efficient and Competent Staff at Work Sites by the contractor. (Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)	No	No	Not Allowed
7.1	In terms of provisions of Clause 26 A to the General Conditions of Contract (GCC), Contractor shall also employ following qualified Engineers during execution of the allotted work. (a)One Qualified Graduate Engineer when cost of work to be executed is Rs. 200 lakh and above, and (b)One Qualified Diploma Holder Engineer when cost of work to be executed is more than Rs. 25 lakh, but less than Rs. 200 lakh. (Railway Board's letter No. 2012/CE-I/CT/O/20 dtd. 10.05.2013)	No	No	Not Allowed
7.2	Further, in case the contractor fails to employ the Qualified Engineer, as aforesaid in Para (a) & (b) above, he, in terms of provisions of Clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs. 40,000 and Rs. 25,000 for each month or part thereof for the default period for the provisions, as contained in Para A(a) and A(b) above respectively. (Railway Board's letter No. 2012/CE-I/CT/O/20 dtd. 10.05.2013)	No	No	Not Allowed
7.3	Provision for deployment of Qualified Engineers (Graduate Engineer or Diploma Holder Engineer) shall be for the values as prescribed above. However, for the works contract tenders, if it is considered appropriate by the tender inviting authority, not to have the services of qualified engineer, the same shall be so mentioned in the tender documents by the concerned Executive with the approval of Officer not below the level of SAG Officer, for reasons to be recorded in writing. (Railway Board's letter No. 2012/CEI/CT/O/20 dtd. 10.05.2013)	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

7.4	As per para 26 A.3 No. of qualified Engineers required to be deployed by the Contractor for various activities contained in the works contract shall be specified in the tender documents as 'Special Condition of Contract' by the tender inviting authority." (Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)	No	No	Not Allowed
7.5	In terms of Railway Board's letter No.; 2012/CE-I/CT/0/20 dated 12.07.13 it has also been decided that for Track related contractual works of values, as specified in Railway Board's letter No. 2012/CE-I/CT/0/20 dated 10.05.13, Individual having Diploma in Railway Engineering awarded by IPWE (India) shall also be considered as qualified Diploma Holder Engineers and contractors for Track contract works can employ such Individuals at their work site on Indian Railways	No	No	Not Allowed
8	Observance of Bonded Labour System (Abolition Ordinance Act, 1975): The "Bonded Labour System (Abolition Ordinance, 1975)" would apply to the present contract. The contractors shall duly observe the provisions thereof	No	No	Not Allowed
9	CHILD LABOUR (PROHIBITION AND REGULATION) ACT- 1986. The employment of any person less than fifteen years (15 years) of age shall be prohibited from Railway's works. The contractor shall be responsible for confirming to the provisions of the act and Railway shall stand indemnified from and against any claims/penalty under the aforesaid act.	No	No	Not Allowed
10	Provisions of "The building and other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and "The Building and other Construction Workers Welfare Cess Act, 1996" in Railway Contracts. The tenderer for carrying out any construction work in Gujarat State, must get themselves registered from the Registering Officer under section-7 of the Building and Other Construction Workers Act, 1996 and rules made thereto by the Gujarat Govt. and submit certificate of Registration issued from the Registering Officer of the Gujarat Govt. (Labour Department). As per this Act, the tenderer shall be levied a cess @ 1 % of cost of Construction work which would be deducted from each bill. (Railway Board letter no. 2008/CE-I/CT/6 dated 09.07.2008 and 2008/CE-I/CT/6 dated 29.11.2013)	No	No	Not Allowed
11	SETTLEMENT OF DISPUTES - INDIAN RAILWAY ARBITRATION AND CONCILIATION RULES (Para 63 & 64, Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)	No	No	Not Allowed
11.1	Jurisdiction of courts in arbitration cases/suits arising out of Contract agreements: If any dispute arises between the parties with respect to this agreement, any application or suit shall be instituted only in the court with the local limits of whose jurisdiction, the Western Railway's Divisional Headquarters Office is situated and both the parties shall be bound by the clause. (CE-Circular No. 11/ HQ Office letter No. W/623/5/ARB/1 dt. 18.04.2000)	No	No	Not Allowed
12	Guideline for the Maintenance of Works (Para 47, Part-II STANDARD GENERAL CONDITIONS OF CONTRACT of GCC April 2022)	No	No	Not Allowed
12.1	The tenderer/s shall be required to maintain the work effectively for a period of Six (06) months and /or as mentioned in special condition	No	No	Not Allowed
12.2	However, for a zonal work, the maintenance period shall be as a) Repair and maintenance work including white/color washing: three calendar months from date of completion. b) All new works except earth work: Six calendar months from date of completion. (As per Annexure-III, PART I Instructions to Tenderers (ITT))	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

12.3	To cover up monsoon period, the maintenance period will be extended in cases when required and contractor shall remain responsible for maintenance for this extended period also. The contractor shall make good and remedy at his own expense within such period as may be stipulated by the Engineer, any defect which may develop or may be before the expiry of this period and intimation of which has been sent to the contractor within seven days of the expiry of the said period by a letter, sent by hand delivery or by registered post. In case the contractor fails to make adequate arrangements to rectify the defects within seven days of the receipt of such notices, the Engineer without further notice may make his own arrangement to rectify the defects and the cost of such rectification shall be recovered from the Security Deposit of the contractor or from any other money due to the contractor under this or any other contract.	No	No	Not Allowed
13	Offloading of Part(s) of Work At the final stage of completion/ commissioning of work, in case the contractor fails to complete the final part(s) of the work and the value of such part(s) of the work is limited to 5% of the original contract value, the Engineer may allow/decide for offloading of such part(s) of works, either after the Contractor's request in writing to do so or after serving a 14 (Fourteen) days suo-moto notice (as per annexure- VIIA), if the Engineer is of the opinion that :- (i)Such Offloading of works (up to 5% of original contract value) would enable successful completion of contract/work, (ii)Termination/ Part termination of the contract at this stage is not be in the interest of the Railway/work;, and (iii)The anticipated additional cost for execution of such works through other mode would not be substantial and can be recovered from the pending dues of the contractor; The Contractor shall be informed, in due course, by the Engineer of the mode and cost of execution of such offloaded work through other agency(ies) (as per annexure-VIIB). The extra expenditure so incurred in execution of the offloaded work, shall be recovered from subsequent Bill(s) or any other dues of the Contractor, but not exceeding the value of Performance Guarantee available in the contract. There shall be no other repercussion of such offloading on execution of the balance contract. The Contractor shall have no claim on account of above mentioned offloading of works. (As per Clause No. 40(A) Part-II of GCC April 2022)	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Material invoices submitted by agencies: The original invoice of material should be obtained to ensure traceability & usage for each and every material component (e.g. steel, cement etc.)". Details such as agency, name of project, site location shall be noted on the invoices. (Ref. letter no. WR-HQENGG(WWTC)/2/2021/E-426740 Date:29.01.2024 and 08.02.2024)	No	No	Not Allowed
2	Tenderer Credentials: Documents testifying tenderer previous experience and financial status should be produced along with the tender as brought out in GCC April 2022, Para 11 Tender Form (Second Sheet), PART I Instructions to Tenderers (ITT).	No	No	Allowed (Optional)
2.1	Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past, Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past, the list of personnel /organization on hand and proposed to be engaged for the tendered work, list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work and copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual in Standard format to be submitted as per Annexure attached.	No	No	Not Allowed

**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

2.2	Evaluation of Tender : There will be no post tender correspondence. Tender will be decided based on document submitted by tenderer along with the tender. Tenderer shall submit adequate documentary proof of having fulfilled the eligibility criteria. There will be no back reference to confirm credentials, except for the purpose of verifying the certificates submitted along with the tender. If the tenderer do not submit any proof of meeting with eligibility criteria as laid down in the NIT and tender conditions, offer shall be treated as incomplete and shall be summarily rejected. (PCE CCG's letter no. W/118/0 (Policy)(L)(W6) dated 28.11.14 & 29.06.2016)	Yes	Yes	Not Allowed
3	Multiple L-1 In case of more than one L-1 bidders, tender may be awarded to tenderer having higher Bid Capacity. In case Bid Capacity is also the same, tenderer having done more value of similar work in last three previous financial years and the current financial year upto the date of opening of the tender, may be selected for the award. (Railway Board's letter no. 2017/Trans/01 /Policy dated: 08.02.2018)	Yes	Yes	Not Allowed
4	Tenderers should submit their offer strictly in accordance with the terms and conditions of the tender document. Tenderer should not quote any deviation from the tender document and should not quote any conditions. Nevertheless, as an exception, if any unavoidable deviations or conditions are quoted by the tenderers, financial impact of each of such conditions / deviations on their quoted unit rates, in terms of Rupees per unit rate, shall be clearly mentioned by the tenderer in the tender offer. If any of the deviation / condition has no financial impact on the quoted rates, in such cases also, the tenderer must clearly mention its financial impact as 'NIL'. This is required for proper financial evaluation of such conditional / deviated offers. Conditional offers /offers with deviations, without quantified financial impact of each of the condition /deviation on the quoted rates, shall be considered as "incomplete" and shall be summarily rejected'. (In terms of CE (Works) CCG's Letter No. W.118/0/3/S.I (W6) dt. 27.06.16)	Yes	Yes	Not Allowed
5	Assignment or Subletting of Contract: As per Clause No. 7 Part-II of GCC April 2022)	No	No	Not Allowed
6	Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement. (As per Para 59. (9) of GCC Part-II April-2022)	No	No	Allowed (Mandatory)
6.1	Certificate of Information regarding Employment/Partnership etc. of Retired Railway Employees with the tenderer as per the attached Performa.	Yes	Yes	Not Allowed
6.2	Certificate of NO Relative being an employee of Western Railway as per attached Performa.	No	No	Allowed (Mandatory)
7	Partnership Firms in works tenders As per Para No. 18 (18.1 to 18.11) of Tender Form (Second Sheet) Part-1 of GCC April-2022	Yes	Yes	Allowed (Optional)
8	The tenderer should upload the scan copy of EPFO and ESI registration number. However EPFO and ESI registration would be mandatory and documents towards EPFO and ESI registration must be submitted before execution of the agreement.	No	No	Allowed (Optional)
9	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be Note: For more details go through the GCC April 2022	No	No	Allowed (Mandatory)



**BHAVNAGAR DIVISION-ENGG/WESTERN RLY  
TENDER DOCUMENT**

**Tender No:** 47-2026-27

**Closing Date/Time:** 03/07/2026 16:00

10	BID CAPACITY: For tenders having advertised value more than Rs 10 crore, Bid Capacity as per ANNEXURE - VI is required to be submitted. In case, the tenderer/s failed to submit the above statement along with offer, their/his offer shall be considered as incomplete and will be rejected summarily. (Reference - ANNEXURE - VI of GCC PART I Instructions to Tenderers and Para 10.3 & 17.15.3 of Tender Form (Second Sheet) of Annexure I of ITT. (Ref: GCC 2022 ACS 11. Railway Board letter no. 2022 CE-UCTIGCC-2022[POLICY/Pt.I (E-3320424) dated 13.03.2026)	No	No	Allowed (Mandatory)
----	--	----	----	---------------------

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/We have read all the various condition to tender attached and also here by agree to abide by the general condition of contract and to carry out the work according to the special conditions of contract and specifications of materials and work as laid down by Railway.	No	No	Not Allowed
2	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	JointProcedurefordiggingwork.pdf	Joint Procedure for digging work
2	PCECircularNo-88.pdf	PCE Circular No 88
3	RBcircularforDiggingwork.pdf	RB circular for Digging work
4	SafetyatWorkSiteLatest18-07.pdf	SafetyatWorkSiteLatest
5	Specialconditionscivilwork.pdf	Special condition
6	GCCApril2022ACS01to10.pdf	GCC April 2022 1 to 10
7	GCC-2022-CorrectionSlipNo.11.pdf	GCC ACS 11

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** DAKSHRAJ SINGH

**Designation :** DEN - E