

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

**SR.DEN/CO.ORDN** acting for and on behalf of The President of India invites E-Tenders against Tender No **TN-48-26-27** Closing Date/Time 08/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Name of Work</b>	Repairs to damaged station approach area including road connected to L.C Gates inside Railway premises with all other ancillary works under Sr. Divisional Engineer/1/Sealdah.		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	08/07/2026 15:00	<b>Date Time Of Uploading Tender</b>	12/06/2026 15:39
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	5651097.01	<b>Tendering Section</b>	SR.DEN/1
<b>Bidding Style</b>	Single Rate for Each Schedule	<b>Bidding Unit</b>	
<b>Earnest Money (Rs.)</b>	113000.00	<b>Validity of Offer ( Days)</b>	60
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	6 Months
<b>Contract Type</b>	Works - General	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	24/06/2026		
<b>Are JV allowed to bid</b>	No	<b>Number of JV Member Allowed</b>	0
<b>Are Consortium allowed to bid</b>	No	<b>Number of Consortium Member Allowed</b>	0
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Capital (Works)

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule ()</b> A-Items covering relevant chapters of the Delhi schedule of Rates							5651097.01	Above/ Below/P ar
1	Please see Item Breakup for details.			6495513.80	(-) 13.00	5651097.01		
	<b>Description:-</b> Items from relevant chapter of DSR 2023							

**3. ITEM BREAKUP**

<b>Schedule</b>	Schedule A-Items covering relevant chapters of the Delhi schedule of Rates					
<b>Item- 1</b>	Items from relevant chapter of DSR 2023					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
	1.0	CARRIAGE OF MATERIALS				
	1.1	By Mechanical Transport including loading, unloading and stacking				
	1.1.2	Earth				
1	1.1.2.5	5km	cum	5	326.68	1633.4
2	1.1.2.6	Beyond 5 km upto 10 km per km	cum-km	5	23.16	115.8
	2.0	EARTH WORK				
	2.1S	General				
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

3	2.8.1	All kinds of soil.	cum	90	260.3	23427
4	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	30	196	5880
5	2.25A	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.	cum	20	700.5	14010
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
6	4.1.2	1:1 1/2:3 (1 Cement: 1 1/2 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	5	8340.85	41704.25
7	4.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	7.5	7878.5	59088.75
8	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	6	7294.7	43768.2
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.1S	CAST IN SITU				
	5.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				
9	5.1.2	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	4	9045.75	36183
	5.2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :				
10	5.2.2	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	5	10852.95	54264.75
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
11	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	20	392.15	7843
12	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	15	927.25	13908.75
13	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	15	736.4	11046
14	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	8	961.3	7690.4
	5.22S	STEEL REINFORCEMENT				

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
15	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	500	107.85	53925
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
16	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	1200	107.85	129420
	6.0	MASONRY WORK				
	6.1S	General				
	6.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
17	6.1.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	5	7132.25	35661.25
	6.3	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) :				
18	6.3.1	With F.P.S.(non modular) bricks	cum	25	9299.9	232497.5
	6.12S	HALF BRICK MASONRY				
	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
19	6.13.2	Cement mortar 1:4 (1 cement :4 coarse sand)	Sqm	50	1123.8	56190
	9.0	WOOD AND P.V.C. WORK				
	9.40S	MISCELLANEOUS-WOOD WORK				
	9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
20	9.48.1	Fixed to steel windows by welding	Kg	850	219.1	186235
	9.105S	GYPSUM BOARD PARTITIONS				
	9.117	Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance +/-1mm), with wall thickness 2.0 mm ( +/- 0.2 mm), corners of the door frame to be jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size19 X 19 mm and 1mm ( +/- 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer- in-charge				
21	9.117.1	Extruded section profile size 48x40 mm	Metre	50	270.2	13510
	9.118	Providing and fixing to existing door frames.				

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

22	9.118.2	30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm ( +/- 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm ( +/- 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm ( +/- 0.2 mm) wall thickness fixed to the shutter styles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm ( +/- 0.1 mm) wall thickness . The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge.	Sqm	30	3253.8	97614
23	9.121	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2 mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	Metre	48	570.95	27405.6
	9.122	Providing and fixing to existing door frames.				
24	9.122.1	30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	Sqm	30	3720.75	111622.5
	10.0	<b>STEEL WORK</b>				
	10.1S	<b>General</b>				
25	10.1	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	300	117.35	35205
26	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	2000	133.7	267400
	12.0	<b>ROOFING</b>				
	12.37S	<b>RAIN WATER SPOUT AND PIPE</b>				
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
27	12.41.2	110 mm diameter	Metre	60	377.4	22644

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.5	Bend 87.5 degree				
28	12.42.5.2	110 mm bend	Each	10	150.35	1503.5
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
29	13.1.2	1:6 (1 cement: 6 fine sand)	Sqm	860	333.35	286681
	13.16S	6 mm CEMENT PLASTER				
	13.16	6 mm cement plaster of mix :				
30	13.16.1	1:3 (1 cement : 3 fine sand)	Sqm	450	300.45	135202.5
	13.44S	EXTERIOR FINISHING				
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
31	13.48.2	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture	Sqm	500	176.25	88125
32	13.48.3	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture	Sqm	250	170.7	42675
33	13.71	Lettering with black Japan paint of approved brand and manufacture	per letter per cm height	1000	6.15	6150
34	13.80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	90	156.05	14044.5
	13.109	Finishing walls with water proofing cement paint of required shade :				
35	13.109.2	Old work (one or more coats @ 2.20 kg/10 sqm) complete.	Sqm	1000	75.8	75800
	14.0	REPAIRS TO BUILDING				
	14.75AS	ROUTINE MAINTENANCE WORK				
	14.90	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer, 3 mm thick water proofing membrane, black finished reinforced with glass fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufactured of density at 25 degreeC, 0.87 - 0.89 kg/litre and viscosity 70 - 160 cps. Over the primer coat the layer of membrane shall be laid using butane torch and sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23 degreeC as 350/300 N/5 cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150 degreeC. Cold flexibility shall be upto -2 degreeC when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane :				

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

36	14.90.1	3 mm thick	Sqm	100	537.45	53745
	15.0	DISMANTLING AND DEMOLISHING				
	15.15	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
37	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	1	2434.25	2434.25
	15.7	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
38	15.7.4	In cement mortar	cum	2	2060.2	4120.4
	15.43	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge :				
39	15.43.2	bituminous road	Sqm	150	428.5	64275
40	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	750	54.65	40987.5
	16.0	ROAD WORK				
	16.15	ROADS				
41	16.4	Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density .	cum	80	1046.95	83756
	16.30S	PREMIX CARPET				
	16.31	Providing and applying tack coat using bitumen emulsion conforming to IS:8887, using emulsion pressure distributor including preparing the surface & cleaning with mechanical broom.				
	16.31.1	With rapid setting bitumen emulsion				
42	16.31.1.1	On W.B.M / W.M.M. @ 0.4kg/sqm	Sqm	3700	13.45	49765
43	16.31.1.2	On bituminous surface @ 0.25kg/sqm	Sqm	6500	9.2	59800
	16.33	2.5 cm premix carpet surfacing with 2.25 cum and 1.12 cum of stone chippings of 13.2 mm and 11.2 mm size respectively per 100 sqm and 52 kg and 56 kg of hot bitumen per cum of stone chippings of 13.2 mm and 11.2 mm size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately).				
44	16.33.2	With paving Asphalt grade VG - 30 with no solvent	Sqm	6500	294.95	1917175

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

	16.36	Providing and laying Bitumen Penetration Macadam with hard stone aggregate of quality, size and grading as specified, with bitumen of suitable penetration grade, including required key aggregate as specified, spreading coarse aggregate with the help of self propelled/ tipper tail mounted aggregate spreader and applying bitumen by a pressure distributor and then spreading key aggregate with the help of aggregate spreader complete, including consolidation with road roller of minimum 8 to 10 tonne capacity to achieve specified values of compaction and surface accuracy :				
45	16.36.1	For 50 mm compacted thickness using coarse aggregate of size 50-20 mm graded @ 0.60 cum per 10 sqm key aggregate of size 12.5 mm graded @ 0.15 cum per 10 sqm. With paving asphalt grade VG - 10 @ 50 kg/ 10 sqm.	Sqm	1750	505.65	884887.5
	16.37	Providing and laying bitumen mastic wearing course (as per specifications) with industrial bitumen of grade 85/25 conforming to IS : 702, prepared by using mastic cooker and laid to required level and slope, including providing antiskid surface with bitumen precoated fine grained hard stone chipping of approved size at the rate of 0.005 cum per 10 sqm and at approximate spacing of 10 cm centre to centre in both directions, pressed into surface protruding 1 mm to 4 mm over mastic surface, including cleaning the surface, removal of debris etc. all complete. (Considering bitumen using 10.2% as per MORTH specification).				
46	16.37.1	25 mm thick	Sqm	200	854.15	170830
	16.40S	SEAL COAT				
47	16.40	Providing and laying seal coat of premixed fine aggregate ( passing 2.36 mm and retained on 180 micron sieve) with bitumen using 128 kg of bitumen of grade VG - 10 bitumen per cum of fine aggregate and 0.60 cum of fine aggregate per 100 sqm of road surface, including rolling and finishing with road roller all complete.	Sqm	5300	88.55	469315
48	16.41	Providing and laying seal coat over prepared surface of road with bitumen heated in bitumen boiler fitted with the spray set spraying using 98 kg of bitumen of grade VG - 10 and blinding surface with 0.90 cum of stone aggregate of 6.7 mm size (Passing 11.2 mm sieve and retained on 2.36 mm sieve) per 100 sqm of road surface, including rolling and finishing with power road roller all complete..	Sqm	1200	130.85	157020
	16.47S	PAINTING AREA/RUNWAY MARKING				
	16.48	Painting road surface marking with adequate nos of coats to give uniform finish with ready mixed road marking paint conforming to IS : 164, on bituminous surface in white/yellow shade, including cleaning the surface of all dirt, scales, oil, grease and foreign material etc. complete.				
49	16.48.1	New work (Two or more coats)	Sqm	360	288.9	104004
	17.0	SANITARY INSTALLATIONS				
	17.1S	General				
50	17.8	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	Each	3	1683.35	5050.05
	17.13	Providing and fixing white vitreous china water closet squatting pan (Indian type) :				
51	17.13.1	Long pattern W.C. pan of size 580 mm	Each	6	1959.8	11758.8



**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

52	17.15	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	Each	10	2784.95	27849.5
	17.18	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.				
53	17.18.1	10 litre capacity - White	Each	10	1190.65	11906.5
54	17.23	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.	Each	10	1648.95	16489.5
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2	Flexible pipe				
55	17.28.2.1	32 mm dia	Each	12	119.55	1434.6
	17.32	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :				
56	17.32.2	Rectangular shape 453x357 mm	Each	12	1361.8	16341.6
	17.69	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.				
57	17.69.2	Waste coupling 38 mm dia of 83 mm length and 77mm breadth, weighing not less than 60 gms	Each	10	122.4	1224
	17.73	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.				
58	17.73.2	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	Each	10	708.95	7089.5
	18.0	WATER SUPPLY				
	18.75	C.P.V.C. PIPES				
	18.10	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. ( Internal work - Exposed on wall )				
59	18.10.1	15 mm dia nominal bore	Metre	30	366.4	10992
60	18.10.3	25 mm dia nominal bore	Metre	25	551.7	13792.5
	18.12	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work				
61	18.12.5	40 mm dia nominal bore	Metre	24	617.05	14809.2
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
	18.47	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required :				
62	18.47.1	15 mm nominal bore	Each	10	829.45	8294.5
63	18.47.3	25 mm nominal bore	Each	10	950.35	9503.5
64	18.47.5	40 mm nominal bore	Each	10	1142.4	11424
65	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	2000	11	22000
	18.54S	PTMT FITTINGS				
	18.54	Providing and fixing PTMT bib cock of approved quality and colour.				



**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

66	18.54.1	15 mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	10	125.6	1256
	18.55	Providing and fixing PTMT stop cock of approved quality and colour.				
67	18.55.1	15 mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	9	118.5	1066.5
	18.56	Providing and fixing PTMT pillar cock of approved quality and colour.				
68	18.56.1	15 mm nominal bore, 107 mm long, weighing not less than 110 gms	Each	5	208.45	1042.25
					<b>Total</b>	<b>6495513.80</b>

**4. ELIGIBILITY CONDITIONS**

**Standard Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Item no 10.2 of GCC 2022: Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. As per Clause 10.2 of Indian Railways Standard General Conditions of Contract'2022 with upto date correction slip. [Authority: Executive Director/Civil Engineering(G), Railway Board's letter No.2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022]	No	No	Allowed (Mandatory)

**Special Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	SIMILAR NATURE OF WORK FOR THIS CONTRACT- ANY CIVIL ENGINEERING WORK COMPRISING OF EXECUTION OF ROADWAYS	No	No	Allowed (Mandatory)

**Standard Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

1	<p>Item no 10.1 of GCC 2022: (a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (1)In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&amp;T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii)One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b) (3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. [Read 10.1 of GCC 2022 for details]. Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Allowed (Mandatory)
---	---	----	----	------------------------

**Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website <a href="http://www.ireps.gov.in">www.ireps.gov.in</a> . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.**

S.No.	Description
1	<b>Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.</b> Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certification)

**5. COMPLIANCE**

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Para 5(3) ii. Part I of GCC shall be read as under: The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids [i.e. excluding the last date of submission of bids] [Advance Correction Slip No.5 to Indian Railways Standard General Conditions of Contract, April 2022 vide Executive Director, Civil Engineering(G), Railway Board No.2022/CE-I/CT/GCC-2022/Policy dated 20.10.2023].	No	No	Not Allowed
2	The participating Bidder must submit self certificate [Annexure V & VA as applicable] duly downloaded from the link given in Submission of Document Verification Certificate or documents uploaded along with tender. [Advance Correction Slip No.3 vide Executive Director, Civil Engineering(G), Railway Board No.2022/CE-I/CT/GCC-2022/Policy dated 26.04.2023 and Advance Correction Slip No.4 vide Executive Director, Civil Engineering(G), Railway Board No.2022/CE-I/CT/GCC-2022/Policy dated 07.08.2023 ].	No	No	Not Allowed
3	Maintenance period of contract - The Earnest Money/Bid Security deposited by the contractor will be converted into Security Deposit and will be refunded after six months of the date of completion of the work in all respect to the entire satisfaction of the Railway and on receipt of a certificate from the Assistant Engineer concerned.	No	No	Not Allowed

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

4	All documents in support of fulfillment of eligibility criteria with respect to completion of similar nature of work for Technical Eligibility Criteria and Total contract value for Financial Eligibility Criteria should be submitted/ uploaded online in the website with scanned copy at the time of tender bidding with details showing in Annexure I, IV. No post tender communication, in any form will be made or entertained, after opening of tenders, in this regard. Railways may however call for the originals of the credentials for verification or any clarifications/confirmations on the contents of the documents submitted. Eligibility of tenderers shall be decided solely of the basis of the documents submitted along with the tender offers and any subsequent document whatsoever submitted in this connection would not be given any cognizance for finalization of the tender.	No	No	Not Allowed
5	Payment through Letter of Credit is applicable for this tender as per Railway Board's letter no 2017/ACII/9/10 Pt I dated 20.02.2018 & 2018/CE-I/CT/9 dt. 04.06.2018 (Annexure B & C attached).	No	No	Not Allowed
6	INSTRUCTION TO BIDDERS: A] The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the railway shall not relieve the bidder of his obligations or liabilities hereunder nor will it affect any rights of the railway there under. B] In case of any wrong information submitted by tenderer, the contract shall be terminated, Earnest Money Deposit [EMD], performance Guarantee [PG] and Security Deposit [SD] of contract forfeited and agency barred for doing business on entire Indian Railways for 5[five] years.	No	No	Not Allowed
7	Shramik kalyan Contractor[s] are requested to get themselves registered on Railways Shramik kalyan portal at <a href="http://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a> after issuance of letter of acceptance.	No	No	Not Allowed
8	Contractor(s)/ Bidders are requested to refer to Clause 46A of Indian Railways Standard General Conditions of Contract'2022 with up to date correction slip for Price Variation Clause (PVC) in works contract. Item no 46A.1 of GCC 2022: Price Variation Clause (PVC) shall be applicable only in tender having advertised value above Rs. 2 Crores. [Authority: Executive Director/Civil Engineering(G), Railway Board's letter No.2022/CE-I/CT/GCC-2022/Policy dated 14.07.2022]	No	No	Not Allowed
9	For further details related to 'Bid Security' Bidders are requested to please connect para no 23 of the tender documents.	No	No	Not Allowed
10	Bidders are requested to refer to para no 9 of tender document [Para 41 & 42 of Part II Standard General Conditions of Contract for "Variations in extent of Contract" of GCC 2022]	No	No	Not Allowed
11	In case Agency desires submission of Bid Security in the form of Bank Guarantee, then please refer to para no 23(3) of Instruction to Tenderers for e-tenders, chapter I for further guidance. [Clause 5.0 of Part I of GCC 2022]	No	No	Not Allowed
12	Bidders may also upload any relevant document as deemed fit.	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Clause 6.1 Part I [ITT] of Indian Railways Standard General Conditions of Contract, July 2022 shall be read as under: 6.1 The tenderer shall submit a copy of certificate stating that all their statements/documents submitted along with bid are true and factual. Standard format of certificate to be submitted by the bidder is enclosed as Annexure-V. Non submission of above certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identity, state and submit the supporting documents duly self-attested/digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender document.	No	No	Allowed (Mandatory)

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

2	<p>Item no 11 of GCC 2022: Tenderer Credentials: Documents testifying tenderer previous experience and financial status should be produced along with the tender. Tenderer(s) who is / are not borne on the approved list of the Contractors of Eastern Railway shall submit along with his / their tender: (i) Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past. (ii) Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past. GCC April 2022 17 (iii) The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant &amp; Machinery available on hand and proposed to be inducted and hired for the tendered work. (iv) A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-V. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested / digitally signed by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document. (v) The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway there under. (vi) (a) In case of any information submitted by tenderer is found to be false, forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning of business for a period of upto five years. (b) In case of any information submitted by tenderer is found to be false, forged or incorrect after the award of contract, the contract shall be terminated. Bid Security, Performance Guarantee and Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto five years.</p>	No	No	Allowed (Mandatory)
3	<p>Item no 12 of GCC 2022: Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected.</p>	No	No	Not Allowed

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

4	<p>Item no 14 of GCC 2022: Documents to be Submitted Along with Tender (i) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. (ii) Following documents shall be submitted by the tenderer: GCC April 2022 18 (a) Sole Proprietorship Firm: (i) All documents in terms of Para 10 of the Tender Form (Second Sheet) above. (b) HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) above. (c) Partnership Firm: (i) All documents as mentioned in para18 of the Tender Form (Second Sheet). (d) Joint Venture (JV): All documents as mentioned in para 17 of the Tender Form (Second Sheet). (e) Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) All other documents in terms Para 10 of the Tender Form (Second Sheet) above. (f) LLP (Limited Liability Partnership): (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet). (g) Registered Society &amp; Registered Trust: (i) A copy of Certificate of Registration (ii) A copy of Memorandum of Association of Society/Trust Deed (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) A copy of Rules &amp; Regulations of the Society (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) above. [PLEASE READ PART B ALONGWITH]</p>	No	No	Allowed (Mandatory)
---	---	----	----	------------------------

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

5	Item no 14 of GCC 2022: [PART B] (iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted. (v) A tender from JV shall be considered only where permissible as per the tender conditions. (vi) The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Allowed (Mandatory)
6	Item no 15 of GCC 2022: The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.	No	No	Allowed (Mandatory)

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

**Custom**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------



**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

1	The following conditions communicated vide reference stated below are part and parcel of the tender document- 1.Before releasing the work order after finalisation of the tender, it will be ensured that contractors have Provident Fund code no, if applicable. 2.Contractors shall ensure compliance of the EPF and MP Act, 1952, by the sub-contractors, if any engaged by the contractor for the said work. 3. The workers deployed by the contractors or subcontractors should be enrolled as members of Provident Fund and should be given Universal Account Number (Aadhar linked). 4.While clearing bills of such contractors, certificate will be obtained from the contractor that all the workers employed directly or indirectly by him are registered under EPF and due contribution have been credited into their account. 5.Copies of all documents related to item no 1,2,3 above should be signed and submitted along with the offer. 6.Copy of documents related to item no 4 above should be submitted along with on account/final bills. Bills are liable to be withheld till submission of the same. [Authority of 1,2,3,4 above: Letter no RO/JPG/PA/144 dt. 09.2.17 from Ministry of Labour, Govt of India, Regional Office, Bhavishya Nidhi Bhavan, Din Bazar, Jalpaiguri-735101]	No	No	Allowed (Optional)
---	--	----	----	--------------------

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	Annexure-B-LOC.pdf	LETTER OF CREDIT B
2	Cesscharge.pdf	Cess Charges
3	SHRAMIKKALYAN.pdf	SHRAMIK KALYAN
4	ComlCompliance-IVVVIVIVIIIIXXI.pdf	COMMERCIAL COMPLIANCE
5	CheckList.pdf	CHECK LIST
6	ANNEXURE-C-LOC2.pdf	LETTER OF CREDIT C
7	GCC_April-2022_2022_CE-I_CT_GCC-2022_POLICY_27_04_22.pdf	GCC 2022
8	annexureVIBcontractualturnoverdata.pdf	ANNEX VIB CONTRACTUAL TURNOVER DATA
9	annexureVIABidsecurity.pdf	ANNEXURE VIA BID SECURITY
10	Annexure--I_a_I_b_IIIII-TechComp.pdf	TECHNICAL COMPLIANCE
11	tmtbarsdecontrolled.pdf	tmt bars
12	Annexure-V_VA.pdf	Annexure-V and V-A
13	GCCACSUPRO_10.pdf	GCC Advance Correction Slips
14	TenderDocumentChapterI-II.pdf	Tender Document
15	JPODIGGING.pdf	JPO Digging work
16	LetterregardingrecommendedlistofBrands_makeofmaterialsdated03.09.2025.pdf	Letter regarding brand make
17	GCCACS11.pdf.pdf	GCC CORRECTION SLIP

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017,

**SEALDAH DIVISION-ENGINEERING/EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** TN-48-26-27

**Closing Date/Time:** 08/07/2026 15:00

---

issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** ABHAY KUMAR

**Designation :** Sr.DEN/I