

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

DRM WA Jaipur acting for and on behalf of The President of India invites E-Tenders against Tender No **ENGG-JP-2026-27-55** Closing Date/Time 10/07/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	RPF Training Centre BKL Renovation of Mess and Dining Hall, Kitchen.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	10/07/2026 15:00	Date Time Of Uploading Tender	15/06/2026 18:10
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	8712618.51	Tendering Section	DRM WA
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	174300.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	9 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	26/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-DSR-2023 Items							8712618.51	Above/ Below/P ar
1	Please see Item Breakup for details.				8260755.20	5.47	8712618.51	
	Description:- DSR-2023 Items							

3. ITEM BREAKUP

Schedule	Schedule A-DSR-2023 Items						
Item- 1	DSR-2023 Items						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount	
	2.0	EARTH WORK					
	2.1S	General					
	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.					
1	2.6.1	All kinds of soil	cum	20	177.5	3550	
	2.8	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
2	2.8.1	All kinds of soil.	cum	14	260.3	3644.2	

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

3	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	cum	35	196	6860
	4.0	CONCRETE WORK				
	4.1S	CEMENT CONCRETE (CAST IN SITU)				
	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
4	4.1.3	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	4	7878.5	31514
5	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	35	7294.7	255314.5
6	4.1.8	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	22	6812	149864
	4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
7	4.2.2	1:1 1/2:3 (1 cement : 1 1/2 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	8.8	10357.55	91146.44
	4.3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
8	4.3.2	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.	Sqm	30	842.5	25275
	4.10S	DAMP-PROOF COURSE				
9	4.10	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources)	Sqm	15	410.85	6162.75
	4.14S	MISCELLANEOUS				
10	4.17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	Sqm	75	749.3	56197.5
	5.0	REINFORCEMENT CEMENT CONCRETE				
	5.1S	CAST IN SITU				
	5.2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

11	5.2.2	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	14	10852.95	151941.3
	5.9S	FORM WORK				
	5.9	Centering and shuttering including strutting, propping etc. and removal of form for				
12	5.9.3	Suspended floors, roofs, landings, balconies and access platform	Sqm	110	927.25	101997.5
13	5.9.5	Lintels, beams, plinth beams, girders, bressummers and cantilevers	Sqm	95	736.4	69958
14	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	Sqm	15	961.3	14419.5
	5.12S	PRE-CAST RCC				
15	5.12	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	1.4	10585.9	14820.26
16	5.15	Providing, transporting, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete in lintels, beams and bressummers, including setting in cement mortar 1:3 (1 cement : 3 coarse sand), cost of required centering and shuttering but , excluding the cost of reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	8	13899.2	111193.6
	5.22S	STEEL REINFORCEMENT				
	5.22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
17	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	450	107.85	48532.5
	5.22A	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
18	5.22A.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	1200	107.85	129420
	5.33S	DESIGN MIX CONCRETE				
	5.33	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.:				
	5.33.1	All works upto plinth level				
19	5.33.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	8	9504.75	76038

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	5.33.2	All works above plinth level upto floor V level				
20	5.33.2.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	cum	15	9860.4	147906
	6.0	MASONRY WORK				
	6.1S	General				
	6.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
21	6.1.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	35	7132.25	249628.75
	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
22	6.4.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	cum	20	9344.35	186887
23	6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	12	9105.95	109271.4
	6.12S	HALF BRICK MASONRY				
	6.12	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in :				
24	6.12.2	cement mortar 1:4 (1 cement : 4 coarse sand)	Sqm	7	905.05	6335.35
	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
25	6.13.2	Cement mortar 1:4 (1 cement :4 coarse sand)	Sqm	35	1123.8	39333
	7.0	STONE WORK				
	7.1S	RANDOM RUBBLE MASONRY				
	7.1	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with :				
26	7.1.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	15	7311.25	109668.75
	7.2	Random rubble masonry with hard stone in superstructure above plinth level and upto floor five level, including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) at window sills, ceiling level and the like.				
27	7.2.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	12	9275.45	111305.4
	8.0	CLADDING WORK				
	8.1S	General				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels				
	8.2.2	Granite stone slab colour black, Cherry/Ruby red				
28	8.2.2.1	Area of slab upto 0.50 sqm	Sqm	45	5413.5	243607.5
29	8.2.2.2	Area of slab over 0.50 sqm	Sqm	65	5136.3	333859.5
	8.20S	STONE WORK DRY CLADDING				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

30	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	115	1267.95	145814.25
	9.0	WOOD AND P.V.C. WORK				
	9.15	FRAMES AND TRUSSES				
	9.20	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.				
31	9.20.2	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	12	3167.95	38015.4
	9.57S	COPER OXIDISED MILD STEEL FITTINGS (COPPER OXIDISED AS PER IS: 1378)				
	9.62	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete (Copper oxidised as per IS 1378)				
32	9.62.2	250x16 mm	Each	88	193.7	17045.6
33	9.64	Providing and fixing ISI marked 85x42 mm oxidised M.S. pull bolt lock conforming to IS : 7534 with necessary screws bolts, nut and washers etc. complete (Copper oxidised as per IS 1378).	Each	48	122.15	5863.2
	9.66	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete (Copper oxidised as per IS 1378)				
34	9.66.1	125 mm	Each	48	39.95	1917.6
	9.105S	GYPSUM BOARD PARTITIONS				
35	9.119	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5 mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer- in-Charge.	Metre	30	492.7	14781

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	9.120	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, panelling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing.				
36	9.120.2	30 mm thick pre laminated PVC door shutters	Sqm	12	3663.8	43965.6
	10.0	STEEL WORK				
	10.1S	General				
37	10.2	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	1300	133.7	173810
	10.5	Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				
38	10.5.1	Using M.S. angels 40x40x6 mm for diagonal braces	Sqm	12	5804.35	69652.2
	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
39	10.16.1	Hot finished welded type tubes	Kg	1500	194.4	291600
40	10.18	Providing and fixing circular/ Hexagonal cast iron or M.S. sheet box for ceiling fan clamp, of internal dia 140 mm, 73 mm height, top lid of 1.5 mm thick M.S. sheet with its top surface hacked for proper bonding, top lid shall be screwed into the cast iron/ M.S. sheet box by means of 3.3 mm dia round headed screws, one lock at the corners. Clamp shall be made of 12 mm dia M.S. bar bent to shape as per standard drawing.	Each	4	220.65	882.6
	10.25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
41	10.25.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	Kg	950	172.6	163970

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	10.29	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete.				
42	10.29.1	Galvanised M.S. Wire gauze with 0.63 mm dia wire and 1.4 mm aperture on both sides	Sqm	110	844.7	92917
	10.30	Providing and fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with :				
43	10.30.1	4.0 mm thick glass panes	Sqm	95	1064.65	101141.75
	11.0	FLOORING				
	11.15	General				
	11.3	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.				
44	11.3.1	40 mm thick with 20 mm nominal size stone aggregate	Sqm	85	614.2	52207
	11.265	KOTA STONE FLOORING				
	11.26	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
45	11.26.1	25 mm thick	Sqm	40	1948.25	77930
	11.37S	CERAMIC GLAZED TILES				
46	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	Sqm	125	1096.55	137068.75
	11.41S	VITRIFIED FLOOR TILES				
	11.41	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq m including grouting the joints with white cement and matching pigments etc., complete.				
47	11.41.2	Size of Tile 600x600 mm	Sqm	300	1553.45	466035
	11.56	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
48	11.56.1	Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	50	4481.3	224065
	12.0	ROOFING				
	12.1S	SHEET ROOFING				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	12.21	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :				
49	12.21.1	In 75x75 mm deep chase	Metre	48	305.15	14647.2
50	12.22	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	Each	6	298.25	1789.5
	12.23	Providing sand stone slab for roofing and laying them in cement mortar 1 : 4 (1 cement : 4 coarse sand) over wooden karries or R.C.C. battens or structural steel sections (Karries or battens or structural steel sections to be paid separately), including pointing the ceiling joints with cement mortar 1:3 (1 cement : 3 fine sand) complete :				
	12.23.1	Red sand stone slab				
51	12.23.1.1	40 to 50 mm thick	Sqm	35	1138.2	39837
	12.37S	RAIN WATER SPOUT AND PIPE				
	12.38	Providing and fixing M.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. :				
52	12.38.1	100 mm diameter	Each	8	362.85	2902.8
	12.41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
53	12.41.2	110 mm diameter	Metre	25	377.4	9435
	12.42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
	12.42.1	Coupler				
54	12.42.1.2	110 mm	Each	6	136.15	816.9
55	12.50	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	350	738.65	258527.5

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	12.54	Providing and fixing GI Clip in Metal Ceiling System of 600x600 mm module which includes providing and fixing 'C' wall angle of size 20x30x20 mm made of 0.5 mm thick pre painted steel along the perimeter of the room with help of nylon sleeves and wooden screws at 300 mm center to centre, suspending the main C carrier of size 10x38x10 mm made of G.I steel 0.7 mm thick from the soffit with help of soffit cleat 37x27x25x1.6 mm, rawl plugs of size 38x12 mm and C carrier suspension clip and main carrier bracket at 1000 mm c/c. Inverted triangle shaped Spring Tee having height of 24 mm and width of 34 mm made of GI steel 0.45 mm thick is then fixed to the main C carrier and in direction perpendicular to it at 600 mm centers with help of suspension brackets. Wherever the main C carrier and spring T have to join, C carrier and spring T connectors have to be used. All sections to be galvanized @ 120 gms/sqm (both side inclusive), fixing with clip in tiles into spring T with :				
56	12.54.1	GI Metal Ceiling Clip in plain Bevelled edge global white color tiles of size 600x600 and 0.5 mm thick with 25 mm height, made of G I sheet having galvanizing of 100 gms/ sqm (both sides inclusive) and electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending.	Sqm	200	2221.7	444340
	13.0	FINISHING				
	13.1S	CEMENT PLASTER (IN FINE SAND)				
	13.1	12 mm cement plaster of mix :				
57	13.1.1	1:4 (1 cement: 4 fine sand)	Sqm	52	347.05	18046.6
	13.2	15 mm cement plaster on the rough side of single or half brick wall of mix :				
58	13.2.2	1:6 (1 cement: 6 fine sand)	Sqm	38	383	14554
	13.3	20 mm cement plaster of mix :				
59	13.3.2	1:6 (1 cement: 6 fine sand)	Sqm	435	450	195750
	13.4S	CEMENT PLASTER (IN COARSE SAND)				
	13.4	12 mm cement plaster of mix :				
60	13.4.2	1:6 (1 cement: 6 coarse sand)	Sqm	125	343.65	42956.25
	13.6	20 mm cement plaster of mix :				
61	13.6.2	1:6 (1 cement: 6 coarse sand)	Sqm	110	466.05	51265.5
	13.7S	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT				
	13.8	15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix :				
62	13.8.2	1:4 (1 cement: 4 fine sand)	Sqm	80	477.9	38232
	13.20S	PEBBLE DASH PLASTER				
63	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	300	262.7	78810
	13.33S	POINTING ON STONE WORK				
	13.33	Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand) :				
64	13.33.2	Raised and cut pointing	Sqm	150	701.05	105157.5
	13.44S	EXTERIOR FINISHING				
	13.48	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :				
65	13.48.1	Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm	Sqm	550	193.7	106535

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
66	13.61.1	Two or more coats on new work	Sqm	550	155.9	85745
	14.0	REPAIRS TO BUILDING				
	14.1S	General				
	14.1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.				
67	14.1.1	With cement mortar 1:4 (1 cement : 4 fine sand)	Sqm	80	547.4	43792
	14.14	Replacing sand stone slabs in roofing, laid in cement mortar 1:4 (1 cement : 4 coarse sand), including necessary repairs and cement pointing with same mortar complete, including disposal of rubbish to dumping ground, all complete as per direction of Engineer-in-Charge.				
68	14.14.1	Red/ white sand stone slabs 30 to 50 mm thick	Sqm	19	1365.85	25951.15
	14.75AS	ROUTINE MAINTENANCE WORK				
69	14.76	Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge.	Each	6	108.3	649.8
	14.80	Providing & fixing White vitreous china water closet squatting pan (Indian type) along with S or P trap including dismantling of old WC seat and S or P trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material including malba, all complete as per the direction of Engineer-in charge.				
70	14.80.2	Orissa pattern W.C Pan of size 580x440 mm	Each	2	4478.75	8957.5
	15.0	DISMANTLING AND DEMOLISHING				
	15.1S	General				
	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
71	15.2.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	cum	30	2434.25	73027.5
72	15.3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	cum	8	3551.25	28410
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
73	15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	29	73.4	2128.6
74	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	175	54.65	9563.75
75	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	75	263.95	19796.25
	17.0	SANITARY INSTALLATIONS				
	17.1S	General				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
76	17.7.3	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	5	2301.75	11508.75
77	17.7B	Providing and fixing wash basin with C.I. brackets, 15 mm PTMT pillar cock, 32 mm PTMT waste coupling of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required. White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm PTMT pillar cock.	Each	5	1550.6	7753
78	17.8	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	Each	5	1683.35	8416.75
	17.10	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required :				
	17.10.2	Kitchen sink without drain board				
79	17.10.2.1	610x510 mm bowl depth 200 mm	Each	3	4940.8	14822.4
	17.32	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :				
80	17.32.2	Rectangular shape 453x357 mm	Each	6	1361.8	8170.8
	17.69	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.				
81	17.69.2	Waste coupling 38 mm dia of 83 mm length and 77mm breadth, weighing not less than 60 gms	Each	5	122.4	612
	17.73	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.				
82	17.73.1	450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms	Each	5	673.4	3367
	18.0	WATER SUPPLY				
	18.7S	C.P.V.C. PIPES				
	18.7	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work - Exposed on wall)				
83	18.7.1	15 mm nominal dia Pipes	Metre	42	286.8	12045.6
84	18.7.2	20 mm nominal dia Pipes	Metre	35	335	11725
85	18.7.3	25 mm nominal dia Pipes	Metre	35	401.55	14054.25
	18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

86	18.8.2	20 mm nominal dia Pipes	Metre	15	537.6	8064
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
87	18.9.1	15 mm nominal dia Pipes	Metre	150	244.7	36705
	18.10	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. (Internal work - Exposed on wall)				
88	18.10.1	15 mm dia nominal bore	Metre	35	366.4	12824
89	18.10.2	20 mm dia nominal bore	Metre	45	437.3	19678.5
	18.12	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work				
90	18.12.1	15 mm dia nominal bore	Metre	35	322.15	11275.25
91	18.12.2	20 mm dia nominal bore	Metre	85	368.6	31331
92	18.12.4	32 mm dia nominal bore	Metre	55	540.3	29716.5
93	18.12.6	50 mm dia nominal bore	Metre	110	762.15	83836.5
	18.15S	BRASS FITTINGS				
	18.22	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet				
94	18.22.1	100 mm diameter	Each	12	193.95	2327.4
	18.31S	C.I. SLUICE VALVES/ FIRE HYDRANTS & FIXTURES				
95	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	Per Litre	3500	11	38500
	18.49S	C.P. BRASS FITTINGS				
	18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
96	18.52.1	15 mm nominal bore	Each	25	670.45	16761.25
	18.53	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
97	18.53.1	15mm nominal bore	Each	40	574.3	22972
	18.54S	PTMT FITTINGS				
	18.54	Providing and fixing PTMT bib cock of approved quality and colour.				
98	18.54.2	15 mm nominal bore, 122 mm long, weighing not less than 99 gms	Each	25	161.2	4030
	18.55	Providing and fixing PTMT stop cock of approved quality and colour.				
99	18.55.1	15 mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	25	118.5	2962.5
	18.56	Providing and fixing PTMT pillar cock of approved quality and colour.				
100	18.56.2	15 mm nominal bore, 125 mm long foam flow, weighing not less than 120 gms	Each	25	224.1	5602.5
	18.58	Providing and fixing PTMT grating of approved quality and colour.				
	18.58.1	Circular type				
101	18.58.1.1	100 mm nominal dia	Each	25	37.6	940
	18.59S	AIR VALVE & WATER METER (BULK TYPE)				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	18.62	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball.				
102	18.62.1	15 mm nominal bore, 105 mm long, weighing not less than 138 gms	Each	12	182.1	2185.2
103	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	Each	48	156.9	7531.2
	18.74	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour.				
104	18.74.2	15 mm nominal bore with 45 cm length	Each	15	121.9	1828.5
	19.0	DRAINAGE				
	19.1S	STONE WARE PIPES AND FITTINGS				
	19.1	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
105	19.1.1	100 mm diameter	Metre	40	443.6	17744
	19.2	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand :10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design :				
106	19.2.1	100 mm diameter S.W. pipe	Metre	40	964.75	38590
	19.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				
107	19.6.2	150 mm dia. R.C.C. pipe	Metre	45	556.45	25040.25
	19.30	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 fine sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:				
	19.30.3	Inside dimensions 600x 850 mm and 45 cm deep for pipe line with three or more inlets :				
108	19.30.3.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	Each	12	9594.35	115132.2
109	19.33	Constructing soak pit 1.20x1.20x1.20 m filled with brick bats including S.W. drain pipe 100 mm diameter and 1.20 m long complete as per standard design.	Each	12	2890.1	34681.2
	21.0	ALUMINIUM WORK				
	21.1S	General				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) :				
	21.1.1	For fixed portion				
110	21.1.1.2	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	450	530.9	238905
	21.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
111	21.1.2.2	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	385	634.45	244263.25
	21.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
112	21.3.2	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	15	1505.25	22578.75
	22.0	WATER PROOFING				
	22.15	General				
113	22.6	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying:(a) after surface preparation, first layer of slurry of cement @ 0.488kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. For the purpose of measurement the entire treated surface will be measured.	Sqm	110	688.9	75779
	22.14	Grading roof for water proofing treatment with				
114	22.14.1	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	cum	35	8042.3	281480.5
	24.0	CONSERVATION OF HERITAGE BUILDINGS				
	24.15	General				

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

115	24.1	Raking out joints of stone masonry surface to the required width and depth, with due care and precaution, by mechanical / manual means, including preparing and cleaning the surface for re-pointing/ refilling of joints, including disposal of rubbish to the dumping ground within 50 metre lead.	Sqm	125	72.45	9056.25
					Total	8260755.20

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	(a)(a) The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender. (b)(b) (i)In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note: for b (i) separate completed works of minimum required values shall also be considered for fulfilment of technical eligibility criteria for different components. (b)(ii)In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity.	No	No	Allowed (Mandatory)

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

2	<p>(b) (iii) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contract or through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarized, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract. Note: for subletting of work costing up to Rs 50 lakh, no previous work experience of subcontractor shall be asked for by the Railway In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing. Note for Item 10.1: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. organization, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.</p>	No	No	Allowed (Mandatory)
2.1	Similar Nature of work:- Any Civil Engineering Work.	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.

**JAIPUR DIVISION-ENGINEERING/NORTH WESTERN RLY
TENDER DOCUMENT**

Tender No: ENGG-JP-2026-27-55

Closing Date/Time: 10/07/2026 15:00

9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	55-STD.pdf	Tender Document
2	55-ASC.pdf	Special condition
3	10.GCC-2022-ACS10-updated_compressed.pdf	GCC 2022
4	ACS01to11_compressed1.pdf	Additional correction slip
5	CableCutscircular_compressed.pdf	Cable cut circular
6	HQletterforbrandmaterialofworks.pdf	HQ letter for brand material

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: RAJEEV CHOUDHARY

Designation : Sr.DEN/East/JP