

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

DRM/Engineering acting for and on behalf of The President of India invites E-Tenders against Tender No **103-DHN-2026-27** Closing Date/Time 03/07/2026 12:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Special track repairs and maintenance of the section in SSE/P.Way/SGRL under ADEN/CPU.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	03/07/2026 12:00	Date Time Of Uploading Tender	11/06/2026 18:44
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	7499632.65	Tendering Section	DEN4
Bidding Style	[Decision at Schedule level]	Bidding Unit	
Earnest Money (Rs.)	150000.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	19/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Revenue

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-II (P.Way)							7499632.65	Above/ Below/P ar
1	Please see Item Breakup for details.				7499632.65	AT Par	7499632.65	
	Description:- P.Way work (USSOR-2021)(Ch. No. - 06 to 21)							

3. ITEM BREAKUP

Schedule	Schedule B-II (P.Way)					
Item- 1	P.Way work (USSOR-2021)(Ch. No. - 06 to 21)					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
		Pulling & positioning of rails accurately on cess including supporting rails, providing required gap and squaring at ends for renewal preparation, as directed by Engineer in-charge.				
1	061011	Up to 40 m long rail panel	RM	570.00	8.15	4645.50
		Dismantling and removing rail of all section & length from track, laid on any type & density of sleeper by removing fish plates, fastenings & fish bolts and other materials including stacking all released materials within an average distance of 500 metres as directed by Engineer in-charge. Note: 1.Cutting of rails shall be paid separately. 2.Work to be done under traffic block.				
2	061022	For Casual/Scattered Rail Renewal work	RM	570.00	31.36	17875.20

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Insertion of rails of all types & length in track, laid on any type & density of sleeper to the specified gauge under traffic block. Rates include fastening of rail with sleepers with standard set of fastenings and fixing of fish plates and bolts or, if required, providing gap for welding and stacking of released material without infringement within 250m as directed by Engineer-in-Charge. Note: Rail drilling and cutting to be paid separately.				
3	061032	For Casual/Scattered Rail Renewal work	RM	570.00	33.22	18935.40
		Replacement of any type of sleepers in track with PSC sleepers lying on cess or at Bridge Approaches for casual renewal at isolated locations with all fittings complete to specified gauge & cross level with contractor's tools including packing and dressing of ballast, as directed by Engineer in-charge. Released materials shall be neatly stacked and handed over at specified location within an average lead of 250 m or near either side of Bridge approaches as directed.				
4	062031	Locations other than Ballasted Deck Bridge	Each	170.00	421.38	71634.60
		Lubrication of fish plated rail joints under traffic, by using Grease Graphite Grade 'O' (IS:408) and Black oil supplied by contractor, for all types of rail sections as per procedure laid down in latest version of IRPWM and as directed by Engineer In charge. Note: Release U/S bolt & nuts is to be deposited back. If any fish bolts is jammed it should be cut with chisel and hammer and replaced with fresh fish bolt supplied.				
5	063051	For 1.00m long fishplates	Joint	115.00	123.91	14249.65
6	063052	For 610 mm long fish plates.	Joint	55.00	87.87	4832.85
7	063090	Lubrication of ERCs and its liner contact area by removal of ERCs and Metal / GFN liners in rail panel, cleaning of rust / scale of ERC, Metal / GFN liners & SGCI insert by using wire brush, scrapper / sand emery paper etc supply and application of graphite grease, as prescribed by Railway for under side of liners & corresponding area of rail foot & SGCI insert with ERCs and re-fixing the same as per procedure prescribed in latest edition of IRPWM with contractors grease and all other tools & plants complete and as directed. Note: Each ERC in this item shall constitute 1 ERC and its Liner Contact area.	ERC	45000.00	6.39	287550.00
8	063100	Removing seized ERC from SGCI inserts of existing track by using suitable approved chemicals and re-fixing after greasing of insert eye and ERC with Contractor's grease of specified quality as per provisions of IRPWM, as directed by Engineer in-charge. Note: 1.List of Seized ERC along with location shall be prepared after inspection of SSE/P.Way and marked prior to execution of this item. 2. Due care shall be taken to avoid any damage to the sleeper 3.A penalty of 50% of the basic cost of new sleeper in nearest sleeper factory shall be levied on each, if SGCI insert is broken or sleeper gets cracked in the process.	ERC	1700.00	49.11	83487.00
9	063110	Lubrication of gauge face of rail on curves, cross overs, points & crossings, turn-in curves and at locations as required with contractor's grease graphite grade "O" IS 408 and as directed.	RM	28000.00	6.22	174160.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Lubrication of Plate/Rail screws of Points and crossings, SEJs, Bridges, Curves etc., with greases graphite, including removal of screws carefully without damaging sleepers, cleaning with wire brush etc., both screws and dowel hole, applying grease graphite, refixing the screw and sealing the top and sides of screw with grease graphite to prevent ingress of moisture and corrosion with contractors labour, tools, consumables under traffic condition all lead and lift complete.				
10	063121	By using Railway's Grease graphite	Each	285.00	26.73	7618.05
11	063122	By using Contractor's Grease Graphite	Each	230.00	37.25	8567.50
12	063140	Renewal of seized Plate/Rail screws on PSC Sleepers by using gas or any approved methods, duly drilling holes in broken screw and removing existing screw pieces from the holes along with existing dowels and fixing new contractor's dowels (procured from RDSO approved sources) and grouting around dowel with Epoxy materials of approved specification and refixing new Railway's rail/Plate screws duly greasing the screw with specified grease with all contractor's materials, consumables, tools & plants, labour with all lead, lift. Note: 1.Seized screws shall be identified and marked by JE/P.Way and verified at minimum SSE/P.Way In charge) level. 2. Due care shall be taken to avoid any damage to the sleeper 3.A penalty of 50% of the basic cost of new sleeper in nearest sleeper factory shall be levied on each, if sleeper gets damaged in the process.	Each	55.00	329.30	18111.50
		Gas cutting of rail of various sections with contractor's tools & plants, as directed by engineer in-charge :				
13	064052	Rail section of 52Kg and above	Each	340.00	123.11	41857.40
		Assembling and Laying of Improved Switch Expansion Joint (SEJ) on PSC sleepers of any rail section as per RDSO drawing including leading of SEJ rails, sleepers, fittings for a free lead of 250 metres, cutting of rails, drilling of holes as required and lubrication of SEJ, gauging, aligning rails, providing temporary connection with adequate welding gap with adjoining rails, providing reference posts at SEJ, first through packing of SEJ portion to make track geometry fit for 30 kmph speed and making ballast profile as per IRPWM. Note: (1) Rail cutting and hole drilling shall be paid separately.(2) One set comprise complete SEJ on both rails at SEJ.				
14	065032	Under Traffic Block Conditions	Set	3.00	6752.06	20256.18
		Lifting for increase in ballast cushion of existing points & crossing layouts up to 75mm or part thereof including approach and exit sleepers including one round of through packing, correcting the disturbed sleeper spacing, tightening of fittings, boxing of ballast and ramping out on either side at slope not steeper than 1 in 1000 or as directed. Note: Item will be paid only when lifting is 50mm or more.				
15	073011	1 in 8½ Points & Crossing	Set	7.00	11901.18	83308.26
16	073012	1 in 12 Points & Crossing	Set	14.00	16211.07	226954.98
17	073016	Derailing Switch	Set	5.00	3485.20	17426.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Casual renewal of PSC sleepers on points and crossings, derailing switches and diamonds portion of any layout including packing under new sleepers. All the released materials shall be stacked at specified location in a countable manner within the lead of 250m & all lift, clear of infringements, crossing of track, if any complete, as directed with contractor's vehicles, consumables, stores, labour etc. complete, as directed by Engineer in-charge. Note: Approach and Exit sleepers shall be paid as normal sleepers under relevant item.				
18	074011	Sleepers up to 2.85 m length	Each	5.00	541.35	2706.75
19	074012	Sleepers of length more than 2.85 m and up to 4.20 m	Each	8.00	746.26	5970.08
20	074013	Sleepers of more than 4.20 m length	Each	8.00	1176.80	9414.40
		Through Switches Renewals of existing curved/Thick web switches with Thick Web Switches on 60Kg Points and crossings including approach rails as required, on PSC sleepers, removing and re-fixing or replacing fittings, fastenings, stretcher bar, blocks etc., with housing of tongue rails as per requirement of signaling etc. including preparation for operation of traffic block, under line block conditions and packing of any disturbed sleepers and boxing of ballast to profile, picking of slacks of track at switch portion, crossing of track wherever necessary. All the released materials shall be stacked at specified location in a countable manner within the lead of 250m & all lift, clear of infringements, crossing of track, if any complete, as directed with contractor's vehicles, consumables, stores, labour etc. complete, as directed by engineer in-charge. Note: Rail cutting and Hole Drilling shall be paid under relevant item.				
21	074041	For 1 in 12 Turnouts	Set	2.00	27030.76	54061.52
22	074043	For 1 in 8.5 Turnouts	Set	2.00	21624.61	43249.22
		Manual deep screening of Plain track/ turnouts as per procedure prescribed in IRPWM, June 2020 or latest, on PSC sleepers of any density and throwing away screened muck arising out of screening on toe of bank or on cess, if low or on spoil banks above top of cutting (including throwing and leveling, if required beyond minimum 5m from the edge of cutting which are up to 3m deep or alternatively carting it up to 50m for disposing it off beyond cutting or platforms) as per direction of Engineer in-charge, including cutting cess for effective drainage on both sides, one round of kutchha packing with screened ballast and further attending to track parameter to make track fit for 20 kmph speed complete in all respect. Note : Payment shall be made for length along main line only for turnouts.				
23	081021	Depth of 150 mm below bottom of sleeper - For Plain Track :	TRM	570.00	378.84	215938.80
24	081024	Depth of 300 mm below bottom of sleeper - For Plain Track :	TRM	280.00	517.22	144821.60

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

25	083010	Lifting and packing for regrading the existing PSC sleeper track to required height / level in stages not exceeding 75mm or part thereof at a time, providing permissible ramp for the track, insertion of moorum / sand / stone ballast uniformly under the existing track and placing the same to safe approved gradient, gauge, cushion including levelling and one round of through packing to allow train movement at restricted speed of 30 kmph for a specified length with all leads & lifts and fixing, marking, painting rail level pegs at every 30m interval. Note: Lifting of track shall be done in stages as per procedure prescribed in latest edition of IRPWM to get the proposed final level as per approved working profile, as directed by Engineer in-charge.	TRM	4500.00	159.09	715905.00
26	083030	Boxing and profiling of ballast as per procedure prescribed in latest edition of IRPWM including cess dressing on both sides of track. The work will include removing excess ballast from track and putting the same in crib and shoulder by leading to a maximum of 50m including crossing of track, dewatering on ballast section etc and as directed by Engineer-In charge.	TRM	20000.00	23.36	467200.00
		Unloading of ballast from Railway's Hopper Wagons, quantity distribution as per pre-defined site requirement, clearing infringements/jammed ballast, distributing the unloaded ballast uniformly over the track, profiling and boxing following all prescribed safety norms.				
27	084041	Under Traffic Block Conditions:	cum	2500.00	46.52	116300.00
28	092030	25mm gap 'in-situ' welding during traffic block using Railway's welding portion & Welder and finishing of weld to meet the prescribed tolerances and pass all stipulated tests with all required labour, materials, consumables, tools, equipments etc. to complete the work in all respect as per IR's "Manual for Fusion Welding of Rails by Alumino - Thermic Process" with latest correction slips, including marking of welded joint, painting weld collar with anticorrosive paint, restoration of track near weld joint to original position and fixing of joggled fish plate at new weld, to be removed after passing of weld in USFD test as directed by Engineer in charge. Note: 1. Only welding portion and related accessories as per Annexure - I and Welder shall be supplied by Railways. 2. Hydraulic Weld trimmer shall be used for chipping and profile Grinder for finishing. 3. Required nos. of Joggled fish plates shall be supplied by Railway at nearest P. Way Stores and the same shall be returned at nearest P. Way Store or at other location as per direction of Engineer-in-Charge after release from track.	Each	115.00	1454.36	167251.40
		Through packing of track, as per procedure prescribed in latest edition of Indian Railways Permanent Way Manual				
29	131011	For PSC sleeper Track with Sleeper Density of 1540 Sleepers/Km or more	TRM	8500.00	92.83	789055.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		First or Second Through Packing of track of all sleeper density including giving a general lift, as desired to eliminate sag after Deep Screening work, lifting of track, lowering of track and major realignment of curves and formation rehabilitation as per procedure prescribed in latest edition of IRPWM. Note: General lift is normally 25 mm and isolated lift may be up to 50 mm.				
30	131032	For PSC Sleeper Track with Sleeper Density of 1660	TRM	4000.00	122.61	490440.00
		Third or subsequent Through Packing of track for all sleeper density including picking of slacks, as required after second through packing, subsequent to Deep Screening work as per procedure prescribed in latest edition of IRPWM. This item can also be used after lifting/regrading/realignment works also. Note: General lift is normally 25 mm and isolated lift may be up to 50 mm.				
31	131042	For PSC Sleeper Track with Sleeper Density of 1660	TRM	4000.00	94.31	377240.00
		Through packing of points and crossings, derailing switches including gauging, fittings recoupment, ballasting as required, elimination of sag and to the required alignment after Deep Screening as per procedure prescribed in latest edition of IRPWM complete as per direction of Engineer-in-charge. Note: This work shall be operated in exceptional cases with written approval at DEN level when UNIMAT is not available and immediate packing is required to pass train over it.				
32	131051	1 in 8½ PSC layout	Set	10.00	10186.64	101866.40
33	131052	1 in 12 PSC layout	Set	14.00	13267.04	185738.56
34	131060	Packing of isolated loose PSC sleepers on plain track below the bottom of the sleepers and surrounding through out its length duly opening two galas on either side of the renewed sleepers and packing the sleeper to bring the track to normal speed including gauging, aligning, squaring of sleepers and sectioning of ballast to the required profile with all contractor's labour, tools and plant etc. including all lead and lift and crossing of tracks where ever necessary complete and as directed by the Engineer-in-charge.	Sleeper	2800.00	71.49	200172.00
35	131070	Slack picking of joint sleepers and 3 approach sleepers on either sides giving required lift to make up general track level, packing and profiling as directed.	Each	225.00	501.22	112774.50

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Systemic overhauling of track under traffic as per procedure prescribed in latest edition of IRPWM , including removing the crib ballast in 50mm to 75mm depth below bottom of sleeper and complete shoulder ballast without breaking core under the bottom of sleeper, to recover clean ballast by screening on wire mesh and disposing off the muck including throwing & leveling, if required beyond minimum 5m from the edge of cutting which are up to 3m deep or alternatively carting it up to 50m for disposing it off beyond cutting or platforms away from the track, as directed by Engineer in-charge including cutting & making up the cess and ensuring proper drainage slope and then re-inserting cleaned ballast into track and compaction of shoulder and crib ballast by wooden mallet and dressing / profiling ballast as per railway specifications.				
36	132011	For PSC sleeper Track with Sleeper Density of 1540 sleepers/Km or more	TRM	1100.00	158.27	174097.00
37	132015	Extra over Items 132011 to 132014 for working in yards	TRM	570.00	41.16	23461.20
		De-stressing of LWR/CWR track of any density under traffic line block with contractor's labours, tools, equipments and consumables inclusive of all lead & lift. Activities include cutting of LWR/CWR into convenient panels of specified length, removal of ERCs, liners, greasing of ERCs and liner contact area, lifting rails and keeping them on rollers provided at every 15 sleepers, working out elongation of rail ends depending on prevailing site conditions, pulling rails with the help of Hydraulic Tensor to achieve the desired elongation, cutting rails, as required, removing rollers and placing rail in position, re-fixing ERCs & liners and adjustment of gap at SEJs : Note: (1) Welding of rail joints will be paid separately. (2) Rail cutting and Hole drilling shall be paid separately. (3) Opening and closing of LC if required will be paid separately. (4) As per procedure prescribed in latest edition of IRPWM & CE's Circulars for destressing of LWR/CWR, if any.				
38	135013	Without Rail tensor	TRM	4000.00	49.22	196880.00
		Fixing Joggled Fish Plates with bolt / clamp (supplied by Railway from nearest SSE Store) in running track conditions at welds on rail, as directed by engineer in-charge (drilling of holes in rail, if required, shall be paid separately).				
39	136011	With 2 bolts	Set	115.00	96.57	11105.55
40	136060	Replacing existing glued joint rail with cut rails or with glued joint rail or insertion of glued joint by cutting existing track under traffic condition by cutting rails, refixing with all rail sleeper fastenings and providing required gaps for carrying out welding as an alternative to drilling holes or joining rails with fish plates duly drilling holes as required including stacking of released material and as directed by engineer in-charge. Note: (1) Drilling holes & rail cutting will be paid separately. (2) Transportation of materials to the site of work from supply points, if more than 250m, shall be paid separately.	Each	15.00	1576.35	23645.25
41	136090	Cleaning of side drains along the track including disposing of muck beyond Railway boundary as per instructions of Engineer in-charge to keep drains clean and clear in cuttings etc.	RM	3400.00	28.77	97818.00

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

42	136100	Removing weeds & bushes in ballast section and cess up to 3.95m from centre line of track in mid section & station yard, as specified by Engineer in-charge including disposal of branches, bushes outside cess/yard.	TRM	8500.00	13.23	112455.00
		Carrying out pre-tamping, during tamping and post-tamping work for tamping track with all types of rails, sleepers & sleeper density by various Track Tamping machines, like CSM,DUO/3X Machines which include : (1) Re-adjustment of ballast, heaping-up of ballast, filling-up of cavities in tamping zone by picking ballast from stacks / shoulders / crib of adjoining track up to lead of 50 m to ensure effective packing; (2) Clearing of ballast on sleepers to make them visible to operator, (3) Clearing of ballast over rail foot to facilitate holding of rail by rollers of TTRM; (4) Digging, screening and replenishment of ballast at mud pumping / rounded ballast in sleeper crib location; (5) Tightening of loose fittings immediately before & after tamping; (6) Replacement of broken / missing fittings supplied by Railway; (7) Correcting displaced sleepers to position along with squaring; (8) Re-setting of worked-out / fallen fittings. (9) Removing and re-fixing joggled fish plates & wooden blocks, wherever necessary; (10) Manual consolidation of ballast in crib / shoulders; (11) Removing and re-fixing of traction bonds during the block in electrified sections (12) Dressing of ballast Note: 1. Tamping blocks are not identical & it may be given at any time either during day or night. 2. Stages of payment a) 30% of the rate will be paid on completion of pre tamping attention, b) Balance 70% of the rate will be paid on completion of post tamping. 3. Recovery at the rate of twice the above applicable rate will be effected in case contractor fails to carry out pre/during/post operation. 4.Payment shall be made only once in irrespective of numbers of TTRM packing round and after restoration of normal speed and restoration of complete ballast profile.				
43	155011	For day time block working	TRM	4500.00	16.74	75330.00
		Quick cutting with abrasive rail cutter of all types of rail sections including wear resistant, head hardened rails up to 110 UTS, with contractors tools & plants, equipment, consumable with all lead & lift etc. complete as directed by Engineer in-charge. Abrasive Rail Cutter will be as per RDSO Specification No. TM/SM/1 (Rev. 01 of 2012) with latest status of RDSO; Rail Cutting Wheel Abrasive Disc will be as per RDSO Specification No.TM/SM/2 (Rev. 01 of 2020)				
44	161011	60 Kg - 110/90 UTS - Outside Track	Each	85.00	311.53	26480.05
45	161014	60 Kg - 110/90 UTS - On Running Line	Each	85.00	390.78	33216.30
46	161015	52 Kg - 90 UTS- On Running Line	Each	55.00	316.57	17411.35
		Drilling holes of 16 mm to 32 mm dia. with Rail Drilling machine including chamfering with appropriate chamfering tools in all types of rail section with contractor's tools & plants, equipment, consumable with all lead & lift etc. complete, as directed by Engineer in-charge. Rail Drilling Machine will be as per RDSO Specification No. TM/SM/3, dated 24.04.1991.				
47	161041	Outside Track	Each	280.00	52.01	14562.80
48	161042	On Running Line	Each	280.00	66.12	18513.60

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

		Loading, leading and unloading of 52Kg / 60Kg rail up to 13 metre length by Railway's Rail Dolly / Dip Lorry to the nominated location under traffic with line protection in case road carriage is not possible with different lead with a lift up to 5 metre during block period.				
49	171031	For lead up to 500 metre.	MT	450.00	340.23	153103.50
		Loading, leading and unloading of PSC Sleepers of 52Kg / 60Kg by Railway's Rail Dolly/ Dip Lorry to the nominated location under traffic in case road carriage is not possible for different leads and lift up to 5 metres.				
50	172031	For lead up to 500 metres	MT	450.00	264.82	119169.00
		Loading, leading and unloading of all types of P.Way fittings and all other miscellaneous material except Rails, sleepers, switches, crossings, SEJs and Glued Joints by road vehicles for different leads. Note: Lead shall be the shortest motorable road length between the points of loading and unloading.				
51	172047	Lead beyond 100 Km and up to 150 Km	MT	85.00	1035.30	88000.50
52	172048	Extra for every Km per MT beyond 150 Km over item no. 172047	MT-Km	28900.00	3.60	104040.00
		Transportation of Rails, sleepers, switches, crossings, SEJs and Glued Joints by road vehicles for different leads. Note: 1. Lead shall be the shortest motorable road length between the points of loading and unloading. 2. Loading and unloading shall be paid extra under relevant items.				
53	172057	Lead beyond 100 Km and up to 150 Km	MT	115.00	938.48	107925.20
54	172058	Extra for every Km per MT beyond 150 Km over item no. 172057	MT-Km	39100.00	3.60	140760.00
		Collection, segregation and stacking of various scattered P.Way materials at nominated stacking location with serviceable and un-serviceable ones separately within a lead up to 500 metre and lift up to 5 metre including crossing of track(s) wherever necessary as directed by Engineer-in-Charge.				
55	173031	Rails, switches, crossings, SEJ, Glued Joints, Check Rails etc.	MT	285.00	337.04	96056.40
56	173032	All type of PSC sleepers	MT	285.00	368.44	105005.40
		Overhauling of level crossing by digging out up to 50mm below sleeper, screening of shoulder & crib ballast, replacing unserviceable sleepers & fastenings as necessary, removal of check rails for examination of running rails and check rails, scrapping of rails and painting running rails and check rails and all fixtures with two coats of coal tar emulsion, greasing of ERCs, MCI inserts and liners oiling all the bolts, correcting cross level, gauge, alignment, surfacing and packing etc., re-fixing check rails duly ensuring standard clearances, re-inserting screened ballast, making good deficient ballast with Railway's ballast from stacks / heaps/borrowing from adjacent length of adjoining track within 50m lead, ramming & levelling road surface and refixing concrete slabs/making motorable road surface as required excluding re surfacing with bitumen as directed by Engineer in-charge.				
57	182012	Level crossings with concrete blocks road surface	Sqm	55.00	457.17	25144.35

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

58	183030	Cutting foot of rail by gas or any other approved method for check rails and grinding sharp edges into smooth profile. Payment shall be made for length of cutting of foot.	RM	115.00	159.88	18386.20
59	211130	Providing and fixing Trolley Refuge of size 3.0m x3.0m on cess, placing with released unserviceable PSC sleepers and keeping them at all four sides of refuge and also placing as matting inside the refuge by keeping them in upside down position with a minimum of 14 sleepers including levelling with earth, excavation, all lead and lift, crossing of tracks, leading the sleepers with in a free lead and lift, handling etc., with all contractor's men material complete and as directed by the Engineer-in-charge. Note: Earth-work will to be paid separately under relevant item.	Each	55.00	3570.70	196388.50
60	211140	Supplying and spraying in specified proportion Weedicide Chemical, capable to kill entire weed on track / cess / embankment with all labour, material, tools & plants etc. complete job in all respect. Scientific name of the chemical is Isopropylamine Salt of Glyphosate, in which active ingredient is Glyphosate (41%), colour is light amber to brownish, very low in toxicity and has favourable environmental characteristics. It will be ensured that no weed growth occurs up to six months period, otherwise re-spraying shall be done by the contractor free of cost.	Sqm	25000.00	0.60	15000.00
		Hiring of machinery for minor miscellaneous works for short duration including operator/driver, fuel, lubricants and consumable. The contractor shall arrange all statutory permits as required by rules and regulations prevailing in the area of work. Payment shall be made for actual working hours at site.				
61	211201	JCB Backhoe Loaders 3DX Plus or similar with minimum 1.10 cum bucket capacity	Hour	235.00	868.52	204102.20
					Total	7499632.65

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria (Clause 10.2 of part-I GCC-2022): The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet (Important Instruction: "The balance sheet and all other financial documents attested/certified by the Chartered Accountants (CA) to substantiate fulfillment of Financial Eligibility Criteria should be with UDIN, failing which the offer shall be considered as incomplete and will be summarily rejected without any further reference" Vide letter no. CE/Works/ECR/HJP's letter No.ECR-HQ0ENGG (CONT)/ 0009/2025 dtd. 18.11.2025 (ii) Gazette Notification No.1-CA (7)/192/2019, dated 02.08.2019 of the Institute of Chartered Accountants of India, published in the Gazette of India).	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	<p>Technical Eligibility Criteria (Clause 10.1 of GCC-2022): (a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b)(1) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, or (iii)One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b(1): Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components. (b)(2) In such cases, what constitutes a component in a composite work shall be clearly pre-defined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b)(3) To evaluate the technical eligibility of tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility, shall be considered. The scope of work covered in other remaining components shall be either executed by tenderer himself if he has work experience as mentioned in clause 7 of the Standard General Conditions of Contractor through subcontractor fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfilment of technical eligibility. Such subcontractor must fulfill technical eligibility criteria as follows: The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years, ending last day of month previous to the one in which tender is invited through a works contract.</p>	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1.1	Note: for subletting of work costing up to Rs.50 lakh, no previous work experience of subcontractor shall be asked for by the Railway. In case after award of contract or during execution of work it becomes necessary for contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of the Standard General Conditions of Contract, with prior approval of Chief Engineer in writing. Note for Item 10.1: (Clause 10.1 of part-I GCC-2022): Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
2	Similar nature of work:- Any P.Way work.	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Allowed (Mandatory)
2	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender	No	No	Allowed (Mandatory)
3	After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.	No	No	Allowed (Mandatory)
4	The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association/Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.	No	No	Allowed (Mandatory)

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

5	<p>(a) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. as the case may be. Following documents shall be submitted by the tenderer: - (b) Following documents shall be submitted by the tenderer in case of Sole Proprietorship Firm; (i) An undertaking that he is not blacklisted or debarred by Railway or any other Ministry/ Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was /is a partner/member. Concealment /wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (ii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. (c) Following documents shall be submitted by the tenderer in case of HUF; (i) A copy of notarized affidavit on stamp paper declaring that he who is submitting the tender on behalf of HUF is in the position of Karta of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) An undertaking that the HUF is not blacklisted or debarred by Railway or any other Ministry /Department f Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member f the partnership firm or JV in which HUF was / is a partner/member. Concealment/wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. (d) Following documents shall be submitted by the tenderer in case of Company registered under Companies Act 2013; (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization /power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sing the tender on behalf of the company and create liability against the company. (iv) An undertaking that the Company is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022. Society/Trust. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022.</p>	No	No	Allowed (Mandatory)
---	--	----	----	------------------------

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

5.1	(e) Following documents shall be submitted by the tenderer in case of LLP (Limited Liability Partnership): If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit along with the tender: (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking that the LLP is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (v) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC2022. (f) Following documents shall be submitted by the tenderer in case of Partnership Firm: The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. (i) A notarized copy of partnership deed. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022 and clause 18 of GCC-2022. (g) Following documents shall be submitted by the tenderer in case of Registered Society & Registered Trust (i) A copy of the Certificate of Registration (ii) A copy of Deed of Formation (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv) All other documents in terms of Para 10 of the Tender Form (Second Sheet) of GCC-2022	No	No	Allowed (Mandatory)
6	An undertaking that the Proprietary firm /Partnership firm/Company /Joint venture (JV) Registered society /Registered Trust /HUF/LLP etc. He is not blacklisted or debarred by Railway or any other Ministry/Department of Gov. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member .Concealment/ wrong information in determination under Clause 62 of the General Conditions of Contract. For detail refer para 5 & 5.1 as above and GCC-2022 .	No	No	Allowed (Mandatory)
7	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	A copy of Documents against eligibility criteria must be submitted along with the E-tender. No any documents against the same will be entertained in the office of Divisional Railway Manager, Dhanbad or anywhere else at any time. Tender will be decided purely on the basis of documents available/attached with the E-tender irrespective of whether tenderer is working contractor or new. However Railway may ask clarification with respect to document available/attached with the E-tender, if required.	No	No	Not Allowed

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

2	In case, submission of Bid Security in the form of Bank Guarantee, the original Bank Guarantee should be delivered to COS/Bill & Tender/Dhanbad (Official Nominated) before closing date for submission of bids. (i.e. excluding the last date of submission of bids) as per Para 3 (ii) of Sl. No.13 (Bid Security) of the tender document.	No	No	Not Allowed
---	--	----	----	-------------

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Special condition of track:- 1.The work will be done as per instruction and under supervision of sectional PWI or his representative 2.Day to Day caution will be issued by sectional PWI or his representative and track protection will be done by Railway. 3.The work will normally be done for 6 days in a week. 4.All tools and plants including rail cutting machine , hacksaw blades and drill twice, ratched brace etc. required for the work will be supplied by the contractor at his own cost. 5.Traffic block required for the work will be arranged by the sectional PWI or his representative and contractor will be responsible for strict adherence and timely completion of work. In case of non-availability of block due to any reason no compensation will be payable. 6.The work will be carried out in day time between sun rise to sun set only and the contractor must ensure that during the course of work as well as after the days work track is fit for movement of traffic. 7.No compensation towards any accident what so ever will be paid by the Railway. 8.Packing will conform to para 224 , item (1) & (2) of Indian Railway P.Way Manual. 9.The work may be started from the length of the section according to the need of the Railway and as directed by PWI In-charge. The contractor shall be bound to execute the work accordingly. 10.Medical facilities, housing and watering arrangement for contractor's labour and his staff will be arranged by the contractor. 11.The track will be handed over in perfect condition i.e. level gauge's alignment, packing and boxing should be proper before the work ends finally. 12.The work will be done under speed restrictions to be imposed by sectional PWI. Caution signalman will be provided by the Railway. 13. Contractor will use 20mm size screening mesh for screening work. 14.Wooden blocks and wedges required for the work will be supplied by the contractor at his own cost. 15.No two consecutive sleepers shall be tackled at a time. 16.Work will be stopped in perfectly safe condition at east 06 minutes earlier before passenger of every train. 17.The length of the track will be taken open or different operations of Deep screening etc. as per the direction of the Engineer at site.	No	No	Not Allowed

**DHANBAD DIVISION-ENGINEERING/EAST CENTRAL RLY
TENDER DOCUMENT**

Tender No: 103-DHN-2026-27

Closing Date/Time: 03/07/2026 12:00

1.1	18.Deep screening must proceeds changing of sleepers, Deep screening and re-sleeping shall not be done simultaneously at a particular location. 19. Prevention of accidents, where vehicles are permitted to ply adjacent to the running line experienced Gangman shall also be posted by the Railway as Flagman at the cost of the contractor to prevent accidents and the amount towards wages of the Flagman will be recovered from the contractor's bill. 20. If there is any conflict between conditions nominated in the "special condition" contained herein and which appear in the pamphlet and schedules reformed in the former shall be observed. 21.Any further clause or remarks added in the tender form by the contractor will disqualify his tender. In case of any remarks required to be added that should be done in a covering letter. 22.No enhancement over the accepted rates will be allowed in any case of any subsequent enhancement of Railway freight, Govt. Duty Taxes of any sort, levey of new taxes rise in wages and prices of materials etc.. The points should be taken into account while quoting rates. 23.The contractor must abide by and comply with the provisions and Rules of contract Labour (Regulations and Abolition) Act. 1970 and Central Rules-1971. 24.The contractor shall be responsible for adequate supervision of the work as regard safety of track , train and travelling public, proper care and custody of Railway Materials and any other Govt. property handed over to be the concerning PWI till it is returned back to PWI concerned at his/their stores and properly stacked at place indicated by PWI concerned. In the event of loss of any materials, the cost thereof shall be recovered from the contractor at issue rates plus the present codal charge of 20.5% to this will be added an increase of 100%. 25.Deep Screening/Track Renewal works shall be allowed to be taken up by the contractor only after issue of " Permit to work" by a competent Railway Supervisor daily whenever work is in progress. 26.Adequate numbers of labourer are to be provided in the work by the contractor, during execution.	No	No	Not Allowed
-----	--	----	----	-------------

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Instructiontotenderers-USSORDSR-2021MSOP-2018GCC-April-22uptoCorrec.Slip-11withUDINBGBidcapacity.pdf	Instruction to tenderer
2	Digging-JPO-dt.15.05.2024.pdf	JPO letter

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: SUMAN KUMAR

Designation : Sr.DEN/4/ECR/DHN