




# Modified drawing-1



# Modified drawing-2




## Trench Crossing Across the Railway Track


### NOTE:

1. Depth of Trench Should be More by 200 mm for HT Cable than that is Indicated in this Drawing
2. For Laying the Cable Refer Drawing No: XEE/CN/MDU/51/2015


SOUTHERN RAILWAY	
TITLE : EXCAVATION OF TRENCH FOR CABLE LAYING	
:Drawing No:	CEE/CN/MS/01-2018
SEE/CN/Drg/MS	<i>[Signature]</i>
SSE/CN/HQ/MS	<i>[Signature]</i> 01/01/18
Dy. CEE/G/CN/MS	<i>[Signature]</i>




SECTION ON "AB" - ELEVATION




CABLE JOINT INDICATOR (HT)



CABLE JOINT INDICATOR (LT)



CABLE ROUTE INDICATOR (HT)



CABLE ROUTE INDICATOR (LT)

SOUTHERN RAILWAY

TITLE:

HT/LT CABLE ROUTE INDICATOR  
WITH CAST IRON PLATE

Dwg. No.

CEE/CN/MS/11-2004

*Dr. B. S. S. S.*  
XEE/CN/MMC

*A. N. N. N.*  
XEE/CN/ERS

*A. N. N. N.*  
XEE/CN/MDU

Dy. CEE/G/CN/MS

*[Signature]*


CEE/CN/MS

*[Signature]*







NOTE:-

- 1. ALL DIMENSIONS ARE IN mm UNLESS STATED OTHERWISE
- 2. TUBE DIMENSIONS-50 mm NOMINAL BORE "C" CLASS HEAVY DUTY AS PER IS:1239.
- 3. CHARCOAL & SALT FILLING TO BE IN THE FORM OF A CYLINDER 200 mm DIA. SURROUNDING THE PIPES, 300 mm DEPTH OR THE QUANTITY MENTIONED IN THE SCHEDULE
- 4. EARTH POT SHALL BE MADE UP OF CEMENT CONCRETE WITH LID/BRICKWORK WALL WITH COVERING RCC SLAB.
- 5. IF SPECIFIED EARTH RESISTANCE CANNOT BE OBTAINED WITH ONE EARTHING. STATION-EARTHING STATIONS IN MULTIPLE SPACED AT A DISTANCE OF 10M & INTERCONNECTED TOGETHER MAY BE ADOPTED.
- 6. THIS DWG IS BASED ON RDSO DWG. NO. ET2/OHE/P/7020, ISS CODE FOR EARTHING STATION IS : 3043 AND CEE/MAS DRG.NO : EL/P/TYPE/122
- 7. ALL MATERIALS INCLUDING CEMENT STEEL, G.I PIPE ETC., SHOULD BE SUPPLIED BY THE CONTRACTOR ONLY.
- 8. EARTH PIT SIZE IS 0.9X0.9X2.9 m



ELEVATION



SOUTHERN RAILWAY			
TITLE : L.T. EARTHING ARRANGEMENTS			
Dwg. No.	CEE/CN/MS/16-2004		
 XEE/CN/MMC		XEE/CN/ERS	A. N. Subramanian XEE/CN/MDU
Dy.CEE/G/CN/MS			
CEE/CN/MS	