

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			



RESEARCH DESIGNS & STANDARDS ORGANISATION

Manak Nagar, Lucknow – 226011

Document No. : TDG 0018

Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-Riding Curved Switches

1.0 Amendment History:

S. No.	Amendment Date	Version	Reason for Amendment
1.	01.12.2001	0.0	First Issue under new documentation system.
2.	17.01.2025	1.0	<ol style="list-style-type: none"> In Para-3 (i.e. Scope of Application) 'Initial capability assessment' is changed to 'Fresh vendor registration', a word 'approved list of vendor' is modified from 'approved list' and the line 'The competent authority wherever referred to in this document shall mean Executive Director, Quality Assurance Civil Dte'. is deleted. Table-8 (i.e. Responsibility and Authority) and Table-9 (i.e. Abbreviations) are revised. 1:20 & 1:16 is added in addition 1:12 & 1:8 Over-Riding Curve Switch in the heading, ITEM SPECIFIC GUIDELINES FOR ASSESSMENT / QUALITY AUDIT OF FIRMS MANUFACTURING and Para -1 , Para-2, Para-5 under thereof. Planning Machine requirement to be replaced with CNC Plano Milling Machine. An electronic dimensional measurement with auto recording facility (Optional) is added in this document at Minimum Facilities & Machineries required. Surface Roughness Tester has been added. New Para added in Item Specific Guidelines for minimum quantity for up gradation of the firm from developmental vendor to Approved vendor. New Para added in Section –III: Declaration.

2.0 Purpose:

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 1 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

This guideline covers all technical requirements for manufacture and supply of Over-riding Curved Switch used for Initial capability assessment / Fresh vendor registration / Quality Audit of Vendor. These guidelines replaces the provisions of earlier guidelines issued on the subject TDG 0018, 0019 & 0020 Rev. '0'.

3.0 Scope of Application:

This shall be applicable for Initial capability assessment / Fresh vendor registration, Quality Audit, Up-gradation of Vendors and maintaining their Vendor list. In case of any variation between the procedure / provision given in the work instructions and that in this 'Item Specific Guidelines', the later shall prevail. The competent authority wherever referred to in this document shall mean Executive Director Track – II / Principal Executive Director, Infra-I.

4.0 Procedure / Details: Procedure / details are annexed.

5.0 Referred Document:

S. No.	Document Name	Document No.
1.	Indian Railway Standard Specification for Fabricated Switches and Crossings, Welded/Heat Treated Crossings and Switch Expansion Joints (SEJ)	IRS: T-10-2023 (latest revision)

6.0 Referred Documents of External Origin:

None.

7.0 Associated Records:

None.

8.0 Responsibility and Authority:

Activity	Responsible	Approver	Supporting	Consulted	Informed
Creation, maintenance of this document	ED/Track Design-II / Director/Track Design-III	PED/Infra-I	DD/AIE/ ADE	M&C Dte.	All vendors / concerned through website
Compliance of directives contained in this document	DD/AIE/ADE	Director/ Track Design-III	-	-	-
Requirement of deviation from this directive	ED/Track Design-II / Director/Track Design-III	PED/ Infra-I	DD/AIE/ ADE	M&C Dte.	All vendors / concerned through website

8.0 Abbreviations:

PED/ Infra-I	Principal Executive Director/ Infrastructure-I.
ED/ Track Design-II	Executive Director/ Track Design-II
RDSO	Research Designs & Standards Organisation
M&C Dte.	Metallurgical & Chemical Directorate
DD	Deputy Director
AIE	Assistant Inspecting Engineer
ADE	Assistant Design Engineer

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 2 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

Item Specific Guidelines for Initial capability assessment / Fresh vendor registration, Quality Audit of vendor for manufacturing of 1:20, 1:16, 1:12 and 1:8.5 Over-riding Curved Switches

In addition to the “ISO Apex document (latest version) of RDSO “ the following specific guidelines shall also be applicable for Initial capability assessment / Fresh vendor registration, Quality Audit of vendors for manufacturing 1:20, 1:16, 1:12 and 1:8.5 Over-riding curved switches.

- 1) Vendor list shall be maintained for variants of 1:20, 1:16, 1:12 and 1:8.5 Over-riding curved switches.
- 2) For the purpose of fresh approval of vendor for manufacturing of Over-riding curved switches, the vendor shall be required to manufacture Prototype sets of Over-riding curved switches for any of the design / drawing (variant) comprising of two sets-one set of left hand and one set of right-hand Over-riding curved switch complete. One set of switches shall consist of two tongue rails, two stock rails and all components as per Part List of the respective drawing. Prototype approval for the other variants shall be carried out subsequently as and when offered by the vendor.
- 3) For the purpose of Quality Audit of the vendor for Over-riding curved switches, one sample set of Over-riding curved switch (either left hand or right hand switch) of any design/ drawing (variant) can be offered for inspection, provided vendor is approved for that variant.
- 4) The inspection gauges, jigs and fixtures shall be approved / revalidated at the time of inspection of infrastructural facilities during Fresh vendor registration / Quality audit of the firm.
- 5) The inspection gauges, jigs and fixtures and Prototype sets shall be required to be approved by RDSO for each design of Switches on order before regular production.
- 6) For up gradation of the vendor from “Developmental vendor” to “Approved vendor”, the minimum quantity of Over-riding curved switches of any design/ drawing (variant) is required i.e. 75 sets, and as per ISO Apex documents of RDSO.

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 3 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

Minimum Facilities & Machineries required for manufacture of Over-riding Curved Switches
(Schedule of Technical Requirements)

S.N.	Description	Minimum Capacity	Minimum Quantity
1	Covered Area	-	1500 m ²
2	Gantry Crane facilities	4 T	1 No.
3	Circular band saw	900 mm dia.	1 No.
4	Hydraulic horizontal bending / straightening machines	350-500 T	1 No.
5	Radial drill	32 mm dia.	1 No.
6	Shapers	600 mm stroke	1 No.
7	Planning machines	i) 5m stroke (For manufacturing Check rails)	1 No.
	Plano- Milling machine	ii) 5m stroke	1 No.
	CNC Plano- Milling machine*	iii) 13 m stroke	1 No.
8	Universal Testing Machine	40 T (minimum)	1 No.
9	Charpy impact testing machine	-	1 No.
10	Hardness testers	-	1 No.
	a) Brinell Hardness testing machine / Rockwell Hardness testing machine	BHN hardness tester with ball size 2.5 to 10 mm dia.	1 No.
	b) Poldi	-	1 No.
11	Compressor with riveting arrangement	-	One complete set including furnace & riveting gun etc.
12	CO ₂ / Mig welding equipment	-	One complete set with approved brand of welding wires
13	Jigs & fixtures for drilling stock & tongue rails for switches	-	At least one set for each item separately as per Drawings
14	Assembly & Inspection Bay	-	A separate area to be dedicated with proper levelled floor
15	Chemical lab OR Spectrometer	For Chemical Analysis of MS, Medium & Low alloy steel OR Spectrometer having vacuum emission CCD/PMT with printing facilities should be available for carrying out chemical analysis	1 Unit installed in house for wet chemical analysis OR 1 No. Spectrometer
16	Non-destructive testing facilities	i) USFD	1 No.
		ii) D.P. test	1 No.
		iii) Magnaflux	1 No.
		iv) Metallurgical Microscope	1 No.
		v) Polishing Machine.	1 No.
17	Dedicated area with all above machines installed in proper flow line	-	1500 m ²
18	Coordinate Measuring Machine (CMM) Electronic Dimensional measurements with auto recording facility(Optional)	Adequate for measurement of Tongue rail machining from ATS to JOH/ critical points (as per drawing)	1 No.
19	Surface Roughness Tester	3 – 7 micron	1 No.

* The CNC Plano milling machine shall be installed and shall be in working order at the firm's premises in India to handle tongue rails and stock rails in the required length (minimum table length of 13m) in one setup for milling operation along all x, y & z axes. The firm shall furnish complete details of this machine such as performance characteristics, machining length, number of milling heads, make & photographs etc.

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 4 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

ASSESSMENT PERFORMA FOR APPROVAL OF MANUFACTURE (FRESH / RENEWAL) OF OVER-RIDING CURVED SWITCHES

(To be prepared in duplicate)

SECTION-I: GENERAL INFORMATION

1. Name of the firm :

2. Postal address :

- 2.1. Head office :

- 2.2. Works :

3. Telephone No. (with STD Code):

- 3.1. Head office :

- 3.2. Works :

4. E-mail address :

- 4.1. Head office :

- 4.2. Works :

5. Description of works:

- 5.1. Total land area (in Sq. meters) :

- 5.2. Total covered area (in Sq. meters) :

- 5.3. Different sub-units:

- 5.4. A fully dimensioned plan of the works showing covered area and different shops shall be enclosed :

- 5.5. Special features, if any:

6. Number of personnel employed (category-wise)

- 6.1. Managerial :

- 6.2. Supervisory :
(Enclose list of Managers / Technical Supervisors)

- 6.3. Skilled / Artisans :

- 6.4. Unskilled :

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 5 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

7. Hours of working :
8. Weekly off day :
9. State whether the firm is already in Vendor
List for supply of Over-riding Switches. If so, please
give details of last approval.
 - 9.1. Letter dated and issued by
 - 9.2. Date of expiry of validity of approval.
10. Details of important orders executed in past
for switches :
- 10.1. To other important firms / companies / undertakings.
- 10.2. Directly to Railways.

SECTION II: TECHNICAL INFORMATION

1. Production capacity-
 - i) Per month
 - ii) Per year
2. Type of Stores / Items which the firm is capable of manufacturing:
3.

<u>Crane facilities</u>	<u>No. of cranes</u>	<u>Make of crane</u>	<u>capacity</u>
3.1 EOT Crane-			
3.2 Mobile Crane-			
3.3 Jib Crane-			
4. Total Power Availability (in kVA / kW)
 - a) From the State Electricity Board or other regular source
(Enclose a copy of current electricity bill).
 - b) From own stand by generating sets (Also give make,
capacity and other details of each generating set).

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 6 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

5. Machines (For manufacturing of Over-riding curved switches and related components)

S. No.	Name of Machine	No. of Machine	Make of the Machine	Size & capacity of Machine
5.1	Circular band Saw			
5.2	Radial Drill			
5.3	Hydraulic Bending Machine (Horizontal 350 T to 500T)			
5.4	Plano-Milling Machine with stroke of 5m			
5.5	Shapers			
5.6	Pillar Drills			
5.7	Grinding Machine			
5.8	Portable Grinders			
5.9	Power Hammer			
5.10	Forging Press			
5.11	Forming Press			
5.12	Oil Fired / Coal Fired / Induction Furnaces for rivets			
5.13	Electric welding sets (CO2 / Mig welding set) with approved brand of welding wires			
5.14	Gas-welding / Gas cutting Facilities(Including preheating arrangements)			
5.15	Jim Crow			
5.16	i) Planning machines having stroke of 5m ii) CNC Plano-Milling machine having stroke of 13m.			
5.17	Air-compressor			
5.18	Pneumatic riveting Gun for 1:12 or flatter angle switches.			
5.19	Coordinate Measuring Machine (CMM) Electronic Dimensional measurements with auto recording facility(Optional)			

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 7 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

6. Testing Equipment / facilities Nos. Make Size / Capacity

6.1 Ultrasonic test of rails

6.2 Magnaflux

6.3 Tensile testing machine (UTM Machine)

6.4 Polishing Machine

6.5 Hardness testing machine

i) Poldi

ii) Brinell / Rockwell

6.6 Charpy Impact testing machine

6.7 Lab for finding out the chemical composition of any sample.

6.8 Other NDT facilities (DP test etc.)

6.9 Surface Roughness Tester

7. Handling facilities (It should be mentioned whether there is proper facilities for handling of finished switches)

8. Jigs and fixtures

8.1 Drilling Jigs (for switches), As per Drawings

Name of the Jigs	No. of Jig	Drg. No.
------------------	------------	----------

8.1.1 Tongue Rail Drilling Jig , As per Drawings

8.1.2 Stock Rail Drilling Jig, As per Drawings

8.1.3 Check Rail Drilling Jig, As per Drawings

8.1.4 Drilling jigs for stretcher bars

8.1.5 9.1.5 Drilling jigs for slide chairs

8.1.6 Drilling jigs for Bearing Plates

8.1.7 Drilling jigs for Brackets

8.1.8 Drilling jigs for Tie plate

8.2 Bending Jigs & Fixtures As per Drawings

8.2.1 Jig & fixture for Tongue Rail (for switches)

8.3 Other Fixtures

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 8 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

Fixtures for planning of-

- 8.3.1 Tongue Rail Head Machining (for switches) As per Drawings
- 8.3.2 Tongue Rail Flange Machining (for switches) As per Drawings
- 8.3.3 Check Rail Machining (for switches) As per Drawings
- 8.3.4 Fixtures for Drilling (for switches) As per Drawings
- 8.3.5 Fixtures for Drilling of Tie plate As per Drawings

9. **Inspection Gauges, jigs and fixtures** As per Drawings
Drawings of relevant inspection gauges , jigs and fixtures for checking dimensions of switches & check rails etc including components shall be made available along with relevant inspection gauges, jigs and fixtures to inspecting agency at the time of Initial approval / Quality Audit.
10. Assembly of Switches
It should be mentioned that how much leveled area is provided for the assembly 'Switches'.
11. Leveling -Jogan for laying the full turnout.
It should be mentioned whether there is sufficient leveled space for laying the turnout, it should also be mentioned that there are facilities for track gauge, Jim Crow, Crow Bar, Spirit level, hammer etc.
12. A fully dimensioned plan of the works showing locations of various equipment and facilities for the manufacture of Over-riding curved switches flow line indicating location of various operations during manufacture in proper sequence and storage facilities for finished products and dispatch may please be enclosed.
13. **QUALITY ASSURANCE**
 - 13.1 Does the factory has any established quality assurance programme as per ISO-9000:2015 series. If yes, please enclose a copy of the ISO-9000:2015 certificate.
 - 13.2 Detail of quality assurance organization, Name of key personal, their qualification, designations and position in overall management structure (Enclose organizational chart for quality control)
 - 13.3 Quality control testing facilities laboratory equipment available to be listed along with the make, year of procurement and commissioning.
 - 13.4 Calibration of laboratory / test equipment / **inspection** gauge/ **jigs and fixtures**. (Enclose copy of calibration certificate).
 - 13.5 **Frequency of calibration:** (Yearly/Half Yearly) (For inspection gauges/ jigs and fixtures, frequency of calibration is yearly)
 - 13.6 Source of procurement of raw materials / bought outs and steps taken to ensure their quality.
 - 13.7 Brief details of manufacturing process as relevant to the items for which registration is sought (Switches).

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 9 of 10

ISO 9001:2015	Document No: TDG 0018	Version No: 1.0	Date Effective: 17.01.2025
Document Title: Item Specific Guidelines & Schedule of Technical Requirements for manufacture of Over-riding Curved Switches			

- 13.8 Details of inspection / checks done on material during various stages of the above manufacturing process (Enclose copy of QAP).
- 13.9 Has the acceptable value for the parameters inspected during the above stages checks been laid down? If yes, the action taken if value of the parameters inspected does not meet the desired laid down value.
- 13.10 System for documentation of the results of the above stage check.
14. Whether one sample set of switches ready for inspection during Quality Audit (Report to be submitted by inspecting official).
15. Whether the firm is possessing officially issued prints of relevant drawings and specifications.

SECTION - III: DECLARATION

- (i) We do hereby declare that the above particulars are correct and no discrepancy shall be found during actual investigation before and during execution of order on our firm.
- (ii) Any change in the plant and machinery and change of place of office and of works site shall be brought to the notice of RDSO for clearance and approval.
- (iii) We also declare that our concern has not been black listed by Railway, Railway Board / RDSO for business with the Railways.
- (iv) We hereby undertake that all our equipments for manufacturing and testing as listed above shall be maintained in good working order at alltimes.
- (v) We hereby declare that the contents and the instructions of latest ISO Apex Documents has been read and understood by us and our firm shall abide by all the stipulated laid therein.
- (vi) We hereby undertake to maintain the record of the procurement of any raw material for production of Over-riding Curve Switch, supply of Over-riding Curve Switch and disposal of scrap of Over-riding Curve Switch in the proper format.

Signature

Name in full of Signing Authority

Status of the Vendor

Place :

Date :

Stamp of the firm

ADE/Track/P&C	Director/Track-III	Printed: 17.01.2025
Prepared By:	Issued By:	Page 10 of 10