

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

**PCMM Office** acting for and on behalf of The President of India invites E-Tenders against Tender No **05261436** Closing Date/Time 20/07/2026 14:30 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

**1. NIT HEADER**

<b>Bidding type</b>	Normal Tender	<b>Template</b>	Normal
<b>Contract type</b>	Goods	<b>Contract Category</b>	Expenditure
<b>Tender No</b>	05261436	<b>Tender Type</b>	Open - Indigenous
<b>Evaluation Criteria</b>	Itemwise/Consigneewise	<b>Bidding System</b>	Single Packet
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Tendering Section</b>	05		
<b>Inspection Agency</b>	TPI Agency	<b>Publishing Date / Time</b>	20/06/2026 09:19
<b>Item Category</b>	General	<b>Bidding to be Done on</b>	IREPS
<b>Procure From Approved Sources</b>	No	<b>Approving Agency</b>	Not Applicable
<b>Closing Date Time</b>	20/07/2026 14:30		
<b>Validity of Offer ( Days)</b>	90	<b>Ranking Order for Bids</b>	Lowest to Highest
<b>Tender Doc. Cost (INR)</b>	0.00	<b>Earnest Money (INR)</b>	936360.00
<b>Tender Title</b>	THREE TYPES SET OF PARTITION FRAME FOR LSDD AMRIT BHARAT		

**2. ITEM DETAILS**

S.No.	PL Code (Group)	Item Type GST(Y/N)	Stock / NonStock	Ordering	Consider For Eval	Approving Agency	Inspection Agency	Currency Allowed	Estimated Rate
1	33520112	Goods (Y)	Stock	---	Yes		TPI Agency	INR	
<b>Description :</b> SET OF PARTITION FRAME FOR LSDD AMRIT BHARAT 3.0 ( (NOTE- COLOUR SCHEME IS AS PER DESIGN LETTER NO MD48161 DATED- 15/05/2026 ), as per Drawing: MP26PFGSAB3.0 VERSION 0, Packing Instruction: `PACKING CONDITION OF SET OF PARTITION FRAME AND PROCEDURE TO ACHIEVE BEST POSSIBLE PROTECTION DURING TRANSPORTATION: 1. SURFACE PREPARATION: - THOROUGHLY CLEAN THE COMPONENTS TO REMOVE ANY DIRT, GREASE OR CONTAMINANTS - APPLY A PROTECTIVE FILM, SUCH AS PVC OR LASER FILM OR BUBBLE SHEET, TO SHIELD SURFACES FROM SCRATCHES AND ENVIRONMENTAL FACTOR. 2. PACKING MATERIALS: - WOODEN CRATES: CONSTRUCT STURDY WOODEN CAGE TAILORED TO THE COMPONENT'S DIMENSIONS. - STEEL STRAPPING: UTILIZE RUST-PROOF STEEL STRAPS TO SECURELY BUNDLE COMPONENTS, PREVENTING MOVEMENT DURING TRANSIT. 3. MOISTURE BARRIER: - INCORPORATE MOISTURE-PROOF MATERIALS, SUCH AS PLASTIC FILM OR WATER PROOF ABILITY PAPER, TO GUARD AGAINST CORROSION. 4. COMPONENT ARRANGEMENT: - PLACE COMPONENTS ON WOODEN PALLETS OR WITHIN CUSTOM-DESIGNED SUPPORTS TO DISTRIBUTE WEIGHT EVENLY AND PREVENT DEFORMATION. - ENSURE THAT NO PART OF THE COMPONENT EXTENDS BEYOND THE PROTECTIVE PACKAGING TO AVOID EXPOSURE TO POTENTIAL DAMAGE. 5. SECURING THE COMPONENTS: - USE STEEL STRAPS OR ROPES TO FIRMLY ANCHOR THE COMPONENTS WITHIN THE WOODEN CRATE, MINIMIZING INTERNAL MOVEMENT. - FOR ADDED STABILITY, EMPLOY BRACING OR CUSHIONING MATERIALS, SUCH AS FOAM PADS OR CORRUGATED INSERTS, TO FILL VOIDS AND ABSORB SHOCKS. - HARDWARE ITEMS TO BE SUITABLY PACKED SEPARATELY INSIDE THE CRATE. 6. LABELING AND DOCUMENTATION: - CLEARLY LABEL EACH PACKAGE WITH ESSENTIAL INFORMATION, INCLUDING PL NO. SPECIFICATIONS, DETAILS OF EACH SET WITH QTY. AND ALSO KEEP ONE COPY INSIDE OT THE CRATE, WEIGHT, HANDLING INSTRUCTIONS AND FIRM'S & DESTINATION DETAILS. 7. LOADING ONTO TRAILER/LORRY/TRUCK/TRANSPORT: - STRATEGICALLY POSITION THE PACKAGED COMPONENTS WITHIN THE TRUCK/SUITABLE TO MAINTAIN BALANCE AND PREVENT SHIFTING DURING TRANSIT. - SECURE THE PACKAGES TO THE CONTAINER'S STRUCTURE USING LASHING TIES OR ADDITIONAL BRACING AS NEEDED. 8. FINAL INSPECTION AND SEALING: - CONDUCT A THOROUGH INSPECTION TO VERIFY THAT ALL COMPONENTS ARE SECURELY PACKED AND THAT PACKAGING MATERIALS ARE INTACT. [ <b>Warranty Period:</b> 30 Months after the date of delivery ] ]									
Consignee		FURNISHING DEPOT, RCF			Punjab		55.00 Set		
Inspection Details		Stage Inspection Not Required							

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

2	33520185	Goods (Y)	Stock	---	Yes		TPI Agency	INR	
<b>Description :</b> SET OF PARTITION FRAME FOR LHB SCN AMRIT BHARAT 3.0 COACHES. (NOTE- COLOUR SCHEME IS AS PER DESIGN LETTER NOMD48161 DATED- 15/05/2026 ), as per Drawing: MP26PFSC NAB3.0 VERSION 0, Packing Instruction: `PACKING CONDITION OF SET OF PARTITION FRAME AND PROCEDURE TO ACHIEVE BEST POSSIBLE PROTECTION DURING TRANSPORTATION: 1. SURFACE PREPARATION: - THOROUGHLY CLEAN THE COMPONENTS TO REMOVE ANY DIRT, GREASE OR CONTAMINANTS - APPLY A PROTECTIVE FILM, SUCH AS PVC OR LASER FILM OR BUBBLE SHEET, TO SHIELD SURFACES FROM SCRATCHES AND ENVIRONMENTAL FACTOR. 2. PACKING MATERIALS: - WOODEN CRATES: CONSTRUCT STURDY WOODEN CAGE TAILORED TO THE COMPONENT'S DIMENSIONS. - STEEL STRAPPING: UTILIZE RUST-PROOF STEEL STRAPS TO SECURELY BUNDLE COMPONENTS, PREVENTING MOVEMENT DURING TRANSIT. 3. MOISTURE BARRIER: - INCORPORATE MOISTURE-PROOF MATERIALS, SUCH AS PLASTIC FILM OR WATER PROOF ABILITY PAPER, TO GUARD AGAINST CORROSION. 4. COMPONENT ARRANGEMENT: - PLACE COMPONENTS ON WOODEN PALLETS OR WITHIN CUSTOM-DESIGNED SUPPORTS TO DISTRIBUTE WEIGHT EVENLY AND PREVENT DEFORMATION. - ENSURE THAT NO PART OF THE COMPONENT EXTENDS BEYOND THE PROTECTIVE PACKAGING TO AVOID EXPOSURE TO POTENTIAL DAMAGE. 5. SECURING THE COMPONENTS: - USE STEEL STRAPS OR ROPES TO FIRMLY ANCHOR THE COMPONENTS WITHIN THE WOODEN CRATE, MINIMIZING INTERNAL MOVEMENT. - FOR ADDED STABILITY, EMPLOY BRACING OR CUSHIONING MATERIALS, SUCH AS FOAM PADS OR CORRUGATED INSERTS, TO FILL VOIDS AND ABSORB SHOCKS. - HARDWARE ITEMS TO BE SUITABLY PACKED SEPARATELY INSIDE THE CRATE. 6. LABELING AND DOCUMENTATION: - CLEARLY LABEL EACH PACKAGE WITH ESSENTIAL INFORMATION, INCLUDING PL NO. SPECIFICATIONS, DETAILS OF EACH SET WITH QTY. AND ALSO KEEP ONE COPY INSIDE OF THE CRATE, WEIGHT, HANDLING INSTRUCTIONS AND FIRM'S & DESTINATION DETAILS. 7. LOADING ONTO TRAILER/LORRY/TRUCK/TRANSPORT: - STRATEGICALLY POSITION THE PACKAGED COMPONENTS WITHIN THE TRUCK/SUITABLE TO MAINTAIN BALANCE AND PREVENT SHIFTING DURING TRANSIT. - SECURE THE PACKAGES TO THE CONTAINER'S STRUCTURE USING LASHING TIES OR ADDITIONAL BRACING AS NEEDED. 8. FINAL INSPECTION AND SEALING: - CONDUCT A THOROUGH INSPECTION TO VERIFY THAT ALL COMPONENTS ARE SECURELY PACKED AND THAT PACKAGING MATERIALS ARE INTACT. [ <b>Warranty Period:</b> 30 Months after the date of delivery ] ]									
Consignee		FURNISHING DEPOT, RCF			Punjab		77.00 Set		
Inspection Details		Stage Inspection Not Required							
3	33520197	Goods (Y)	Stock	---	Yes		TPI Agency	INR	
<b>Description :</b> SET OF PARTITION FRAME & PILLAR FOR SLR AMRIT BHARAT 3.0 COACHES.( NOTE- COLOUR SCHEME IS AS PER DESIGN LETTER NO MD48161 DATED-15/05/2026 ), as per Drawing: MP26PFP SLRAB3 VERSION 0, Packing Instruction: `PACKING CONDITION OF SET OF PARTITION FRAME AND PROCEDURE TO ACHIEVE BEST POSSIBLE PROTECTION DURING TRANSPORTATION: 1. SURFACE PREPARATION: - THOROUGHLY CLEAN THE COMPONENTS TO REMOVE ANY DIRT, GREASE OR CONTAMINANTS - APPLY A PROTECTIVE FILM, SUCH AS PVC OR LASER FILM OR BUBBLE SHEET, TO SHIELD SURFACES FROM SCRATCHES AND ENVIRONMENTAL FACTOR. 2. PACKING MATERIALS: - WOODEN CRATES: CONSTRUCT STURDY WOODEN CAGE TAILORED TO THE COMPONENT'S DIMENSIONS. - STEEL STRAPPING: UTILIZE RUST-PROOF STEEL STRAPS TO SECURELY BUNDLE COMPONENTS, PREVENTING MOVEMENT DURING TRANSIT. 3. MOISTURE BARRIER: - INCORPORATE MOISTURE-PROOF MATERIALS, SUCH AS PLASTIC FILM OR WATER PROOF ABILITY PAPER, TO GUARD AGAINST CORROSION. 4. COMPONENT ARRANGEMENT: - PLACE COMPONENTS ON WOODEN PALLETS OR WITHIN CUSTOM-DESIGNED SUPPORTS TO DISTRIBUTE WEIGHT EVENLY AND PREVENT DEFORMATION. - ENSURE THAT NO PART OF THE COMPONENT EXTENDS BEYOND THE PROTECTIVE PACKAGING TO AVOID EXPOSURE TO POTENTIAL DAMAGE. 5. SECURING THE COMPONENTS: - USE STEEL STRAPS OR ROPES TO FIRMLY ANCHOR THE COMPONENTS WITHIN THE WOODEN CRATE, MINIMIZING INTERNAL MOVEMENT. - FOR ADDED STABILITY, EMPLOY BRACING OR CUSHIONING MATERIALS, SUCH AS FOAM PADS OR CORRUGATED INSERTS, TO FILL VOIDS AND ABSORB SHOCKS. - HARDWARE ITEMS TO BE SUITABLY PACKED SEPARATELY INSIDE THE CRATE. 6. LABELING AND DOCUMENTATION: - CLEARLY LABEL EACH PACKAGE WITH ESSENTIAL INFORMATION, INCLUDING PL NO. SPECIFICATIONS, DETAILS OF EACH SET WITH QTY. AND ALSO KEEP ONE COPY INSIDE OF THE CRATE, WEIGHT, HANDLING INSTRUCTIONS AND FIRM'S & DESTINATION DETAILS. 7. LOADING ONTO TRAILER/LORRY/TRUCK/TRANSPORT: - STRATEGICALLY POSITION THE PACKAGED COMPONENTS WITHIN THE TRUCK/SUITABLE TO MAINTAIN BALANCE AND PREVENT SHIFTING DURING TRANSIT. - SECURE THE PACKAGES TO THE CONTAINER'S STRUCTURE USING LASHING TIES OR ADDITIONAL BRACING AS NEEDED. 8. FINAL INSPECTION AND SEALING: - CONDUCT A THOROUGH INSPECTION TO VERIFY THAT ALL COMPONENTS ARE SECURELY PACKED AND THAT PACKAGING MATERIALS ARE INTACT. [ <b>Warranty Period:</b> 30 Months after the date of delivery ] ]									
Consignee		FURNISHING DEPOT, RCF			Punjab		13.00 Set		
Inspection Details		Stage Inspection Not Required							

**3. T AND C**

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

**F.O.R**

Description
Destination

**Delivery Period**

Description	Delivery /Completion	Rate of Supply
For all items	<b>Commencement</b> : Within 1 Days of issue of Contract, <b>Completion</b> : Within 120 Days thereafter	Supply in 02 or 03 equal lots, which can be suitably modified as per RCF actual production requirements.

**Payment Terms**

S.No	Description
<b>Payment Terms</b>	
1	95% payment against inspection certificate issued by the nominated inspection agency as specified in the contract, and proof of dispatch/delivery of the material to consignee, and balance 5% after receipt, inspection and acceptance of the goods by the consignee. In case of despatch by rail, unqualified Railway Receipt/Parcel Way Bill will be taken as the proof of despatch. In case of despatch by other means such as road transport, receipted challan signed by the gazetted officer at consignee's end will be taken as proof of delivery.

**Statutory Variation Clause**

S.No	Description
1	Statutory Variation in taxes and duties, or fresh imposition of taxes and duties by State/ Central Governments in respect of the items stipulated in the contract (and not the raw materials thereof), within the original delivery period stipulated in the contract, or last unconditionally extended delivery period shall be to Railways' account. Only such variation shall be admissible which takes place after the submission of bid. No claim on account of statutory variation in respect of existing tax/duty will be accepted unless the tenderer has clearly indicated in his offer the rate of tax/duty considered in his quoted rate. No claim on account of statutory variation shall be admissible on account of misclassification by the supplier/ contractor.

**Option Clause**

S.No	Description
1	The purchaser shall be entitled to vary the order quantity upto + 30% anytime within the delivery period (including extended delivery period) on the same terms and conditions. The increase in quantity with respect to the tender quantity can be done even at the time of ordering and the tenderer shall be bound to accept the quantity so ordered on the basis of his original offer. The purchaser shall be entitled to exercise + 30% option clause in one or more than one instalment as long as the total variation in quantity does not exceed the limit of 30% of ordered quantity.

**Standard Governing Conditions**

S.No	Description
1	IRS Conditions of Contract: The contract shall be governed by latest version (along with all correction slips) of IRS conditions of contract, and all other terms and conditions incorporated in the tender documents.

**4. ELIGIBILITY CONDITIONS**

**Special Eligibility Criteria**

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	----------	-------------------------	-----------------------	-----------------	---------------------

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

1	<p>1) As per Clause 2.13.6 of RCF Bid Document (Version-14.0) as read with all Corrigenda issued till opening of tender.</p> <p>2) Similar Items for the purpose of Eligibility Criteria mean: Partition frames / Door frames / Modular Frames / Side Wall / Roof / Lavatory Side Wall / End Wall for Any LHB/ Vande Bharat / Vande Metro Coach individually OR as Components of Kits/Assemblies.</p> <p>Estimated Value of Item-1 (PL: 33520112) = Rs.2,72,45,020/-; Estimated Value of Item-2 (PL: 33520185) = Rs.1,12,36,225/- and Estimated Value of Item-3 (PL: 33520197) = Rs.83,36,471/-</p> <p>Estimated Total Purchase Value of All 03 Items = Rs. 4,68,17,716/-.</p>	Normal	Applicable to all bidders	Yes	Yes	Not Allowed
---	--	--------	---------------------------	-----	-----	-------------

## 5. COMPLIANCE CONDITIONS

### Commercial-Compliance

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	Normal	Applicable to all bidders	No	Yes	Allowed (Optional)

### General Instructions

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Quantity Splitting :-As per clause No.2.17.2 of bid document Ver.14 or latest with all corrigendum and amendments if any issued before date of opening of the tender.	Normal	Applicable to all bidders	No	No	Not Allowed

### Other Conditions

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	by TPI,at firm's premises	Normal	Applicable to all bidders	No	No	Not Allowed
2	As per design remarks area around the weld in the assembly drg.of partition frame is to be suitably masked & location of welding has already shown in the partition frame drawings.	Normal	Applicable to all bidders	Yes	Yes	Not Allowed
3	Alternate material Grade-409M is permitted in place of Grade-409.	Normal	Applicable to all bidders	Yes	Yes	Not Allowed
4	Packing Instruction: PL No. 33520112: As per PI100 Ver.1.0. PL No. 3320185 & 33520197: As per PI100.	Normal	Applicable to all bidders	No	No	Not Allowed

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

5	<b>Local Content</b> : Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India Policy as incorporated in the Tender Conditions.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Optional)
6	Liquidated Damages : Railway will recover from the contractor as agreed liquidated damages and not by way of penalty, a sum equivalent to 0.5% (half percent) of the price of any stores (including elements of taxes, duties, freight etc.) which the contractor has failed to deliver within the period fixed for delivery in the contract or as extended for each week or part of a week during which the delivery of such stores may be in arrears where delivery thereof is accepted after expiry of the aforesaid period, subject to a maximum of 10% (ten percent) of value of delayed supplies and the same will not be waived off except in cases where delay is on account of RCF. note:-(this is applicable for tenders opened after 31-mar-2019).	Normal	Applicable to all bidders	No	No	Not Allowed

**Special Conditions**

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Masking area: approx. 15 mm area around the weld in the assembly of partition frame is to suitably masked & location of welding has already given in the partition frame drawings.	Normal	Applicable to all bidders	No	No	Not Allowed

**6. Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:**

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website <a href="http://www.ireps.gov.in">www.ireps.gov.in</a> . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of contract or payment, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the EMD and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.

**STORES/TKJ/RCF  
TENDER DOCUMENT**

**Tender No:** 05261436

**Closing Date/Time:** 20/07/2026 14:30

9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Security Deposit and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

**7. DOCUMENTS ATTACHED WITH TENDER**

S.No.	Document Name	Document Description
1	<a href="#">5814199.pdf</a>	Set list enclosed.
2	<a href="#">5814206.pdf</a>	Set list enclosed.
3	<a href="#">5814201.pdf</a>	Set list enclosed.

**7. RESPONSIVENESS**

S.No.	Description
1	Validity of Offer: No deviation from the offer validity period stipulated in the tender is permitted.

The tenderers in their bid shall indicate the details of their GST Jurisdictional Assessing Officers (Designation, Address & email id). In case of a contract award, a copy of Purchase Order shall be immediately forwarded by Purchaser to the GST Jurisdictional assessing officer mentioned in Tenderer's bid

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Digitally Signed By**

Dy.CMM/Shell ( HARSHIL JAIN )