

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

senior divisional electrical engineer acting for and on behalf of The President of India invites E-Tenders against Tender No **EL-LM-26-27-13** Closing Date/Time 30/07/2026 11:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

| | | | |
|--------------------------------------|--|--|----------------------|
| Name of Work | Various modification work in LHB coaches of all the coaching depots (AGTL, SCL, GHY, KYQ, NGC) of LMG Division | | |
| Bidding type | Normal Tender | | |
| Tender Type | Open | Bidding System | Single Packet System |
| Tender Closing Date Time | 30/07/2026 11:00 | Date Time Of Uploading Tender | 30/06/2026 18:09 |
| Pre-Bid Conference Required | No | Pre-Bid Conference Date Time | Not Applicable |
| Advertised Value | 40413843.78 | Tendering Section | TECHNICAL |
| Bidding Style | Single Rate for Tender | Bidding Unit | Above/Below/Par |
| Earnest Money (Rs.) | 808300.00 | Validity of Offer (Days) | 45 |
| Tender Doc. Cost (Rs.) | 0.00 | Period of Completion | 180 Days |
| Contract Type | Works - General | Contract Category | Expenditure |
| Bidding Start Date | 16/07/2026 | | |
| Are JV allowed to bid | No | Number of JV Member Allowed | 0 |
| Are Consortium allowed to bid | No | Number of Consortium Member Allowed | 0 |
| Ranking Order For Bids | Lowest to Highest | Expenditure Type | Revenue |

2. SCHEDULE

| S.No. | Item Code | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%) | Amount | Bidding Unit |
|---|--|----------|----------|-----------|-------------|----------|-------------|--------------|
| Schedule () A-Provision of Differential Pressure Switch (DPS) based heater protection system for RMPU for LHB EOG/HOG AC coaches as per modification sheet no. RDSO/PE/MS/AC/0089 (Rev. 0) - 2022 | | | | | | | 7738012.20 | |
| 1 | 1 | 1140.00 | Numbers | 2271.22 | 2589190.80 | AT Par | 2589190.80 | |
| | Description:- Differential pressure switch (DPS) of pressure range from 0.08-1.20 (Inches WC) shall be provided with more than 10,00,000 operations with automatic reset with IP-54 protection as per IEC-60528 with UL-94 VO | | | | | | | |
| 2 | 2 | 2280.00 | Metre | 1284.87 | 2929503.60 | AT Par | 2929503.60 | |
| | Description:- "Suitable length SS304 tube ID 4.0 mm and 6.6 mm of OD to connect the differential pressure switch to heating element." | | | | | | | |
| 3 | 3 | 1140.00 | Numbers | 1946.77 | 2219317.80 | AT Par | 2219317.80 | |
| | Description:- "Installation of DPS switch in RMPU unit, wiring in coach and commissioning as per requirement vide modification sheet no. RDSO/PE/MS/AC/0089-2022 (Rev-0) dated. 06.02.2023 or latest.RDSO/PE/MS/AC/ 0089 (Rev. 0 - 2022) Dt. 06.02.2023 or latest complete in all respect as per direction of engineer in charge at site" | | | | | | | |
| S.No. | Item Code | Item Qty | Qty Unit | Unit Rate | Basic Value | Escl.(%) | Amount | Bidding Unit |
| Schedule () B-Provision of single connecton arrangement at the input of MPCB/MCB instead of existing looping arrangements in LHB type EOG/HOG coaches & Power cars as per RDSO Modification sheet No. RDSO/PE/MS/TL/0097-2025 (Rev-0). | | | | | | | 32675831.58 | |
| 1 | 1 | 2856.00 | Numbers | 761.12 | 2173758.72 | AT Par | 2173758.72 | |
| | Description:- "Supply of cage clamp type terminal block 57 A, 1000 V. Make: RDSO/ RCF/ICF approved sources like Phoenix Contact part no. 3002369" | | | | | | | |
| 2 | 2 | 2856.00 | Numbers | 10.74 | 30673.44 | AT Par | 30673.44 | |
| | Description:- "Supply of copper lug/thimble (pin type) for 16 sq. mm cable. Make: RCF/ICF approved sources like Ascon, Kamlesh, Chetna, etc." | | | | | | | |
| 3 | 3 | 1071.00 | Numbers | 2.89 | 3095.19 | AT Par | 3095.19 | |

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | | | | | | | |
|----|---|----------|---------|---------|-------------|--------|-------------|
| | Description:- "Supply of copper lug/thimble (pin type) for 6 sq. mm cable. Make: RCF/ICF approved sources like Ascon, Kamlesh, Chetna, etc." | | | | | | |
| 4 | 4 | 6426.00 | Numbers | 2.62 | 16836.12 | AT Par | 16836.12 |
| | Description:- "Supply of copper lug/thimble (pin type) for 4 sq. mm cable. Make: RCF/ICF approved sources like Ascon, Kamlesh, Chetna, etc." | | | | | | |
| 5 | 5 | 13923.00 | Numbers | 1.12 | 15593.76 | AT Par | 15593.76 |
| | Description:- "Supply of copper lug/thimble (pin type) for 2.5 sq. mm cable. Make: RCF/ICF approved sources like Ascon, Kamlesh, Chetna, etc." | | | | | | |
| 6 | 6 | 2142.00 | Numbers | 0.76 | 1627.92 | AT Par | 1627.92 |
| | Description:- "Supply of copper lug/thimble (pin type) for 1.5 sq. mm cable. Make: RCF/ICF approved sources like Ascon, Kamlesh, Chetna, etc." | | | | | | |
| 7 | 7 | 357.00 | Numbers | 309.86 | 110620.02 | AT Par | 110620.02 |
| | Description:- Supply of DIN channel 250 mm long. Make: RDSO/ RCF/ICF approved sources like Phoenix Contact | | | | | | |
| 8 | 8 | 1428.00 | Numbers | 7324.88 | 10459928.64 | AT Par | 10459928.64 |
| | Description:- Supply of cage clamp type MPCBs for RMPU-1 and RMPU-2 (1.6 - 2.5 A). Make: RDSO/ RCF/ICF approved sources like Schneider GV2ME073, ABB MS132-2.5K or Siemens 3RV2011-1CA20 | | | | | | |
| 9 | 9 | 714.00 | Numbers | 7425.88 | 5302078.32 | AT Par | 5302078.32 |
| | Description:- Supply of cage clamp type MPCBs for RMPU-1 and RMPU-2 (2.5 - 4.0 A). Make: RDSO/ RCF/ICF approved sources like Schneider GV2ME083, ABB MS132-4.0K or Siemens 3RV2011-1EA20 | | | | | | |
| 10 | 10 | 1428.00 | Numbers | 7599.09 | 10851500.52 | AT Par | 10851500.52 |
| | Description:- Supply of cage clamp type MPCBs for RMPU-1 and RMPU-2 (7 - 10 A). Make: RDSO/ RCF/ICF approved sources like Schneider GV2ME143, ABB MS132-10K or Siemens 3RV2011-1JA20 | | | | | | |
| 11 | 11 | 3213.00 | Numbers | 74.64 | 239818.32 | AT Par | 239818.32 |
| | Description:- Supply of end cap/stopper. Make: RDSO/ RCF/ICF approved sources like Phoenix Contact part no. 3022218 | | | | | | |
| 12 | 12 | 357.00 | Job | 3092.96 | 1104186.72 | AT Par | 1104186.72 |
| | Description:- "Disconnection of all cables from the output of K-44 contactor and input/output cables of MPCBs and MCBs" | | | | | | |
| 13 | 13 | 357.00 | Job | 6627.77 | 2366113.89 | AT Par | 2366113.89 |
| | Description:- Fitting, fixing, testing and commissioning of all the supplied materials | | | | | | |

3. ITEM BREAKUP

| |
|------------------------|
| No item break up added |
|------------------------|

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | The tenderer must have minimum average annual contractual turnover of [V/N or 'V' whichever is less; where V = Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. | No | No | Allowed (Mandatory) |

Special Technical Criteria

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|-------------|-----------------------|-----------------|---------------------|
|-------|-------------|-----------------------|-----------------|---------------------|

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | | | | |
|---|---|----|----|---------------------|
| 1 | Tenderer must have to submit valid Electrical Contractor license as per Indian Electricity Rules for the respective category of works and also submit Supervisory competency certificate(SCC) for the respective category of works issued by Government Electrical Licence Board on or before closing date of tender. Copy of which should be submitted along with the tender offer, otherwise tender will be summarily rejected. | No | No | Allowed (Mandatory) |
| 2 | The Similar nature of works for this instant tender shall be "Any Electrical supply, erection & commissioning work or modification work or repairing work in Railway LHB Coaches/Power Cars." The tenderer should have executed the similar nature of works in Central /State Government department or PSUs of Central /State Government. | No | No | Allowed (Mandatory) |

Standard Technical Criteria

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | Experience in similar nature of work:- a) The tenderer must have successfully completed any of the following during last 07(seven) years, ending last day of month previous to the one in which tender is invited: Three similar nature of works each costing not less than the amount equal to 30% of the advertised value of the tender, or Two similar nature of works each costing not less than the amount equal to 40% of the advertised value of the tender, or One similar nature of work each costing not less than the amount equal to 60% of the advertised value of the tender. (b) (i) In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. And in the case of major bridges - substructure, superstructure etc.), the tenderer must have successfully completed any of the following during last 07 (seven) years, ending the last day of the month previous to the one in which tender is invited: Three similar nature of works each costing not less than the an amount equal to 30% of the advertised value of each component of the tender, or Two similar nature of works each costing not less than the amount equal to 40% of the advertised value of each component of tender, or One similar nature of work each costing not less than the amount equal to 60 % of the advertised value of each component of the tender. Note for b(i): Separate completed works of minimum required values for each component shall also be considered for fulfillment of technical eligibility criteria. (b) (ii) In such cases, what constitutes a component in a composite work shall be clearly predefined with estimated tender cost of it, as part of the tender documents without any ambiguity. (b) (iii) To evaluate the technical eligibility of the tenderer, only components of work as stipulated in tender documents for evaluation of technical eligibility shall be considered. The scope of work covered in other remaining components shall be either executed by the tenderer himself if he has work experience as mentioned in clause 7 (a) (ii) of Part-II of GCC or through subcontractor fulfilling the requirements as per clause 7 of Part-II of GCC or jointly i.e., partly himself and remaining through subcontractor, with prior approval of Chief Engineer in writing. However, if required in tender documents by way of Special Conditions, a formal agreement duly notarised, legally enforceable in the court of law, shall be executed by the main contractor with the subcontractor for the component(s) of work proposed to be executed by the subcontractor(s), and shall be submitted along with the offer for considering subletting of that scope of work towards fulfillment of technical eligibility. In case after the award of the contract or during the execution of work it becomes necessary for the contractor to change subcontractor, the same shall be done with subcontractor(s) fulfilling the requirements as per clause 7 of Part-II of GCC, with prior approval of the Chief Engineer in writing. | No | No | Allowed (Mandatory) |

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

| S.No. | Description |
|-------|--|
| 1 | I/we the tenderer (s) am/are signing this document after carefully reading the contents. |
| 2 | I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof. |

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | |
|----|--|
| 3 | I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us. |
| 4 | I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements. |
| 5 | I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us. |
| 6 | I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us. |
| 7 | I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust. |
| 8 | I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected. |
| 9 | I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year. |
| 10 | I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed) |

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

| S.No. | Description |
|-------|---|
| 1 | Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification) |

5. COMPLIANCE

Check Lst

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | WHETHER VALID ELECTRICAL CONTRACTOR LICENCE SUBMITTED | No | No | Not Allowed |
| 2 | Whether the cost of earnest money deposited | No | No | Not Allowed |

Commercial-Compliance

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | Migration to GST regime - Special Tender Conditions: The rates should clearly indicate the rate of applicable duties and taxes included in the prices quoted by them. Any variation in tax structure/ rate due to introduction of GST, shall be dealt with under Statutory Variation Clause. It should be ensure that bidders/tenderers are GST compliant and quoted tax structure/rates are as per GST Law | Yes | No | Allowed (Mandatory) |
| 2 | Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions. | No | Yes | Allowed (Optional) |
| 3 | Contractor should submit the GSTIN number and same should be mentioned in the bills along with a copy of GSTIN registration certificate while submitting the bills to accounts for audit and payment, As GST has been implemented wef 01.07.2017, without GSTN, no bill will be accepted w.e.f. 01.07.2017 | No | No | Allowed (Mandatory) |

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | | | | |
|---|---|-----|-----|---------------------|
| 4 | From 01.07.2017 GST has been implemented. Hence, new tax structure on materials and labour will be applicable to both Railway & contractor. | No | No | Allowed (Mandatory) |
| 5 | Payment of Earnest Money deposit (EMD) , in respect of e-tendering, should be accepted through net banking or online payment gateway only | Yes | Yes | Allowed (Mandatory) |

General Instructions

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|--|-----------------------|-----------------|---------------------|
| 1 | The tenderers are required to observe the website to find out if any correction slips issued subsequent to uploading of the Tender . Railway reserves the right to make any additions/alterations to the tender uploaded and issue corrigendum to the same effect. In case the tenderer fails to take note of the above corrigendum, the additions and alterations entered/effectuated in the corrigendum shall be binding upon the tenderer and no claim what so ever will be entertained by Railway. | No | No | Not Allowed |
| 2 | No manual tenders sent by post/Fax/courier or in person shall be accepted | No | No | Not Allowed |
| 3 | No post tender correspondence shall be entertained after closing of tender even suo moto post tender letters of the tenderers shall be treated as null void. | No | No | Not Allowed |
| 4 | Indian Railway Standard General Condition of contract-April 2022 corrected up to date of closing of tender and the attached document are part of the tender document. The latest GCC with Advance Correction Slip (ACS) dated 13.03.2026 shall be followed invariably. | No | No | Not Allowed |
| 5 | For more details the instruction to tenderers and all other details available in the documents attached with tender may be referred to. | No | No | Not Allowed |

Special Conditions

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|--|-----------------------|-----------------|---------------------|
| 1 | The contractor shall comply with all the provisions of the latest labour laws. | No | No | Not Allowed |
| 2 | All materials which will be utilized for this work shall confirm to relevant IS/RDSO. | No | No | Not Allowed |
| 3 | All the materials should be got approved from Sr.DEE/LMG before execution of work. | No | No | Not Allowed |
| 4 | The firm should paint C.A.No. and Date on each major executed items at a distinct spot. | No | No | Not Allowed |
| 5 | The contractor(s) have to supply all petty stores, which may be required for successful commissioning of the Equipments, but not mentioned in the Schedule of works. The rate quoted against each item shall be inclusive of those petty stores. | No | No | Not Allowed |
| 6 | Dismantling of existing Old / defective assets, if any to be cleared from proposed site free of cost by the contractor. | No | No | Not Allowed |
| 7 | Standard fittings, equipments approved by RDSO shall be used. | No | No | Not Allowed |
| 8 | The Contractor shall arrange at his own cost, all tools & plants, facilities required for erection, testing and commissioning of all the equipment in compliance with the respective specifications. | No | No | Not Allowed |
| 9 | Successful Tenderer shall execute the work as per priority & time limits given by Engineer or representative in view of needs of the project. The successful tenderer will not have the right to use the completion period clause to plan various activities according to his convenience. | No | No | Not Allowed |
| 10 | The successful tenderer should conduct detail survey of site/ location where the work is to be executed along with Railway site engineer to assess the quantity of various items cover in tender schedule and submit the detail assessment of each schedule quantities. | No | No | Not Allowed |

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | | | | |
|----|---|----|----|-------------|
| 11 | All the installation work shall be subject to inspection by the purchaser time to time during execution to ensure that the work is done in accordance with technical data & explanatory note, drawings and is of the best quality suitable for the purpose. All the defects / discrepancies, if any, pointed out during inspection should be attended by the contractor immediately. | No | No | Not Allowed |
| 12 | On completion, the contractor shall furnish a certificate in a prescribed form with countersignature by the "licensed supervisor" of the contractor. | No | No | Not Allowed |
| 13 | The repaired or renewed parts shall be delivered and installed on site free of charge to the purchaser. | No | No | Not Allowed |
| 14 | The contractor has to arrange all tools, tackles, manpower and testing instruments required for executing the work. No Railway's transport or any sort of travel facilities will be provided by Railways for meeting the requirements of maintenance . No excuse on account of delay in movement by road or rail is accepted. | No | No | Not Allowed |
| 15 | The manufacturer's test certificate, proof of manufacture by approved manufacturer/brand, proof of placement of order by the contractor on approved manufacturer, and certificate of conformity of product to relevant IS specification of manufacturer shall be supplied by the contractor in original. | No | No | Not Allowed |
| 16 | All electrical works shall be carried out in accordance with the provision of Indian Electricity Act 1910 and Indian Electricity Rules, 1956, amended up to date. The work shall also conform to relevant Indian Standard Codes of Practice. | No | No | Not Allowed |
| 17 | Item which are covered under RDSO approved list to be procured as per RDSO list. | No | No | Not Allowed |
| 18 | All the released material/scraps etc. so taken out from the existing working site will have to be returned through proper challan to concerned SSE at contractor's cost. | No | No | Not Allowed |
| 19 | The tenderer shall visit the site before filling of tender forms, so as to have a clear idea of location, infringements and other topography of location in respect of quantum of work involved and then only he shall quote. It shall be presumed that participants in this tender have seen the site before quoting their offer. | No | No | Not Allowed |
| 20 | Detail drawing , design & specification etc. must be got approved from competent authority before fabrication, supply, erection, commission under this work head. Other foundation drawing, earth drawing, structural drawing, specifications or any required drawing not mentioned in Scope of the Work must be got approved before inspection & supply of items. | No | No | Not Allowed |
| 21 | WARRANTY: The Contractor shall be responsible for any damage to equipments provided in the equipments, due to defective design, materials and workmanship for a period of 12 months from the date of handing over the equipments after successful commissioning. The Contractor shall attend to the complaint (including replacement of defective components, if required) within 12 hours from the time of receipt of complaint at his own cost. | No | No | Not Allowed |
| 22 | Any item of the work of minor nature whether specifically mentioned in the scope of work or not but necessary for the completion of the work as per site requirement and for proper functioning or commissioning of the equipment will be supplied by the contractor free of cost. | No | No | Not Allowed |
| 23 | The decision of Rly. In case of any dispute regarding unsatisfactory working/services or termination of the contract would be final. | No | No | Not Allowed |
| 24 | The tenderer must fulfill all the legal and statutory requirements prescribed by the central or state govt. from time to time applicable to the contract. | No | No | Not Allowed |

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

| | | | | |
|----|--|----|----|-------------|
| 25 | The contractor shall supply the material duly inspected by Railway representative or agency as nominated by Sr.DEE/LMG for certain high value / cost items as per special condition of contract. The contractor therefore shall deliver the material with all material testing / Inspection certificates and getting dispatch clearance accordingly. | No | No | Not Allowed |
| 26 | All the inspection and testing charges shall be borne by the contractor. The contractor shall submit details of the material being offered before actual delivery so that the inspection can be arranged at manufactures premises/ consignee premises. | No | No | Not Allowed |
| 27 | Any typographical error shall not be construed to be befitting of the Contractor. In such cases the interpretation and decision of Sr. DEE/LMG shall be final and binding up on the tenderer. | No | No | Not Allowed |
| 28 | Due care has been taken while framing technical specification, however if any deviation from prevailing standard norms is noticed at the time of execution the same shall be rectified and made good by the contractor. Contractor shall also bring such things if ever noticed by them to the knowledge of this office and to field Engineer. | No | No | Not Allowed |

Technical-Compliances

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | Tenderer must have to submit valid Electrical Contractor license as per Indian Electricity Rules for the respective category of works issued by Government Electrical License Board on or before the closing date of tender. Copy of the electrical contractor license should be submitted along with the tender offer, otherwise, the tender will be summarily rejected. | Yes | No | Allowed (Mandatory) |

Undertakings

| S.No. | Description | Confirmation Required | Remarks Allowed | Documents Uploading |
|-------|---|-----------------------|-----------------|---------------------|
| 1 | I/We visited the works site and I/We am/are aware of the site condition. | No | No | Not Allowed |
| 2 | I/We have read the various condition attached/referred to in this tender document and agree to abide by the said condition | No | No | Not Allowed |
| 3 | I /we also hereby agree to abide by the Indian Railways Standard General Condition of Contract-April 2022 with all correction slip up to date of closing of tender and to carry out the work according to the special conditions of contract and specification of materials and works as laid down by Railway in the attached special condition or specification, Schedule of rates with all correction slips up to date of closing of tender for the instant contract. | No | No | Not Allowed |
| 4 | I/We have read the various condition attached/referred to in this tenderdocument and agree to abide by the said condition | No | No | Not Allowed |

6. Documents attached with tender

| S.No. | Document Name | Document Description |
|-------|--|----------------------|
| 1 | tenderdoc-LHBmodification-30-6-26.pdf | Tender document |
| 2 | GCCApril-2022.pdf | GCC 2022 |
| 3 | GCCACS11PGAdditional5percent13-3-26_compressed.pdf | GCC ACS 13 03 2026 |

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**LUMDING DIVISION-ELECTRICAL/N F RLY
TENDER DOCUMENT**

Tender No: EL-LM-26-27-13

Closing Date/Time: 30/07/2026 11:00

Signed By: PRIYAWART PASWAN

Designation : Sr.DEE/lumding