

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

Sr. Divisional Materials Manager/Howrah acting for and on behalf of The President of India invites E-Tenders against Tender No **61245076A** Closing Date/Time 22/06/2026 13:30 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Bidding type	Normal Tender	Template	Normal
Contract type	Goods	Contract Category	Expenditure
Tender No	61245076A	Tender Type	Open - Indigenous
Evaluation Criteria	Itemwise/Consignee-wise	Bidding System	Single Packet
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Tendering Section	61		
Inspection Agency	CONSIGNEE	Publishing Date / Time	15/06/2026 17:44
Item Category	General	Bidding to be Done on	IREPS
Procure From Approved Sources	No	Approving Agency	Not Applicable
Closing Date Time	22/06/2026 13:30		
Validity of Offer (Days)	120	Ranking Order for Bids	Lowest to Highest
Tender Doc. Cost (INR)	0.00	Earnest Money (INR)	66630.00
Tender Title	WOODEN SET OF FURNITURES		

2. ITEM DETAILS

S.No.	PL Code (Group)	Item Type GST(Y/N)	Stock / NonStock	Ordering	Consider For Eval	Approving Agency	Inspection Agency	Currency Allowed	Estimated Rate
1	469030839902	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	
Description : WOODEN DRESSING TABLE WITH MIRROR ONE STOOL WITH DRAWER-Overall Size : Dressing Table Depth - 450.0 mm Width - 440.0 mm Height - 1710.0 mm Dressing Stool ?Depth - 335.0 mm Width - 360.0 mm Height - 450.0 mm .Material :Panels of Dressing table & Stool are made of 18 mm thick Prelaminated Particle Board .All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panels are made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trim s fixed on to it.Mirror panel is made of 18 mm thick particle board with 4 mm thick mirror fixed on to it..Supporting pipe used for fixing the mirror frame is made of M.S. 25 mm square pipe of thickness 1.2 mm. Stool seat is made of foam with fabric wrapped on to it.Hardware : The high quality hardware used like Roller slides, Hinges , minifix, dowels is of make Hettich..Construction : Knock Down construction.Packets : 3 Packets. Finish : . 18 mm thick Prelaminated Particle Board is in Walnut shade. Metal pipe is powder coated in shade Metallic Silver Grey to thickness of 50 microns(+ -10).Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]									
Consignee		SR. DCM/ HOWRAH, ER			West Bengal		3.00 Numbers		
2	509015010012	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	
Description : Wooden Centre Table with Glass Top Dimension (mm) - 1310mm Length X 700mm Depth X 380mm Height TABLE MATERIALS & SIZE : TOP : TEMPERED GLASS ,1252*652*8MM Color : SUPER WHITE IN BEIGE PAINTING BODY : MDF COLOR : GREY-WHITE HIGH GLOSSY Type of Coating (PU /Melamine/Paper/Paper plus PU/Lamination): PU LEGS: RUBBER WOOD,700*372*85MM Color : WALNUT PAINTING Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]									
Consignee		SR. DCM/ HOWRAH, ER			West Bengal		6.00 Numbers		
3	781002900010	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

Description : wooden single bed, overall Size :Length - 2060.0 mmWidth - 1131.0 ram Height - 945.0 mm Material: Bed Structure consist of metal frames made of M.S. Channels in 1.0 mm Thickness. Horizontal plinths and bottom plinth are made of 25 mm Thick Prelaminated Particle Board.Head board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it.Tail board is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Side rail is made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed on to it.Mattress panels of Bed are made of 18 mm thick Prelaminated Particle Board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Construction :Knock Down construction.Packets :1 Bed in 1 packets. Finish :18 mm thick Prelaminated Particle Board is in Walnut shade. Metal frames are powder coated in shade Mat Black to the thickness of 50 microns(+/-10).Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. As per GeM PD ID-5116877-34411116017. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER			West Bengal		10.00 Numbers	
4	781007072874	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : Steel Chair with Cushion seat back & arm-.SEAT/BACK ASSEMBLY: The seat should be made up of 1.2 ?0.1cm. thick hot pressed plywood and upholstered with fabric or synthetic leather and moulded Polyurethane Foam. The back should be made up 1.2 ?0.1cm. thick hot pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The back ply and foam should be designed with contoured lumber support for comfortable seating posture. MID BACK SIZE 48.0cm.(W) X 64.5cm.(H) SEAT SIZE 51.0cm.(W) X 48.0cm.(D) 2. HIGH RESILIENCE (HR) POLYURETHANE FOAM : The HR polyurethane foam for seat and back should be moulded with density = 45?2 kg/m? and Hardness load 16 ? 2 kgf for 25% compression. 3.ARMRESTS:The armrest top should be made of moulded polyurethane (P.U) and mounted on to a fixed type M.S. tubular armrest support which should be chrome plated. The arm support has static vertical adjustment of ?1.5?0.05cm. 4.FIXED BACKREST: The backrest should be made of a fixed type mechanism i.e. no back up/down adjustment. 5.LEG FRAME ASSEMBLY: The leg frame welded assembly should be chrome plated, made from 3.5 ?0.03cm. x 1.5 ?0.02cm. x 0.16 ?0.0128cm. thick round M.S. ERW tube and provided with a base plate for seat fixing. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER			West Bengal		23.00 Numbers	
5	781028540019	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : 1 seater sofa Overall Size : Width : 100cm Depth : 99cm Height : 98cm Seating Height : 47cm LEATHER/PVC/FABRIC:pu,pvc , FRAME MATERIAL:wood,foam,pu,pvc,sofa spring,flexible belt,pocket spring . SEAT FOAM: (DENSITY, TYPE):35#hard , BACK FOAM: (DENSITY, TYPE):35#soft. LEG MATERIAL:wood Density of Cushion of Backrest Material (Kg/Cubic M): 28 Covering Material for Seat and Backrest : Leatherite Frame Structure Material and size (?1 mm): 18 mm thick Teak Plywood Colour of Polish on exposed Wood frame Natural brown Colour of Covering Material Black. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER			West Bengal		16.00 Numbers	
6	781520890018	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : STEEL ALMIRAH WITH DOUBLE DOOR-Almirah height(excluding the height of pedestal) ? 5 m m 1155 mm , Almirah width ? 5 mm900 mm, Almirah depth ? 5 mm 430 mm, Technical specification of Almirah steel Generally conforming to BIS specification IS: 3312:2021 (with latest amendment) Type of Almirah steel Almirah Steel shelving cabinet with partial wardrobe, Construction type Riveted Installation Free standing, Pedestal Yes, Pedestal fitted with 3 mm Teflon Bush, Pedestal height (? 5 mm) 125 mm ,Locker required No, Door type Hinged, Number of door 2,Number of hinges (for each door) 2,Door stiffener up to full door height provided Yes, Mirror fitted No mirror, Number of drawers required No Drawer, Shelves required Adjustable Number of shelves 2,Uniformly distributed load (UDL) for shelves 60 Kgs. Wardrobe by style No wardrobe, Tie Hanger No, Colour of finish Prince Grey, MATERIAL :- Steel sheet material CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment),Sheet rounds and flats N.A, Screws Conforming to IS 1365,Hanging rod material No hanging rod, Mirror frame made out of (if provided) No mirror frame, Tie hanger made out of N.A, Stiffener material MS sheet, DIMENSION-Locker inside height ? 5 mm No locker ,Locker inside width ? 5 mm N.A, Locker inside depth ? 5 mm N.A, Drawer height N.A, Drawer width N.A, Drawer depth N.A, Mirror sizes N.A,Shelves lipped flange 35 mm Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER			West Bengal		4.00 Numbers	

**HHW/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

7	783000790155	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	
Description : WOODEN BED SIDE TABLE- overall Size : Depth - 450.0 mm Width - 440.0 mm Height - 510.0 mm Material : Body and drawer panels of Bed side table are made of 18 mm thick Prelaminated Particle Board. All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panels are made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trim fixed on to it. Hardware : The high quality hardware used like Roller slides, Hinges , minifix, dowels is of make Hettich.. Construction : Knock Down construction.Packets : 1 packet. Finish :. 18 mm thick Prelaminated Particle Board is in Walnut shade. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]									
Consignee		SR. DCM/ HOWRAH, ER			West Bengal		10.00 Numbers		
8	783100128456	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	
Description : STEEL OFFICE TABLE WITH SUNMICA TOP- Table without CPU Hanger size shall be 1500 Width mm x 600 Depth mm x 728 Height mm. Top shall be 18 mm thick Pre laminated particle board all work surface edges shall be having duly sealed with 2 mm thick PVC edgebanding. Understructure Modesty Panel 18 mm thick Pre laminated particle board . The Rectangular frame shall be fabricated component in 1.2 mm thick CRCA , Finish : powder Coat(epoxy polyester) . Leg shall be fabricated component in 38 mm x 25 mm 1.2 mm thick MS ERW ATube ,finish powder coat (epoxy polyester).The plastic cap for cable travel shall be injection moulded polypropylene and leveler glide for shall be nylon 6 & MS bolt. The storage shall be having shell and drawer tray 0.6 mm thick CRCA Finish powder coat (epoxy polyester) plus the drawer front shall be 0.8 mm thick CRCA Finish powder coat (epoxy polyester) plus lock with 10 lever and handle and leveller. The wire management shall be horizontal wire carrier 0.7 mm thick CRCA Finish powder coat (epoxy polyester) and vertical wire carrier 0.8 mm thick CRCA Finish powder coat (epoxy polyester). Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. "1)SIDE FRAME ASSEMBLY: The side frame assembly should be fitted to the two ends of the connecting beam assembly to form the leg-cum-armrest assembly. It should be made of 0 3.81 ±0.03cm. x 0.2 ±0.016cm. thick cmx0.16cm and black powder coated (DFT 40-60 microns). The ends should be fitted with ABS moulded end caps. 2)TIE MEMBER: It should be the connecting beam assembly which holds the two side frames to each other. 2 nos. tie members should be used to connect the side frames. The tie-member should be of 0 3.81 ±0.03cm. x 0.2 ±0.016cm. thick cm x 0.16cm and black powder coated (DFT 40-60 microns). The seat/back assemblies should be mounted on one of the tie-member which has 5.0 ±0.1cm x 5.0 ±0.1 cm x 0.5 ±0.1cm. thick -- 5.5 ±0.1cm Long MS. Std. angles welded to mount the seat and back. 3)SEATREST ASSEMBLY:The seat rest assembly should be made of a fabricated inner-frame assembly insitu-moulded High Resilience (HR) Polyurethane foam having density = 45 ±1- 2 Kg/m3 with Hardness load 25 ± 2 kgf for 25% compression of the foam. The complete moulded seat rest assembly should be covered with a replaceable fabric upholstery cover SEAT SIZE: 52.0cm. (W) X 50.0cm. (D) X 6.0cm. (T) 4)BACKREST ASSEMBLY:The backrest assembly should be flexing type and should be made of a fabricated inner-frame assembly insitu-moulded with High Resilience (HR) Polyurethane foam having density = 45 ±1- 2 Kg /m3 with Hardness load 14 ± 2 kgf for 25% compression of the foam. The complete moulded backrest assembly should be covered with a replaceable fabric upholstery cover. BACK SIZE: 52.0cm. (W) X 59.0cm. (H) X 6.0cm. (T) 5)ADJ. GLIDES: The adj. glide should be injection moulded in black Nylon & fitted to the front end of side frame assembly along with ABS moulded adj. Glide base to take care of or unlevelled floor surface. Overall Dimensions of Chair Seat Height - 43.5 cm. Height - 78.5cm Width-164.0cm and Depth-70.0 cm. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global." [Warranty Period: 30 Months after the date of delivery]]									
Consignee		SR. DCM/ HOWRAH, ER			West Bengal		4.00 Numbers		
9	783101181090	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	
Description : 3 Seater Sofa Overall Size : Width : 203cm Depth : 99cm Height : 98cm Seating Height : 47cm LEATHER/PVC/FABRIC:pu,pvc , FRAME MATERIAL:wood,foam,pu,pvc,sofa spring,flexible belt,pocket spring . SEAT FOAM: (DENSITY, TYPE):35#hard , BACK FOAM: (DENSITY, TYPE):35#soft. LEG MATERIAL:wood Density of Cushion of Backrest Material (Kg/Cubic M): 28 Covering Material for Seat and Backrest : Leatherite Frame Structure Material and size (±1 mm): 18 mm thick Teak Plywood Colour of Polish on exposed Wood frame Natural brown Colour of Covering Material Black. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]									
Consignee		SR. DCM/ HOWRAH, ER			West Bengal		8.00 Numbers		
10	787900077712	Goods (Y)	Non Stock	---	Yes		CONSIGNEE	INR	

**HHW/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

Description : 3 sitter Steel Chair with Cushion seat back & arm-.SEAT/BACK ASSEMBLY: The seat should be made up of 1.2 ?0.1cm. thick hot-pressed plywood and upholstered with fabric or synthetic leather and moulded Polyurethane Foam. The back should be made up 1.2 ?0.1cm. thick hot-pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The back ply and foam should be designed with contoured lumber support for comfortable seating posture. MID BACK SIZE 48.0cm.(W) X 64.5cm.(H) SEAT SIZE 51.0cm.(W) X 48.0cm.(D) 2. HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam for seat and back should be moulded with density = 45?2 kg/m? and Hardness load 16 ? 2 kgf for 25% compression. 3.ARMRESTS:The armrest top should be made of moulded polyurethane (P.U) and mounted on to a fixed type M.S. tubular armrest support which should be chrome plated. The arm support has static vertical adjustment of ?1.5?0.05cm. 4.FIXED BACKREST: The backrest should be made of a fixed type mechanism i.e. no back up/down adjustment. 5.LEG FRAME ASSEMBLY: The leg frame welded assembly should be chrome plated, made from 3.5 ?0.03cm. x 1.5 ?0.02cm. x 0.16 ?0.0128cm. thk round M.S. ERW tube and provided with a base plate for seat fixing. Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER		West Bengal		20.00 Numbers		
11	793398661186	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : Single bed mattress (L-78"x B-36") Thickness: 10 cm As intelligent as a mattress can get. A mix of different foams provides support and regularizes pressure points. Convuluted foam in the topmost layer maintains airflow and enhances the comfort level by giving a feeling of acupressure to the body. A bonded foam in the base provides direct support, while a layer of softy foam in (4? variant) the middle provides indirect support to the reclining body.Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global. [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER		West Bengal		10.00 Numbers		
12	932500970071	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : WOODEN CUPBOARD-Double(2) Door, "Overall Size including top cornice : Width - 946.0 mm Depth - 598.0 mm Height - 1941.0 mmMaterial :Body panels are made of 18 mm thick Prelaminated Particle Board.All the exposed edges are edge banded with 0.8 mm thick PVC edge banding.Door are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panel are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding and with imported H.D.F. foil wrapped decorative trim fixed on to it. Drawer components are made of 18 mm thick Prelaminated Particle Board .All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Body back and drawer bottom are made of 8 mm thickPrelaminated particle board.Top cornice is made of imported H.D.F. foil wrapped decorative Trim. Hardware : The high quality hardware used like Roller slides, Hinges , minifix,wooden dowels is of make Hettich. Lock used for main door is 3 way lock and lock used for drawer is cam lock.Construction : Knock Down construction. Packets : 2 packet. Finish :. 18 mm thick Prelaminated Particle Board is in Walnut shade.Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global." [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER		West Bengal		2.00 Numbers		
13	932500970101	Goods (Y)	Non Stock	---	Yes	CONSIGNEE	INR
Description : WOODEN CUPBOARD-Single Door "Overall Size including top cornice : Width - 546.0 mm Depth - 598.0 mm Height - 1941.0 mmMaterial :Body panels are made of 18 mm thick Prelaminated Particle Board.All the exposed edges are edge banded with 0.8 mm thick PVC edge banding.Door are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Side panel are made of 18 mm thick Prelaminated Particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding and with imported H.D.F. foil wrapped decorative trim fixed on to it. Drawer components are made of 18 mm thick Prelaminated Particle Board .All the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Body back and drawer bottom are made of 8 mm thickPrelaminated particle board.Top cornice is made of imported H.D.F. foil wrapped decorative Trim. Hardware : The high quality hardware used like Roller slides, Hinges , minifix,wooden dowels is of make Hettich. Lock used for main door is 3 way lock and lock used for drawer is cam lock.Construction : Knock Down construction. Packets : 2 packet. Finish :. 18 mm thick Prelaminated Particle Board is in Walnut shade.Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global." [Warranty Period: 30 Months after the date of delivery]]							
Consignee	SR. DCM/ HOWRAH, ER		West Bengal		6.00 Numbers		

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

3. T AND C

F.O.R

Description
Destination

Delivery Period

Description	Delivery /Completion	Rate of Supply
For all items	Completion : Within 15 Days	.Furnitures Items are required to be deliver at Sainthia Station of Howrah Division within stipulated D.P. under P.O. at free of cost

Payment Terms

S.No	Description
Payment Terms	
1	100% Payment against receipt, inspection and acceptance of the material by consignee.

Standard Governing Conditions

S.No	Description
1	IRS Conditions of Contract: The contract shall be governed by latest version (along with all correction slips) of IRS conditions of contract, and all other terms and conditions incorporated in the tender documents.

4. ELIGIBILITY CONDITIONS

Special Eligibility Criteria

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Bidder/OEM must have following Certificates: ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 50001:2011 (All ISO certificate should be from NABCB authorized agency), BIFMA Membership, BIFMA Level 2 & 3 conforms to ANSI/BIFMA e3-2014e Furniture sustainability standard, GREENGUARD (from UL),Green Pro, Griha, AIOTA , IGBC , Indoor Air Quality certificate by SCS Global.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)
2	OEM or their authorised dealer having tender specific authorization or valid general authorization having name, designation, mobile number, phone number and mail id (corporate mail id) of issuing authority to verify genuineness of authorization along with offer otherwise offer will be summarily rejected . Technical specification of offer Make/Brand to be uploaded along with offer. Clause 16.5 & 28.0 of General Tender Condition of Eastern Railway will be applicable in this case.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)

5. COMPLIANCE CONDITIONS

Commercial-Compliance

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	----------	-------------------------	-----------------------	-----------------	---------------------

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

1	In terms of DPIIT/Ministry of Commerce and Industries, order no. P-45021/2/2017 PP (BE II) dated 16.09.2020 which is circulated vide Rly Board letter no 2020/RS(G)/779/2/Pt. 1 dated 25.09.2020 and keeping in view with the public procurement (Preference to Make in India) order 2017 as amended time to time, only class 1 and class 2 local suppliers are eligible to participate in this tender. For detail, Clause no 28.0 of Eastern Railway General Tender Condition to be referred	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)
2	All participated vendors must see the Eastern Railway's GENERAL TENDER CONDITION effective from 30.01.2026 and accordingly submission of EMD, SD and documents to be attached with e-bid to ensure.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Optional)
3	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	Normal	Applicable to all bidders	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	NOTE :- FIRM MUST UPLOAD COMPLIED TECHNICAL DATA SHEET IF REQUIRED.	Normal	Applicable to all bidders	No	No	Not Allowed

Other Conditions

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Inspection by CONSIGNEE.	Normal	Applicable to all bidders	No	No	Not Allowed
2	Tenders are requested to upload their past performance by way of P.O. for that subject item from Zonal railways / PUs /State Government / Reputed private firms.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)
3	Delivery to be started from the date of publication of PO.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)

Special Conditions

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	EMD & SD WILL BE APPLICABLE AS PER EASTERN RAILWAY GTC PARA 8 AND PARA 9.	Normal	Applicable to all bidders	No	No	Not Allowed
2	Firms with MSMEs/NSIC certificated for the subject item are required to submit the same along with store details for eligibility towards purchase preference as per the policy.	Normal	Applicable to all bidders	No	No	Not Allowed
3	Warranty/ Guarantee as per drawing / specification and if not stipulated in the drawing/ specification it should be as per IRS condition of contract.	Normal	Applicable to all bidders	No	No	Not Allowed
4	Manufacturers/ Suppliers trade mark along with year and month of manufacturing to be embossed/ marked on the product/ Boxes/ Cartons as stipulated in drawing/ specification or as per feasibility as the case may be	Normal	Applicable to all bidders	No	No	Not Allowed

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

5	PVC is not applicable and offer with PVC clause will be liable to be ignored.	Normal	Applicable to all bidders	No	No	Not Allowed
6	Validity of the offers should be minimum 120 days from the date of opening.	Normal	Applicable to all bidders	No	No	Not Allowed
7	All the bidders/tenderers while quoting the rates should be clearly indicate the rate of applicable duties and taxes included in the prices quoted by them. Any variation in tax structure / rate due to introduction of GST, shall be dealt with under Statutory Variation clause.	Normal	Applicable to all bidders	No	No	Not Allowed
8	In case of successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act. The railway shall deduct the applicable GST from his / their bills under reverse charge mechanism (RCM) and deposit the same to the concerned tax authority.	Normal	Applicable to all bidders	No	No	Not Allowed
9	The offers shall be evaluated based on GST rate as quoted by each bidder and same will be used for determining the inter se ranking. While submitting offer, it shall be the responsibility of the bidder to ensure that they quote correct GST rate and HSN number.	Normal	Applicable to all bidders	No	No	Not Allowed
10	Purchaser shall not be responsible for any miss clarification of HSN number or incorrect GST rate if quoted by the bidder.	Normal	Applicable to all bidders	No	No	Not Allowed
11	Wherever the successful bidder invoices the goods at GST rate or HSN number which is different from that incorporated in the purchase order ; payment shall be made as per GST rate which is lower of the GST rate incorporated in the purchase order or billed.	Normal	Applicable to all bidders	No	No	Not Allowed
12	Vendor is informed that she/he would be required to adjust her/his basic price to the extent required by higher tax billed as per invoice to match the all inclusive price as mentioned in the purchase order	Normal	Applicable to all bidders	No	No	Not Allowed
13	Any amendment to GST rate or HSN number in the contract shall be as per the contractual conditions and statutory amendments in the quoted GST rate and HSN number, under SVC.	Normal	Applicable to all bidders	No	No	Not Allowed
14	Instructions to consignee: Non Stock Material should be accounted in UDM and digitally signed Receipted Delivery Challan (if applicable),Receipt Note and RO should be issued through UDM.	Normal	Applicable to all bidders	No	No	Not Allowed
15	Instructions to suppliers: Payment will be made against e-Bills. Digitally signed e-Bills should be submitted through IREPS for claiming payment against supplies.	Normal	Applicable to all bidders	No	No	Not Allowed
16	Special Conditions of Contract for Handling of rejection of pre-inspected item and warranty rejections. Clause no 7.1 of GTC of EASTERN RAILWAY is applicable.	Normal	Applicable to all bidders	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Template	Condition Applicability	Confirmation Required	Remarks Allowed	Documents Uploading
1	Authorized dealers of OEM need to upload current and valid tender authorization certificate along with the tender.	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)
2	NOTE :- FIRM MUST UPLOAD COMPLIED TECHNICAL DATA SHEET	Normal	Applicable to all bidders	Yes	Yes	Allowed (Mandatory)

**HWH/DIV/EASTERN RLY
TENDER DOCUMENT**

Tender No: 61245076A

Closing Date/Time: 22/06/2026 13:30

6. Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of contract or payment, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the EMD and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Security Deposit and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

7. DOCUMENTS ATTACHED WITH TENDER

S.No.	Document Name	Document Description
1	5808793.pdf	Specificatons

The tenderers in their bid shall indicate the details of their GST Jurisdictional Assessing Officers (Designation, Address & email id). In case of a contract award, a copy of Purchase Order shall be immediately forwarded by Purchaser to the GST Jurisdictional assessing officer mentioned in Tenderer's bid

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Digitally Signed By

Sr.DMM (VIKAS RATHI)