




1 2 3 4 5 6 7 8



PLAN



SECTION AA




KEY PLAN


<u>SCHEDULE OF OPENINGS</u>		
DOOR OPENING	D/O	1200 X 2400
WINDOWS	W1	1200X1500
WINDOWS	W2	1800X1500
WINDOWS ALUMINIUM:- BOTTOM 450 FIXED AND TOP 2 TRACK SLIDING		
<u>FINISHING SCHEDULE</u>		
PARTICULARS	FINISHING	
SUPERSTRUCTURE	WIRE CUT BRICKS, IN CM 1:6,230 TH	
ROOF	RCC,WITH CLAY TILES TO SLOPE	
FLOORING	VITRIFIED,8 TH OVER PCC 1:4:8,100 TH	
INSIDE WALL	GROOVE POINTING WITH EMULSION PAINT	
OUTSIDE WALL	GROOVE POINTING WITH ANTIFUNGUS PAINT	
CEILING	EMUSION INSIDE AND ANTIFUNGUS PAINT OUT SIDE	
WATER SUPPLY	ONE TAP POINT WITH SUITABLE WASH BASIN	
ELECTRIFICATION	ONE LIGHT POINT WITH SUITABLE PLUG POINTS	
WINDOWS	ALUMINIUM FIXED AT BOTTOM 2 TRACK SLIDING AT TOP.	
<u>AREA STATEMENT</u>		
CARPET AREA	4.32 Sq Mtr OR 46.50 Sq Ft.	
PLINTH AREA	6.46 Sq Mtr OR 69.50 Sq Ft.	

NOTES:


1. ALL DIMENSIONS ARE IN MMS, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE OUT THIS DRG, FOLLOW ONLY THE WRITTEN DIMENSIONS.
3. ANY DISCREPANCY FOUND MAY PLEASE BE BROUGHT TO THE NOTICE OF THIS OFFICE BEFORE EXECUTION.
4. STEEL REINFORCEMENT SHALL CONFORM TO IS 1786/1979, OF GRADE Fe 415.
5. STRUCTURAL CONCRETE SHALL BE M20 GRADE.



ELEVATION



ROOF SLAB DETAILS



KARNATAKA POWER TRANSMISSION CORPORATION LTD				
SECURITY GUARD ROOM FOR SUB STATIONS				SHEET 1 OF 1
DRG NO. CEE (P & C)/SE (C)/11-12/MISC/001				
DRN/DGN	SUB	REC	APPROVED	PLANNING AND CO ORDINATION
AE (CIVIL)	EE (CIVIL)	SE (CIVIL)	CHIEF ENGINEER ELE PLNG & CO ORDINATION	

18-10-11

NAME

REDATE

USER

1 2 3 4 5 6 7 8