


FOR NOTES AND SPECIFICATION REFER  
DRAWING No.  
NC/STR/N4/JOB.NO/2022(V)/GTTC- SINDHANOOR/GN&GD/01&C1A



### KEY PLAN

VERIFIED

DY. MANAGER-PROJECT  
 GT&TC

MANAGER-PROJECT  
GT&TC

CLIENT :



GOVT.TOOL ROOM AND TRAINING CENTRE  
RAJAJINAGAR INDUSTRIAL ESTATE, BANGALORE-560010

PROJECT:

#### ESTABLISHMENT OF NEW GTTC CENTRE AT SINDHANOOR IN RAICHUR DISTRICT

CONSULTANTS:



**NC** **NAVEEN CONSULTANTS**  
**ARCHITECTS & ENGINEERING CONSULTANTS**  
# 1398, 2nd floor, 2nd Cross, Ashoka Nagara  
(Behind B.M.S Engineering College Hostel)  
Bangalore - 560050.  
Ph-080-26620836 (o), Fax- 26620836  
Email:- naveenconsultants@gmail.com,  
naveenconsultants1@gmail.com

**TITLE:** TRAINING BLOCK WITH WORKSHOP

**DRAWING:**

WALL FOUNDATION, GRADE &  
PLINTH BEAM LAYOUT

DRAWN BY : GSR	DATE : 14/10/2025
----------------	-------------------

DESIGN BY : MV	SCALE : NTS
----------------	-------------

CHECKED BY: KVNS	SHEET : A1
DWG NO:	

DWG NO:	TB & WS
NC-N4-2022 (V)-GTT-C-	SINDHANOOR-RA

RELEASED	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
----------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

FOR:	Preliminary Drawing	Tender Only	Information Only	For Approval	For Const
------	------------------------	----------------	---------------------	-----------------	--------------

**NOTE:**

- 1) ALL GRADE & PLINTH BEAMS SHALL BE CAST BY PROVIDING THREE SIDES SHUTTERING i.e BOTTOM AND SIDES AND CONCRETED AS PER IS:456.
- 2) READ THIS DRAWING ALONG WITH FINAL PLINTH LEVEL. APPROVED BY THE COMPETENT AUTHORITY AND CO-RELATE ALL LEVELS, SERVICE LINES, ETC. W.R.T THE FINAL APPROVED PLANS BEFORE EXECUTION.
- 3) GRADE OF CONCRETE-M25 .
- 4) GRADE OF STEEL-Fe500.
- 5) COVER FOR PLINTH/TIE BEAM - 30MM.
- 6) COVER FOR GRADE BEAM - 35MM.