

GROUND BEAM DETAIL				
I	II	III	IV	
DISCRPTION	SUPPORT(1/4L OR 1/5 L)	MID SPAN(3/4L)	RING @ SUPPORT	RING AT MID SPAN
B1(300X400)	4-12MM THRU	4-12MM THRU	2LEGGED 100 STIRRUPS @150MM C/C OF SIZE 225X325	2LEGGED 100 STIRRUPS @150MM C/C OF SIZE 225X325

FOOTING DETAILS							
SN	FOOTING NO.	FOOTING DETAILS				REINFORCEMENT DETAILS	
		L	B	d	D	II TO L	II TO B
1	F1	1500	1500		300	10# 150C/C	10# 150C/C

COLUMN DETAILS		
COL. TYPE	COLUMN SECTION	
	UPTO PLINTH	ABOVE PLINTH
C1 300X300	<p>MAIN BARS: 8NOS 12MM#</p> <p>RINGS: 8MM# 150C/C</p>	<p>MAIN BARS: 8NOS 12MM#</p> <p>RINGS: 8MM# 150C/C</p>

A.R. CONSULTANCY, KORBA

ARCHITECT. AVINASH MARKAM
ENGINEER. RAVIKANT DIXENA

ARCHITECT & INTERIOR DESIGNER

PUSHP VIHAR
KORBA
8889203662

DATE- 06/11/25

DRAWN - ER. JIVESH JAISWAL

TITLE :-


3TPD WINDROW SHED (20X9)

SEAL & SIGN


SCHEDULE

DOOR - 1.20X2.10


WINDOW - 1.50X1.50




LEACHATE TANK PLAN
5.00 X 2.00 X 1.50 M




SECTION A-A'



TYPICAL ELEVATION OF FENCING



CROSS SECTION OF CHAIN LINK FENCING



TYPICAL PLAN OF FENCING

PROJECT:-

SECTION DESIGN OF FENCING

SEAL & SIGN

A.R. CONSULTANCY,KORBA


**ARCHITECT. AVINASH MARKAM
ENGINEER. RAVIKANT DIXENA**

ARCHITECT
& INTERIOR
DESIGNER

PUSHP
VIHAR
KORBA
8889203662

DATE- 06/11/25

DRAWN - ER. JIVESH JAISWAL



PROJECT:-

PROPOSED DESIGN OF C.C.ROAD

SEAL & SIGN

A.R. CONSULTANCY,KORBA


**ARCHITECT. AVINASH MARKAM
ENGINEER. RAVIKANT DIXENA**

ARCHITECT
& INTERIOR
DESIGNER


PUSHIP
VIHAR
KORBA
8889203662

DATE- 06/11/25




DRAWN - ER. **JIVESH JAISWAL**



ELEVATION



PLAN



FOOTING DETAIL
EXCAVATION SIZE
1.50 X 1.50 X 1.80

FOOTING SCHEDULE				
Sr.No.	FOOTING	EXCAVATION SIZE	FOOTING SIZE	REINFORCEMENT DETAILS
1.	F1	1500x1500x1800mm	1500x1500mm	10 TOR @ 150c/c

COLUMN SCHEDULE			
	COLUMN	COLUMN SIZE	REINFORCEMENT DETAILS
FOUNDATION TO GROUND LEVEL		C1= 200x300 mm	MAIN BAR= 6T-12 TOR RINGS = 8 TOR @ 150c/c

PLINTH BEAM SCHEDULE						
BEAM CROSS SECTION	COLUMN SIZE	REINFORCEMENT DETAILS				STIRRUPS
		TOP	MID	BOTTOM	CRANK	
	PB1= 200x450 mm	3T-12 mm	2T-12 mm	3T-12mm	2T-10 mm	T-8mm @ 150mm c/c

LINTEL BEAM SCHEDULE						
BEAM CROSS SECTION	COLUMN SIZE	REINFORCEMENT DETAILS				STIRRUPS
		TOP	MID	BOTTOM	CRANK	
	LB1= 200x150 mm	2T-10 mm	-	2T-12mm	-	T-8mm @ 150mm c/c

SLAB BEAM SCHEDULE						
BEAM CROSS SECTION	COLUMN SIZE	REINFORCEMENT DETAILS				STIRRUPS
		TOP	MID	BOTTOM	CRANK	
	SB1= 200x450 mm	3T-12 mm	2T-12 mm	3T-12mm	2T-10 mm	T-8mm @ 150mm c/c

SLAB SCHEDULE							
NAME OF SLAB	DEPTH OF SLAB IN mm	REINFORCEMENT ALONG SHORT DIRECTION		REINFORCEMENT ALONG LONG DIRECTION		DISTRIBUTION REINFORCEMENT	SLAB TYPE
		AT MID SPAN NEAR BOTTOM FACE	OVER BEAM SUPPORT NEAR TOP FACE	AT MID SPAN NEAR BOTTOM FACE	OVER BEAM SUPPORT NEAR TOP FACE		
S1	125mm	10mm # @ 175mm C/C	10 mm # @ 175mm C/C		-	8 mm # @ 200mm C/C	2-WAY

A.R. CONSULTANCY,KORBA

ARCHITECT. AVINASH MARKAM
ENGINEER. RAVIKANT DIXENA

ARCHITECT
& INTERIOR
DESIGNER

PUSHP
VIHAR
KORBA
8889203662

DATE- 06/11/25

DRAWN - ER. JIVESH JAISWAL

TITLE :-

Storage Area for Beled & Recyclable
Material. (11.50x5.00 M.)

SEAL & SIGN

SCHEDULE

DOOR - 1.20X2.10
WINDOW - 1.50X1.50