


AHMEDABAD MUNICIPAL CORPORATION

NORTH ZONE

E Tender Notice – 04/2025-26



TENDER DOCUMENT FOR :- Drainage Line / Machinehole breakdown Works in Various TP Road in Thakkarnagar Ward of North Zone. (ARC)

TENDER DOCUMENT
E Tender Notice No-04/2026-27 T.No.-11
Volume -2
Price Bid

Dy. Municipal Commissioner (North Zone)
Ahmedabad Municipal Corporation.
Rajiv Gandhi Bhavan , Memco – Naroda Road,
AHMEDABAD-25

AHMEDABAD MUNICIPAL CORPORATION
NORTH ZONE
PRICE BID
B.O.Q.

TENDER DOCUMENT FOR :- Drainage Line / Machinehole breakdown Works in Various TP Road in Thakkarnagar Ward of North Zone. (ARC)

Ahmedabad Municipal Corporation					
Engineering Department - North Zone					
Abstract Form					
Name of Work :- Drainage Line / Machinehole breakdown Works in Various TP Road in Thakkarnagar Ward of North Zone. (ARC)					
Sr. No.	Quantity	Quantity	Rate (w/o GST) in Rs.	Unit	Amount (Rs.)
1		Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and strutting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum.			
A	110.00	0 to 1.5 meter depth.	89.00	Cmt.	9790.00
B	90.00	1.5 to 3 meter depth.	98.00	Cmt.	8820.00
C	1.00	3 to 4.50 meter depth.	103.00	Cmt.	103.00
D	1.00	4.50 to 6.00 meter depth.	109.00	Cmt.	109.00
2		Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, soiling/cutting Reinforcement etc.comp. with stacking the material as directed.			0.00
A	65.00	up to 0.20 meter thickness (By Manual)	71.43	Smt	4642.95
B	112.00	Up to 0.30 meter (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete.	178.57	Smt	19999.84

C	50.00	0.30 meter & above (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete.	312.50	Smt	15625.00
3		Refilling the pipeline trencheds incl. ramming, watering, consolodating desposal of surplus stuff as directed within a radius of 3 km.			0.00
A	88.00	Refilling as directed	22.00	Cmt.	1936.00
B	1.00	--do-- with selected soil brought from outside including all lead	175.00	Cmt.	175.00
4	130.00	Conveyance charge of earth,lime,murum, building rubbish,manual garbage,sludge ,excavated rock,fly ash, aggregate of any kind etc. comp. up to 5 Km. lead (R&B SOR 23-24, P-6 - Item code- 030201A1)	326.73	Cmt.	42474.90
5		Providing and supplying,and jointing ISI mark only standard length stoneware pipes of following class and diameter including excavation for laying of pipes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc. compl. (IS651/1989 or its latest revision) including labour work for lowering, laying, joiting with cement mortar (1:1) proportion, proper postion, grade and alignment and all level as directed by engineer in charge including store to site of work jointing material etc complete.			0.00
		Class AA			0.00
A	50.00	100 mm dia	124.00	Rmt	6200.00
B	15.00	150 mm dia	179.00	Rmt	2685.00
C	12.00	200 mm dia	277.00	Rmt	3324.00
D	50.00	230 mm dia	329.00	Rmt	16450.00
6		Lowering, laying and jointing stone ware pipes of following diameter with cement joint in C.M.1:1 proportion in proper position , grade and alignment at all level as directed by Engineer-in- charge including conveyance from stone to site of work,jointing materrials etc. comp.			0.00
		Class AA			0.00
A	30.00	100 mm dia	58.00	Rmt	1740.00
B	1.00	150 mm dia	88.00	Rmt	88.00

C	1.00	200 mm dia	113.00	Rmt	113.00
D	30.00	230 mm dia	128.00	Rmt	3840.00
7		Providing and supplying ISI Standard RCC pipes (of sulphate resisting Cement)in standard lengths of following class and diameter suitable for rubber ring joints (socket and spigot) including all taxes,insurance, transportation,treight charges,octroi,inspection charges, loading,unloading, conveyance to departmental stores, stacking etc. complete (GWSSB SOR 2021-22)			0.00
		Class NP3 Test pressure 0.7 Kg/Sq.Cm			0.00
A	10.00	300 mm internal diameter	755.00	Rmt	7550.00
B	1.00	450 mm internal diameter	1361.00	Rmt	1361.00
C	0.00	500 mm internal diameter	1485.00	Rmt	0.00
D	1.00	600 mm internal diameter	1946.00	Rmt	1946.00
8		Lowering, laying and jointing R.C.C. pipes in C.M.1:1 1/2 of following diameters in proper position , grade and alignment at all level as directed by Engineer-in-charge including conveyance from stone to site of work, labour giving hydraulic testing as per ISI code.			0.00
		NP3			0.00
A	10.00	300 mm internal diameter	119.00	Rmt	1190.00
B	1.00	450 mm internal diameter	171.00	Rmt	171.00
C	0.00	500 mm internal diameter	189.00	Rmt	0.00
D	1.00	600 mm internal diameter	228.00	Rmt	228.00
9		Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc.completed.			0.00
A	5.00	0.60 X 0.45 mt. size Inside Clear, Depth from 0.0 to 0.90 meter	2261.61	No.	11308.05
B	5.00	0.60 X 0.75 mt. size Inside Clear, Depth from 0.0 to 0.90 meter.	2874.11	No.	14370.55
C	5.00	0.75 X 0.75 mt. size (Inside Clear) Depth from 0.0 to 1.20 meter.	3905.36	No.	19526.80

10		Constructing Slab Type M.H. Chamber Of The Following Size Including Excavation, Refilling, Brick Bats Cement Concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) In Cm 1:3, Finishing With Cement Slurry, P/F 4 Mm Dia M.S.Steel Hdpe Coated Steps 35 Cm C/C At 35 Cm Staggered Masonary In Cm 1:5, Rcc Slab In Cc1:1.5:3 of thickness 15 C.M.,Including Cantering & Reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.)But Excluding The Cost Of Manhole Seat Cover Etc..Completed Of Size 0.75 X 1.00 Meter (Inside Clear, M.H. length should be parallel to the flow)			0.00
A	8.00	1.00 to 2.00 meter depth, (Slab at Ground level)	5651.79	No.	45214.32
B	3.00	2.00 to 3.00 meter depth, (Slab at below 0.60 mt. From G.L.)	11395.54	No.	34186.62
11	1.00	Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item)	460.71	DM	460.71
12		Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Cantering & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size 1.00 X 1.40 meter (Inside Clear, M.H. length should be parallel to the flow, for pipe dia <= 800 mm) (Based on Drainage SOR 2009-10)			0.00
A	2.00	1.00 to 2.00 meter depth, (Slab at Ground level)	10177.68	No.	20355.36
B	1.00	2.00 to 3.00 meter depth, (Slab at below 0.6 mt. From G.L.)	19258.04	No.	19258.04

C	1.00	3.00 to 4.00 meter depth, (Slab at below 1.00 mt. From G.L.)	26867.86	No.	26867.86
D	0.00	5.00 to 6.00 meter depth, (Slab at below 1.00 mt. From G.L.)	44050.00	No.	0.00
E	0.00	7.00 to 8.00 meter depth, (Slab at below 1.00 mt. From G.L.)	66632.14	No.	0.00
13		Extra rate over item of Constructing Slab Type M.H. Chamber of following size for constructing M.H. Chamber, per 1.00 Decimetre of additional depth or part thereof. etc. complete. Of size 1.00 x 1.40 mt. (inside clear) and Depth from			0.00
A	0.00	4.00 to 5.00 meter depth,	521.43	DM	0.00
B	0.00	6.00 to 7.00 meter Depth	536.61	DM	0.00
C	0.00	8.00 to 9.00 meter Depth	551.79	DM	0.00
D	0.00	9.00 to 10.00 meter Depth	564.29	DM	0.00
14	1.00	Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 1.40 mt for constructing slab @ depth more than 0.60 mt for (MH above 3.00 mt Depth) and 1.00 mt. for (MH above 3.0 mt. depth) below GL (max. 5 unit of DM should be reduce in this item)	586.61	DM	586.61
15		Dismantling of existing Arch type manhole up to Arch and then Const. Slab type manhole of following size incl. excavation, refilling and & finished 15 mm thick cement plaster inside in CM 1:3, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, incl. cost of RCC Slab in CC 1:1.5:3, including Cantering & reinforcement as directed by engineer in charge. Rate includes carting of debris and excavated soil.			0.00
A	5.00	1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)	5892.86	No.	29464.30
B	1.00	1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt. From G.L.)	8883.93	No.	8883.93

C	1.00	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)	8080.36	No.	8080.36
D	6.00	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt. From G.L.)	17008.93	No.	102053.58
E	1.00	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 3 to 4 mt depth (Slab at below 1.00 mt. From G.L.)	24776.79	No.	24776.79
16		Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete.			0.00
A	10.00	150 mm to 300 mm dia.	1339.28	No.	13392.80
B	1.00	400 mm to 600 mm dia.	2232.14	No.	2232.14
C	1.00	700 mm to 900 mm dia	3125.00	No.	3125.00
17		Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No payment for M.H. work will be made until pipe is not cut completely in all respect. (Based on Drainage SOR 2009-10)			0.00
A	10.00	150 mm to 300 mm dia.	1133.92	No.	11339.20
B	1.00	400 mm to 600 mm dia.	1687.50	No.	1687.50
C	0.00	700 mm to 900 mm dia	2008.93	No.	0.00
18		Repairing damaged M.H. and rasing M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed.			0.00
A	5.00	(A) up to 0.15 mt. (@ Two Coarse)	732.14	No.	3660.70
B	5.00	(B) up to 0.35mt. (@ Four Coarse)	1160.71	No.	5803.55
C	5.00	(C) up to 0.65 mt. (@ Seven Coarse)	1794.64	No.	8973.20
D	5.00	(D) up to 0.90 mt. (@ Ten Coarse)	2160.71	No.	10803.55

19	0.00	Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed.	401.79	No.	0.00
20	1.00	Carting and Fixing M.H. Chamber or Catchpit Seat and Cover in line and level to match existing road level in CC 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied by A.M.C.(from any store)	750.00	No.	750.00
21	1.00	Providg. & laying S.W. Gully trap with brick masonry chamber & water tight G.T.Stone including fixing of cover Square mouth trap 100 mm x100 mm size P-Trap. (R&B SOR 23-24, P-173 - Item code-24006AA)	1279.40	No.	1279.40
22	1.00	Levelling or orientation of existing gully trap chamber incl. Nece. masonry in CM 1:6 and plaster in CM 1:3 etc. using old G.T.stone and cover etc. comp.	71.43	No.	71.43
23		Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed. (Based on Drainage SOR 2009-10)			0.00
A	10.00	100 mm to 300 mm dia.	199.11	No.	1991.10
B	3.00	350 mm to 600 mm dia	302.68	No.	908.04
C	1.00	650 mm to 900 mm dia	642.86	No.	642.86
24		Temporary/ permanent plugging and blocking of sewer line, branch connections and diversion of flows anremoval of all plugs, etc.(Based on Gwssb SOR 2021-22, P-102)			0.00
A	30.00	300 mm dia. & below sewer line	1256.00	No.	37680.00
B	1.00	400 to 500mm dia. Sewer line	1508.00	No.	1508.00
C	1.00	600 to 700mm dia. Sewer line	2513.00	No.	2513.00

25	1.00	Raising of Existing manhole item includes, cutting of existing road surround by Manhole by diamond cutter machine dismantling of road in confined area by breaker machine and carting of dismantal material. item also included necessary brick work to raise the manhole at road level in CM 1:3 item also included fixing of Manhole frame at exact road level by using MaserEmaco S 488 trowable fibre reinforced thixotropic repair mortal material Laying of concrete made form Master Emaco 5 346 flowable micro concrete material in desired thickness and laying of hot bitumanous material in Upper layer and compaction of hot bitumanious material by palte compactor machine .Rate also included necessary plaster at inside of manhole in CM 1:3 in 20 MM thickness on raised brickwork.	6846.43	No.	6846.43
26		Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed. (Based on rate of central store circular No. 01 / 2025-26 Dt. 21.04.2025)			0.00
A	6.00	(SET cover and frame) F.R.C. Extra Heavy Duty [EHD-35] Machinehole Covers & Frame- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (As Per Central stores circular No. 01 / 2025-26 Dt. 21.04.2025)	7275.00	Set	43650.00
B	5.00	(SET cover and frame) F.R.C. Heavy Duty [HD-20] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (As Per Central stores circular No. 01 / 2025-26 Dt. 21.04.2025)	6950.00	Set	34750.00
C	5.00	(SET cover and frame) F.R.C. Medium Duty [MD-10] Machinehole Covers & Frames- 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (SET cover and frame) (As Per Central stores circular No. 01 / 2025-26 Dt. 21.04.2025)	4750.00	Set	23750.00

D	5.00	(SET cover and frame) F.R.C. Medium Duty [MD-10] Chamber Covers & Frame- 600 x 450 mm clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table (As Per Central stores circular No. 01 / 2025-26 Dt. 21.04.2025)	4750.00	Set	23750.00
E	2.00	(SET cover and frame) F.R.C. Light Duty [LD-2.5] Machinehole Covers & Frames 560mm ø clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1 (As Per Central stores circular No. 01 / 2025-26 Dt. 21.04.2025)	1800.00	Set	3600.00
27	1.00	Providing and fixing cast iron manhole frame of weight 80 to 85 kg suitable for existing EHD-35 FRC MH cover, rate also incl. loading, unloading and fixing the frame in line and level to match existing road level in CC 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as per instruction by engg. in charge. (Approved Rate)	95.00	Kg	95.00
28	1.00	Providing Dead Centering using good quality Country Wood Planks, wall Plate of required thickness and size including placing the nece. supports of reqd. size, nailing, fixing with mortar, levelling. All specification for dead centring as per standard engg. practice etc. comp. as directed.	312.50	Smt	312.50
29		Supplying, labour for break down repairing work for activities like excavation, disliting, removing debris from trench back filling etc. comp. as directed by Eng.in charge.			0.00
A	110.00	Mazdoor at day /Night	452.00	No	49720.00
B	25.00	Makadam/ supervision at day / Night	711.00	No	17775.00
30	0.00	Brick work using common burnt clay building bricks having crushing strength not less than 35kg./Sq.Cm. In foundation and plinth in Cement Mortar 1:5.(1-Cement: 5 -fine sand)(B) Conventional.(R & B Building Road Bridge SOR 2021-22 Item Code 06001BA,Item No.as per NBO-6.12 page no.64Dist. AHMEDABAD SOR 2021-22	4011.66	Cmt	0.00

31	1.00	Providing 15mm thick cement plaster in single coat on Rough (Similar) side of single or half brickwalls for interior plastering upto floor two level and finished even and smooth in (i) Cement mortar 1:3 (1-cement:3-sand).	174.83	Smt	174.83
32	0.00	Providing & Laying cement concrete 1:2:4 and curing complete	3661.30	Cmt	0.00
33	0.00	Providing & Laying cement concrete 1:5:10 and curing complete	2492.51	Cmt	0.00
34	2.00	Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S. angles at max. 2.00 meter centre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. ..The same shall be removed after completion of work. (Only for break down work from start to complete) (Based on Drainage SOR 2009-10)	80.36	Rmt.	160.72
35		Providing, laying, spreading and compacting graded stone aggregate to wemix macadam specification including premixing the Material with water aOMC in mechanical mix plant carriage of mixed Material by tipper to sitelaying in uniform layers in sub- base / base course on well prepared surfacand compacting with vibratory roller to achieve the desired density as per Codal Provision.			0.00
A	6.00	Production & Supply of WMM	1975.00	Cmt	11850.00
B	6.00	Laying of WMM	35.00	Cmt	210.00
36	50.00	Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery)	535.71	Shift	26785.50

37	1.00	Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery) (GWSSB SOR-2022-23, Page No.104, Item No.1)	18.32	HP/Hr	18.32
38	19.00	Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery)	2500.00	Shift	47500.00
39	97.00	Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge, rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work) (Based on Previously approved rate by CE sir)	535.71	Hour	51963.87
40	15.00	Supplying electric breaker machine for RCC slab or asphalt demolishing work on site by using operator, fuel, power supply etc.complete as directed. (no payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work) (Based on Previously approved rate by CE sir)	1071.42	Shift	16071.30
41	16.00	Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work) (Based on Previously approved rate by C E sir)	535.71	HR.	8571.36

42	1.00	Providing & Supplying Hitachi Machine -110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery) (Based on central work shop rate)	1785.71	HR.	1785.71
43	0.00	Providing & Supplying Hitachi Machine -200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery) (Based on central work shop rate)	2410.71	HR.	0.00
44	0.00	Providing & Supplying hydra carne Machine of 12 tone capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery) (GWSSB SOR 2022-23 Item No. 7, Page 105)	3334.49	Per 8 hr Shift	0.00
A	0.00	16 Tone	3418.65	Per 8 hr Shift	0.00
B	0.00	20 Tone	4382.53	Per 8 hr Shift	0.00
45	3.00	Hiring of Tractor with Trally considering 8 hrs. as working day hour incl. Driver	2104.00	Day	6312.00
46	0.00	Hiring of Three Wheeler carrier (chakado / Rixa) considering 10 hrs. as working day hour incl. Driver	1153.24	Day	0.00
Total Rs					999969.58
Say Estimate Amount Rs,					999970.00
<div style="display: flex; justify-content: space-between; align-items: flex-end; padding-top: 20px;"> <div style="text-align: center;"> A.E. (Thakkarnagar) </div> <div style="text-align: center;"> A.C.E </div> <div style="text-align: center;"> Dy.C.E.-03 (North Zone) </div> </div>					

Contractor’s Quoted Rate: -

+
.....% Above **in words**

—
..... % Below **in words**

Net Quoted Tender Amount Rs.
(Rupeesonly)

Seal and Signature of the Bidder
Date:

Add. City Engineer
(North Zone)