

# KHERALU NAGARPALIKA

## TENDER FORM

<b>Department Name</b>	Kheralu Nagarpalika, Kheralu
<b>Grant Name</b>	Own Fund – 2026-27
<b>Name of Work</b>	<b>Yearly Rate of Gutter, R.C.C. Road Repairing, NP2 Pipe Line Etc. Repairing Work in Kheralu Nagarpalika, At. Kheralu Dist. Mehsana (2<sup>nd</sup> Attempt)</b>
<b>Estimated Contract Value (INR)</b>	50,00,000.00 (Approx.)
<b>Tender Fee Rs.</b>	1500.00
<b>Bid Processing fee Payable To :</b>	Chief Officer, Kheralu Nagarpalika, Kheralu
<b>Earnest Deposit Rs.</b>	50,000.00
<b>Security Deposit Rs.</b>	2.5 % of Bill
<b>Bid Validity Period</b>	120 Days
<b>Time Limit (Period of Completion)</b>	12 Month
<b>Last Date of Online Submission</b>	25/06/2026 up to 18.00 hours
<b>Physical submission of EMD and other documents on date</b>	Submission of EMD. Tender fee and other Documents up to 18:00 hours: On date 03/07/2026 in the office of Chief Officer, Kheralu Nagarplaika, Kheralu by RPAD/Speed Post Only
<b>Date of opening of Technical-bid</b>	04/07/2026 @ 12.00 PM (If Possible)

**CHIEF OFFICER  
KHERALU NAGARPALIKA**

## PROCEDURE OF E-TENDERING

Interested bidders can view these tender documents online [www.nprocure.com](http://www.nprocure.com). Bidders who are interested in bidding in these tenders can download tender documents. Bidder shall pay tender fee in form of account payee Demand Draft payable to the (1) for the work - The Chief officer, Kheralu Nagarpalika, Kheralu drawn on any nationalized bank.

A complete set of bidding documents are available on web site. After online submission of tender, tender fee, EMD and other documents regarding qualification are to be submitted to the above office before last date of submission of documents. Tender fee will be paid in Demand Draft, which is nonrefundable.

**The intending bidders have to submit the following documents along with the Tender Fee and EMD.**

- 1). Latest Income Tax Return of last 3 years and PAN Card copy.**
- 2). Current Solvency Certificate (20% value of Estimated cost put to tender).**
- 3). Registration Certificate registered in appropriate "E1" class and above.**
- 4). Bidder must be submitted EPF Number.**
- 5). Bidder must be submitted GST Number.**

Client Certificate. Bidders who wish to participate in this tender will have to register on **nagarpalika.nprocure.com**. Bidders who wish to participate in on line tenders will have to procure Digital Certificate as per information technology Act – 2000 using which they can sign their electronic bids. Bidders can procure the same from the below mentioned address & they will assist them in procuring the same.

**(n). Code Solution – A Division of GNFC Ltd.**  
**301, GNFC Info Tower, S.G. Road, Bodakdev,**  
**Ahmedabad – 380 054 (Gujarat).**  
**Toll Free No. 18002331010 (Estn. No. 321).**  
**Email : [djkantharia@gnfc.net](mailto:djkantharia@gnfc.net) [www.ncodesolutions.com](http://www.ncodesolutions.com)**  
**Phone No. (079)-26854511, 26854512,**  
**26854513, Fax No. (079)-26587321.**

Qualification requirements specifying financial capacity, technical, minimum acceptable levels with regards to Bidder's experience in relevant projects and other relevant factors such as work in hand, future commitments and litigation history as given and described in the above para with Instruction to Bidders will be evaluated first and those qualifying the criteria will be considered for further price evaluation. Technical proposals, which are not substantially responsive, will be rejected. Sealed Price Bids of the substantially responsive technical proposals will be opened in the presence of the Bidders.

- Demand Draft payable to Chief Officer, Nagarpalika, Kheralu issued by any nationalized bank, reputed Scheduled Bank except co-operative bank having a branch at Kheralu.
- Nagarpalika as an employer reserves its absolute and unchallengeable right to qualify or disqualify one or all bidder by an objective & transparent system.
- The Contractor shall be responsible for all the damages to the underground cables, power lines, telephone lines, other water/sewer lines and other infrastructure facilities etc. while executing the works under this contract and shall bear all costs relating to repairs/replacements.
- The Contractor will prepare and present interim/running and final bills.

**Name of Work: Yearly Rate of Gutter, R.C.C. Road Repairing, NP2 Pipe Line Etc. Repairing Work in Kheralu Nagarpalika, At. Kheralu Dist. Mehsana (2<sup>nd</sup> Attempt)**

**SCHEDULE - B**

No.	Item	Rate	Per
1	Item No. 1 Excavation for foundation up to 1.5 m. Depth including sorting out and stanching of useful materials and disposing of the excavated stuff up to 50 Meter lead (A) Loose or soft soil	122.99	Cu. M.
2	Item No. 2 Providing and laying cement concrete 1:5:10 (1 Cement : 5 Coarse Sand, 10 Hand broken stone aggregate 40 mm nominal size) and curing complete excluding cost of form work in (a) Foundation and Plinth (up to 10 ton)	2480.58	Cu. M.
3	Item No. 3 Providing and laying cement concrete 1:4:8 (1 cement 4 coarse sand 8 hand broken stone aggregate 40 mm nominal size) and curing complete excluding cost of Form work in. (a) Foundation and Plinth (up to 10 ton)	2643.35	Cu. M.
4	Item No. 4 Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and curing complete excluding cost of form work and reinforcement for reinforced cement concrete work in (A) Foundations, footing, base of columns and mass concrete (up to 10 ton)	3875.94	Cu. M.
5	Item No. 5 Providing Thermo Mechanically Treated bat (T.M.T.) (I.S.I. Mark) Conforming to I.S.-1786 Fe-415 for R.C.C. work Including bending, binding & placing in position comp. up to floor two level (up to 10 ton)	77.28	Kg.
6	Item No. 6 Uncoursed rubble masonry with hare stone with hard stone of approved quality in foundations and plinth in cement mortar 1:6 (1 Cement : 6 Coarse Sand) Including leveling up etc. complete (up to 10 ton)	2565.63	Cu. M.
7	Item No. 7 Providing and laying ordinary cement concrete 1:3:6 (1 Cement : 3 Coarse Sand: 6 Crushed store aggregate 20 mm nominal size) and Curing Complete including the cost of Form work in Wall Caps/Copings (up to 10 ton)	3922.25	Cu. M.
8	Item No. 8 Pointing on uncoursed stone masonry with cement mortar 1:3 (1 cement, 3 sand) (A) Flush Pointing	96.63	Sq. M.
9	Item No. 9 Filing available excavated earth (excluding rock) in trenches plinth sides of foundation etc. layers not exceeding 20cm. in depth consolidating each deposited layer by ramming and watering.	136.92	Cu. M.
10	Item No. 10 Brick work using common burnt clay building bricks having crushing strength not less than 35 Kg./Sq. cm in foundation and plinth in cement mortar 1 :6 ( 1 cement :6 fine sand ) in (B) Conventional (up to 10 ton)	3424.52	Cu. M.
11	Item No. 11 (2) Half Brick masonry in common burnt clay building bricks having crushing strength not less than 35 Kg./Sq. cm in cement mortar 1:5 (1 cement :5 coarse sand) in foundation & plinth (B) Conventional (up to 10 ton)	546.28	Sq. M.
12	Item No. 12 Providing 10 mm. thick cement plaster in single coat on fair side brick / concrete walls for interior plastering up to floor two level and finished even and smooth in (i) cement mortar 1:3	125.32	Sq. M.
13	Item No. 13 Providing 20 mm thick sand faced cement plaster on walls up to height 10mt. Above ground level consisting of 12mm thick backing coat of C.M. 1:3 ( 1-cement : 3-sand ) and 8mm thick finishing cost of C.M.1 :1 ( 1-Cement : 1-Sand) etc. complete.	321.10	Sq. M.
14	Item No. 14 Earthwork for embankment including breaking clods. with all lead and lift (Excluding watering and consolidation)		
	(A) From borrow pits within lead width	150.00	Cu.M.
	(B) From borrow pits within 0.5 km. lead	287.50	Cu.M.
	(C) From borrow pits within 1.0 km. lead	297.50	Cu.M.
	(D) From borrow pits within 2.0 km. lead	317.50	Cu.M.
	(E) From borrow pits within 3.0 km. lead	336.25	Cu.M.

15	Item No. 15 Demolition and disposal or unserviceable materials with all lead and lift. (i) Cement concrete	680.40	Cu.M.
16	Item No. 16 Box Cutting the road surface to proper slop proper and camber for making base for road work incl. removing the excavated stuff & depositing on the road slop as directed up to 50 mt. Lead	109.05	Cu.M.
17	Item No. 17 Providing & Laying ordinary concrete M-200 (1 Cement : 1.5 coarse Sand : 3 graded stone aggregate 20 mm nominal size) and curing completed excluding the cost of formwork in and reinforcement if reinforced concrete work in (UP TO 10 TON) including surface vibrator and rough finish to surface as per instruction including leveling, channel vibrating etc. complete	3849.01	Cu.M.
18	Item No. 18 Providing and laying cement concrete flooring 1: 2: 4 (1 Cement: 2 course sand: 4 graded stone aggregate 20 mm nominal size) laid in one layer finished with a floating coat of neat cement.		
	(A) 40 mm Thick	182.70	Sq.M.
	(B) 50 mm Thick	213.15	Sq.M.
19	Item No. 19 Providing and fixing pre-cast Rubber Dye inter locking concrete block 60mm thick with grade of concrete M-300 pneumatic compressed by mechanically pressed and as per approved design including 35mm sand layer for leveling and filling the joint with sand in praper line nand level etc. completed	740.51	Sq.M.
20	Item No. 20 Providing and laying broken chine mosaic flooring for terrace using 12 mm to 20 mm broken pieces of glazed tiles to be laid over cement mortar 1:3 to plain or slope and to be tempered to bring mortar crème out up to surface using white cement including rounding of junctions and extending them up to 15 cm along the wall, clearing with water and oxalic acid etc. as directed	779.70	Sq.M.
21	Item No. 21 Providing and fixing M.S. grills required pattern of window etc. with M.S. flats at required spacing & frame around square or round bars with round headed bolts & nuts and welding or by screws and including one coat of primer and two coats of oil paintng etc. complete as approved by the Architect and Engineer-in-charge, (A) Plain grill	105.24	Kg.
22	Item No. 22 Providing and laying (to level or slopes and jointing reinforced concert light duty non pressure pipes IS class NP2 of the following internal dia. meter with clears and butt ends prepared for collar joints including testing of jointing completed.		
	(B) 150 mm (up to 10 ton)	257.13	Meter
	(C) 250 mm (up to 10 ton)	359.74	Meter
	(D) 300 mm (up to 10 ton)	677.90	Meter
	(E) 450 mm (up to 10 ton)	1076.89	Meter
	(F) 500 mm (up to 10 ton)	1252.18	Meter
	(G) 600 mm (up to 10 ton)	1400.60	Meter
23	Item No. 23 Supplying and fixing reinforced concrete R.C.C. heavy duty Non- pressure pipe with collars for culverts including setting and jointing the pipe in C.M 1:2 watering and lying(to level or slopes) of i.S. class NP-3 of following internal diameters.		
	900 mm dia.	3824.55	Rmt.
	1050 mm dia.	5211.21	Rmt.
	1200 mm dia.	6205.81	Rmt.
24	Item No. 24 Providing and fixing 1.20 m. high fencing with 2.0 meter long M.S. angle posts 40 mm x 40 mm x 6 mm and oil painting 3 coats fixed at 2.5 m. c/c with five horizontal line and two diagonals of galvanized steel barbed wire weighing 9.38 K.G. per 100 meter, stained and fixed to posts with G.I. staple including fixing the posts in ground with 0.5 m. x 0.5 m. x 0.5. Block in C.C. 1:5:10 etc. Complete.	339.15	Rmt.
25	Item No. 25 Providing Soak Pit 6' dia. & 20' deep with necessary excavation dry encores rubble maso. or dry b.b.maso. Recast R.C.C. over 6" th. as per instruction (every 5th layer in c. m. 1:4	30000.00	1 Nos.
26	Item No. 26 Providing and fixing to wall, ceiling and floor 6.0 KgF/cm2 working pressure polyethylene pipes of the following outside dia low density complete with special flange compression type fitting, wall clips etc. including making good the wall ceiling and floor.		

	(A) 20 mm	52.08	Meter
	(B) 25 mm	67.31	Meter
27	Item No. 27 Providing and fixing to wall, ceiling and floor 10.0 KgF/cm <sup>2</sup> working pressure polyethylene pipes of the following outside dia low density complete with special flange compression type fitting, wall clips etc. including making good the wall ceiling and floor.		
	(C) 32 mm	81.38	Meter
	(D) 40 mm	110.25	Meter
	(E) 50 mm	157.50	Meter
28	Item No. 28 Compaction and finishing of cement concrete road by tremix process. providing extra labor charge for tremix (Vacuum dewatering service) process on cement road surface by using vacuum dewatering pump floater surface vibrator including making grooves and rough finish to surface as per instruction including leveling etc. Complete Consider 10.0 mt Length & 5 mt. width of road	51.87	Sq.M.
29	Item No. 29 Providing & Fixing Chhino & vata fitting in nagarpalika area	50.00	Rft.
30	Item No. 30 Providing Laying kotah stone slab flooring over 20 (average) thick base of cement mortar 1:6 (1 Cement : 6 course sand) or L.M. 1:1.5 and laid over and jointed with grey cement slurry including rubbing and polishing etc. complete (A) 25 mm thick (up to 10 ton)	627.90	Sq.M.
31	Item No. 31 Providing and laying white glazed tiles 6mm thick in skirting risers of steps and dedo on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry	726.60	Sq.M.
32	Item No. 32 Providing and Laying 24" x 24 " vitrified mm. thick tiles, flooring over 20 mm (Average) base of cement mortar 1:6 (1 cement : 6 coarse sand) on new surface or fixing on existing flooring by adhesive materials including dismantling of existing flooring and jointed with colour cement slurry including finished with flush pointing & cleaning the surface etc. complete. for light shade finished with flush pointing in white cement (up to 10 ton)	928.20	Sq.M.
33	Item No. 33 Providing and fixing Water Closet Squatting pan ( Indian type W.C.pan) size 580mm (Earthwork, bed concrete, foot rest and trap to be measured and paid for separately) (A) Vitreous China -(i) Long pattern-white colour.	620.55	Each
34	Item No. 34 <b>NAME PLATE</b> Providing and fixing of black granite stones name plate with engraved letters of matters in any size and any language and filled with golden paints in to engraved matters. The above matters to be done as per architect drawing and instruction on site.	7095.00	Smt.
35	Item No. 35 Collecting and Carting Paver Block From Nagarpalika Different Area	78.00	Sqm.
36	Item No. 36 Fixing Paver Block leveling and filling the joint with sand in proper line and level	100.00	Sqm.
37	Item No. 37 <b>SPEED BREAKERS:</b> - Must be supplied with the DIV segment interlocking sub-units made of ABS (Acrylonitrile - Butadiene - Styrene) / PE (Poly Ethylene). So that it fits completely into one generation bump. Difficulties are pre-colored (black-yellow) and UV settled. Each sub unit should be packed with good quality reflections somewhere. The bump is hollow from the back and will be filled with a concrete base. And then have to be fixed on the ground surface with adhesive (epoxy and resin) and bolt or fasteners.	2000.00	1 RMT
	HIGHT	2.5 INCH	
	IN 1 METER	2 PCS (YELLOW) & 2 PCS (BLACK)	
	SIZE	W350 X L250 X H65 MM (PER/PCS)	
	CAPACITY	30-40 TON	
	MATERIALS	100 % ABS VIRGIN PLASTIC	
	TOP FINISH	UV FINISHED (AUTO GLOW IN NIGHT)	
	REFLECTOR	BOTH SIDE PLATE TYPE REFLECTORS	
	WARRANTY	4 YEAR	
38	Item No. 38 <b>SPEED BREAKERS:</b> - Must be supplied with the DIV segment interlocking sub-units made of ABS (Acrylonitrile - Butadiene - Styrene) / PE (Poly Ethylene). So that it fits	1800.00	1 RMT

	completely into one generation bump. Difficulties are pre-colored (black-yellow) and UV settled. Each sub unit should be packed with good quality reflections somewhere. The bump is hollow from the back and will be filled with a concrete base. And then have to be fixed on the ground surface with adhesive (epoxy and resin) and bolt or fasteners.		
	HIGHT	2.0 INCH	
	IN 1 METER	2 PCS (YELLOW) & 2 PCS (BLACK)	
	SIZE	W350 X L250 X H50 MM (PER/PCS)	
	CAPACITY	25 TON	
	MATERIALS	30 % ABS & MIX PLASTIC	
	TOP FINISH	BOTH SIDE PLATE TYPE REFLECTORS	
	REFLECTOR	3 YEAR	
	WARRANTY	2.0 INCH	
39	Item No. 39 Providing formwork of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. Height of propping and centering below supporting floor to ceiling not exceeding 4 M. and removal of the same for in situ reinforced concrete and plain concrete work in. (B) Flat surfaces such as soffits of suspended floor roof slabs Landings and the like. (2) Floors etc. above 200mm in thickness. (up to 10 ton)	179.55	Sqm.
40	Item No. 40 Distempering with dry distemper of approved brand and manufacture (two coats) and of required shade on wall surfaces of given an even shade, over and including a priming coat of whitening after thoroughly brooming the surface free from mortar dropping and other foreign matter.	32.24	Sqm.
41	Item No. 41 Painting one coats (excluding priming coat) on previously printed steel and other metal surface with synthetic enamel paint, brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter.	36.33	Sqm
42	Item No. 42 Providing, laying, spreading & compacting graded machine crushed black stone aggregates to Wet Mix Macadam (WMM) in layers including premixing the material with water to OMC in mechanically mix (Pug-mill) carriage of mix material by tipper to site, laying	905.13	Cmt
43	Item No. 43 Lowering, laying and jointing PVC pipes and specials of following class and diameter including cost of conveyance from stores to site of works including cost of labour, material, except cement solvent, giving satisfactory hydraulic testing as per ISI code.		
	63 MM	94.00	RMT
	75 MM	131.00	RMT
	90 MM	188.00	RMT
	110 MM	270.00	RMT
	125 MM	357.00	RMT
	140 MM	444.00	RMT
44	Item No.44 Providing and laying compacted WBM 150 mm thick of machine crushed BT metal of size 45 mm to 90 mm with using and stone dust including complete	1139.01	CUM
45	Item No.45 Providing and laying cement concrete work 1:2:4 (1- Cement : 2- Coarse sand : 4-graded stone aggregates 20 mm nominal size) and curing complete excluding cost of formwork and reinforcement for reinforced concrete work in (A) Foundations, footings, Base or columns and Mass concrete (more than 10 ton)	3168.00	CMT
46	Item No.46 Steel work, riveted in built up sections framed work including cutting, hoisting, fixing in position and applying a priming coat of read lead paint. (A) In beams and joists, channels angles Tees, flats, with connecting plates or angle cleats as in main and cross beams. Hip and jack rafters, purlins connected to common rafters and the like. (upto 10 ton)	6174.18	CMT
47	Item No.47 Providing corrugated G.I. sheet of class-3 roofing fixed with glavanished iron J or L Hooks, Bolts and nuts 8mm diameter with bitumen and G.I. limpet washer or G.I. limpet washer. filled with white lead complete excluding the cost of purlins, Rafters and Trusses.(1) 0.80 mm thick sheet. (upto 10 ton)	793.10	SQmt

48	Item No.48 RCC precast M.H. frame & Cover Manufacture, supply & delivery at store or at site of work precast RCC M.200 frame & cover suitable to drainage M.H. and as per type design & drawing including cost of reinforcement M.S. Angles or Flat, curing mold work etc. (frame suitable for 50cm opening of MH)	1255.00	nos
49	Item No.49 RCC precast M.H. frame & Cover Manufacture, supply & delivery at store or at site of work precast RCC M.200 frame & cover suitable to drainage M.H. and as per type design & drawing including cost of reinforcement M.S. Angles or Flat, curing mold work etc. (cover suitable for 50cm opening of MH)	1314.00	nos
50	Item No.50 Renovation of manhole by increasing the height at top including cost of excavation, refitting of C.I. manhole frame and cover curing etc. complete incl. all carting and providing of materials which is required for the purpose (except manhole frame and cover)for all type manhole by providing RCC 1:2:4 partition walls with required reinforcement 25cm thick and circular opening with 500mm clear dia and 0.40 mt. av. ht.	3538.03	nos
51	Item No.51 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [A] 15mm.	136.50	RMT
52	Item No.52 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [B] 20 mm.	177.45	RMT
53	Item No.53 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [C] 25 mm.	226.80	RMT
54	Item No.54 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [D] 32mm.	317.90	RMT
55	Item No.55 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [E] 40mm.	426.36	RMT
56	Item No.56 Providing and fixing concealed center point to wall ceiling & floor CPVC (SDR 13.5) PIPE having National Sanitation Foundation (NSF) seal for potable water of following dia. nominal bore tube fittings and clamps including making good the wall, ceiling and floor etc. complete. [F] 50mm.	655.29	RMT
57	Item No.57 Providing laying and jointing in true line and level 15mm dia. U.P.V.C. Pipe ( SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	84.87	RMT
58	Item No.58 Providing laying and jointing in true line and level 25mm dia. U.P.V.C. Pipe ( SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	107.29	RMT
59	Item No.59 Providing laying and jointing in true line and level 32mm dia. U.P.V.C. Pipe ( SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	139.20	RMT

60	Item No.60 Providing laying and jointing in true line and level 40mm dia. U.P.V.C. Pipe ( SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	173.03	RMT
61	Item No.61 Providing laying and jointing in true line and level 50mm dia. U.P.V.C. Pipe ( SCH- 40) for cold water including fittings as approved by Engineer In Charge. Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.	228.61	RMT
62	Item No.62 Providing and laying B.M 37.50 mm thick (Average)layer with Asphalt 60/70 for tack coat at the rate of 3.4 kg/ 10 Sqm. with mechanical sprayer on B.T. surface and using B.T. stone aggregates as per required gradation with the asphalt of 60/70 grade at the rate of 3.4% i.e.34.40 Kg./M.T. by weight by mix including heating and mixing in drum mix plant, transporting the mix spreading the same by sensor paver finisher and consolidation by vibrator roller MORTH specification including cost of all materials, fuel labours, tools and plant etc using contractor own drum mix plant etc complete.	2536.25	M.T
63	Item No.63 Providing & laying 20 mm. thick Mix Seal Surfacing using stone chipping & aggregate as per M.O.R.T.&H. specification & asphalt grade 60/70 for mixing at the rate of 50.90 Kg./M.T. i.e. 5.09% of total weight of mix including heating the aggregate & asphalt in continuous batching drum mix plant & spreading the same by paver finisher & consolidation with vibratory roller & flushing sand @ 0.30 Cum/ 100 Smt. including providing all materials wquipments, tools & plants, fire wood, oil, kerosene, labour charges etc complete using constructors own machinery drum mix plant & paver finisher etc complete.	3331.93	M.T
64	Item No.64 Scarifying gravelled macadam or Bitumen macadam surface 6cm to 10cm depth including stacking useful materials on road side and disposing off remaining stuff	41.60	SQMT
65	Item No. 65 Providing and laying Builtup spray grout base 37.50 mm thick (Average)layer with Asphalt 60/70 for tack coat at the rate of 2.5 kg./ 10 Sqm. with mechanical sprayer on B.T. surface and using B.T. stone aggregates as per required gradation with the asphalt of 60/70 grade at the rate of 1.99% i.e.19.90 Kg./M.T. by weight by mix including heating and mixing in drum mix plant, transporting the mix spreading the same by sensor paver finisher and consolidation by vibrator roller MORTH specification including cost of all materials, fuel labours, tools and plant etc using contractor own drum mix plant etc complete.	2002.38	M.T

આઈટમ નંબર 1 થી 65 ભાવ પ્રતિ (ધન મીટર, ચોરસ મીટર, સ્કીંગ મીટર, પ્રતિ નંગ, અને પ્રતિ કિલો ગ્રામ) યુનીટના છે. જે તમામ આઈટમો તેમજ આઈટમના યુનીટ મેં જોયા અને બરાબર સમજ્યા છીએ. જે દરેક આઈટમના ભાવો પ્રતિ યુનીટ મુજબ ..... % ઉંચા / નીચા ભરેલ છે. અને ભરેલ ભાવ મને કબુલ/મંજૂર છે.

ઈજારદારનું નામ:-

ઈજારદારની સહી



## શરતો :

૧. ટેન્ડર સાથે ઇ.એમ.ડી.ની રકમ રૂ.૫૦,૦૦૦.૦૦ (અંકે રૂપિયા પચાસ હજાર પુરા) ની એફ.ડી.આર. મુખ્ય અધિકારી, ખેરાલુ નગરપાલિકા, ખેરાલુના નામની રજૂ કરવાનો રહેશે.
૨. કોન્ટ્રાક્ટર તરફથી ટેન્ડર ફોર્મ મેળવવા ભરેલ ટેન્ડર ફી ની રકમ પરત આપવામાં આવશે નહિ.
૩. ટેન્ડર મંજૂર થયેથી જરૂરી એગ્રીમેન્ટ કોન્ટ્રાક્ટરે પોતાના સ્વખર્ચે જરૂરી એવા સ્ટેમ્પ પેપર ઉપર નગરપાલિકા નક્કી કરે તેવી શરતો કબુલ/માન્ય રાખતું કરીને નગરપાલિકામાં રજૂ કરવાનું રહેશે.
૪. કોન્ટ્રાક્ટર દ્વારા ટેન્ડરની માંગણી વખતે કોન્ટ્રાક્ટરનું રજીસ્ટ્રેશન, ઇન્કમેટેક્સ ક્લીયરન્સ સર્ટી, સોલવન્સી સર્ટી, જી.એસ.ટી. રજીસ્ટ્રેશન નંબર, ઇ.પી.એફ. રજીસ્ટ્રેશન વિગેરેના મૂળ પ્રમાણપત્રો નગરપાલિકામાં રજૂ કરવાના રહેશે. તમામ દસ્તાવેજ રજૂ કર્યેથી ટેન્ડર ઇસ્યુ કરવામાં આવશે.
૫. ટેન્ડર મંજૂર થયા બાદ કામ શરૂ કરવા માટે સિક્યોરીટી ડીપોઝિટ નગરપાલિકામાં રજૂ કર્યેથી અને ત્યાર બાદ જરૂરી કોન્ટ્રાક્ટ/એગ્રીમેન્ટ થયા બાદ વર્ક ઓર્ડર આપવામાં આવશે અને કોન્ટ્રાક્ટરે વર્ક ઓર્ડર મુજબ તુર્ત જ કામ શરૂ કરવાનું રહેશે.
૬. ટેન્ડર નોટીસના કામ માટે વાપરવાના ઉપયોગમાં લેવાનો જરૂરી માલસામાન, મટીરીયલ્સ, મજૂરી કામ, વાહનટેક્સ, એક્સાઈઝ ડ્યુટી, સેલટેક્સ વિગેરેમાં ભાવ વધારો અગર વેરો વધારો ભવિષ્યમાં થાય તો મંજૂર થયેલ ટેન્ડરના ભાવ કરતા વધુ ભાવની રકમો માગવા કોન્ટ્રાક્ટર હકકદાર રહેશે નહિ.
૭. મંજૂર થયેલ ટેન્ડર મુજબ કરવાના થતા કામ માટે જરૂરી માલસામાન જેવા કે સિમેન્ટ, રેતી, કપથી, મેટલ, સ્ટીલ કે અન્ય મટીરીયલ્સ વિગેરે કોઈ પણ મટીરીયલ્સ ઉપર નગરપાલિકા તરફથી કોઈ રકમ એડવાન્સ તરીકે આપવામાં આવશે નહિ.
૮. ભાવ ભરનાર કોઈ પણ કોન્ટ્રાક્ટર કામ કરવાનો ઇન્કાર કરશે તો તેની બાનાની રકમ નગરપાલિકા દ્વારા જપ્ત કરવામાં આવશે.
૯. મંજૂર કરેલ ટેન્ડર મુજબ નગરપાલિકાના મુખ્ય અધિકારી અને એન્જનીયર સૂચના તેમજ ટેન્ડર સ્પેસીફિકેશન મુજબ કરવાની રહેશે.
૧૦. નગરપાલિકા દ્વારા આ કામ કરાવવા વર્ક ઓર્ડર આપવામાં આવેલ હોય અને કોન્ટ્રાક્ટર/ઈજારદાર દર્શાવેલ સમય મર્યાદામાં કામગીરી ન કરે તો સેકન્ડ લોએસ્ટ ભાવવાળાને કામગીરી સુપ્રત કરવામાં આવશે. સેકન્ડ લોએસ્ટના ભાવથી કામગીરી કરાવી પ્રથમ અને બીજા કોન્ટ્રાક્ટર વચ્ચેના ભાવ ફેરની રકમ ઉપરાંત સેકન્ડ લોએસ્ટને બજાર ભાવ ઉંચા હોઈ થનાર નુકશાનની રકમ પણ પ્રથમ લોએસ્ટ કોન્ટ્રાક્ટર પાસેથી ભરવામાં આવેલ ટેન્ડરની સીક્યોરીટી ડીપોઝિટની રકમ અથવા નગરપાલિકામાંથી બાકી લેણાંના બિલની રકમ નગરપાલિકા દ્વારા જપ્ત કરવામાં આવશે.
૧૧. કરેલ કામગીરીના ટેસ્ટીંગ રીપોર્ટ સમયાંતરે આપવાના રહેશે.
૧૨. રીપેરીંગ કામો દરમિયાન નિકળેલ માટી-બાંધકામ ઉમેરેજ વિગેરે સમય મર્યાદામાં કામના સ્થળેથી ઉપાડી લેવાનો રહેશે. તેમજ સી.સી. કામ કરેલ હોય ત્યાં પાણી છાંટવાનું કામ સમય મર્યાદા સુધી ચાલુ રાખવાનું રહેશે. ઉપર બંને કરવાની થતી કામગીરી સમય મર્યાદામાં ન થાય તો તેવા સંજોગોમાં નગરપાલિકા અન્ય એજન્સી પાસેથી તેના મંજૂર થયેલ ભાવથી આ કામગીરી કરાવશે. તે માટેનું વહીવટી તથા સાધનિક તમામ ખર્ચ દંડ સહિત ચુકવવાના થતા બિલમાંથી કપાત કરવામાં આવશે.

૧૩. ટેન્ડર મંજૂર થતા ૨.૫% સી. ડીપોઝિટ તરીકે મુખ્ય અધિકારી, ખેરાલુ નગરપાલિકાના નામે જમા કરાવવાની રહેશે. તેમજ ચૂકવણાના બિલમાંથી ૨.૫% સીક્યોરીટી ડીપોઝિટ તરીકે કપાત કરવામાં આવશે.
૧૪. સિમેન્ટ ફક્ત મેજર પ્લાન્ટનો વાપરવાનો રહેશે. આ સિવાયનો સિમેન્ટ માન્ય ગણવામાં આવશે નહિ.
૧૫. બિલનું ચુકવણું સ્વભડોળની જોગવાઈ મુજબ કરવામાં આવશે. ચુકવણાના વિલંબ થવા અંગે કોઈ જ પ્રકારનું વળતર મળવાપાત્ર રહેશે નહિ. જેમાં એજન્સી કોઈ પણ પ્રકારનો હક્ક દાવો કરી શકાશે નહિ.
૧૬. બિલના ચુકવણામાંથી નિયત અનુસાર અમલમાં હોય તે નિયમો મુજબ ઈન્કમ ટેક્સ/વેલ્ફેર સેસ ટેક્સ કપાત કરી ચૂકવણું કરવામાં આવશે.
૧૭. ટેન્ડર સાથે મંગાવવામાં આવેલ તમામ આનુષંગિક દસ્તાવેજો રજૂ કરવામાં ન આવે કે અધુરી માહિતીવાળા ટેન્ડરો ખોલવામાં આવશે નહિ.
૧૮. ટેન્ડરની વેલીડીટી પ્રાઈસ બિડ ખોલ્યા તારીખથી ૯૦ દિવસ ગણાશે.
૧૯. મુદત બહાર, અધુરી વિગતે કે શરતી ટેન્ડર વિચારણામાં લેવામાં આવશે નહિ અને રદ બાતલ થવાને પાત્ર રહેશે.
૨૦. સરકારના પ્રવર્તમાન જોગવાઈ મુજબ એસ.જી.એસ.ટી. ૧% અને સી.જી.એસ.ટી. ૧% નગરપાલિકા દ્વારા બિલમાંથી જી.એસ.ટી. તરીકે કપાત કરવામાં આવશે.
૨૧. મંજૂર થયેલ ભાવો તા. 31/03/2027 સુધી અથવા વાર્ષિક ભાવની અન્ય એજન્સી નક્કી ન થાય ત્યાં સુધી મંજૂર થયેલ ભાવોથી કામગીરી કરવાની રહેશે.
૨૨. નગરપાલિકા સૂચવે તે કામગીરી સમય મર્યાદામાં પૂર્ણ કરી આપવાની રહેશે.
૨૩. ભાવો અંગે આખરી સત્તા નગરપાલિકા, ખેરાલુને અબાધિત રહેશે.
૨૪. ભાવો મંજૂર થયા પહેલાં/બાદ મતભેદ વિવાદ ઉપસ્થિત થાય તેવા સંજોગોમાં મુખ્ય અધિકારી, ખેરાલુ નગરપાલિકા નો નિર્ણય આખરી ગણાશે. જે સંબંધિતોને બંધનકર્તા રહેશે.

ઈજારદારશ્રી નામ અને સહી  
રબર સ્ટેમ્પ સાથે