

Department name	Engineering Department
Circle/Division	South west Zone
IFB No/Short Tender Notice No.	05/2026-27 (37)
Name of Work	Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender)
Estimate contract value(INR)	Rs.30,00,000.00
Period of Completion	12 Months (Excluding Monsoon)
Bidding Type	Open/Limited
Bid Call(Nos)	1
Tender Currency Type	-----
Tender Currency Settings	-----
Joint venture	Applicable/Not Applicable
Rebate	Applicable/Not Applicable

Amount Details:	
Bid Document Fee:	Rs.1500.00
Bid Document Fee Payable to:	Municipal Commissioner, Ahmedabad
Bid Security/ EMD (INR)	Rs.30,000.00
Bid Security/ EMD In Favor of	Municipal Commissioner, Ahmedabad

Tender Dates

Bid Document Downloading Start Dates	Automatic System Generated
Bid Document Downloading Start Dates	-
Pre Bid Meeting	-
Last Date & Time for Receipt of Bids	29-06-2026 up to 19:00 hrs
Bid Validity Period	120 Days
Remaks	Submission of EMD.Tender fee and Other Documents during office hours : On date 30-06-2026& 16.00hrs in the Office of Assistant Manager (South West Zone Office, Late Shree Tushar Deshmukh Bhavan, Nr. Shalby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015
Bid Opening Date	30-06-2026; 17:00 hrs
Other Details	
Officer Inviting Bids:	Assistant Manager(South West Zone)
Bid Opening Authority:	Assistant Manager(South West Zone)
Address:	Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway,
Contact details:	



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન

મહાનગરસેવાસદન - દક્ષિણપશ્ચિમઝોનઝોનલઓફીસ,

સ્વ. શ્રી તુષારદેશમુખભવન, શેલ્બીહોસ્પિટલપાસે, કર્ણાવતી ક્લબ સામે,

એસ.જી. હાઈવે, જોધપુર, અમદાવાદ- ૩૮૦૦૧૫

દક્ષિણપશ્ચિમઝોનટેન્ડરનોટીસનં- ૧૩/૨૫-૨૬માંઆવરીલેવાયેલકામોનીવિગતો

શરતો :-

દક્ષિણપશ્ચિમઝોનટેન્ડરનોટીસનં- ૦૫ / ૨૦૨૬-૨૭માંઆવરીલેવાયેલકામોનીવિગતો / શરતો:-

૧. ઉપરોક્તટેન્ડરોજેતે વર્ગમાંમાન્યરજીસ્ટ્રેશન ધરાવતા કોન્ટ્રાક્ટરશ્રીઓએભરવા.
૨. ટેન્ડરનીનિયતટેન્ડર ફી તથા ઇ.એમ.ડી. બંધ ક્વરમાંઉપરનાસરનામેરુબરુ / રજીસ્ટરએ.ડી./સ્પીડપોસ્ટ/કુરીયરથીનિયતસમયમાંમોકલવાનારહેશે.
૩. કોન્ટ્રાક્ટરશ્રીઓએટેન્ડરનીસાથેમ્યુનિસિપલમાન્યરજીસ્ટ્રેશનની/ ગર્વમેન્ટરજીસ્ટ્રેશનનીકોપી, (ટેન્ડરકોપીતથા અન્યપુરાવાસાથે) અચૂકસામેલકરવાનીરહેશેઅનેકવરઉપરટેન્ડરનંબરતથા કોન્ટેક્ટનંબરજરૂરસ્પષ્ટદર્શાવવાનો રહેશે.બંધ કરવરઉપરટેન્ડરનોટીસનંબર, ટેન્ડરનંબર, કામનુંનામતથા, કોન્ટ્રાક્ટરનીસંસ્થાનુંનામતથા કોન્ટેક્ટનંબરઅવશ્યદર્શાવવાનારહેશે. જેકોન્ટ્રાક્ટરશ્રીઓએરજીસ્ટ્રેશનનીન્યુકરાવેલ ન હોયતે કોન્ટ્રાક્ટરશ્રીએટેન્ડરભરવાનહી.
૪. કોન્ટ્રાક્ટરોએટેન્ડરમાંબેંકનુંનામ, ખાતા નંબર, માઈકરનંબરઅનેસરનામુસ્પષ્ટઅક્ષરોમાંલખવુ.
૫. ટેન્ડર ફી પે ઓર્ડર / ડીમાન્ડડ્રાફ્ટથીચૂકવવાનીરહેશે. દરેકટેન્ડરદીઠઅલગટેન્ડરટેન્ડરફીભરવાનીરહેશે.
૬. ઓછીરકમનીટેન્ડર ફી, ઇ.એમ.ડી. કે ટેન્ડર ફી, ઇ.એમ.ડી. વિનાનાટેન્ડરોરદબાતલ (કેન્સલ) ગણાશે.
૭. ટેન્ડરસાથેમુકવામાંઆવતી અર્નેસ્ટમની, ટેન્ડરનીરકમના ૧% પ્રમાણેબેંકગેરન્ટી / ડીમાન્ડડ્રાફ્ટ / પે ઓર્ડર / લોકલમાઈકરચેકથી જ સ્વીકારવામાંઆવશે. દરેકટેન્ડરદીઠઅલગઈ.એમ.ડી. ભરવાનીરહેશે. ઇ.એમ.ડી. રકમરૂા. એકકરોડસુધીનીઅંદાજીતરકમનાકામમાટેરોકડા, લોકલમાઈકર ચેક, ડિમાન્ડડ્રાફ્ટ, પે ઓર્ડર કે બેંકગેરન્ટીનાસ્વરૂપમાંતથા રૂા. એકકરોડથીઉપરનીઅંદાજીતરકમનાકામમાટેઈ.એમ.ડી.નીરકમમાત્રડિમાન્ડડ્રાફ્ટ, પે ઓર્ડર કે બેંકગેરન્ટીનાસ્વરૂપમાંઆપવાનીરહેશે.
૮. બેંકગેરન્ટીમાત્રઅમદાવાદશહેરની જ સ્વીકારવામાંઆવશે.
૯. ટેન્ડર ફી તથા ઇ.એમ.ડી.નીરકમનાડી.ડી./ચેકનીપાછળ કોન્ટ્રાક્ટરશ્રીએપોતાનીસંસ્થાનુંનામતથા મોબાઈલનંબરઅવશ્યલખવાનોરહેશે.
૧૦. શરતી ટેન્ડરોરદબાતલ ગણાશે.
૧૧. જોટેન્ડરમાંસ્પષ્ટઉલ્લેખકરાયેલહોયતોયોમાસાનેકારણે ખાતાકીય સૂચના અન્વયેજ્યારેજ્યારેકામ બંધ રાખવાનુંથાયતે સમયનેકામનીમુદતમાંજરેઆપવામાંઆવશે. પરંતુઆઅન્વયેકોઈભાવવધારોઆપવામાંઆવશેનહી. જેનીનોંધ ટેન્ડરેલેવી.
૧૨. ટેન્ડરોકોઈપણકારણઆપ્યાસિવાયસ્વીકારવા કે નહિંસ્વીકારવાતેની સંપૂર્ણસિત્તામ્યુનિસિપલકમિશનરશ્રીનીરહેશે.
૧૩. ટેન્ડરમાંજોકોઈસુધારાવધારાહોયતોતે અંગટેન્ડર ભરતા પહેલાછેલ્લેદિવસેનિયતવેબસાઈટઅથવાકચેરીએજરૂરીતપાસકરીને જ ટેન્ડરમોકલવુ.
૧૪. સીકયોરીટીડીપોઝીટ/ પફોર્મન્સગેરન્ટીનીરકમરૂા. એકકરોડસુધીનીઅંદાજીતરકમનાકામમાટેરોકડા, લોકલમાઈકર ચેક, ડિમાન્ડડ્રાફ્ટ, પે ઓર્ડર કે બેંકગેરન્ટીનાસ્વરૂપમાંતથા રૂા. એકકરોડથીઉપરનીઅંદાજીતરકમનાકામમાટેસીકયોરીટીડીપોઝીટ/ પરફોર્મન્સગેરન્ટીનીરકમમાત્રડિમાન્ડડ્રાફ્ટ, પે ઓર્ડર કે બેંકગેરન્ટીનાસ્વરૂપમાંઆપવાનીરહેશે.
૧૫. ઓનલાઈન એન-પ્રોક્યુર વેબસાઈટ પરથી ભરવાના થતા ટેન્ડરમાં કોન્ટ્રાક્ટર/ એજન્સીએ ટેન્ડરની હાર્ડ કોપીમાં ભાવ ભર્યા વગરની સહી સીકકા કરી સબમીટ કરવાની રહેશે. જો તેમાં ભાવ ભરેલ હશે તો તેવા ટેન્ડર રદ કરવામાં આવશે.
૧૬. સદર ટેન્ડરની આઈટમોના ભાવો નાણા ખાતા ના સરકયુલર નં.૩૮, તા.૨૧/૧૧/૨૨ તથા સક્ષમ સત્તાની મળેલ મંજૂરી મુજબ GST સિવાય ગણત્રીમાં લેવામા આવેલ તથા પ્રવર્તમાન નિયમ મુજબ GST ચુકવવા પાત્ર થશે જેથી તમામ બીડસે તે મુજબ ગણતરી કરી ટેન્ડરો ભરવાના રહેશે.
૧૭. સદર ટેન્ડર અંતર્ગતના કામ સંલગ્ન અ.મ્યુ.કો.માં પ્રવર્તમાન તમામ નિયમો/સરકયુલરો લાગુ પડશે તેમજ વખતો વખતથનાર સુધારાઓ પણ લાગુ પડશે. જેની નોંધ લઈ ટેન્ડરો ભરવાના રહેશે.

ડીમાન્ડડ્રાફ્ટ / ચેક “મ્યુનિસિપલકમિશનર, અમદાવાદ” નાનામનોકઢાવવો

૧૮. દક્ષિણ પશ્ચિમ ઝોનનાં વાર્ષિક રેઈટ ટેન્ડરમાં મરામત-નિભાવનાં ડ્રેનેજ, પાણી, રોડ, બિલ્ડીંગના જુદા જુદા કામો તથા સ્ટે.ક.ઠ.નં. ૯૩૯ તા.૨૭.૦૭.૨૦૧૨ થી વાલ્મીકી સમાજની મંડળીઓને આપવામાં આવતા ડ્રેનેજ ડીસીલ્ટીંગના કામો માટે નાગરિક અધિકાર પત્રકમાં જણાવેલ સમય મર્યાદામાં ફરિયાદનો નિકાલ કરવા તેમજ સેવાકીય કામગીરી સમય મર્યાદામાં પુર્ણ થાય તે માટે ઇ-ગવર્નન્સ સી.સી.આર.એસ. પ્રોજેક્ટ અંતર્ગતતા.૨૧.૦૮.૨૦૨૧ના સરક્યુલર તથા સીટી ઇજનેર ખાતુ પરિપત્ર નં.૨ તા. ૦૭.૧૦.૨૦૨૩ ના પરિપત્ર,મ્યુ.કમિ.શ્રીની તારીખ ૨૩.૦૪.૨૦૨૬ ની મીનીટસ ઓફ મીટીંગ નાં મુદ્દા નં.૨૧ અનુસંધાને ડ્રાફ્ટ માં સામેલ પેનલ્ટી શરતો ટેન્ડરમાં રાખવાની અને તે મુજબ ની પેનલ્ટી વસુલવાની ટેન્ડર શરતો નીચે મુજબ છે.

૧. સી.સી.આર.એસ.માં નોંધાતી ફરિયાદ વોર્ડનાં ઇજનેર સ્ટાફ દ્વારા કોન્ટ્રાક્ટર/એજન્સીને વોટસએપ/ટેલીફોનિક માધ્યમથી અથવા રૂબરૂ લેખીતમાં ફરિયાદ આપવામાં આવશે.સદર ફરિયાદની કામગીરી એસ.એલ.એ. ની સમય મર્યાદામાં કરવાની રહેશે.
૨. કામગીરી પુર્ણ થયા બાદ તેના ફોટોગ્રાફ,સર્ટીફિકેટ અને કામગીરી પુર્ણ થયા ની જાણ એસ.એલ.એ. સમય મર્યાદામાં વોર્ડના સ્ટાફને કરવાની રહેશે.
૩. જો આપને આપેલ ફરિયાદ એસ.એલ.એ. સમય મર્યાદામાં પુર્ણ નહી થાય તો આ સામેલ કોષ્ટક મુજબની પેનલ્ટી ની રકમ આપનાં બીલ માંથી વસુલ કરવામાં આવશે.
૪. આપને સોંપવામાં આવેલ સી.સી.આર.એસ. ફરિયાદો નો રીપોર્ટ અઠવાડીક ધોરણે નિયત ફોર્મેટમાં પ્રમાણીત કરી વોર્ડ ઓફિસે રજુ કરવાનો રહેશે.
૫. કોન્ટ્રાક્ટર દ્વારા અરજદાર ને ફોન કર્યા બાદ સદર ફરિયાદ અન્ય વોર્ડ કે અન્ય ડિપાર્ટમેન્ટ કે અ.મ્યુ.કોર્પોરેશન ના કાર્યક્ષેત્ર માં ન આવતી હોઈ તેની જાણ વોર્ડ સ્ટાફ ને તાત્કાલિક કરવાની રહેશે.

➤ સી.સી.આર.એસ ફરિયાદ સમય મર્યાદા માં નિકાલ ન થવાના સંજોગો માં કરવાની થતી પેનેલ્ટી ની વિગત નીચે મુજબ છે.

Sr. No.	Department	Category	Problem	SLA	Penalty per one Problem per day in Rs.
1	Engineering	Water>>Engineering	Inadequate water or low inflow pressure - Eng	240 Hours	500
2	Engineering	Water>>Engineering	Leakage In Pipe Line - Eng	48 Hours	500
3	Engineering	Water>>Engineering	Water quality-Polluted water - Eng	24 Hours	500
4	Engineering	Water>>Engineering	No Water - Eng	240 Hours	500
5	Engineering	Drainage>>Engineering	Drain Blockage or Choking on TP road - Eng	48 Hours	500
6	Engineering	Drainage>>Engineering	Overflowing of main line and distribution line on road - Eng	48 Hours	1000

7	Engineering	Drainage>>>Engineering	No Drainage Manhole cover - Eng	24 Hours	1000
8	Engineering	Drainage>>>Engineering	Frequent Breakdown & Blockage of Drain - Eng	96 Hours	500
9	Engineering	Road	Pot holes on the Road	24 Hours	500
10	Engineering	Road	Patch work Relaying of a portion of road	72 Hours	500
11	Engineering	Road	Deep Pit - Large settlement of road	48 Hours	1000
12	Engineering	Road	Removal of waste-Dust Lying on both side of the road after re surfacing	72 Hours	500
13	Engineering	Footpath	Footpath Repairing Required	168 Hours	500
14	Engineering	Public Building	No Water Supply In A Public Building	24 Hours	500
15	Engineering	Public Building	Public Toilets and Urinals - Repairing of Doors, Windows, Tiles or Sheets	360 Hours	1000
16	Engineering	Public Building	Other Maintenance	168 Hours	500
17	Engineering	Drainage>>>Engineering	Contractor Had not disposed off the Manhole Silt Properly - Eng	48 Hours	500
18	Engineering	Drainage>>>Engineering	Raising the Manhole Cover & Catch Pit Up To the Road Level - Eng	168 Hours	500
19	Engineering	Drainage>>>Engineering	Lowering the Manhole cover & Catch pit - Eng	168 Hours	500
20	Engineering	Drainage>>>Engineering	Public Toilets and Urinals - Drainage Line Blockage or Choking	72 Hours	500
21	Engineering	Drainage>>>Engineering	Public Toilets and Urinals - Drainage Line Breakage	168 Hours	500
22	Engineering	Water>>>Engineering	Public Toilets and Urinals - Non-Availability of Water/Cleaning of Water Tank/Broken Tank Cover	168 Hours	500

Contractor's Signature
& Stamp

Add.C.E City Engineer
(South West Zone)

Mobile No



અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન
મહાનગર સેવા સદન - દક્ષિણ પશ્ચિમ ઝોન ઝોનલ ઓફીસ,
સ્વ. શ્રી તુષારદેશમુખભવન, શેલ્બી હોસ્પિટલ પાસે, કણાવતી ક્લબ સામે,
એસ.જી. હાઇવે, જોધપુર, અમદાવાદ- ૩૮૦૦૧૫

એ.આર.સી. ટેન્ડર- શરતો

૧. એ.આર.સી. ટેન્ડરમાં વર્ક ઓર્ડર આપ્યા બાદ કામ શરૂ કરવાની સમય મર્યાદામાં કોન્ટ્રાક્ટર દ્વારા કામ શરૂ કરવાની જાણ કર્યા બાદ ૨૪ કલાકના કામ શરૂ નહિ કરવામાં આવે તો અન્ય કોન્ટ્રાક્ટર પાસે માર્કેટ રેટથી કોન્ટ્રાક્ટરના ખર્ચે અને જોખમે કામગીરી કરાવવામાં આવશે.
૨. કોન્ટ્રાક્ટરને વર્ક ઓર્ડર આપ્યા બાદ એ.આર.સી. પ્રકારનું ટેન્ડર હોઈ કામની જરૂરીયાત મુજબ ટેલીફોનિક જાણ કરી જે તે કામ શરૂ કરવા કહેવામાં આવશે અને જે કામની જાણ કર્યાના ૨૪ કલાકમાં શરૂ કરવામાં નહિ આવે અને નિયત સમયમર્યાદામાં પુર્ણ કરવામાં નહિ આવે તો જે તે આઈટમના SOR ભાવથી ૧.૫ ગણી પેનલ્ટી વસુલ લેવામાં આવશે.
૩. ત્રણ કે વધુવાર ઉપર મુજબની અન્ય કોન્ટ્રાક્ટર પાસેથી કામગીરી કરાવવાની ફરજ પડશે અને /અથવા ત્રણ કે વધુવાર પેનલ્ટી કરવાની ફરજ પડશે તો તે સંજોગોમાં કોન્ટ્રાક્ટરને બ્લેકલીસ્ટ કરવામાં આવશે જેની અંતિમ સત્તા મ્યુ.કમિશ્નરશ્રીને રહેશે.
૪. સદર ટેન્ડર અંતર્ગતના કામ સંલગ્ન અ.મ્યુ.કો.માં પ્રવર્તમાન તમામ નિયમો /સરકયુલરો લાગુ પડશે.તેમજ વખતો વખત થનારા સુધારાઓ પણ લાગુ પડશે.જેની નોંધ લઈ ટેન્ડર ભરવાના રહેશે.



**AHMEDABAD MUNICIPAL CORPORATION
MAHANAGAR SEVA SADAN
SOUTH WEST ZONE**

Clause : 1 Contractor shall not employ any child having age 5 to 15 years as it is prohibited by Child Labour Prohibition and Regulation Act 1986. Hon'ble Supreme Court has given certain guide lines and as per the guide lines. If child labour is employed on the site work, the contractor shall have to deposit Rs. 20,000.00 (Rupees Twenty thousand only) in the child labour welfare fund. If the employer refuses to deposit then action will be taken for contempt of Supreme Court Judgement and also will be prosecuted by concerned authority. Because of the breach of any provision of child labour prohibition and regulation Act 1986 by the Contractor & Municipal Corporation becomes liable to pay any amount then the Municipal Corporation shall recover the said amount from the contractor.

Clause : 2 The Standing Committee has decided to deduct 1/2% amount from each running bill as per its Reso. No. 1783 Date 06--02-97, but the Municipal Corporation Board has recently decided that the actual testing charge is taken and the remaining amount is refundable at the time of final bill (As per Muni. Board Reso. No. 123 dated 25-02-97)

Clause : 3 Contractor has to follow prevailing Labour act and has to maintain labour register accordingly, and has to follow other govt.rules.

Clause : 4 Quantity taken in tender are tentative and may differ as per execution of work. No claim shall be entertained regarding QUANTITIES.

Clause : 5 Time Limit is to be Considered as per given LOI of Different Approved Estimates of Work. In Failure of Completion of Work in Specified Time limit liquidated Damages for Delay Clause Will be Applicable.

*** MODIFICATION OF DOCUMENTS**

Modification of specifications and correction/corrigendum in respect of the work if required will be made by A.M.C. The same shall be placed on A.M.C website which may be downloaded by the tenders enclosed along with the tender duly signed. These shall form a part of tender. The tenderer shall not add or amend the text of any of the documents except in so far as may be necessary to comply with any addendum.

*** ADDENDUM/CORRIGENDUM**

Addendum or corrigendum conveying any change or correction in respect of the work shall form the part of the contract documents. The full consideration shall be given to such addendum or corrigendum or correction before submission tender duly filled in by the contractor. Therefore, the contractor shall have to watch such addendum or corrigendum or correction published by A.M.C through its website **www.egovamc.com**. Tenderers shall verify the number of addendum issued and enclose the same with the tender documents, failing which the tender shall be liable for rejection and no any complaint in respect to this shall be entertained under any circumstances.

**CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:-**

**Add.C.E City Engineer
(South West Zone)**

	<p align="center">અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન</p> <p align="center">નાણાંખાતું, બી-બ્લોક, પહેલો માળ, સરદાર પટેલ ભવન, દાણાપીઠ, અમદાવાદ. Email: amcnps@ahmedabadcity.gov.in</p>	 આઝાદી કા અમૃત મહોત્સવ
---	--	---

નાણાં ખાતું
સરકયુલર નં.- ૧૦
તા:- ૦૫/૦૮/૨૦૨૪

બેંક ગેરંટી સરકયુલર

સંદર્ભ :- નાણાં ખાતાના સરકયુલર નં. ૪૮ તા.૨૮/૦૧/૨૦૧૨, ૫૮ તા.૧૬/૦૩/૨૦૧૨, ૧૪ તા.૦૪/૦૬/૨૦૧૩, ૦૩ તા.૧૩/૦૫/૨૦૧૪, ૨૧ તા.૨૮/૦૫/૨૦૧૫, ૫૬ તા.૧૮/૦૮/૨૦૧૬, ૧૮ તા.૨૩/૦૫/૨૦૧૭, ૧૮ તા.૨૮/૦૫/૨૦૧૮, ૧૨ તા.૨૨/૦૭/૨૦૧૮, ૨૬ તા. ૨૫/૧૧/૨૦૧૮, ૨૧ તા.૧૮/૦૬/૨૦૨૦, ૪૦ તા.૦૫/૧૧/૨૦૨૦, ૧૨ તા. ૧૪/૦૬/૨૦૨૧ તથા ૨૩ તા.૨૦/૦૮/૨૦૨૧ તથા ૪૧ તા.૦૮/૦૨/૨૦૨૨, તા.૨૮/૦૪/૨૦૨૩

આથી તમામ ખાતાના વડા અધિકારીશ્રીઓ/એકાઉન્ટશ્રી તથા બિલકલાર્કશ્રીને જણાવવામાં આવે છે કે, સિક્યુરિટી ડીપોઝીટ તેમજ અર્નેસ્ટમની ડીપોઝીટ સ્વીકારવા બાબતે રાજ્ય સરકારશ્રી દ્વારા મંજૂર થયેલ બેંકોની યાદીમાં નાણાં વિભાગના જી.આર. નં. FD/MSM/e-file /4 /2023/ 4020/D.M.O. Date: 11/03/2024 મુજબ સુધારો કરી નવી યાદી બહાર પાડવામાં આવેલ છે.

રાજ્ય સરકારશ્રીના નાણાં વિભાગના જી.આર. નં. FD/MSM/e-file /4 /2023/ 4020 / D.M.O. Date: 11/03/2024 દ્વારા સિક્યુરિટી ડીપોઝીટ તેમજ અર્નેસ્ટમની ડીપોઝીટ માટે મંજૂર થયેલ બેંકોની યાદી અંગે ડે.મ્યુનિ.કમિશનરશ્રી(નાણાં)ની મળેલ મંજૂરી ઠ.નં.૬૯ તા.૦૩/૦૮/૨૪ મુજબના સદરહુ પરિપત્ર પ્રસિધ્ધ થયા તારીખ બાદથી તા.૩૧/૦૩/૨૦૨૫ સુધી અથવા રાજ્ય સરકારશ્રી દ્વારા આ બાબતે અન્ય જી.આર પ્રસિદ્ધ કરવામાં આવે ત્યાં સુધી એનેક્સર-1 માં જણાવેલ બેંકોની બેંકગેરંટી સિક્યુરિટી ડીપોઝીટ તથા ઇ.એમ.ડી. સ્વરૂપમાં સ્વીકારવામાં આવશે.

અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનના તમામ ખાતાઓ દ્વારા મેળવવામાં / સ્વીકારવામાં આવતી બેંક ગેરંટીની ઓથેન્ટીસીટીની અધિકૃત ચકાસણી કરીને / કરાવીને જરૂરિયાત મુજબના કન્ટ્રોલ પ્રોસીજર સેટઅપ કરવાના રહેશે. તેમજ સરકારશ્રીના જી.આર અન્વયે ડે. મ્યુનિસિપલ કમિશનરશ્રી (ફાયનાન્સ) ની મળેલ મંજૂરી મુજબ માત્ર અમદાવાદ શહેરની તથા અમદાવાદ સિવાયના અન્ય શહેરની હોય અને તે બેંક ગેરંટી અમદાવાદ સ્થિત સંબંધિત બેંકની શાખા દ્વારા અધિકૃત કરાયેલ હોય

તો નીચે જણાવેલ બેંકોની શાખાઓની બેંક ગેરંટી સ્વીકારવામાં આવશે. નાણાંખાતા દ્વારા ઉપરોક્ત સંદર્ભમાં જણાવેલ પરિપત્રોની અન્ય તમામ શરતો યથાવત રહેશે.

ANNEXURE – I

A. Guarantees issued by following banks will be accepted as SD/EMD on permanent basis.

❖ **All nationalized Banks**

B. Guarantees issued by following banks will be accepted as SD/EMD for the period up to March- 31, 2025. The validity cut-off date in the GR is with respect to the date of issue of Bank Guarantee irrespective of the date of termination of Bank Guarantee.

1. Commercial Banks :-

1. A U Small Finance Bank
2. Axis Bank
3. Bandhan Bank
4. City Union Bank
5. CSB Bank
6. DBS Bank India Limited
7. DCB Bank
8. Equitas Small Finance Bank
9. Federal Bank
10. HDFC Bank
11. HSBC Bank
12. ICICI Bank
13. IDBI Bank
14. IDFC First Bank
15. IndusInd Bank
16. Jana Small Finance Bank
17. Karnataka Bank
18. Karur Vysya Bank
19. Kotak Mahindra Bank

સરકયુલરનં.-૮૧

મે.મ્યુનિ.કમિશ્નરશ્રી, અમદાવાદમ્યુનિ. કોર્પોરેશનનાસરકયુલરનં.-૮૧, તા.૨૬.૦૨.૨૦૧૫ મુજબતમામ
પ્રકારનીકન્સ્ટ્રક્શનનીએકટીવીટીમાંમુખ્યકોન્ટ્રાક્ટર,સબકોન્ટ્રાક્ટરનાજેમજુરોકામગીરીકરતા હોયતે
તમામમજુરોનુંગુજરાતબિલ્ડીંગએન્ડઅધરકન્સ્ટ્રક્શનવર્કસમાંરજીસ્ટ્રેશનકરાવવુંફરજીયાત છે.

AHMEDABAD MUNICIPAL CORPORATION AMENDMENT

Name of Work: - As per name of the work mentioned in Tender.

★ Special condition of contract for Item_ (Providing and laying of interlocking grey paver blocks in shape of high density 60mm thick...) mentioned in Technical volume.

● Successful bidder of this tender shall have to purchase 50% of total quantity of paver block from Amdavad Enviro Projects Pvt.

Ltd. The paver blocks shall be as per tender BOQ & tender specifications. Payment of such 50% Quantity shall be made to Amdabad Enviro Projects Pvt. Ltd. directly by the successful bidder on mutual agreement of rate between successful bidder & Amdabad Enviro Projects Pvt.

Ltd. AMC shall not be responsible for any kind of dispute between Amdabad Enviro Projects Pvt.

Ltd. & successful bidder or this tender.

The successful bidder will be paid by AMC as per tender BOQ item rate + premium.

● The quality,

size, shape, compressive strength & other technical parameter of paver blocks shall be as per ISI standards & tender specification and shall be completely successful bidder's responsibility.

● If in case of failure of paver block or if paver block are not as per the standards, the same shall be rejected. Successful bidders shall remove such failed paver blocks immediately from site and fix new paver blocks as per standards.

● The successful bidders shall produce a certificate/bill from Amdabad Enviro Projects Pvt.

Ltd. showing quantity of Paver Block which should be minimum 50% of total quantity.

NOTE:-

1. All the relevant causes mentioned in the Tender which are related to above clauses shall be read as mentioned in above AMENDMENT.

2. The above Amendments shall be Part of Tender document & shall be bound to Contractor and shall be submitted along with other tender documents with duly signed and stamped.

Seal and signature of the bidder Add. C.E City Engineer

Date :- AHMEDABAD MUNICIPAL CORPORATION

Tender No.:-37

Tender Fee :Rs 1500.00

Earnest Money : Rs.Rs.30,000.00

Contractor's Name &Address :

Date of submission :29.06.2026 Time: :19:00 Hrs

Date of Opening :30.06.2026 Time: 17:00 Hrs

TENDER FORM

% ABOVE

or

% BELOW

(in words also)

**CONTRACTOR'S SIGNATURE
& STAMP**

Mobile No.:-

**ADD.C.E CITY ENGINEER
(South West Zone)**

AHMEDABAD MUNICIPAL CORPORATION
"South West Zone, Zonal Office", Opp.karnavati club, Jodhpur Ahmedabad.

Municipal Commissioner invites Percentage Rate sealed tenders from interested contractors .

1	Name of work	Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender)
2	Time Limit	12 Months (Excluding Monsoon)
3	Eligibility Criteria	Register "E1" class in PWD in Govt. R&B/CPWD/AMC or equivalent registration with any other state Govt. or institutions.
4	Estimated Cost put to tender	Rs.30,00,000.00
5	Earnest Money Deposit	Rs.30,000.00/- (Demand Draft, Pay order, Bank Guarantee (As per finance circular No 56) or Cheque in favour of Municipal Commissioner, Ahmedabad) To be submitted as prescribed in 7.0 below. Demand Draft or Bank Guarantee shall be from Nationalized Bank and valid for 120 days.
6	(A) Security Deposit:	5% of Tender Amount
	(B) Retention	1. @ 2% of the value of work done will be deducted from each RA bill. It will be released along with release of payment of Final Bill.
7	Tender fees (Non refundable)	Rs.1500/- Demand Draft / Pay order infavour of Municipal Commissioner, Ahmedabad)
8	Submission of EMD and Tender Fees	In separate sealed cover each for EMD and Tender Fees along with Tender as described in the invitation of tender and submitted to Assistant Manager(South West zone) , Ahmedabad Municipal Corporation, Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015
9	Tenders issue date	Tenders from the website http://amc.nprocure.com and http://nprocure.com . shall be down loaded from
10	Last date of receiving Tenders.	Dt.29.06.2026 up to 19:00 Hrs The tenders received after this date and time will not be entertained under any circumstances.
11	Date of Opening	Dt.30.06.2026 at 17.00 Hrsto Assistant Manager "South west Zone Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015
12	Mode of sending the Tender Documents	Document shall be submitted in sealed envelope systems By RPAD/ Speed post/ Hand Delivery/ Courier in sealed covers as described in submission of the tender.
13	Terms, Condition, & Specification	All general condition of contract of Form B1 condition of contract shall be applicable.
14	GST નાણાંખાતુપરીપત્રનંબર - ૩૧, તા.૦૭-૦૭-૨૦૧૭ મુજબ	અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનમાંઝોનલઓફીસ / પ.વ.એ. / પ્રોજેક્ટ વિભાગદ્વારા / બિલ્ડીંગ/લાઈટ/બ્રીજ ખાતાઓદ્વારાબહારપાડવામાંઆવેલાટેન્ડરજેનુંસબમીશનતા.૦૧-૦૭-૨૦૧૭ પછીકરવાનુંથાય છે, તેવાતમામટેન્ડરોમાંતથા હવેપછીબહારપાડવામાંઆવનારઉપરોક્તવિભાગ/ખાતાનાંતમામટેન્ડરોમાં (મટીરીયલ + લેબરસપ્લાયસાથે) GSTનાનોટીફિકેશનમુજબGSTજ્યાંલાગુપડતોહોયત્યાં, સદરહુંકામનાBidder એGST નોટીફિકેશનમુજબનીએપ્લીકેબીલીટીધ્યાનમાંરાખીનેરેટનુંબીડીંગકરવાનુંરહેશે.

Conditional tenders will not be accepted. Municipal Commissioner reserves the rights to reject any or all the tenders without assigning any reasons thereof.

Seal and Signature of the Bidder

**Add.C.E City Engineer
(SouthWest Zone)**

AHMEDABAD MUNICIPAL CORPORATION

Invitation for Bid (IFB)

1. The AHMEDABAD MUNICIPAL CORPORATION, (Hereinafter called “the Employer”) invites sealed Tender document from reputed and qualified bidders for the construction of Works detailed in the Table below:-

Sr. No.	Name of Works	Approximate value of works (Rs.)	Bid Security (Rs.)	Completion Period
1	Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender)	Rs.30,00,000.00	Rs.30,000.00	12 months (Excluding Monsoon)

2. Tender (a complete set of bidding document) fee shall be **Rs. 1500/-** in the form of Demand Draft / Pay Order from any Nationalized Bank in favor of MUNICIPAL COMMISSIONER, Ahmedabad, payable at Ahmedabad, which shall be non refundable. The fees shall be paid at the time of submitting the tender.
3. Interested bidders shall download the tender documents from website <http://amc.nprocure.com> and <http://nprocure.com>. up to **Dt. 29.06.2026 at 19:00hrs** tender fee as mentioned in clause 2 above shall be paid by the bidder at the time of bid submission.
4. All bids must be accompanied by Bid Security of the amount specified for the Works in the above Table payable at Ahmedabad and drawn in favor of AHMEDABAD MUNICIPAL CORPORATION, Ahmedabad. Bid Security will have to be in any one of the forms as specified in Clause of ITB (Instructions to Bidders).

All Bids must be delivered to Assistant Manager "South West Zone, Zonal Office", Late Shree Tushar Deshmukh Bhavan, Nr. Shelby hospital, Opp. karnavati Club, S.G. highway, Jodhpur, Ahmedabad-380015.

Seal and Signature of the Bidder

**Add.C.E City Engineer
(SouthWest Zone)**



**AHMEDABAD MUNICIPAL CORPORATION
MAHANAGAR SEVA SADAN
SOUTH WEST ZONE**

DETAILS OF BANK ACCOUNT

1	Contractor's name	
2	Address	
3	Telephone/ mobile no.	
4	Permanent account no. (PAN no.)	
5	Name of the bank	
6	Branch name and address	
7	Account type	
8	Account no.	
9	MICR no.	
10	IFS CODE	
11	Contractor/ supplier's signature and stamp	

AHMEDABAD MUNICIPAL CORPORATION
ENGINEERING DEPARTMENT
GENERAL CONDITION

1. Contractor shall produce the relevant registration certificate of AMC / State Govt /Central Govt.
2. Contractor shall register the work to labour commissioner as per labour act.
3. Contractor shall not sub-let the work without permission of the authority
4. Contractor should have sufficient skilled and unskilled laborers so that he shall start work at different sites simultaneously. Contractor's having labour force available during festivals shall only apply. Contractor can not stop the work due to on availability of labour force. In case progress is delayed, contractor shall be penalized 0.1% of Tender amount per day for work done after time limit, maximum up to 10% for remaining work.
5. Bitumen rate difference will be paid as per tender conditions, if applicable.
6. Advance payment / machinery advance will not be paid.
7. Payment of running bill will be made as per recent A.M.C. policy in force.
8. No extra payment will be made due to increase of central / state Govt. Taxes. Excluding GST as per As per circular no 38 Date 21.11.2022 of finance department of Ahmedabad Municipal Corporation.
9. If the work is not completed within time limit the penalty will be recovered from immediate bills of contractors.
10. If the material i.e. MH cover C.C block etc. supplied from Municipal Corporation store then contractor shall not claim for any extra rate for non execution of such item, partly/fully.
11. In the specifications, "as directed"/"Approved" shall be taken to mean, "as directed"/approved" by the Engineer-in-charge.
12. Wherever a reference to any Indian Standard appears in the specifications, it shall be taken to mean as a reference to the latest edition of the same in force on the date of agreement.
13. In "Mode of Measurement" in the specifications wherever a dispute arises in the absence of specific mention of a particular point or aspect, the provisions on these particular points, or aspects in the relevant Indian Standards shall be referred to.
14. All measurements and computations, unless otherwise specified, shall be carried out nearest to the following limits:
 - (i) Length, width and depth (height)----- 0.01 Meter.
 - (ii) Areas -----0.01 Sq. Mt.
 - (iii) Cubic Contents -----0.01 Cu.Mt.
15. The distance, which constitutes lead, shall be determined along the shortest practical route and not necessarily the route actually taken. The decision of the Engineer-in-charge in this regard shall be taken as final.
16. Where no lead is specified, it shall mean "all leads"
17. Lift shall be measured from plinth level.
18. Definite particulars covered in the items of work, through not mentioned or elucidated in it, specifications shall be deemed to be included there in.
19. Reference to specifications of materials as made in the detailed specification of the items of work is in the form of a designation containing the number of the specification of the material and prefix 'M' e.g. 'M-5'.

20. Approval to the samples of various materials given by the Engineer-in-charge shall not absolve the contractor from the responsibility of replacing defective material brought on site or materials used in the work found defective at a later date.
21. The contract rate of the item of work shall be for the work completed in all respects.
22. No collection of materials shall be made before it is got approved from the Engineer-in-charge.
23. Collection of approved materials shall be done at site of work in a systematic manner. Materials shall be stored at site of work in a systematic manner. Materials shall be stored in such a manner as to prevent damage, deterioration or intrusion of foreign matter and to ensure the preservation of their quality and fitness for the work.
24. Materials, if and when rejected by the Engineer-in-charge, shall be immediately removed from the site of work within 24 hours.
25. No materials shall be stored prior to, during and after execution shall be kept in sufficient numbers and in good working condition on the site of the work.
26. All works shall be carried out in workmanlike manners per the best techniques for the particular item.
27. All tools, templates, machinery and equipment for correct execution of the work as well as for checking lines, levels, alignment of the works during execution shall be kept in sufficient numbers and in good working condition on the site of the work.
28. The mode, procedure and manner of execution shall be such that it does not cause damage or over loading of the various components of the structure during execution or after completion of the structure.
29. All necessary safety measures and precaution (including those laid down in the various relevant Indian Standards) shall be taken to ensure the safety of men, materials and machinery on the works as also of the work itself.
30. The testing charges of all materials shall be borne by the Contractor unless recovery at one percent towards testing charges is separately made.
31. Time limit is to be considered as per given LOI of different approved estimate of work. In failure complete of work in Specify time limit liquidated damages for delay close will be applicable .

INSTRUCTION TO TENDERERS

TENDER VALIDITY PERIOD:

The tender shall be kept valid for acceptance for a period of One Hundred Twenty Calendar days (120) from opening of price bids.

SECURITY DEPOSIT

Within 10 days of receipt of Acceptance from the Corporation, the successful tender shall furnish to the Corporation Security Deposit of 5% (five percent) of the contract price cheque or Bank Guarantee, pay order, or demand draft of Nationalized Banks and Schedule Banks only.

CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.

ADD. CITY ENGINEER
(South West Zone)

AHMEDABAD MUNICIPAL CORPORATION
ENGINEERING DEPARTMENT
GENERAL SPECIFICATION

Time limit for the work shall be **12Month(excludingmonsoon)** after the order to start the works. Progress of work should be in proportion to time limit.

The contractor shall be remain responsible for Workmen's compensation if any accident. The contractor shall arrange for barricading at night and arrangement of Pagi at night to direct the traffic. He shall be responsible for any damage to public. If any incident happen, during the execution of work. In case of dispute for unseen or overlooked items the decision of the Dy. City Engineer shall be final. The contractor shall have to give site clean of all rubbish during the work and at the time of completion of work and hand over the site with final finishing of the work as directed. All the rejected materials shall be removed from site within 24 hours by contractor at this risk and cost. Debris shall have to cart daily from site.

If any extra item crops up during the progress of work the same shall be carried out by the contractor and he shall be paid at the rate fixed by Add.C.E. as per the rate analysis based on latest SOR or if item is not available in SOR than based on current market rates. In case of extra item decision of Add. City Engg. shall remain final regarding rate.

If in the interest of the Corporation it is necessary to change either any site or the design of the propose work the contractor shall carry out the same at his quoted rates without charges any extra and the contractor will have to carry out the works and he will be paid at the rate quoted by him. No claim for extra rate for subsequent changes in site and design is entertained.

Octroi exemption passes shall not be given for any materials required for the work. Contractor will be fully responsible for compliance of the various provisions under contract Act. 1970 and the Rules framed the to under.

The tender for the work shall remain open for a period (120) days from the date of opening of the tenders for this work and that the tenderer shall not be allowed to withdraw or modify the offer on his own during the period. If any tenderer withdraw or makes any modifications or addition in the terms and conditions of his tender not acceptable to the Municipal Corporation the Municipal Corporation shall without prejudice to any right or remedy be at liberty to forfeit in full the said earnest money and black list the contractor.

If the work is not carried out within the specified time limit. from the date of order to start the work the penalty of Rs.-(As per Form - B1) per day of delay shall be recovered from the immediate bills payable to the contractor. Contractor has to make his own arrangement for procurement of steel and cement.

Contractors should note the following conditions carefully:-

- i) Conditional tender shall not be accepted.
- ii) All tenders are to be submitted in duplicate without which the tenders are liable to be rejected.
- iii) In case of tender downloaded from website, tender fee & EMD should be submitted in form of demand draft or in cash.
- iv) Condition of Form - B1 Standard Specification of material & code of practice will be applicable. Form B1 can be is available in website. Specification shall be as per ' R & B Dept. - Govt. of Gujarat booklets of Building Works & and Road Works Specifications published by Gujarat Book Depot, Sector-21. Gandhinagar.

CONTRACTOR'S SIGNATURE
& STAMP
Mobile No.:

ADD.CITY ENGINEER
(South West Zone)

SPECIFICATIONS OF MATERIALS – CIVIL

This section gives detail specifications for mainly used materials, for other materials refer Building Specifications.
For materials relevant specification of Building Specification shall apply.

TECHNICAL SPECIFICATIONS

NAME OF THE WORK:- Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender).

Item No.1 : Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and strutting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum.

Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and strutting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum.

Measurement shall be on per Cmt .

Item No.2 : Extra rate over item of excavation of earth if excavation is to be done in wet condition without resorting to pumping but incl. of bailing out of water.

Extra rate over item of excavation of earth if excavation is to be done in wet condition without resorting to pumping but incl. of bailing out of water.

Measurement shall be on per Cmt .

Item No.3 : Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, soiling/cutting Reinforcement etc.comp. with stacking the material as directed.

Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, soiling/cutting Reinforcement etc.comp. with stacking the material as directed.

Measurement shall be on per Smt .

Item No.4 : Filling available excavated earth (excluding rock) in trenches. plinth, sides of foundations etc. in layers not exceeding 20 cm. in depth consolidating each disposed layer by ramming and watering.

The rate shall be for a unit of one cubic metre.

Filling available excavated earth (excluding rock) in trenches. plinth, sides of foundations etc. in layers not exceeding 20 cm. in depth consolidating each disposed layer by ramming and watering.

The rate shall be for a unit of one cubic metre.

Item No.5 : Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind executed outside the road site. Rate also includes spreading & levelling etc complete. Internal conveyance above 50 mt done within the work site is not payable.

Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind executed outside the road site. Rate also includes spreading & levelling etc complete. Internal conveyance above 50 mt done within the work site is not payable.

The rate shall be for a unit of one cubic metre.

Item No.6 : Providing and supplying, and jointing ISI mark only standard length stoneware pipes of following class and diameter including excavation for laying of pipes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc. compl. (IS651/1989 or its latest revision) including labour work for lowering, laying, jointing with cement mortar (1:1) proportion, proper position, grade and alignment and all level as directed by engineer in charge including store to site of work jointing material etc complete.

Providing and supplying, and jointing ISI mark only standard length stoneware pipes of following class and diameter including excavation for laying of pipes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc. compl. (IS651/1989 or its latest revision) including labour work for lowering, laying, jointing with cement mortar (1:1) proportion, proper position, grade and alignment and all level as directed by engineer in charge including store to site of work jointing material etc complete.

The rate shall be for a unit of one RMT.

Item No.7 : Providing & Supplying ISI Standard RCC pipes (of sulphate resisting cement) in a standard lengths of following class & dia meter suitable for socket-spigot type including all taxes , insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc complete (IS 458:1989) Class NP-3/NP-4 test pressure 0.7/kg/sqcm. Rate also includes supplying RCC collar for RCC pipes including taxes, carting, loading, unloading, etc complete. Including labour work for lowering, laying, jointing, RCC pipes in CM 1:1 1/2 of following diameters in proper position, grade and alignment at all as directed by engineer in charge. (RCC pipe Horizontal cast)

Providing & Supplying ISI Standard RCC pipes (of sulphate resisting cement) in a standard lengths of following class & dia meter suitable for socket-spigot type including all taxes , insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc complete (IS 458:1989) Class NP-3/NP-4 test pressure 0.7/kg/sqcm. Rate also includes supplying RCC collar for RCC pipes including taxes, carting, loading, unloading, etc complete. Including labour work for lowering, laying, jointing, RCC pipes in CM 1:1 1/2 of following diameters in proper position, grade and alignment at all as directed by engineer in charge. (RCC pipe Horizontal cast)

The rate shall be for a unit of one RMT.

Item No.7.1: Lowering, laying and jointing R. C. C. pipes of following diameters in proper position, grade and alignment at all level as directed by Engineer-in-charge including conveyance from stores to site of work, labour, giving hydraulic testing as per ISI code.

Lowering, laying and jointing R. C. C. pipes of following diameters in proper position, grade and alignment at all level as directed by Engineer-in-charge including conveyance from stores to site of work, labour, giving hydraulic testing as per ISI code.

The rate shall be for a unit of one RMT.

Item No.8 : Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc.completed.

Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc.completed.

The rate shall be for a unit of on No Basis.

Item No.9 : Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Canterling & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size 1.00 X 1.40 meter (Inside Clear, M.H. length should be parallel to the flow.

Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Canterling & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size 1.00 X 1.40 meter (Inside Clear, M.H. length should be parallel to the flow.

The rate shall be for a unit of on No Basis

Item No.10 : Constructing Scrapper Slab Type M.H. Chamber of following size incl. excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., C.C. channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside (SRC) & outside (only for shaft) in C.M.1:3, finishing with cement slurry, P/F 4 mm dia M.S Steel HDPE coated steps 35 cm c/c at 35 cm staggered Masonry in C.M. 1:5, RCC slab in CC 1 : 1.5 : 3 of thickness 23 C.M, including Canterling & reinforcement (double jalli at 15 C.M c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc. completed (Inside Clear, M.H. length should be parallel to the flow,

Constructing Scrapper Slab Type M.H. Chamber of following size incl. excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., C.C. channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside (SRC) & outside (only for shaft) in C.M.1:3, finishing with cement slurry, P/F 4 mm dia M.S Steel HDPE coated steps 35 cm c/c at 35 cm staggered Masonry in C.M. 1:5, RCC slab in CC 1 : 1.5 : 3 of thickness 23 C.M, including Canterling & reinforcement (double jalli at 15 C.M c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc. completed (Inside Clear, M.H. length should be parallel to the flow,.

The rate shall be for a unit of on D.M Basis

Item No.11 Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item)

Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item)

The rate shall be for a unit of on D.M Basis

Item No.12 : Extra rate over item of Constructing Slab Type M.H./Chamber of following size for constructing M.H./ Chamber, per 1.00 Decimetre of additional depth or part thereof. etc. complete. Of size 1.00 x 1.40 mt. (inside clear) and Depth from.

Extra rate over item of Constructing Slab Type M.H./Chamber of following size for constructing M.H./ Chamber, per 1.00 Decimetre of additional depth or part thereof. etc. complete. Of size 1.00 x 1.40 mt. (inside clear) and Depth from.

The rate shall be for a unit of on D.M Basis

Item No.13 : Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 1.40 mt for constructing slab @ depth more than 0.60 mt for (MH 2 to 3 mt depth) and 1.0 mt for (MH above 3.0 mt depth) below Ground Level (Max. 5 unit of DM should be reduced in this item)

Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 1.40 mt for constructing slab @ depth more than 0.60 mt for (MH 2 to 3 mt depth) and 1.0 mt for (MH above 3.0 mt depth) below Ground Level (Max. 5 unit of DM should be reduced in this item)

The rate shall be for a unit of on D.M Basis

Item No.14 : Dismantling of existing Arch type manhole up to Arch and then Const. Slab type manhole of following size incl. excavation, refilling and & finished 15 mm thick cement plaster inside in CM 1:3, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, incl. cost of RCC Slab in CC 1:1.5:3, including Cantering & reinforcement as directed by engineer in charge. Rate includes carting of debris and excavated soil

Dismantling of existing Arch type manhole up to Arch and then Const. Slab type manhole of following size incl. excavation, refilling and & finished 15 mm thick cement plaster inside in CM 1:3, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, incl. cost of RCC Slab in CC 1:1.5:3, including Cantering & reinforcement as directed by engineer in charge. Rate includes carting of debris and excavated soil

The rate shall be for a unit of on No Basis

Item No.15 : Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete.

Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete.

The rate shall be for a unit of on No Basis

Item No.16 : Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No payment for M.H. work will be made until pipe is not cut completely in all respect.

Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No payment for M.H. work will be made until pipe is not cut completely in all respect.

The rate shall be for a unit of on No Basis

Item No.17 : Repairing damaged M.H. and raising M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed.

Repairing damaged M.H. and raising M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed.

The rate shall be for a unit of on No Basis

Item No.18 : Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed.

Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed.

The rate shall be for a unit of on No Basis

Item No.19 : Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed.

Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed..

The rate shall be for a unit of on Set/No Basis

Item No.20 : Carting and Fixing M.H., Chamber or Catchpits Seat and Cover in line and level to match existing road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied by A.M.C.(from any store).

Carting and Fixing M.H., Chamber or Catchpits Seat and Cover in line and level to match existing road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied by A.M.C.(from any store)

The rate shall be for a unit of on No Basis

Item No.21 : Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed.

Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed.

The rate shall be for a unit of on No Basis

Item No.22 : Providing Dead Centering using good quality Country Wood Planks, wall Plate of required thickness and size including placing the nece. supports of reqd. size, nailing, fixing with mortar, levelling. All specification for dead centering as per standard engg. practice etc. comp. as directed.

Providing Dead Centering using good quality Country Wood Planks, wall Plate of required thickness and size including placing the nece. supports of reqd. size, nailing, fixing with mortar, levelling. All specification for dead centering as per standard engg. practice etc. comp. as directed.

The rate shall be for a unit of on Smt Basis

Item No.23 : Supplying, labour for break down repairing work for activities like excavation, disliting, removing debris from trench back filling etc. comp. as directed by Eng.in charge.

Supplying, labour for break down repairing work for activities like excavation, disliting, removing debris from trench back filling etc. comp. as directed by Eng.in charge.

The rate shall be for a unit of on No Basis

Item No.24 : Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S.angles at max. 2.00 meter centre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. The same shall be removed after completion of work. (Only for break down work from start to complete)

Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S.angles at max. 2.00 meter centre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. The same shall be removed after completion of work. (Only for break down work from start to complete)

The rate shall be for a unit of on Rmt Basis

Item No.25 : Fabricating, supply and erecting in position Standard Structural steel sections conforming to IS 2062 for railing , skywalk, stair, or other works using ISMB, ISA, ISMC, MS plate, flat, square bars, pipe, square pipe, rectangular sections, square section, tube, etc. including welding, cutting, wastage, etc. complete. The rate is inclusive of welding rod, supply & fixing of correct size nut, bolts, washers, including one primer coat of red lead paint conforming IS:102 Zinc chromate paint conforming to IS:104 followed by two coat of aluminium paint as per IS:2339 OR enamel paint of color as selected by engineer incharge, with all contractor's materials, labour, tools & plants, in bolted/welded construction as directed by Engineer-in Charge. The waste cut pieces shall not be included in the paying quantity. The work shall be done as per drawing and specification. The work shall be carried out as per IS:800, IS:816.

Fabricating, supply and erecting in position Standard Structural steel sections conforming to IS 2062 for railing , skywalk, stair, or other works using ISMB, ISA, ISMC, MS plate, flat, square bars, pipe, square pipe, rectangular sections, square section, tube, etc. including welding, cutting, wastage, etc. complete. The rate is inclusive of welding rod, supply & fixing of correct size nut, bolts, washers, including one primer coat of red lead paint conforming IS:102 Zinc chromate paint conforming to IS:104 followed by two coat of aluminium paint as per IS:2339 OR enamel paint of color as selected by engineer incharge, with all contractor's materials, labour, tools & plants, in bolted/welded construction as directed by Engineer-in Charge. The waste cut pieces shall not be included in the paying quantity. The work shall be done as per drawing and specification. The work shall be carried out as per IS:800, IS:816.

The rate shall be for a unit of on Kg Basis

Item No.26 : Providing TMT Bar FE415 reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level (upto 10 ton)

Providing TMT Bar FE415 reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level (upto 10 ton)

The rate shall be for a unit of on Kg Basis

Item No.27 : Brick work using common burnt clay building bricks having crushing strength not less than 35kg./Sq.Cm. In foundation and plinth in Cement Mortar 1:5.(1-Cement: 5 -fine sand)(B) Conventional.(R & B Building Road Bridge SOR 2021-22 Item Code 06001BA,Item No.as per NBO-6.12 page no.64Dist. AHMEDABAD SOR 2021-22

Brick work using common burnt clay building bricks having crushing strength not less than 35kg./Sq.Cm. In foundation and plinth in Cement Mortar 1:5.(1-Cement: 5 -fine sand)(B) Conventional.(R & B Building

The rate shall be for a unit of on Cmt Basis

Item No.28 : Providing 15mm thick cement plaster in single coat on Rough (Similar) side of single or half brickwalls for interior plastering upto floor two level and finished even and smooth in (i) Cement mortar 1:3 (1-cement:3-sand).

Providing 15mm thick cement plaster in single coat on Rough (Similar) side of single or half brickwalls for interior plastering upto floor two level and finished even and smooth in (i) Cement mortar 1:3 (1-cement:3-sand).

The rate shall be for a unit of on Smt Basis

Item No.29 : Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per Codal Provision

Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per Codal Provision

The rate shall be for a unit of on Cmt Basis

Item No.30 : Providing and Casting in situ ordinary cement concrete M200 for R.C.C. Raft and cutt off walls including necessary shuttering laying, vibrating, ramming and curing complete.(B) Walls, fom top of foundation level upto floor two level.

Providing and Casting in situ ordinary cement concrete M200 for R.C.C. Raft and cutt off walls including necessary shuttering laying, vibrating, ramming and curing complete.(B) Walls, fom top of foundation level upto floor two level.

The rate shall be for a unit of on Cmt Basis

Item No.31 : Labour charger for lowering existing Ventilating column safely with the help of required capacity of hydra crane or any type of required capacity of crane. Item also includes welding machine , gas cutter , electric cutter , breaker etc necessary machineries required for this work with out damage and item also includes carting the same to the AMC store. etc. comp as directed.

Labour charger for lowering existing Ventilating column safely with the help of required capacity of hydra crane or any type of required capacity of crane. Item also includes welding machine , gas cutter , electric cutter , breaker etc necessary machineries required for this work with out damage and item also includes carting the same to the AMC store. etc. comp as directed.

The rate shall be for a unit of on No Basis.

Item No.32 : Constructing Bombay Pattern Type Catch Pit of size 0.60 x 0.60 depth up to 1 mt including excavation, B.B.C.C. (1:5:10), 23 cms thick brick maso. wall in the prop. of CM (1:6) with 40 mm thick IPS flooring in the prop M15 at bottom and 15 mm thick cement plaster inside the catch pit in the proportion of CM (1:3) with out jali etc. comp. as directed.

Constructing Bombay Pattern Type Catch Pit of size 0.60 x 0.60 depth up to 1 mt including excavation, B.B.C.C. (1:5:10), 23 cms thick brick maso. wall in the prop. of CM (1:6) with 40 mm

thick IPS flooring in the prop M15 at bottom and 15 mm thick cement plaster inside the catch pit in the proportion of CM (1:3) with out jali etc. comp. as directed.

The rate shall be for a unit of on No Basis.

Item No.33 : CatchPit Jali (Heavy duty) Fixing P/F FRC catch pit jali with frame 600mm x 600mm clear opening etc. comp.. As directed by engineer in charge.

CatchPit Jali (Heavy duty) Fixing P/F FRC catch pit jali with frame 600mm x 600mm clear opening etc. comp.. As directed by engineer in charge..

The rate shall be for a unit of on No Basis

Item No.34 : Providing, laying and jointing in true line and level UPVC pipe (SCH-40) of following dia. Including fittings of standard make as approved by Engineer-in-charge.

Providing, laying and jointing in true line and level UPVC pipe (SCH-40) of following dia. Including fittings of standard make as approved by Engineer-in-charge.

The rate shall be for a unit of on Rmt Basis

Item No.35 : Providing, supplying & fixing to wall ceiling and floor 6.0 kg. F/Cm2 working pressure polythelene pipes of the following outside dia. Low density. Complete with special flange empression type fittings. Wall clips etc. incl. making good the wall ceiling and floor.

Providing, supplying & fixing to wall ceiling and floor 6.0 kg. F/Cm2 working pressure polythelene pipes of the following outside dia. Low density. Complete with special flange empression type fittings. Wall clips etc. incl. making good the wall ceiling and floor.

The rate shall be for a unit of on Rmt Basis

Item No.36 : Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery)Providing and fixing to wall ceiling and floor 6.0Kg.F/Cm2 Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Shift Basis

Item No.37 : Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery)

Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Shift Basis

Item No.38 : Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery)

Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Shift Basis

Item No.39 : Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful

materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)

Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)

The rate shall be for a unit of on Hour Basis

Item No.40 : Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)

Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)

The rate shall be for a unit of on Hrs Basis

Item No.41 : Supplying Electric Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)

Supplying Electric Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)

The rate shall be for a unit of on shift Basis

Item No.42 : Providing & Supplying Hitachi Machine-110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)

Providing & Supplying Hitachi Machine-110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Hrs Basis

Item No.43 :Providing & Supplying Hitachi Machine-200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery)

Providing & Supplying Hitachi Machine-200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Hrs Basis

Item No.44 : Providing & Supplying hydra carne Machine of 12 /20 tone capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery)

Providing & Supplying hydra carne Machine of 12/20 tone capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery)

The rate shall be for a unit of on Day Basis

Item No.45 : Providing Dummy or Plug the Running Sewer by using M.S. Plate , safety measures,Labour,mud pump,D.G. set & Transportation of the same machinery also includes removing of dummy when required and placed labour & Supervisor remain present till the work comp.etc. as directed.

Providing Dummy or Plug the Running Sewer by using M.S. Plate , safety measures,Labour,mud pump,D.G. set & Transportation of the same machinery also includes removing of dummy when required and placed labour & Supervisor remain present till the work comp.etc. as directed.

The rate shall be for a unit of on Nos Basis

Item No.46 : Shoring or timbering for trench with 50 mm thick planks and suitable size truts etc. complete.

Shoring or timbering for trench with 50 mm thick planks and suitable size truts etc. complete.

Measurement shall be on per Smt .

I HAVE ALSO GONE THROUGH TECHNICAL SPECIFICATIONS FOR THE ITEMS (AS PER STANDARD P.W.D. TECHNICAL SPECIFICATION FOR THE ITEMS AND ALSO I HAVE THE BOOK OF THE SAME) AND AGREE TO ABIDE BY THEM.

IN CASE OF WHERE IS NO TECHNICAL SPECIFICATION FOR THE ANY ITEMS AVAILABLE, SPECIFICATION GIVEN BY THE ENGINEER-IN-CHARGE SHALL BE FOLLOWED AND FOR THE SAME I AGREE TO ABIDE BY THEM.

CONTRACTOR'S SIGNATURE
& STAMP
Mobile No

ADD.CITY ENGINEER
(South West Zone)

Tender No : 37

Tender Notice No :
05/2026-27

PRICE QUOTATION SHEET

Earnet Money 30000.00

Rs. :

Tender Fee Rs. 1500.00

Tender Class E1 or Above

Date of Submission of Tender : Dt. 29/06/2026, Time :
19:00 Hrs.

Date of Opening of Tender : Dt. 03/03/2026, Time :
17:00 Hrs.

Name of Work : Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender)

Estimated Tender Amount Rs. 30,00,000.00

I / We am / are willing to carry out work at _____ % above / below* percent (should be written in figures and words) of the estimated cost, as mentioned above. Amount of my / our tender works out for Rs. _____ (in figures)

Rupees _____ (in words)

Note : * Please strike out above or below, whichever is not applicable.

Contractor's
Signature
& Stamp

Add. City Engineer

(South West Zone)

Mobile No

AHMEDABAD MUNICIPAL CORPORATION					
SWZ ENGINEERING DEPARTMENT					
ABSTRACT					
Name of Work:- Providing and Laying New Catchpit work and other different drainage maintenance work at different location in Different ward of South West Zone in AMC (ARC Tender)					
Sr. No.	QTY	Item Description	Rate	Per	Amount
1		Excavation for pipe line trenches for water supply, sewerage line, manhole etc. all with shoring and struting if required as per required gradient and line including safety provisions using site rails and stacking excavated stuff including up to all required lead cleaning the site etc. complete for all lifts and strata as specified. In all sorts of soil and soft murrum.			
a	265	0 to 1.5 meter depth.	79.46	Cu.M	21056.90
b	100	1.5 to 3 meter depth.	87.50	Cu.M	8750.00
c	52	3 to 4.50 meter depth.	91.96	Cu.M	4781.92
d	50.00	4.50 to 6.00 meter depth.	97.32	Cu.M	4866.00
2	30.00	Extra rate over item of excavation of earth if excavation is to be done in wet condition without resorting to pumping but incl. of bailing out of water.	17.86	Cu.M	535.80
3		Extra rate over item of excavation of earth for excavation of asphalt pavement / RCC of thickness up to 0.20 meter including demolishing the asphalt carpet, metal, soiling/cutting Reinforcement etc.comp. with stacking the material as directed.			
a	20	up to 0.20 meter thickness (By Manual)	71.10	Smt	1422.00
b	10	Up to 0.30 meter (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete.	177.76	Smt	1777.60
c	10	0.30 meter & above (By any type of Breaker Machine or R.C.C.Cutter machine including cost of operator, fuel, & transportation etc complete.	311.08	Smt	3110.80
4	20	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm. in depth consolidation each deposited layer by ramming and watering.	22.00	Cu.M	440.00

5		Conveyance charge of earth, lime, murrum, building rubbish, manure, garbage, sludge, excavated rock, fly ash, aggregates of any kind executed outside the road site. Rate also includes spreading & levelling etc complete. Internal conveyance above 50 mt done within the work site is not payable. (R&B 2021-22 Statement No.5 Page no.5 & RA Approved St.Com.Res No.189,Dt.19/05/2022)			
a	32.784	a) Lead up to 1 Km.	23.38	Cu.M	766.49
b	20	b) Lead From 1Km to 2 Km.	30.94	Cu.M	618.80
c	20	c) Lead From 2 Km to 3 Km.	38.37	Cu.M	767.40
d	20	d) Lead From 3 Km to 4 Km.	45.52	Cu.M	910.40
e	253.00	e) Lead From 4 Km to 5 Km.	52.42	Cu.M	13262.26
f	20	f) Lead From 5 Km to 10 Km.	78.54	Cu.M	1570.80
g	20	g) Lead From 10 Km to 15 Km.	104.65	Cu.M	2093.00
6		Providing And Jointing Stoneware Pipes Incl. Excavation Up to 2 Mt. Refilling, Transporting Pipes To Work Site, Unloading, Lowering In Trench, jointing material Such As Cement, sand, Hemp Bitumen As Directed, Incl. Watering The Trenches Spreading And Carting away Of Surplus material as directed by engineer in charge.			
a	2	10 cm diia. (P-277- Item code- 24001A)	119.64	Rmt	239.28
b	2	15 cm diia. (P-277- Item code- 24001B)	163.39	Rmt	326.78
d	2	23 cm diia.	344.64	Rmt	689.28
7		R. C. C. PIPE (Horizontal Cast) Providing and supplying ISI Standard R.C.C. pipes(of Sulphate Resisting Cement) in standard lengths of following class and diameter suitable for either collar joints or rubber ring joints including all taxes, insurance, transportation, freight charges, octroi, inspection charges, loading, unloading, conveyance to departmental stores, stacking etc Note : One collar should be supplied with each full length plain ended RCC pipe, cost included in rates below. One rubber ring should be supplied with each full length socketed pipe, cost included in rates below.			
a	0	Class NP3 Test Pressure 0.7 Kg/sq.cm			

i	155	300 mm	755.00	Rmt	117025.00
ii	20	450 mm	1361.00	Rmt	27220.00
iii)	20	600 mm	1946.00	Rmt	38920.00
iv)	20	900 mm	3601.00	Rmt	72020.00
v	1	1000 mm	4821.00	Rmt	4821.00
vi	1	1200 mm	5899.00	Rmt	5899.00
vii	1	1400 mm	7587.00	Rmt	7587.00
viii	1	1600 mm	11167.00	Rmt	11167.00
ix	1	1800 mm	13608.00	Rmt	13608.00
b	0	Class NP4 Test Pressure 0.7 Kg/sq.cm			
i	152	300 mm	1087.00	Rmt	165224.00
ii	20	450 mm	2179.00	Rmt	43580.00
iii)	2	600 mm	2994.00	Rmt	5988.00
iv)	2	900 mm	6638.00	Rmt	13276.00
v	2	1000 mm	8282.00	Rmt	16564.00
vi	2	1200 mm	9704.00	Rmt	19408.00
vii	2	1400 mm	14210.00	Rmt	28420.00
viii	2	1600 mm	17702.00	Rmt	35404.00
ix	2	1800 mm	19255.00	Rmt	38510.00
x	2	2000 mm	20887.00	Rmt	41774.00
7.1	0	Lowering, laying and jointing R. C. C. pipes of following diameters in proper position, grade and alignment at all level as directed by Engineer-in-charge including conveyance from stores to site of work, labour, giving hydraulic testing as per ISI code.			
	0	Class NP2,NP3,NP4			
i	155	300 mm	119.00	Rmt	18445.00
ii	20	450 mm	171.00	Rmt	3420.00
iii)	20	600 mm	228.00	Rmt	4560.00
iv)	20	900 mm	340.00	Rmt	6800.00
v	1	1000 mm	375.00	Rmt	375.00
vi	1	1200 mm	440.00	Rmt	440.00
vii	1	1400 mm	514.00	Rmt	514.00
viii	1	1600 mm	577.00	Rmt	577.00
ix	1	1800 mm	650.00	Rmt	650.00

8	0	Constructing Chamber of following size including excavation, refilling, BBCC (1:5:10) for foundation, C.C.Channel (1:2:4), finished 15 mm thick cement plaster inside in CM 1:3, finishing with cement slurry, Brick masonry in CM 1:5 & excluding the cost of chamber seat cover etc.completed.			
a	6	0.60 X 0.45 mt. size Inside Clear, Depth from 0.0 to 0.90 meter	2261.61	No.	13569.66
b	6	0.60 X 0.75 mt. size Inside Clear, Depth from 0.0 to 0.90 meter.	2874.11	No.	17244.66
c	4	0.75 X 0.75 mt. size (Inside Clear) Depth from 0.0 to 1.20 meter.	3905.36	No.	15621.44
9		Constructing Slab type M.H. Chamber of the following size including excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., CC Channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside & outside (Only for shaft) in CM 1:3, finishing with cement slurry, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, RCC Slab in CC 1:1.5:3 of thickness 23 C.M., including Cantering & reinforcement (double jalli at 15 C.M. c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc..completed. of Size 1.00 X 1.40 meter (Inside Clear, M.H. length should be parallel to the flow, for pipe dia <= 800 mm)			
i)	10	1.00 to 2.00 meter depth, (Slab at Ground level)	11399.00	Nos.	113990.00
ii)	10	2 to 3 meter depth, (Slab at below 0.6 mt. From G.L.)	21569.00	Nos.	215690.00
iii)	10	3.00 to 4.00 meter depth, (Slab at below 1.00 mt. From G.L.)	30092.20	Nos.	300922.00
iv)	2	5.00 to 6.00 meter depth, (Slab at below 1.00 mt. From G.L.)	49336.00	Nos.	98672.00
v)	2	7.00 to 8.00 meter depth, (Slab at below 1.00 mt. From G.L.)	74628.00	Nos.	149256.00

10		Constructing Scrapper Slab Type M.H. Chamber of following size incl. excavation, refilling, brick bats cement concrete (1:5:10) of thickness 15 C.M., C.C. channel (1:2:4) of thickness 10 C.M., finished 15 mm thick cement plaster inside (SRC) & outside (only for shaft) in C.M.1:3, finishing with cement slurry, P/F 4 mm dia M.S Steel HDPE coated steps 35 cm c/c at 35 cm staggered Masonry in C.M. 1:5, RCC slab in CC 1 : 1.5 : 3 of thickness 23 C.M, including Canterring & reinforcement (double jalli at 15 C.M c/c bothway 12 mm dia.) but excluding the cost of Manhole seat cover etc. completed (Inside Clear, M.H. length should be parallel to the flow,			
	0	<u>For Pipe dia. <= 1000 mm</u>			
	1	(i) 1.6 m x 1.6 m x 2 m	22994.00	Nos.	22994.00
	1	(ii) 1.6 m x 1.6 m x 3 m	30214.00	Nos.	30214.00
	1	(iii) 1.6 m x 1.6 m x 4 m	41651.00	Nos.	41651.00
	1	(iv) 1.6 m x 1.6 m x 6 m	66560.00	Nos.	66560.00
	0	<u>For Pipe dia. <= 1200 mm</u>			0.00
	1	i) 1.8 m x 1.8 m x 6 m	72909.00	Nos.	72909.00
11	12	Rate reduction over item of Constructing Slab Type M.H. Chamber of size 1.00 x 0.75 mt for constructing slab @ depth more than 0.60 mt below Ground Level (Max. 3 unit of DM should be reduced in this item)	460.71	DM	5528.52
12		Extra rate over item of Constructing Slab Type M.H./Chamber of following size for constructing M.H./ Chamber, per 1.00 Decimetre of additional depth or part thereof. etc. complete. Of size 1.00 x 1.40 mt. (inside clear) and Depth from.			
a	5	4.00 to 5.00 meter depth,	521.43	DM	2607.15
13	5	Extra rate over item of Constructing Slab Type M.H. Chamber of size 1.00 x 1.40 mt for constructing slab @ depth more than 0.60 mt for (MH 2 to 3 mt depth) and 1.0 mt for (MH above 3.0 mt depth) below Ground Level (Max. 5 unit of DM should be reduced in this item)	586.61	DM	2933.05

14		Dismantling of existing Arch type manhole up to Arch and then Const. Slab type manhole of following size incl. excavation, refilling and & finished 15 mm thick cement plaster inside in CM 1:3, P/F 4 mm dia M.S.Steel HDPE coated steps 35 cm c/c at 35 cm staggered in masonry CM 1:5, incl. cost of RCC Slab in CC 1:1.5:3, including Canterring & reinforcement as directed by engineer in charge. Rate includes carting of debris and excavated soil			
a	1	1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)	5892.86	No	5892.86
b	1	1.00 x 0.75 mt (inside clear) RCC Slab of thickness 15 C.M& reinforcement (Single jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt. From G.L.)	8883.93	No	8883.93
c	1	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 0 to 2 mt depth (Slab at Ground level)	8080.36	No	8080.36
d	1	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM& reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 2 to 3 mt depth (Slab at below 1.00 mt. From G.L.)	17008.93	No	17008.93
e	1	1.40 x 1.00 mt (inside clear) RCC Slab of thickness 23 CM & reinforcement (double jalli at 15 C.M. c/c bothway 10 mm dia.) From 3 to 4 mt depth (Slab at below 1.00 mt. From G.L.)	24776.79	No	24776.79
15		Making connection to the ex.M.H.in running sewer incl. Dewatering and other required machinery etc. of following dia pipes at any convenient time. All damaged work shall be well repaired as per instructions. etc..complete.			
a	2	a. 150 mm to 300 mm dia.	1339.29	No.	2678.58
b	2	b. 400 mm to 600 mm dia.	2232.14	No.	4464.28

16	0	Cutting the pipes of following dia coming in the new M.H.in running sewer including cutting bars, including removing debris /silt from the M.H. and carting at a suitable distance etc..complete as directed. No payment for M.H. work will be made until pipe is not cut completely in all respect.			
a	2	150 mm to 300 mm dia.	1270.00	No	2540.00
b	2	400 mm to 600 mm dia.	1890.00	No	3780.00
c	2	700 mm to 900 mm dia	2250.00	No	4500.00
17	0	Repairing damaged M.H. and rasing M.H. up to road level incl. removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing MH sheet cover, removing the debris from MH and carting the same as directed.			
a	25	(A) up to 0.15 mt. (@ Two Coarse)	728.82	No.	18220.50
b	15	(B) up to 0.35mt. (@ Four Coarse)	1155.44	No.	17331.60
c	5	(C) up to 0.65 mt. (@ Seven Coarse)	1786.49	No.	8932.45
d	2	(D) up to 0.90 mt. (@ Ten Coarse)	2150.90	No.	4301.80
18	5	Repairing damaged I.C./ Raising removing damaged brick work and repairing by brick masonry in C.M. 1:5 and plaster in C.M. 1:3 and fixing C.I. steps and existing chamber sheet cover, removing the debris from chamber and carting the same as directed.	399.96	No.	1999.80
19	0	Providing F.R.C. MH seat cover incl. carting to the work site etc. comp. Directed.			
a	22	F.R.C. Extra Heavy Duty (EHD-35) Manhole Covers & Frames Cover : 728mm ø & 100 mm thick circular cover, 35.00 MT load design, 100x2mm MS flat allround, 16mm ø plain round bar for lifting the cover & should be fitted with plastic cups. Frame : 560 mm ø clear opening, outer size- 888x888x175 mm. On the upper periphery of frame 25 x 3 mm wide MS flat should be well embed in concrete to protect the edges of frame. FRC E.H.D.-35 manhole cover & frame described as above	3354.74	Set	73804.28

b	23	F.R.C. Heavy Duty [HD-20] Machinehole Covers - 560 mm ϕ clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1.	1720.44	No.	39570.12
c	5	F.R.C. Medium Duty [MD-10] Machinehole Covers - 560mm ϕ clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1..	1255.52	No.	6277.60
d	5	F.R.C. Medium Duty [MD-10] Chamber Covers & Frame- 600 x 450 mm clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1.	2254.98	No.	11274.90
e	2	F.R.C. Light Duty [LD-2.5] Machinehole Covers & Frames-560mm ϕ clear opening, The dimension of frame and cover as per mentioned in Amend No.1 to IS 12592 : 2002 table 1.	1915.14	No.	3830.28
20	2	Carting and Fixing M.H., Chamber or Catchpits Seat and Cover in line and level to match existing road level in C.C. 1:2:4 and finishing smooth, watering and protecting for 7 days etc. complete as directed. M.H. seat cover will be supplied by A.M.C.(from any store)	750.00	No.	1500.00
21	0	Providing Kachha of Pakka Dummy in the following dia pipes and removing the same after completion of the connection work as directed.			
a	5	(A) 100 mm to 300 mm dia.	199.11	No.	995.55
b	5	(B) 350 mm to 600 mm dia	302.68	No.	1513.40
22	5	Providing Dead Centering using good quality Country Wood Planks, wall Plate of required thickness and size including placing the nece. supports of reqd. size, nailing, fixing with mortar, levelling. All specification for dead centring as per standard engg. practice etc. comp. as directed.	312.50	Smt	1562.50
23	0	Supplying, labour for break down repairing work for activities like excavation, disliting, removing debris from trench back filling etc. comp. as directed by Eng.in charge.			

a	100	Mazdoor(male) at day/night(r&b sor 2023-24,sr.no.1051,code no.L022)	493.00	No	49300.00
b	100	Mazdoor(Female) at day/night(r&b sor 2023-24,sr.no.1050,code no.L021)	450.00	No	45000.00
c	50	Fitter/makadam/supervisor at day/night(r&b sor 2023-24,sr.no.1043,code no.L014)	640.00	No	32000.00
24	5	Barricading the entire break down or excavated area on rental basis using wooden ballies / M.S.angles at max. 2.00 meter centre to centre, C.G.I. Sheet, reflective paint / Board out side to avoid accident & for smooth traffic diversion & movement including cautionary board etc. Item also includes for making temporary sufficient nos of lighting arrangement through out the work with necessary required arrangement. The same shall be removed after completion of work. (Only for break down work from start to complete)	79.99	Rmt.	399.95
25	2	Fabricating, supply and erecting in position Standard Structural steel sections conforming to IS 2062 for railing , skywalk, stair, or other works using ISMB, ISA, ISMC, MS plate, flat, square bars, pipe, square pipe, rectangular sections, square section, tube, etc. including welding, cutting, wastage, etc. complete. The rate is inclusive of welding rod, supply & fixing of correct size nut, bolts, washers, including one primer coat of red lead paint conforming IS:102 Zinc chromate paint conforming to IS:104 followed by two coat of aluminium paint as per IS:2339 OR enamel paint of color as selected by engineer incharge, with all contractor's materials, labour, tools & plants, in bolted/welded construction as directed by Engineer-in Charge. The waste cut pieces shall not be included in the paying quantity. The work shall be done as per drawing and specification. The work shall be carried out as per IS:800, IS:816.	68.82	Kg.	137.64
26	120	Providing TMT Bar FE415 reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level (upto 10 ton)	63.10	Kg	7572.00

27	5	Brick work using common burnt clay building bricks having crushing strength not less than 35kg./Sq.Cm. In foundation and plinth in Cement Mortar 1:5.(1-Cement: 5 -fine sand)(B) Conventional.	2566.34	Cmt	12831.70
28	20	Providing 15mm thick cement plaster in single coat on Rough (Similar) side of single or half brickwalls for interior plastering upto floor two level and finished even and smooth in (i) Cement mortar 1:3 (1-cement:3-sand)	101.25	Smt	2025.00
29	0	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per Codal Provision			
	5	Production & Supply of WMM	1708.13	Cmt	8540.65
	5	Laying of WMM	31.25	Cmt	156.25
30	1	Providing and Casting in situ ordinary cement concrete M200 for R.C.C. Raft and cutt off walls including necessary shuttering laying, vibrating, ramming and curing complete.(B) Walls, fom top of foundation level upto floor two level (upto 10ton). (As Per Auda Approval Rate)	3672.30	Cu.M.	3672.30
31	1	Labour charger for lowering existing Ventilating column safely with the help of required capacity of hydra crane or any type of required capacity of crane. Item also includes welding machine , gas cutter , electric cutter , breaker etc necessary machineries required for this work with out damage and item also includes carting the same to the AMC store. etc. comp as directed.	5803.57	No	5803.57

32	50	Constructing Bombay Pattern Type Catch Pit of size 0.60 x 0.60 depth up to 1 mt including excavation, B.B.C.C. (1:5:10), 23 cms thick brick maso. wall in the prop. of CM (1:6) with 40 mm thick IPS flooring in the prop M15 at bottom and 15 mm thick cement plaster inside the catch pit in the proportion of CM (1:3) with out jali etc. comp. as directed. (AMC approved Rate)	3110.80	No	155540.00
33	50	CatchPit Jali (Heavy duty) Fixing P/F FRC catch pit jali with frame 600mm x 600mm clear opening etc. comp.. As directed by engineer in charge. (AMC approved Rate)	1377.64	No	68882.00
34	0	Providing, laying and jointing in true line and level UPVC pipe (SCH-40) of following dia. Including fittings of standard make as approved by Engineer-in-charge.			
a	5	15 mm	75.43	Rmt	377.15
b	5	25 mm	95.36	Rmt	476.80
c	5	40 mm	153.79	Rmt	768.95
d	5	50 mm	203.19	Rmt	1015.95
35	0	Providing, supplying & fixing to wall ceiling and floor 6.0 kg. F/Cm2 working pressure polythelene pipes of the following outside dia. Low density. Complete with special flange empression type fittings. Wall clips etc. incl. making good the wall ceilling and floor.			
	5	90 mm	140.18	Rmt	700.90
	5	110 mm	201.79	Rmt	1008.95
	5	140 mm	331.25	Rmt	1656.25
36	25	Providing and operation dewatering Pump including fuel charges & operator Charges etc. as directed etc. comp. (Shift for Eight Hour) (For Each Pump Set, No payment should be allowed for non working condition of machinery)	600.00	Shift	15000.00
37	3200	Hiring and operating Mud Pumps incl. Cost of fuel and operator including the cost of to and fro transportation, laying of the delivery hoses as required, lowering and lifting the pumps as and when required etc. complete. Set Do As Directed. (No payment should be allowed for non working condition of machinery)	16.00	H.P/Hr	51200.00

38	15	Hiring and operating the 20 KV 3 Phase Electric Generator for operating desilting machinery, and lighting and other requirements with Arranging diesel to run the D.G. Set Do As Directed. 8 Hrs Shift. (No payment should be allowed for non working condition of machinery)	2800.00	Shift	42000.00
39	48	Providing & Supplying JCB Machine on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges and stacking of useful & non-useful materials separately up to store. (No payment should be allowed for non working condition of machinery and for pipe line excavation and laying work)	600.00	Hour	28800.00
40	5	Supplying Pneumatic Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)	600.00	HR.	3000.00
41	5	Supplying Electric Breaker Machine for RCC Slab or Asphalt Demolishing Work on site by using Operator, fuel, power Supply etc. Complete as Directed. (No payment should be allowed for non working condition of machinery and for pipe line excavation and M.H. work. Allowed only for break down work)	1200.00	Shift	6000.00
42	8	Providing & Supplying Hitachi Machine-110 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg. in charge, rate includes all nece. shifting, fuel and operating charges . (No payment should be allowed for non working condition of machinery)	2000.00	HR.	16000.00

43	8	Providing & Supplying Hitachi Machine-200 capacity on rental basis in case of emergency situation and break down type work & also during unavoidable condition as per instruction of engg.incharge , rate includes all nece. shifting, fuel and operating charges. (No payment should be allowed for non working condition of machinery)	2700.00	HR.	21600.00
44	0	Hiring of Hydra / Crane with Driver (8 working Hours in Day)			0.00
	1	(i) Hiring of crane	6412.47	Day	6412.47
	0	(ii) Hiring of Hydra			0.00
	1	12 tone	3334.49	Day	3334.49
	1	20 tone	4382.53	Day	4382.53
45	0	Providing Dummy or Plug the Running Sewer by using M.S. Plate , safety measures,Labour,mud pump,D.G. set & Transportation of the same machinery also includes removing of dummy when required and placed labour & Supervisor remain present till the work comp.etc. as directed.			
a	1	600 mm dia To 1200 mm dia	60000.00	No	60000.00
b	1	Above 1200 mm dia	90000.00	No	90000.00
46	2	Shoring or timbering for trench with 50 mm thick planks and suitable size truts etc. complete.	70.00	Smt	140.00
	Rs.				3000000.00

Seal and Signature of the Bidder

Add.C.E.
(South West Zone)