

LETTER OF BINDING

If any material in special case is not available as per specification then in that case we will bring in good quality of materials as approved by the department from the other sources of supply and will not claim for any compensation there of.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

WATER SUPPLY

For all purpose connected with the work, the contractor is required to make his own arrangement for sufficient of water in such quantity and at such places on the work is may be necessary. The rate quoted in the tender for completed items of work and shall cover the cost of water as directed. Recovery at the rate of 0.50 percentage of value of work done from the contractor bill shall be made if the water is used from the Government Sources.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

SPECIAL CONDITIONS OF CONTRACT

- (A)** The contractor shall have to demonstrate the experience and relevant machinery for execution of rehabilitation of structures using construction chemical light polymers, polymers bonded treatment, cementations polymer treatment, repairs of R.C.C. work using polymer compounds, low pressure grouting, gunniting over weld mesh jali, stitching and providing external and external bond for providing earthquake resistance, chemical damp proofing, chemical water proofing etc. He should have experienced supervisory staff in this work and own labour or labour contractors of such work. He should produce proof of this type of work and machinery in the absence of such proof his offer is likely to be rejected.
- (B)** Methodology to be adopted for safety of existing quarters during construction activity :
- 1.** During execution work if it is found that supports are required to be provided for safety of work it is to be provided without any extra payment. Supports shall be got approved by Engineer in charge.
 - 2.** No scaffolding shall be supported on wall either on inner or outer face of the wall. Double scaffolding is to be provided without any extra cost as per site condition.
 - 3.** Demolition of plaster work shall be carried out in such a manner that either side i.e. outer or inner wall face, shall be demolished i.e. only one wall (Not all walls at a time). No plaster of whole building is to be demolished at a time and it should not be kept exposed for a long time. After demolishing of plaster of one wall, new plaster is to be applied immediately. After plastering one wall, another wall should be taken on hand.
 - 4.** During demolishing/ dismantalling procedure no sudden thrust should develop on wall or on slab. Work shall be done very carefully to avoid any accident during the work.
 - 5.** Walls shall not be wetted fully. (Completely saturated)
 - 6.** Outside plaster work shall be started from terrace to bottom. Construction sequence is given in the tender drawings and shall be followed accordingly.
 - 7.** Demolished/ dismantled material shall not be thrown on slab or outside through opening. Dismantled demolished material shall be put slowly on slab so that no jerk is developed. This material shall be disposed off through staircase by manually by carrying material downstairs slowly.
 - 8.** Shrubs shall be removed in such a way that no quantity of brick work or concrete work shall come out along with shrubs.
 - 9.** While replacing or providing water supply/ sanitary items, joints shall be checked properly. No leakage shall be observed at the time of testing and latter on.
 - 10.** Safety shall be assured around the blocks to avoid any accident.

- 11.** Care shall be taken during the grouting and gunniting so that trust is not produced on wall.
- 12.** Grouting should be done at least up to the depth of 30cm below the ground level on the outer side of wall.
- 13.** All dismantled and scrapped material should be removed from the site at regular interval as directed by Engineer in charge. So that no obstruction is caused during execution of works.
- 14.** Area of work shall be covered with tarpolin while execution in rainy season to avoid any damage to structure due to rain.
- 15.** As the work is of special nature it shall be carried out as directed by Engineer in charge. Consultant if appointed by the Govt.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

CREDIT OF DISMENTLED MATERIALS

During the execution of work, obtained dismantled material mentioned in the Schedule 'B' shall be removal by the contractor from the site of work as per the instruction of the Engineer in charge. The credit of such materials at rate mentioned in the tender shall be deducted from the respective bill of the contractor.

In no case of the contractor shall complain for the quality and quantity of dismantled materials obtained from the work. The contractors should take away all the dismantled materials from the site of work and site should be cleared off as directed by Engineer in charge.

Contractor is fully responsible for dismantled materials and necessary protection against theft and any other further damage. The amount shown for dismantled materials shall be deducted from bills as per qty. dismantled at rate shown in the tender.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

GENERAL CONDITION FOR CIVIL WORKS

The provisions detailed below are applicable to items of work and are deemed to be integral part of the detailed specification of items of work and are to be followed strictly.

- (a)** It shall be distinctly understood that contract rate of the item is for the work completed in all respect and shall invariably be inclusive of the cost of follows.
- (b)** Fabricating, erecting, handling conveying, placing and keeping in position of materials.
- (c)** Consolidation, vibrating, curing, finishing etc. whenever the nature of the item is obviously indicative of the same.
- (d)** Racking as directed to all concrete surface except those which are to remain as "off the form exposed surface" to provide proper bond to the abutting masonry or finishing as the case may be.
- (e)** All fixtures and fastening required for satisfactory completion of item of work even though not specifically indicated.
- (f)** All works tests and tests of material required to be carried out as specification or as required to be carried out in the opinion of the Engineer in charge.
- (g)** Conveyance of materials provided in Schedule 'A' from the place of delivery to the site of work and their preservation in good state while in use or till return to the department, if found surplus.
- (h)** The contractor shall have to give an undertaking on appropriately stamped paper a guarantee for items of water proofing to the Department in the manner and form as prescribed below.
- (i)** Reference to specification of materials are given in the details specification of items of work in the form as mentioned below i.e. M.5 means M.5 of specification of materials.
- (j)** The agency has to submit mix design for different grades of controlled concrete at his own cost and shall be got approved by Engineer in charge.

In case of any errors or omissions in such numbers the relevant specifications of items should be adopted for execution of work as directed by Engineer in charge without any extra cost to Government.

The props use for centering shall be of M.S. pipe and it should be pressed with M.S. angle or flats.

The materials to be used for the items of the work shall be as per the approved samples kept in the sample house.

FORM OF GUARANTEE BOND

I/We hereby guarantee that the waterproof work shall be done as specification and not be in any way found defective later on for the period of Seven years after the date of final bill as per terms and conditions of the contract and I/We hereby identify and agree to serve harmless to Government of Gujarat from and loss and/ or damage that might be caused to waterproofing work due to any defects and hereby guarantee to replace the defective work without claiming any extra cost. The cost of reinstallation of such replacement shall be borne by me/us.

This guarantee shall remain in effect for a period of five years from the date of final bill. It shall remain binding to me/us for the said period of five years. This guarantee shall be effective for the period of five years to be counted from the date of payment of final bill.

The deposits at the rate of 5% of the cost of this item from the running and final bills shall be recovered and be refunded only after the completion of the guarantee period.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

<p align="center">FORM OF BANK GUARANTEE (UNCONDITIONAL) FOR SECURITY FOR PERFORMANCE [INITIAL AND ADDITIONAL SECURITY DEPOSIT]</p>
--

TO : (Name of Employer) _____
(Address of Employer) _____

WHERE AS (Name and Address of Contractor) _____
Hereinafter called "THE CONTRACTOR" has undertaken, in pursuance of contract
No. _____ Dated _____ to execute (Name of contractor and brief
description of work) (Hereinafter Called "THE CONTRACT")

AND WHERE AS you have stipulated it in the said contract that the contractor
shall furnish you with a Bank Guarantee by a recognized Bank for the sum
specified therein as security for compliance with his obligation in accordance with
the contract:

ALL WHEREAS we have agreed to give the contractor such a Bank Guarantee.

NOW THEREFORE we hereby affirm that we are the Guarantee and responsible to
you, on behalf of the contractor, up to a total of (Amount of
Guarantee) _____ (in words) _____
such sum being payable in the types and proportions of currencies in which the
contract price is payable a new we undertake to pay, upon your first written the
demand and without oval or argument, any sum of sums within the limits of
(Amount of Guarantee) _____ as aforesaid without our needing to
prove of to show grounds or reasons for your demand for the sum specified
therein.

We hereby waive the necessity of your demanding the said debt from the
contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms
of the contract or of the works to be performed there under or any of the contract
documents which may be made between you and the contractor shall in any such
change, addition or modification.

This guarantee is valid until the date (twelve months) after the issuing of the
maintenance certification.

SIGNATURE AND SEAL OF THE GUARANTOR

Name of Bank : _____
Address : _____
Date : _____

- * Bidders are NOT required to complete this form,
- * An amount in to be inserted by the guarantor, representation the
percentage of the contractor price specified in the contract, And
denominated either in the currency (iea) of the contractor of in a freely
convertible/ acceptable to the employer.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

FORM OF GUARANTEE BOND

[FOR COLOUR WORK]

Name of Work : _____

Agreement No.: _____

I hereby guarantee that colour work shall be done as per specification and not be in any way defective later on for the period of three years after the expiry of defect liability as per terms and conditions of the contract and I/We hereby identify and agree to serve hermits to Govt. of Gujarat from any loss and / or damages that might be cause to colour work due to any defect and hereby guarantee to rectify colour work due to any defects and hereby guarantee to rectify colour work.

This guarantee shall remain in force for a period of three years from the date of expiry of defect liability period. It shall remain binding to me / us for the said period of three years after the expiry of defect liability period.

The deposit at the rate of 10% of the cost of these item from the running and final bills be recovered over and above S.D. will be refunded only after the completion of the guarantee period as aforesaid.

Note: It is compulsory to furnish above Guarantee Bond. The tender is liable to reject without above Guarantee Bond.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

FORM OF GUARANTEE BOND

[For Water Proofing Work]

Name of Work : _____

Agreement No.: _____

I/We hereby guarantee that work will remain in unaffected and not be in any way damaged by water leakage or any other similar type of defects surface will remain good for the period of Five Years after completion of the work of water proof as per terms and conditions of the contract and the contractor that might be caused on account of bad materials or workmanship and or the similar type of cause and hereby guarantee to make good any loss or damage suffered by the Govt. of Gujarat and further guarantee to redo the effective work without claiming any extra cost.

This guarantee shall remain in force for the period of Five Years from the completion of the work under the contract and it shall remain bonding to the contractor for the period of 5 Years.

The deposits at the rate of 15% of the cost of this executed item form the running or the final bills be recovered over and above SD and shall be refunded only after completion of the work as scheduled below.

After completion of 3 Years	:	5%
After completion of 4 Years	:	5%
After completion of 5 Years	:	5%

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

FORM OF GUARANTEE BOND

[For FRP Door Work]

Name of Work : _____

Agreement No.: _____

I/We hereby guarantee that The FRP Door Work shall be done as specification & not be in any way found defective later on for the period of Three Years after the date of final bill as per terms and conditions of the contract and I/We hereby identify and agree to serve harmless to Government of Gujarat from and loss and / or damage that might be caused to FRP Door Work due to any defects and hereby guarantee to replace the defective work without claiming any extra cost. The cost of reinstallation of such replacement shall be borne by melus.

This guarantee shall remain in effect for a period of Three Years from the date of Final bill. It shall remain binding to melus for the said period of Three Years. This guarantee shall be effective for the period of Three Years to be counted from the date of payment of final bill.

The deposits at the rate of 5% of the cost of this item from the running & final bills shall be recovered & be refunded only after the completion of the guarantee period.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

FORM OF GUARANTEE BOND

[For Anti Termite Work]

Name of Work:-

.....

.....

Agreement No.:-

"I/We hereby guarantee that work will remain unaffected and not be in any way damaged by termite or any other germs of similar types, for a period of 10 Years after completion of the work of anti-termite as per the terms and conditions of the contract and contractor hereby indemnifies and agrees to save harmless the Government of Gujarat from any loss and or damage that might be caused on account of termite and or other similar type of germs and hereby Guarantee to make good any loss or damages suffered by the Government of Gujarat and further guarantee to redo the effective work without claiming any extra cost."

This guarantee shall remain in force for a period of 10 Years from the date of expiry of defect liability period. It shall remain binding to me/us for the said period of 10 Years after the expiry of defect liability period.

The deposit at the rate of 10% of the cost of these item from the running and final bills be recovered over and above S.D. and be refunded only after the completion of the guarantee period as aforesaid.

Note:- It is compulsory to furnish above Guarantee bond. The tender is liable to reject without above Guarantee bond.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

FORM OF GUARANTEE BOND

[For ACP Sheet]

Name of Work : _____

Agreement No.: _____

I/We hereby guarantee that the ACP Sheet work shall be done as specification and not be in any way found defective later on for the period of Three Years after the date of final bill as per terms and conditions of the contract and I/We hereby identify and agree to serve harmless to Government of Gujarat from and loss and/ or damage that might be caused to ACP Sheet work due to any defects and hereby guarantee to replace the defective work without claiming any extra cost. The cost of reinstallation of such replacement shall be borne by me/us.

This guarantee shall remain in effect for a period of one year from the date of final bill. It shall remain binding to me/us for the said period of one year. This guarantee shall be effective for the period of one year to be counted from the date of payment of final bill.

The deposits at the rate of 5% of the cost of this item from the running and final bills shall be recovered and be refunded only after the completion of the guarantee period.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

<u>SPECIAL CONDITON</u>

The unit rate of controlled cement concrete items for R.C.C. (including RMC) works of Mix M.150, M.200, M.250 & M.300 included in tender are taken considering cement consumption as show below in Table-A.

TABLE-A

Sr. No.	Grade of Cement Concrete	Cement Consumption as per S.O.R. in Kg./Cubic	Remarks
1	M.150	5.80	
2	M.200	7.20	
3	M.250	7.60	
4	M.300	8.20	

The contractor has to submit the mix design for different grades of cement concrete at his own cost from G.E.R.I. Gandhiangar before execution as directed. Reduction in rates of R.C.C. Items put into the tenders by the contractor shall be given according to the cement consumption of the approved mix design of the cement concrete for that item, if the cement consumption of the mix design is less than as prescribed in Table-A, the recovery shall be carried out as per the input rate of cement mentioned in Clause-59. If cement consumption level found more than as prescribed in Table-A, additional payment against difference of cement consumption shall not be made to contractor at any stage. The condition is also applicable to the (i) Excess quantity for R.C.C. Items and (ii) Extra Item Rate Lists. This condition is to be followed in addition to Clause-14.

Note:- This Clause/Condition will be also applicable to the controlled cement concrete items by Ready Mix Concrete.

Dated Signature
of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

એકરાર પત્ર

ઉપરોક્ત પરિશિષ્ટોમાં આપેલ ભાવો ટેન્ડરમાં ભરેલ ભાવોની ચકાસણી અંગેના હોઈ તે ખાતાને બંધનકર્તા રહેશે નહીં. તેમજ તેમાં દર્શાવેલ ખાસ મથકેની સ્પેશીફિકેશન મુજબનો માલ નહીં મળે તોતે સ્પેશીફિકેશન પ્રમાણેનો ખાતુ માન્ય દરે તે અન્ય જગ્યાએથી લાવી આપીશું. જે માટે કોઈ વળતરનો કલેઈમ મુકવામાં આવશે નહીં.

ઠેકેદારની સહી

DECLARATION CERTIFICATE

I/We hereby declare that my/our near relatives are not working in the Division or in its Sub-Division as an Executive Engineer/ Deputy Executive Engineer, Store Keeper, Manager of Atithi/ Vishram gruh and in the circle as a Superintending Engineer at today.

કબુલાત/ એકરાર પ્રમાણપત્ર

એ આથી એકરાર કરું છું/ કરીએ છીએ કે, અમારા/ મારા નજીકના સગા આ વિભાગીય કચેરીમાં તેમજ તે હેઠળની પેટા વિભાગીય કચેરીમાં કાર્યપાલક, નાયબ કાર્યપાલક, મદદનીશ ઈજનેર, વિભાગીય હિસાબીનશ, સ્ટોર કીપર, અતિથિ / વિશ્રામગૃહોમાં મેનેજર તથા વર્તુળ કચેરીમાં અધિક્ષક ઈજનેરશ્રી તરીકે હાલ ટેન્ડર ભરવાની તારીખે કામ કરતા નથી.

ઠેકેદારની સહી

ઈજારદારશ્રીઓ માટે વિશેષ નોંધ

ઉપરોક્ત ટેન્ડરનીઆઈટમોના ભાવ ભરતી વખતે ઈજારદારશ્રીએ નીચેની બાબતોની ખાસ નોંધ લેવી.

- (૧) બાંધકામમાં વાપરવામાં આવનાર ઈટો ચિમની ભટ્ટાની તથા સ્પેશ્યલ કપચી, ગીટ, રેતી વિગેરે મટીરીયલ્સ સદર કામના ટેન્ડરના સ્પેશીફિકેશન પ્રમાણેનું ઉચ્ચ ગુણવત્તા ધરાવતું લાવવાનું રહેશે. (સ્પેશ્યલ કક્ષા)
- (૨) લાકડાની આઈટમમાં ઉપયોગમાં લેવાનું લાકડું સ્પેશીફિકેશન પ્રમાણેનું ફક્ત સાગનું જ લાવવાનું રહેશે.
- (૩) બારી-બારણાની ફ્રેમ અને શટર માટે ઉપયોગમાં લેવામાં આવનાર એલ્યુમીનીયમ સેક્શન આઈટમના સ્પેશીફિકેશન પ્રમાણેની સાઈઝનું અનેએકમ વજનનું હોવું જરૂરી છે. તેમજ જે તે એલ્યુમીનીયમ સેક્શન સક્ષમ કક્ષાની પાસે મંજૂર કરાવીને જ વાપરવાનું રહેશે.
- (૪) સેનેટરી મટીરીયલ્સ સ્પેશીફિકેશનમાં દર્શાવ્યા પ્રમાણેની સાઈઝનું-ઘોરણવાળા અને સક્ષમ કક્ષાએ મંજૂર કરેલ સેમ્પલ મુજબના જ લાવવાના રહેશે.
- (૫) બારી-દરવાજાના ફિક્ચર-કાસ્ટનીંગ સ્પેશીફિકેશન પ્રમાણેના ધારા-ઘોરણવાળા અને સક્ષમ કક્ષાએ મંજૂર કરેલ સેમ્પલ મુજબના જ લાવવાના રહેશે.
- (૬) સદર કામમાં વાપરવામાં આવનાર ફ્લોરીંગ માટેની ટાઈલ્સ અને કોટા સ્ટોન સ્પેશીફિકેશન પ્રમાણેના જ જાડાઈના અને ઉચ્ચ ગુણવત્તા ધરાવતા હોવા જોઈએ અને સેમ્પલ સક્ષમ કક્ષાએ મંજૂર કરાવ્યા મુજબનો જથ્થો લાવવાનો રહેશે.
- (૭) બાંધકામમાં વાપરવામાં આવનાર માલસામાન એન્જીનીયર ઈનચાર્જ દ્વારા એપ્રુવડ સેમ્પલ મુજબનો વાપરવાનો રહેશે.
- (૮) સંપૂર્ણ કામની વર્કમેનશીપ લાઈન લેવલમાં હોવી જોઈએ તેમજ પોલીશીંગ અને ફિનિશીંગની કામગીરી ઉચ્ચ કક્ષાની કરવાની રહેશે.
- (૯) ટેન્ડર સાથે યંત્રો , ઓજારો તથા ચાલુ હાથ પરના કામોની વિગત ઈજારદારશ્રી દ્વારા પુરી પાડવાની રહેશે.
- (૧૦) બિલ દર મહિને રજુ કરવા બાબત આગલા માસમાં કરી આપેલ બધા કામ માટે હવાલાના ઈજનેરે નક્કી કરેલ હોય તે તારીખ અથવા તે પહેલાં દર મહિને કોન્ટ્રાક્ટરે બિલ રજુ કરવાનું રહેશે. અને એ કામની ખરાઈ કરવાના ઉદ્દેશ્યથી હવાલાના ઈજનેર જરૂરી માપ લેશે. અથવા લેવડાવશે. અને બિલ રજુ થયા બાદ ગ્રાન્ટ અથવા એન.ઓ.સી. ઉપલબ્ધ થયે તેનું ચુકવણું કરવામાં આવશે. કામ થયા બાદ તેના બિલનું ચુકવણું વિલંબથી થાય તો તે અંગે કોઈ વ્યાજ ચુકવવા પાત્ર બનશે નહીં. ઉપર જણાવ્યા મુજબના નિયત સમયની અંદર કોન્ટ્રાક્ટર બિલ રજુ નહી કરે તો હવાલાના ઈજનેરે પોતાના તાબાના કોઈપણ અધિકારીને કોન્ટ્રાક્ટરે અધિકૃત કરેલ એજન્સીની હાજરીમાં ઉક્ત કામનું માપ લેવા મોકલશે અને તેવી માપયાદી પરની કોન્ટ્રાક્ટરની કે તેના એજન્ટની સહી, તેના અનુમોદન માટે પુરતી ગણાશે, અને હવાલાના ઈજનેર આવી યાદીમાંથી બીલ બનાવશે, જે કોન્ટ્રાક્ટરને બધી બાબતમાં બંધનકર્તા રહેશે.

ઠેકેદારની સહી

કાર્યપાલક ઈજનેર
પાટનગર યોજના વિભાગ નં. ૧
ગાંધીનગર.

INSTRUCTION OF PERSON TENDERING

WATER SUPPLY

For all purpose connected with the work, the contractor is required to make his own arrangement for sufficient supply of water in such quantity and of such quality and at such places on the work as may be necessary. The rates quoted in the tender are for completed items of works and shall cover cost of water as aforesaid.

The Department may supply the water to the contractor, if so requested to him and if available near by department source. However, if his request is accepted, the department will in now may be found to continue supply, if arranged, till completion of work and it may be discontinued at any time after giving twenty four hours notice.

If the water is supplied by the Department the charge will be levied at Rs.5 per Rs.1000 of the cost of work done. The amount of water charges will be deducted by the Department.

The department will give one water supply connections free of cost from the main line or place as it is convenient to the department. The contractor shall have to make his own arrangement for laying the required pipe line from the connection, the same will be given if possible, on payment of necessary charges for the additional connection, as may be decided by the Department.

Dated Signature
Of the contractor

Executive Engineer,
Capital Project Division No.1,
Gandhinagar.

કોન્ટ્રાક્ટરો ગુજરાત સરકારના માર્ગ અને મકાન વિભાગના ઠરાવ નં. ટીએનસી-૧૦૯૮-આઈબી-૨૨૦-(૧૮)-સ, તા. ૧૭-૧૨-૮૮ પ્રમાણેની શરતોએ ખુલ્લા બજારમાંથી સીમેન્ટ તથા લોખંડ આ કામે ખરીદવાના રહેશે.

- (૧) ઠેકેદારોએ આઈ.એસ. પ્રમાણપત્રવાળો તથા મુળ મુખ્ય ઉત્પાદક કંપનીમાંથી સીધી રીતે સીમેન્ટ મેળવવાનો રહેશે. તેથી ખરાઈ માટે તેના ચુકવણીના બીલો સંબંધિત કાર્યપાલક ઈજનેરશ્રીને રજુ કરવાના રહેશે અને સીમેન્ટ સ્થળ (સ્ટોર) ઉપર લાવ્યા બાદ ખાતા તરફથી જરૂરીયાત પ્રમાણે ટેસ્ટ કર્યા બાદ યોગ્યતાનું પ્રમાણપત્ર મેળવી કામમાં વાપરવાનો રહેશે. જો સીમેન્ટ યોગ્યતા પ્રમાણે નહીં હોયતો ઠેકેદારને સીમેન્ટ તાત્કાલિક સ્થળ પરથી પોતાના ખર્ચે દુર કરવાનો રહેશે.
- (૨) લોખંડની ખરીદી સ્ટીલ ઓથોરીટી ઓફ ઈન્ડીયા અથવા અન્ય મુળ ઉત્પાદક કંપનીઓ પાસેથી જ ઠેકેદારો કરે અને તેના ચુકવણીના વાઉચરોપણ ખરાઈ માટે રજુ કરે તે કાર્યપાલક ઈજનેરશ્રી જોવાનું રહેશે. તેમજ લોખંડ યોગ્ય ગુણવત્તાવાળું છે કે નહીં તેની ખરાઈ ખાતા મારફતે થઈ ગયા બાદ જ ઉપયોગમાં લેવાનું રહેશે અને તેના ટેસ્ટ રીપોર્ટ પણ ઈજારદારે રજુ કરવાનો રહેશે. જે લોખંડનો જથ્થો ટેસ્ટ કરાવ્યા બાદ કામમાં વાપરવા લાયક ગણાશે નહીં. તે જથ્થો ઠેકેદારે પોતાના ખર્ચે કામની સાઈટ ઉપરથી ઉપાડી જવાનો રહેશે.

ઠેકેદારની સહી

કાર્યપાલક ઈજનેર
પાટનગર યોજના વિભાગ નં. ૧
ગાંધીનગર.

ખાણ અને ઉર્જા વિભાગ
નંબર: એમસીઆર-૨૧૮૮(૮)(૧૫)-હ, તા. ૨૫-૧-૮૧.

આ ઠરાવ તા. ૧-૩-૮૧ થી અમલમાં આવશે.

રાજ્ય સરકાર પંચાયતના સરદાર સરોવર નર્મદા નિગમના બાંધવામાં આવતા રસ્તાઓના કે સિંચાઈ વગેરેના કામો માટે સાદી માટી(ઓડીનરી કલે અર્થ)અને (સોફ્ટ)મુરમ વાપરવામાં આવે છે ત્યારે ગુ.ખો.ખા.ની ૧૯૬૬ મુજબ રોયલ્ટી થશે નહીં.(સોફ્ટ)મુરમ સિવાય ખનીજ હાર્ડ મુરમ કે બ્લેક ટેપ સાથે હરોળમાં ગણાય છે, તેને આ મુકિતનો લાભ મળશે નહીં. સ્થાનિક ચુસ્ત અભિપ્રાય સંબંધમાં મળતો હોયતો નિયામકશ્રી, ભુસ્તક વિજ્ઞાન અને ખનીજ અમદાવાદનો અભિપ્રાય લેવાનો રહેશે.

માટી અને સોફ્ટ મુરમ માટેના રોયલ્ટી આ લાભ સરદાર સરાવેર નર્મદા નિગમ સિવાયના અન્ય બોર્ડ કોર્પોરેશનને નહીં.

માટી અને સોફ્ટ મુરમને આ રીતે મુકિતનો લાભ આપવામાં આવ્યો છે તે અંગેની જાણ માર્ગ અને મકાન વિભાગ, જળસંપત્તિ વિકાસ વિભાગ, સરદાર સરોવર નર્મદા નિગમ તથા પંચાયતના કામો રાખનારાઓએ થવી જોઈએ. જેથી રોયલ્ટી મુકિત કે કોન્ટ્રાક્ટરને મળે છે તેને કારણે તેમના પ્રમાણમાં ઓછા ભાવે ટેન્ડરો મળે અને સરકારને /પંચાયતોને /સરદાર સરોવર નર્મદા નિગમ વિગેરેને મુકિતના અંતિમ લાભ મળી શકે. આ કામો માર્ગ અને મકાન વિભાગ, જળસંપત્તિ વિકાસ વિભાગ અને વિભાગે જરુરી કાર્યવાહી કરી ઉદ્યોગ, ખાણ , ઉર્જા વિભાગને જાણ કરવાની રહેશે.

માટી અને સોફ્ટ મુરમ સિવાયના અન્ય ગૌણ બાબતના ઉ.ખા ખનીજ ૧૯૬૬ અને તેના અનુસંધાનના વખતો વખતના બહાર પાડેલા ઠરાવો લાગુ પડશે અને તે મુજબ લીઝ કે પરમીટ લેવાનું અને રોયલ્ટી ભરવાની રહેશે.

ઠેકેદારની સહી

કાર્યપાલક ઈજનેર
પાટનગર યોજના વિભાગ નં. ૧
ગાંધીનગર.

ખાસ શરત

પાટનગર યોજના વર્તુળ હસ્તકના કામો માટે સરકારશ્રી ધ્વારા નિમવામાં આવેલ કન્સલ્ટન્ટ / સ્થપતિ / કા.ઈ.શ્રી / ના.કા.ઈ.શ્રી ધ્વારા આ કામોમાં સમયાંતરે નિરીક્ષણ કરવામાં આવશે અને આ નિરીક્ષણ ધ્વારા સુચવવામાં આવેલ સુચનો જેવા કે માલસામાનની ગુણવત્તા, કામની ગુણવત્તા, લાઈન લેવલ, વર્કમેનશીપ વગેરે ઈજારદારને બંધનકર્તા રહેશે, અને ઈજારદારે તેનો ચુસ્તપણે અમલ કરવાનો રહેશે.

- (૧) આ કામના કલરકામ માટે જરૂરી " કલર" નો જથ્થો લાવતા પહેલા ઈજારદારે હાલ ઉપલબ્ધ બજારમાં ઉચ્ચ ગુણવત્તા ધરાવતા કલર પૈકીમાંથી એક કંપનીનો કલર કાર્યપાલક ઈજનેર પાસે એપ્રુવ કરાવવાનો રહેશે. કલર ઈજારદારશ્રીએ લાવવાનો રહેશે. ઈજારદારશ્રીએ કલર કામની આઈટમ માટે જે કલરનો કાર્યપાલક ઈજનેરશ્રી ધ્વારા એપ્રુવ કંપનીનો જથ્થો લાવી સંલગ્ન સેક્શન ઓફિસરને જમા કરાવવાનો રહેશે. આ જથ્થો કલર કામની આઈટમની કામગીરી માટે જરૂરીયાત મુજબ ઈજારદારને ઈસ્યુ કરી કામ કરાવવાનું રહેશે. આ અંગે આવક જાવકનું રજીસ્ટર વર્ક આસીસ્ટન્ટ ધ્વારા નિભાવવાનું રહેશે.
- (૨) કાર્યપાલક ઈજનેર ધ્વારા એપ્રુવ કરેલ કંપનીના કલર ઈજારદારે આ કામમાં જરૂરી કલરના જથ્થાના ઓછામાં ઓછા ૫૦ ટકા સાઈટ પર લાવીને સેક્શન અધિકારીને જમા કરાવવાનો રહેશે.
- (૩) આ કામના કલરની આઈટમની કામગીરી માટે ઈજારદારે જમા કરાવેલ કલરનો જથ્થો આવક જાવકના રજીસ્ટરમાં લઈ કામમાં જરૂરીયાત મુજબ જ કામના હવાલાના વર્ક આસીસ્ટન્ટ / સેક્શન ઓફિસર ધ્વારા ઈજારદારના કામ માટે ઈસ્યુ કરવાનો રહે અને આ જ કલર ધ્વારા કલર કામ હાથ ધરવાનું રહેશે.

ઉપર મુજબની પદ્ધતિ હાલ સિમેન્ટ વપરાશમાં અનુસારવામાં આવતી પદ્ધતિ મુજબ અનુસરવાની રહેશે.

કોન્ટ્રાક્ટરની સહી

કાર્યપાલક ઈજનેર,
પાટનગર યોજના વિભાગ નં. ૧,
ગાંધીનગર.

રસ્તા, પુલો તથા મકાન બાંધકામની વિગતો તથા સ્પેશીફિકેશન અંગેના કામના સ્થળ ઉપર બોર્ડ મુકવા બાબત.

ગુજરાત સરકાર,
જાહેર બાંધકામ વિભાગ,
પરિપત્ર નં. બીડીજી-૩૨૭૭(૧૬૫૭)-ન,
સચિવાલય, ગાંધીનગર.
તા.૨૬-૪-૧૯૭૮

પ રિ પ ત્ર :

જાહેર બાંધકામ વિભાગ મારફત થતાં રસ્તા, પુલો તથા મકાનોના બાંધકામની વિગતો તથા સ્પેશીફિકેશનની માહિતી જાહેર જનતાને જે તે કામના સ્થળ ઉપર જાણ માટે મળી શકે તથા જાહેર જનતા તે અંગે યોગ્ય સુચનો કરી શકે તેમાટે કામના સ્થળ ઉપર સરળ ભાષામાં બોર્ડ મુકવા અંગેની બાબત સરકારશ્રીની વિચારણામાં હતી, સરકારે આ અંગે યોગ્ય વિચારણા કરી ઠરાવેલ છે કે આ વિભાગ તરફથી કરવામાં આવતા રસ્તા, પુલો તથા મકાનોના કામો માટેની નીચે જણાવ્યા મુજબની વિગતો દર્શાવતા બોર્ડ કામના સ્થળ ઉપર જાહેર જનતાની જાણ માટે મુકવા.

જાહેર વિજ્ઞપ્તી

આ રસ્તા, પુલોનું તથા મકાનોનું કામ ગુજરાત રાજ્યના જાહેર બાંધકામ વિભાગ હેઠળના વિભાગ હેઠળ પેટા-વિભાગ હસ્તક ચાલે છે.

આ કામના સામાન્ય સ્પેશીફિકેશન નીચે પ્રમાણે છે.

(૧) રસ્તા અંગેના સ્પેશીફિકેશન :

૧. ઓવરસાઈઝ મેટલનું.....સે.મી. દબાવેલ જાડો દર.
૨. મેટલ.....સે.મી. દબાવેલ જાડો દર.
૩. પેઢીનું નામ
૪. ડામરની સપાટી પોણા ઈંચની જાડી કારપેટ ૧૦સે.મી.માં.. કપચી..... શ્રીટ..... આસ્ફાલ્ટ વાપરીને કરવાની છે.

(૨) પુલનું કામ :

૧. પુલના..... ગાળા દરેક..... મીટર લંબાઈની.
૨. પીયર કેપનું કોન્ક્રીટ ૧:૨:૪ ના પ્રમાણમાં,
૩. સ્લેબનું કોન્ક્રીટ ૧:૨:૪ હાઈગ્રેડ ક્વોલીટી કન્ક્રીટ ૧૫૦/૨૦૦ એમ.એમ.
૪. પુલના પાયાનો કોન્ક્રીટ ૧:૩:૬ ના પ્રમાણમાં થાંભલા એને એબટમેન્ટનું કોન્ક્રીટ ૧:૩:૬ ના પ્રમાણમાં.

(૩) મકાનો :

૧. પાયાનું કોન્ક્રીટ પથ્થરનું ૧:૩:૬ નું પ્રમાણ.
૨. ઈંટોનું ચણતર અને ૧ અને ૬ નું પ્રમાણ.
૩. ભોયતળીયું ૧:૨:૩ નું ચુનાનું કોન્ક્રીટ કે ૧:૪:૮ સીમેન્ટનો કોન્ક્રીટ ઉપર ૧ ઈંચ સાઈઝની મોઝેક ટાઈલ્સ.
૪. બારી-બારણા સાગી લાકડાના.
૫. આર.સી.સી. કામ ૧:૨:૪ કે ૧૫૦ એમ.કે. ૨૦૦ એમ.નું

આ કામની વિગતે સ્પેશીફિકેશન નાયબ કાર્યપાલક ઈજનેરશ્રી..... પેટા-વિભાગની કચેરીએ ઓફીસના સમય દરમ્યાન કોઈપણ સમયે જોઈ શકાશે.

તો માહિતી માટે તે અધિકારીનો સંપર્ક સાધવો.

આ કામની માલીક જાહેર જનતાની છે અને કામમાં કોઈ ક્ષતિ કે અનિયમિતતા જણાય તો તે બાબતમાં જાહેર બાંધકામ વિભાગના અધિક્ષક ઈજનેરશ્રી..... જેઓની કચેરી..... સ્થળ છે. તેમનું ધ્યાન દોરવા વિનંતી છે.

ઠેકેદારની સહી

કાર્યપાલક ઈજનેર
પાટનગર યોજના વિભાગ નં. ૧
ગાંધીનગર.

માર્ગ અને મકાન વિભાગ
ક્રમાંક - ટી.એન.સી-૨૨૮/પુ.ઓ. ૩૯(૧૯) સ
૧૪, સરદારભવન, સચિવાલય, ગાંધીનગર.
તારીખ:- ૨૩-૧૦-૮૮

પ રિ પ ત્ર :

વિષય : રાજ્ય સરકારનાં બાંધકામ માટે વપરાતા ખનિજોની રોયલ્ટી ભરવા બાબત.

સંદર્ભ : સરકારશ્રીના તારીખ: ૨૫-૨-૮૭ના પત્ર.

ક્રમાંક : ટી.એ.સી.- ૨૨૮૬/પુ.ઓ. ૧૯ (૧૯/સ)

ઉદ્યોગ, ખાણ અને ઉર્જા વિભાગના ઉપરોક્ત વિષય અને પરત્વેના તા. ૧-૧-૮૭ના ઠરાવ ક્રમાંક: એમ.સી.આર.-૨૧૬૮/૭ ની નકલ તેમાં જણાવ્યા પ્રમાણેની કાર્યવાહી કરવાની સૂચના સાથે આ વિભાગના સંદર્ભ હેઠળના પત્રથી સર્વ અધિકારીઓને મોકલવામાં આવેલ છે. તારીખ: ૧-૧-૮૭ના રોજ સચિવશ્રી, ઉદ્યોગ, ખાણ અને ઉર્જા વિભાગની ચેમ્બરમાં મીટીંગ યોજવામાં આવેલ જેમાં કોન્ટ્રાક્ટરોના હાજર રહેલ પ્રતિનિધિઓને સાંભળીને ચર્ચા વિચારણાને અંતે નીચે મુજબ નિર્ણય કરવામાં આવેલ છે.

(૧) રૂા. ૨.૦૦ લાખ (બે લાખ) થી વધુ અંદાજી રકમના કામો હોય તેવા કામો માટે કાર્યપાલક ઈજનેરશ્રી કામનો વર્ક ઓર્ડર આપે કે તુરતજ તે કામના શીડયુલ બી ની નકલ જે તે વિસ્તારના મદદનીશ નિયામક અથવા જીઓલોજીસ્ટ અથવા આસીસ્ટન્ટ જીઓલોજીસ્ટ અથવા ભુસ્તર અને ખનીજ શાખાના જીલ્લા કચેરીના વડા જેઓ કલેક્ટરશ્રીની કચેરીમાં બેસે છે. તેમને આપવાની રહેશે.

(૨) રૂા. ૨.૦૦ લાખ (બે લાખ) થી ઉપરના કામના કોન્ટ્રાક્ટરોએ તેઓએ ખરીદેલ ખનીજના જથ્થા અને તે ક્યાંથી ખરીદે છે? તે વેચનારની વિગતો દર્શાવતા બીલોની નકલો તથા પત્રકના રૂપમાં દર ત્રણ માસ ઉપર (૧) માં દર્શાવેલ અધિકારીને પુરી પાડવાની રહેશે. આ બીલમાં વેચનારનું નામ, સ્થળ, તારીખ અને માલ લેનારનું નામ અને જથ્થા વગેરે દર્શાવેલા હોવા જોઈએ.

(૩) જરૂર પડયે જરૂરી કીસ્સામાં ઉપર

(૧) માં દર્શાવેલ અધિકારીશ્રી તરફથી વધુ માહિતી વિગત માલ કે બીલના સંબંધમાં માંગવામાં આવે તો જે તે કાર્યપાલક ઈજનેરશ્રી, ખનીજ ખાતાના અધિકારીને તે કોન્ટ્રાક્ટર પાસેથી માંગવામાં મદદ કરશે. જો આવી માહિતી સમયસર આપવામાં ન આવે કે કોઈ કાર્યપાલક ઈજનેરશ્રી, તરફથી આ અંગે સહકાર ન મળે તો ખનિજ વિભાગના અધિકારી આ બાબત નિયામકશ્રીના ધ્યાન પર મુકશે. જેઓ આ અંગે ઉદ્યોગ, ખાણ અને ઉર્જા વિભાગ તથા જે તે સંબંધિત વિભાગના સચિવશ્રીના ધ્યાન પર મુકશે, અને આવા પત્ર મળ્યેથી સંબંધિત વિભાગના સચિવશ્રી, જે તે કાર્યપાલક ઈજનેરશ્રીને તાત્કાલિક માહિતી પુરી પાડવા સુચના આપશે.

(૨) આ પ્રથા અમલી બનતા આ પરીપત્રની તારીખથી સીકયોરીટી ડીપોઝીટ પરત કરવા માટે રોયલ્ટી ભર્યા અંગેના પ્રમાણપત્રનો આગ્રહ રાખવાનો રહેશે નહીં.

(૩) આ પરીપત્રની તારીખથી આ પ્રથા અમલી બનાવવામાં આવે છે. તે પહેલા કોન્ટ્રાક્ટરે જે માલ વાપર્યા હોય તેના સંબંધમાં "નો ડયુ સર્ટીફિકેટ" તે વખતની પ્રજા મુજબ મેળવવાનું રહેશે.

(૪) માર્ગ અને મકાન વિભાગ કે અન્ય વિભાગ હસ્તકની કામગીરી સરકારી કચેરીઓમાંથી કોન્ટ્રાક્ટરે ઉપાડેલ/ વાપરેલ ખનીજ રોયલ્ટી કોન્ટ્રાક્ટર ભરપાઈ કરી આપે તે જોવાની જવાબદારી જે તે વિભાગની રહેશે.

(૫) હવે પછી ઉપર પ્રમાણે કાર્યવાહી કરવા આથી સર્વેને સુચના આપવામાં આવે છે.

રસ્તા, પુલો તથા મકાન બાંધકામની વિગતો તથા સ્પેશીફિકેશન અંગેના કામના સ્થળ ઉપર બોર્ડ મુકવા બાબત.

ગુજરાત સરકાર,
માર્ગ અને મકાન વિભાગ
ઠરાવ ક્રમાંક:ટીએનસી-૧૦૮૦-૨૪-સ,
સચિવાલય, ગાંધીનગર.
તા.૨૭-૧૧-૧૯૮૦

સંદર્ભ : જા.બાં.વિ.ના પરિપત્ર ક્રમાંક:બીસીજી-૩૨૭૭-(૧૫૬) તા.૨૬-૪-૧૯૭૮.

ઠ રા વ :

રસ્તા, પુલો તથા મકાનોના બાંધકામની વિગતો તથા સ્પેશીફિકેશન અંગેના કામના સ્થળ ઉપર બોર્ડ મુકવા અંગે સંદર્ભમાં દર્શાવેલ પરિપત્રથી જરૂરી સુચનાઓ આપવામાં આવેલ છે. આવા કામની વિગત દર્શાવતાં બોર્ડ મુકવા અંગેનો ખર્ચ વિભાગ તરફથી કરવામાં આવતો હતો. કામ પુર્ણ થયા બાદ બોર્ડ બિન જરૂરી પડી રહેતા હતા. આવો ખર્ચ નિવારવાની બાબત સરકારશ્રી વિચારણામાં હતી. પુર્ણ વિચારણાના અંતે આથી ઠરાવવામાં આવે છે કે જ્યારે આવુંબોર્ડ કામ રાખનાર ઠેકેદારે તેમના ખર્ચે મુકવાનું રહેશે. કામ ચાલુ કરવાનો હુકમ આપવામાં આવે તે પહેલા આ બાબતની જરૂરી સંમતિઓ ઈજારદાર પાસેથી લેખિતમાં લેવી તેમજ કોન્ટ્રાક્ટ ધ્વારા આવું બોર્ડ મુકવામાં આવે તે અંગે પુરતી કાળજી રાખવી.

આ હુકમો આ વિભાગની સરખા ક્રમાંકની ફાઈલ ઉપર નાણાંકીય સલાહકારશ્રીની તા. ૧૫-૨-૮૧ ની નોંધથી મળેલ સંમતિથી બહાર પાડવામાં આવે છે.

ગુજરાતના રાજ્યપાલશ્રીના હુકમથી અને તેમના નામે,

(પ્ર.ર.ચોકસી)
ખાસ ફરજ પરના અધિકારી
માર્ગ અને મકાન વિભાગ

પ્રતિ,

- રાજ્યપાલશ્રીના સચિવશ્રી, ગાંધીનગર.
- મુખ્ય મંત્રીશ્રીના સચિવશ્રી, સચિવાલય, ગાંધીનગર.
- બધા મંત્રીશ્રીઓના અંગત સચિવ, ગાંધીનગર સચિવાલય બધા વિભાગો.
- એકાઉન્ટન્ટ જનરલશ્રી, ગુજરાત અમદાવાદ બધા ખાતાના વડાઓ, બધી કચેરીના વડાઓ.
- સર્વે અધિક્ષક ઈજનેરશ્રી(મા.મ.)વર્તુળ/વર્તુળ/પંચાયત/ .ધો.મા.વર્તુળ/ એ.વે.વર્તુળ/ વિદ્યુત વર્તુળ સહિત
- સર્વે કાર્યપાલક ઈજનેરશ્રીઓ, ઉપરોક્ત વર્તુળ હેઠળના સર્વે વિભાગો.

રસ્તા, પુલો તથા મકાન બાંધકામની વિગતો તથા સ્પેશીફિકેશન અંગેના કામના સ્થળ ઉપર બોર્ડ મુકવા બાબત.

ગુજરાત સરકાર,
માર્ગ અને મકાન વિભાગ
ઠરાવ ક્રમાંક:ટીએનસી-૧૦૮૦-૨૪-સ,
સચિવાલય, ગાંધીનગર.
તા.૧૮-૧૧-૧૯૮૧

સંદર્ભ : સરકારશ્રી સરખા ક્રમાંકનો તા. ૨૭-૧૧-૮૦ નો ઠરાવ.

આમુખ : રસ્તા, પુલો તથા મકાનના બાંધકામની વિગતો તથા સ્પેશીફિકેશન અંગેના કામના સ્થળ ઉપર બોર્ડ મુકવા બાબત સરકારશ્રીની વિચારણા હેઠળ છે.

ઠ રા વ :

પુખ્ત વિચારણાને અંતે આથી ઠરાવવામાં આવે છે કે રસ્તા, પુલો તથા મકાનોના કામનો વર્ક ઓર્ડર મળ્યા પછી તુરત જ કામના સ્થળે કરવાના કામના સ્પેશીફિકેશન અંગેનું બોર્ડ કોન્ટ્રાક્ટરે પોતાના ખર્ચે મુકવાનું રહેશે.

ઉપરોક્ત શરત ટેન્ડરમાં ભાગ તરીકે ગણવાની રહેશે અને ટેન્ડરમાં તેનો સમાવેશ કરવાનો રહેશે.

આ હુકમોનો અમલ હુકમો રવાના થયાની તારીખથી કરવાનો રહેશે.

આ હુકમો આ વિભાગના સરખા ક્રમાંકની ફાઈલ પર નાણાં સલાહકારશ્રીની તા. ૧૧-૮-૮૧ ના સંમતિથી બહાર પાડવામાં આવેલ છે.

આ હુકમો માર્ગ અને મકાન વિભાગના બધાજ કામોને લાગુ પડશે.

ગુજરાતના રાજ્યપાલશ્રીના હુકમથી અને તેમના નામે,

સહી/-
એ.જી.દોશી
નાયબ સચિવ
માર્ગ અને મકાન વિભાગ

બાંધકામ કોન્ટ્રાક્ટર માટે સિક્યોરીટી ડીપોઝીટ સ્વીકારવાની પ્રથામાં અંશતઃ ફેરફાર કરવા બાબત.

ગુજરાત સરકાર માર્ગ અને મકાન વિભાગ
સચિવાલય, ગાંધીનગર
તા. ૩૧-૮-૧૯૮૪

વંચાણે લીધા : સરકારશ્રીનો સરખો ક્રમાંક ઠરાવ તા. ૪-૫-૮૩

આ મુ ખ :

કોન્ટ્રાક્ટરોને આપવામાં આવતાં કામો માટે સિક્યોરીટી ડીપોઝીટની પ્રથમ ૫૦% રકમ નાની બચત સ્વરૂપે અથવા સરદાર સરોવર નર્મદા નિગમની બાંધી મુદતની થાપણ (ડીપોઝીટ)ના સ્વરૂપમાં ઈજારદારોએ કામનાં કરાર કરતા પહેલાં જમા કરવાની રહેશે અને આ ડીપોઝીટની મુદત ઓછામાં ઓછી બે વર્ષની રહેશે. તેમ ઉપર જણાવેલ સરકારશ્રીના સરખા ક્રમાંકના ઠરાવ તા. ૪-૫-૮૩માં ઠરાવવામાં આવેલ છે.

સરદાર સરોવર નર્મદા નિગમ સરકારશ્રીના આ ડીપોઝીટની મુદત જે હાલ બે વર્ષની છે તે એક વર્ષની કરવા માટેની થયેલ રજૂઆતનાં આધારે ૪-૫-૮૩ ના ઠરાવમાં અંશતઃ ફેરફાર કરવાની બાબત સરકારશ્રીની વિચારણા હેઠળ હતી.

ઠ રા વ :

પુખ્ત વિચારણાને અંતે સરકારના બાંધકામોના કોન્ટ્રાક્ટ માટે સીક્યોરીટી ડીપોઝીટ સ્વીકારવાની પ્રવર્તમાન તા. ૪-૫-૮૩ના સરખા ક્રમાંકના ઠરાવ મુજબની પ્રથા નીચે મુજબ ફેરફાર કરવા અંગેનું ઠરાવે છે.

- (૧) સીક્યોરીટી ડીપોઝીટની પ્રથમ ૫૦ ટકા રકમની નાની બચતના સ્વરૂપે અથવા સરદાર સરોવર નર્મદા નિગમની બાંધી મુદતની થાપણ (ડીપોઝીટ) ની મુદત ઓછામાં ઓછી એક વર્ષની રહેશે.
- (૨) સીક્યોરીટી ડીપોઝીટની બાકીની ૫૦% રકમ ઈજારદારના બીલમાંથી વસુલ લેવાની પ્રવર્તમાન પ્રથા ચાલુ રહેશે. આ રકમ સામે કેટલાક ઈજારદારો બેન્ક ગેરંટી રજુ કરે છે. આ રકમ પણ નો ઈજારદાર સંમતિ આપે તો સરદાર સરોવર નર્મદા નિગમની બાંધી મુદતની થાપણ (ડીપોઝીટ) અથવા નાની બચત સ્વરૂપે ફેરવવામાં આવશે.

આ હુકમનો આ વિભાગની સરખાં ક્રમાંકની ફાઈલ પરની નાણાં વિભાગની તા. ૨૧-૭-૮૪નાં રોજની નોંધથી મળેલ સંમતિથી બહાર પાડવામાં આવે છે.

ગુજરાત રાજ્યપાલશ્રીનાં નામે અને તેમનાં હુકમથી,

સહી/-
પ્રા.લી. પારેખ
નાયબ સચિવ
માર્ગ અને મકાન વિભાગ